Org File To PDF via ox-context

Jerry Q. Hacker

July 6, 2022

Contents

1   About This Document

This is an example of using **ox-context** to export org-mode file content to ConTEXt format.

Within Emacs, if `ox-context` is installed, you can run `org-export-dispatch` using `C-c C-e C o` to generate a PDF via ConTEXt.

2   Emphasis

Text can be formatted as:

- **Text can be bold**

- *Text can be italic*

- <u>Text can be underlined</u>

- `Text can be verbatim`

- `Text can be code`

- ~~Text can be strikethrough~~

3 Links

Links work! Here's a link to example.com.

4 Tables

| name	description
foo	A thing that foos
bar	A thing that bars
baz	A thing that bazs

Table 1

5 Images

Figure 1 An example image

6 Diagrams

7 Code Blocks

Inline code blocks work as follows:

7.1 Python Example

```python
import random

foo = random.randrange(1, 11)
print(foo)
```

7.2 Python Example (included from separate file)

Included source code blocks work too:

```python
#!/usr/bin/env python3

for i in range(3):
    print("Hello from an imported file!")
```

7.3 CUE Example

```
#Foo: uint
```

```
bar: #Foo & 42
```

8 Math

$e = mc^2$

$\sum$

9 Placeholder Text

Thus, I came to the conclusion that the designer of a new system must not only be the implementer and first large–scale user; the designer should also write the first user manual.

The separation of any of these four components would have hurt TeX significantly. If I had not participated fully in all these activities, literally hundreds of improvements would never have been made, because I would never have thought of them or perceived why they were important.

But a system cannot be successful if it is too strongly influenced by a single person. Once the initial design is complete and fairly robust, the real test begins as people with many different viewpoints undertake their own experiments.

10 Bibliography

10.1 A Citation

A citation for an example website [`<example>`].

10.2 The Bibliography

Biblio