

Risks from learned optimization in advanced machine learning systems

Evan Hubinger, Chris van Merwijk, Vladimir Mikulik, Joar Skalse, and Scott Garrabrant

*with special thanks to Paul Christiano, Eric Drexler,
Jan Leike, Rohin Shah, the MIRI agent foundations team,
and everyone else who provided feedback on earlier versions of this paper.*

(Dated: May 22, 2019)

ABSTRACT.

I. INTRODUCTION

BODY.

-
- [1] Gregory Farquhar, Tim Rocktäschel, Maximilian Igl, and Shimon Whiteson, “Treeqn and atreec: Differentiable tree-structured models for deep reinforcement learning,” in *ICLR 2018* (2018).
 - [2] Jan Leike, David Krueger, Tom Everitt, Miljan Martic, Vishal Maini, and Shane Legg, “Scalable agent alignment via reward modeling: a research direction,” arXiv (2018).
 - [3] Daniel Filan, “Bottle caps aren’t optimisers,” (2018).
 - [4] Eliezer Yudkowsky, “Optimization daemons,” .
 - [5] Riceissa, “Optimization daemons,” (2018).
 - [6] K. E. Drexler, “Reframing superintelligence: Comprehensive ai services as general intelligence,” Technical Report #2019-1, Future of Humanity Institute, University of Oxford (2019).
 - [7] Jiawei Su, Danilo Vasconcellos Vargas, and Kouichi Sakurai, “One pixel attack for fooling deep neural networks,” *IEEE Transactions on Evolutionary Computation* (2017).
 - [8] Paul Christiano, “What does the universal prior actually look like?” (2016).
 - [9] Alex Graves, Greg Wayne, and Ivo Danihelka, “Neural turing machines,” arXiv (2014).
 - [10] Paul Christiano, “Open question: are minimal circuits daemon-free?” (2018).
 - [11] Borja Ibarz, Jan Leike, Tobias Pohlen, Geoffrey Irving, Shane Legg, and Dario Amodei, “Reward learning from human preferences and demonstrations in atari,” *NeurIPS 2018* (2018).
 - [12] Kareem Amin and Satinder Singh, “Towards resolving unidentifiability in inverse reinforcement learning,” arXiv (2016).
 - [13] Nick Bostrom, *Superintelligence: Paths, Dangers, Strategies* (Oxford University Press, 2014).
 - [14] David Manheim and Scott Garrabrant, “Categorizing variants of goodhart’s law,” arXiv (2018).
 - [15] Paul Christiano, “Worst-case guarantees,” (2019).
 - [16] Jane X Wang, Zeb Kurth-Nelson, Dhruva Tirumala, Hubert Soyer, Joel Z Leibo, Remi Munos, Charles Blundell, Dhharshan Kumaran, and Matt Botvinick, “Learning to reinforcement learn,” *CogSci* (2016).

- [17] Yan Duan, John Schulman, Xi Chen, Peter L. Bartlett, Ilya Sutskever, and Pieter Abbeel, “ RL^2 : Fast reinforcement learning via slow reinforcement learning,” arXiv (2016).
- Dario Amodei, Chris Olah, Jacob Steinhardt, Paul Christiano, John Schulman, and Dan Mané, “Concrete problems in ai safety,” arXiv (2016).
- Stuart Armstrong and Sören Mindermann, “Occam’s razor is insufficient to infer the preferences of irrational agents,” NeurIPS 2018 (2017).
- Xiaowei Huang, Marta Kwiatkowska, Sen Wang, and Min Wu, “Safety verification of deep neural networks,” CAV 2017 (2016).
- Guy Katz, Clark Barrett, David Dill, Kyle Julian, and Mykel Kochenderfer, “Reluplex: An efficient smt solver for verifying deep neural networks,” CAV 2017 (2017).
- Kexin Pei, Yinzhi Cao, Junfeng Yang, and Suman Jana, “Towards practical verification of machine learning: The case of computer vision systems,” arXiv (2017).
- Nate Soares, Benja Fallenstein, Eliezer Yudkowsky, and Stuart Armstrong, “Corrigibility,” AAAI 2015 (2015).