



ALVY.BP6245 Access Control System Units

[Page Bottom](#)

Access Control System Units

[See General Information for Access Control System Units](#)

BOSCH SECURITY SYSTEMS INC

BP6245

130 Perinton Pkwy
Fairport, NY 14450-9107 USA

Access control unit accessories, Models* DS-150i, -151i, -160, -161 Request-to-Exit Passive-Infrared Sensors.

Access control system unit accessories, Models D8227, D8229.

Access control systems, Models AEC, D9412GV2, D7412GV2, D7212GV2, D9412GV3, D7412GV3, D7212GV3 used with the Model D9210B controller.

Access Control Systems:

Models D9412GV4, D7412GV4, D7212GV4 with Model D9210B or D9210C controller.

Models B6512, B5512, B4512, B3512, with Model B901 access control interface.

Model BOSCH ReadykeyPRO Unlimited Ver. 6.1.222, 6.4.500.

System consists of combinations of the following BOSCH SECURITY SYSTEMS INC. Listed Access Control System Unit Sub-assemblies, as described in the installation instructions:

Intelligent system controllers, RKP-500, RKP-1000, RKP-2000, RKP-2220, RKP-3300.

Input control module, RKP-1100.

Output control module, RKP-1200.

Single reader interface module, RKP-1300.

Dual reader interface module, RKP-1320.

Star multiplexer, RKP-8000.

Includes the following to form a complete system -

Listed Access Control System Unit Sub-assemblies:

Power supply/chargers, Models RK-AL600ULX-4CB6, RK-AL400ULX.

Battery enclosures, and premises control unit enclosures, Models RK-CTX, RK-CTX-6.

Control unit subassembly, Ethernet Modules, Models B420(+), B426 (+) (Covered under S5579).

*Complimentary Listed to ALVY7.

+ - Complementary Listed to UOXX, AMCX, AMCX7, AOTX, AOTX7, APAW, APAW7, NBSX, NBSX7, UTOU, APOU, APOU7.



radionics



detection systems

Trademark and/or Tradename:

[Last Updated](#) on 2016-05-02

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".



AMCX.S1871 Central-station Alarm Units

[Page Bottom](#)

Central-station Alarm Units

[See General Information for Central-station Alarm Units](#)

BOSCH SECURITY SYSTEMS INC

S1871

130 Perinton Pkwy
Fairport, NY 14450-9107 USA

- B12 mounting plate subassembly: Zonex modules**, Model(s) B600
- B12 mounting plate subassembly: bell supervision modules**, Model(s) D192G
- B12 mounting plate subassembly: booster power supplies**, Model(s) D8132 (*7), D8132LT (*7)
- B12 mounting plate subassembly: enclosures**, Model(s) B8103, D8103, D8108A, D8108AH, D8109, D8109G, D8109H, D8109L
- B12 mounting plate subassembly: end of line resistor assemblies**, Model(s) D-105-BL
- B12 mounting plate subassembly: expander modules**, Model(s) D8125
- B12 mounting plate subassembly: modules**, Model(s) D9127T, D9127UPOPIT
- B12 mounting plate subassembly: octo-relays**, Model(s) D8129
- B12 mounting plate subassembly: Popex modules**, Model(s) B299
- B12 mounting plate subassembly: powered loop interfaces**, Model(s) D125B
- B12 mounting plate subassembly: release modules**, Model(s) D8130
- B12 mounting plate subassembly: transformer enclosures**, Model(s) D8004
- Communicator interface modules**, Model(s) B450 (*12)
- Computers, for use with receiver D6600**, Model(s) B-010 (*2)
- CU accessories**, Model(s) D1260 (*16)
- CU accessories, keypads for use with control panels**, Model(s) D621, D621B, D621W, D623, D623B, D623W, D625, D625B, D625W
- CU accessory: access control modules**, Model(s) D901, D9210B (a), D9210BC (a), D9210BLD (a)
- CU accessory: keypad surface mount boxes**, Model(s) B56
- CU accessory: keypads**, Model(s) B915, B915I, B920, B921C, B921CW, B925F, B926F, B930, B942, B942W
D202A, D220A, D222A or D223A, may be suffixed by TD.
- CU accessory: keypads, for use with control panels**, Model(s) D720 or D1255, may be followed by R, TD or W. (*16)(a)
- CU accessory: network adaptors**, Model(s) D6680 (a)
- CU accessory: network interface modules**, Model(s) DX4020 (a)
- CU accessory: printer interfaces, for use with Radionics products**, Model(s) D9131A for use with Radionics products
- CU accessory: relay modules**, Model(s) D113, D134
- CU accessory: RF receivers**, Model(s) RF3224
- CU accessory: wireless interface modules**, Model(s) ISW-D8125CW-V2 (*7), for use with ISW-EN-4200 Wireless Inovonics RF Receiver. Compatible with control panels D9412GV3/D7412GV3/D7212GV3, D9412GV2/D7412GV2, D7212GV2.
- CU accessory: zone expansion modules**, Model(s) D208
- CU subassemblies**, Model(s) D2212BLC, D2212BELC, D6412LC, D6412M, D4412LC, D4412M, DX2010, DX3010, ITS-D6682-UL
- CU subassemblies, for use with control panels and keypads**, Model(s) ICP-SDI-9114
- CU subassembly: cellular communication modules**, Model(s) B440 (*14), B442 (*14), B443 (*14), B441 (*15)
- CU subassembly: DACTs**, Model(s) B430, B440, B441, B443
- CU subassembly: ethernet modules**, Model(s) B420 (*1)(a)
- CU subassembly: zone expansions**, Model(s) D208LC, D8128D
- CU subassembly: zone modules**, Model(s) B201 (*13)
- Digital alarm communicator receiver subassembly: CPU cards**, Model(s) D6610

Digital alarm communicator receiver subassembly: CPU terminator cards, Model(s) D6615

Digital alarm communicator receiver subassembly: expansion cards, Model(s) D6691

Digital alarm communicator receiver subassembly: line cards, Model(s) D6640, D6641, D6690

Digital alarm communicator receiver subassembly: telco terminator cards, Model(s) D6645

Digital alarm communicator receiver subassembly: terminator cards for use with D6600 and RF-2000 radio modems, Model(s) D6695

Digital alarm communicator receiver subassembly: zone expander modules, Model(s) D640

Enclosures, Model(s) B10, B11

Monitors, Model(s) B-008 (*3)

Power Supply and Enclosure, Model(s) IPP-AL400-ULPS (*1)

Subassembly: communicator status indicators, Model(s) B46 (*6)

Subassembly: connettix universal dual path communicators, Model(s) B465 (*6)

Line Security Specifications				
Model	Product	Notes	Line Security	Conditions and Notes
B3512 (*11), B4512 (*11), B5512 (*11), or B6512 (*11) for use with B920, B930 keypads, B430 phone, B440, B441, B442, B443 cellular modules.				
	Combination control units	-	No Line	When using B430 DACT communication module.
			Standard	When using onboard IP connection, B426 module, B440, B441, B442 or B443 cellular modules with Bosch Listed D6600 or D6100IPv6.
			-	-
			-	-
B8512G (*16), B9512G (*16), B9512G-E (*16) or B8512G-E (*16), for use with B915, B915I, B920, B921C, B921CW, B925F, B926F, B930, B942, B942W keypads, B430 phone, B440, B441, B442, B443 cellular modules.				
	Combination control units	-	No Line	When using B430 DACT communication modu
			Encrypted	When using onboard IP connection, B426 module, B440, B441, B442 or B443 cellular modules with Bosch Listed D6600 or D6100IPv6.
			-	-
			-	-
D2212B or D2212BE, may be followed by LT.	Combination control units	-	Encrypted	when used with Listed model C900V2 Dialer Capture Module for use with receivers as indicated in the installation instructions.
D4412, D4412LT, D6412 or D6412LT, for use with Command Center D621, D621B, D621W, D623, D623B, D623W, D625, D625B or D625W.				
	Control units	-	Encrypted	when used with Listed model C900V2 Dialer Capture Module for use with receivers as indicated in the installation instructions.
D9412GV2, D7412GV2, D7212GV2, D9412GV3, D7412GV3 or D7212GV3, for use with D1256, D1257 command centers, D8125 MUX expansion modules				
	Control units	-	Encrypted	Suitable for Encrypted Line Security when employing Listed Models DX4020 or C900V2 via PSDN only..
D9412GV4 (*9), D7412GV4 (*9) or D7212GV4 (*10), for use with D1256, D1257 command centers, D8125 MUX expansion modules				
	Control units	-	-	-
			-	-
ITS-D6682-ULF	CU subassemblies	-	-	-
			-	-
ITS-D6686-UL	CU subassemblies	-	-	-
			-	-
ITS-DX4020-G (*8)	CU subassembly: GPRS/GSM IP communicators	-	Standard	When used with Bosch control panels, models D9412GV2, D7412GV2, D7212GV2, D9412GV3, D7412GV3, D7212GV3, and Bosch receivers, models D6600 and D6100I.

			Encrypted	When used with Bosch control panels, models D9412GV2, D7412GV2, D7212GV2, D9412GV3, D7412GV3, D7212GV3, and Bosch receivers, models D6600 and D6100I.
D7412, D9412GV2, D7412GV2, D7212GV2, D9412GV3, D7412GV3, D7212GV3, D9412GV4, D7412GV4, D7212GV4				
	DAC units	-	Encrypted	when used with Listed Models DX4020 or C900V2 via PSDN only.
			Standard	-
D6600 (*15), for multiplex or PSDN systems (consists of the D6600 receiver, B-010 computer and B-008 monitor).				
	Digital alarm communicator netcom receivers	-	Standard	When used with compatible control unit.
			Encrypted	when used with a compatible control unit and Listed Model DX4020 Network Interface Module or the Listed model C900V2 Dialer Capture Module along with the D6680 network adapter.
D6650, D6655	Digital alarm communicator receiver subassembly: line cards	-	-	-
			-	-
D6100IPv6	Digital alarm communicator receivers	-	Encrypted	-
			-	-

- (*1) - Complementary Listed to ALVY, AOTX, APAW, APOU, NBSX, UOXX, UTOU.
- (*10) - Complementary Listed to APOU, APAW, ALVY, AOTX, UTOU, NBSX, AMTB, ANET.
- (*11) - Complementary Listed to APOU, APAW, AOTX, UTOU, NBSX, AMTB, ANET.
- (*12) - Complementary Listed to UOJZ, APOU, APAW, AOTX, UTOU, NBSX, AMTB, ANET.
- (*13) - Complementary Listed under AMTB (ANSI/SIA CP-01-2010), ANET, AOTX, APAW, APOU, NBSX, UTOU.
- (*14) - Complementary Listed under AMTB, ANET, APAW, APOU, NBSX, UTOU, UOJZ, ANSI/SIA CP-01-2010.
- (*15) - Complementary Listed to APAW, APOU.
- (*16) - Complementary Listed to UOXX, ALVY, NBSX, AOTX, APAW, APOU.
- (*2) - Complementary Listed to UOJZ, UOJZC, APAW, APOU.
- (*3) - Complementary Listed to UOXX, UOXXC, APAW, APOU.
- (*6) - Complementary Listed to UOJZ, APAW, APOU, ALVY, AOTX, NBSX, UTOU.
- (*7) - Complementary Listed to APOU, UTOU, AOTX, NBSX, APAW.
- (*8) - Complementary Listed to UOJZ, APAW, UTOU, NBSX, APOU.
- (*9) - Complementary Listed to UOJZ, APOU, APAW, ALVY, AOTX, UTOU, NBSX, AMTB, ANET.
- (a) - Covered under File S5579.



Trademark and/or Tradename: "Safecom" ,

Last Updated on 2016-04-30

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".



AMTB.S1871 Control Panels, SIA False Alarm Reduction

[Page Bottom](#)

Control Panels, SIA False Alarm Reduction

[See General Information for Control Panels, SIA False Alarm Reduction](#)

BOSCH SECURITY SYSTEMS INC

S1871

130 Perinton Pkwy
Fairport, NY 14450-9107 USA

Burglar alarm system control units, Models D4412, D6412, DS7200, DS7220, DS7240.

Combination control units, Models D7212GV2(+1), D7412GV2(+2), D9412GV2(+2), D7212GV3(+4), D7412GV3(+5), D9412GV3(+5), D9412GV4(+6), D7412GV4(+6), D7212GV4(+7), B3512(+8), B4512(+8), B5512(+8), B6512(+8), B8512G(+14), B8512G-E(+14), B9512G(+14), B9512G-E(+14).

Model ICP-EZM1-NA.

Burglar alarm system control unit accessories, Models D621, D621W, D623, D623W, D625, D625W, DS7445i, DS7447i, B915 (+8), B915I(+8), B920(+8), B921C(+10), B921CW(+10), B925F (+14), B926F(+14), B930(+8), B942(+8) and B942W(+8) keypads; Model B56 keypad surface mount box.

Control unit accessories, Models D1255(+3), D1255R(+3), D1255RW(+3), D1256(+3), D1257(+3), D1260(+3).

Control unit subassembly, Phone Module, Model B430. Zone Module, Model B201.(+11).

Model IUI-EZ1 for use with Model ICP-EZM1-NA control unit.

Communicator interface module, Model B450(+9).

Control unit subassemblies, Cellular communication modules B440, B442, B443.(+12).

Control unit subassemblies, Cellular communication module B441.(+13).

Burglar alarm system control unit subassemblies, Models DX2010, DX3010, EA7220, EA7240, B299 Popex Module, B600 Zonex Module.

Models ICP-EZVM-ENF, -ENM voice modules. Model ICP-EZTS tamper switch; for use with Model ICP-EZM1-NA control unit.

Subassembly, Model B46 Communicator Status Indicator (+15).

Model B465 Connettix Universal Dual Path Communicator (+15).

(+1) Complementary Listed under AMCX, AMCX7, AOTX, AOTX7, APAW, APAW7, APOU, APOU7, NBSX, NBSX7, UTOU, UTOU7.

(+2) Complementary Listed under ALVY, AMCX, AMCX7, AOTX, AOTX7, APAW, APAW7, APOU, APOU7, NBSX, NBSX7, UTOU, UTOU7, UOJZ.

(+3) Complementary Listed under ALVY, AMCX, AMCX7, AOTX, AOTX7, APAW, APAW7, APOU, APOU7, NBSX, NBSX7, UTOU, UTOU7, UOXX.

(+4) Complementary Listed under AMCX, AOTX, APAW, APOU, NBSX, UTOU, ANSI/SIA CP-01-2007.

(+5) Complementary Listed under ALVY, AMCX, AOTX, APAW, APOU, NBSX, UTOU, UOJZ, ANSI/SIA CP-01-2007.

(+6) Complementary Listed under ALVY, AMCX, ANET, AOTX, APAW, APOU, NBSX, UTOU, UOJZ, ANSI/SIA CP-01-2010.

(+7) Complementary Listed under ALVY, AMCX, ANET, AOTX, APAW, APOU, NBSX, UTOU, ANSI/SIA CP-01-2010.

(+8) Complementary Listed under AMCX, AMCX7, ANET, AOTX, AOTX7, APAW, APAW7, APOU, APOU7, NBSX, NBSX7, UTOU, UTOU7.

Complementary Listed to UOJZ, AMCX, AMCX7, APAW, APAW7, AOTX, AOTX7, UTOU, NBSX, APOU, APOU7, ANET.

(+10) Complementary Listed to AMCX, AOTX, APAW, APOU, APOU7, NBSX, UTOU, UTOU7.

(+11) Complementary Listed under AMCX, AMCX7, ANET, AOTX, AOTX7, APAW, APAW7, APOU, APOU7, NBSX, NBSX7, UTOU, UTOU7, ANSI/SIA CP-01-2010.

(+12) Complementary Listed under AMCX, AMCX7, ANET, AOTX, AOTX7, APAW, APAW7, APOU, APOU7, NBSX, NBSX7, UTOU, UTOU7, UOJZ, ANSI/SIA CP-01-2010.

(+13) Complementary Listed under AMCX, ANET, AOTX, APAW, APOU, NBSX, UTOU, ANSI/SIA CP-01-2010.

(+14) Complementary Listed under AMCX, AMCX7, ANET, AOTX, AOTX7, APAW, APAW7, APOU, APOU7, NBSX, NBSX7, UTOU, UTOU7.

(+15) Complementary Listed under AMCX, AMCX7, ANET, AOTX, AOTX7, APAW, APAW7, APOU, APOU7, NBSX, NBSX7, UTOU, UTOU7, UOXX, ANSI/SIA CP-01-2010.

[Last Updated](#) on 2016-05-02

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".



UTOU.S1871

Control Units and Accessories, Household System Type

[Page Bottom](#)

Control Units and Accessories, Household System Type

[See General Information for Control Units and Accessories, Household System Type](#)

BOSCH SECURITY SYSTEMS INC

S1871

130 Perinton Pkwy
Fairport, NY 14450-9107 USA

Battery supervision module, Model(s) D113 (f)

Booster power supplies, Model(s) D8132, D8132LT

Combination control units, Model(s) B3512(+4), B4512 (+4), B5512 (+4), B6512 (+4), D2212B, D2212B (a), D2212BE, D2212BE (a), D4412, D4412 (a), D4412LT, D4412LT (a), D6412, D6412 (a), D6412LT, D6412LT (a)

Command centers, Model(s) D1256, D1257

Communicator Interface Module, Model(s) B450(+5)

Control unit (digital alarm communicator transmitters), Model(s) D7212GV3, D7212GV4, D7412GV3, D9412GV3, D9412GV4

Control unit accessories (data repeaters), Model(s) SK-820 (f)

Control unit accessories (keypads), Model(s) B56, B915(b), B920 (b), B921C, B921CW, B925F(b), B926F(b), B930 (b), B942(b), B942W(b), D1255 (d), D1260, D202A (c), D220A (c), D222A (c), D223A (c), D621 (a), D621B (a), D621W (a), D623 (a), D623B (a), D623W (a), D625 (a), D625B (a), D625W (a), D720 (d)

Control unit accessories (radionics printer interfaces), Model(s) D9131A

Control unit accessories (relay modules), Model(s) D133, D134

Control unit accessories (transmitters RF receivers), Model(s) D208RF, D216RF, RF3224

Control unit accessories (zone expansion modules), Model(s) D208, D8128D

Control unit accessories(wireless interface module), Model(s) ISW-D8125CW-V2(g) for use with separately Listed ISW-EN-4200 Wireless Inovonics RF Receiver. Compatible with control panels D9412GV3/D7412GV3/D7212GV3, D9412GV2/D7412GV2, D7212GV2

Control Unit Accessory, Model(s) IPP-AL400-ULPS Power Supply and Enclosure

Control unit subassemblies, Model(s) 2212BELC, 2212BLC, B201 Zone Module

B441 (+4A) cellular communication modules

D125MUX (e), D4412LC, D4412M, D6412LC, D6412M, DX2010, DX3010, ICP-SDI-9114 (b), ULPS (++)

Control unit subassemblies (dialer capture modules), Model(s) C900V2 (+)

Control unit subassemblies (line simulators), Model(s) LS-500 (f)

Control unit subassemblies (notification circuit supervision modules), Model(s) D192D

Control unit subassemblies (smoke detector reversing relay modules), Model(s) D132B

Control unit subassemblies (zone expansion modules), Model(s) D208LC

Control unit subassembly, Model(s) B420++, Ethernet Module (Covered under S5579)

Control units, Model(s) SC-4000 (f), SC-4000D (f), SC-4000DSC (f)

Control units (guard units), Model(s) SC-4000 (f)

Digital alarm communicator transmitters, Model(s) D7212GV2, D7412GV2, D9412GV2

Enclosures, Model(s) B10, B11, B8103, D8103, D8108A, D8108AH, D8109, D8109G, D8109H, D8109L

End of line resistor assemblies, Model(s) D-105-FL

Fire Alarm and Security Subassemblies, Model(s) B430 (+4) DACT

Fire Alarm and Security Subassemblies:, Model(s) B440 (+4), B442 (+4) or B443 (+4) cellular communication modules

Fire Control Units, Model(s) B9512G, B9512G-E, B8512G, and B8512G-E

GPRS/GSM IP Communicator, Model(s) ITS-DX4020-G (+3)

Octo-relay module, Model(s) D8129

Powered loop interfaces, Model(s) D125B

Release modules, Model(s) D8130

Remote notification appliance circuits, Model(s) D7038 (f)

RF receiving systems, Model(s) SC-9000, SC-9001

Subassemblies-Access Control Module, Model(s) B901

Subassemblies-Popex Module, Model(s) B299

Subassemblies-Zonex Module, Model(s) B600

Subassembly, Model(s) B12 mounting plate

B46 Communicator Status Indicator (+6)

B465 Connettix Universal Dual Path Communicator (+6)

Transformer enclosures, Model(s) D8004

Zonex subsystems, Model(s) D9127T, D9127U POPIT

Zonex subsystems (zone expansion modules), Model(s) D8125

(+) - Complementary Listed to AMCX, AMCX7, UTOU7, NBSX, NBSX7, APAW, APAW7, APOU, APOU7.

(++) - Complementary Listed to ALVY, AMCX, AOTX, APAW, APOU, NBSX, UOXX.

(+3) - Complementary Listed to UOJZ, AMCX, APAW, NBSX, APOU

(+4) - Complementary Listed to UOJZ, UTOU7, AMCX, AMCX7, APOU, APOU7, NBSX, NBSX7, APAW, APAW7, APOU, APOU7, ANET, AMTB

(+4A) - Complementary Listed to UOJZ, UTOU, AMCX, APOU, NBSX, APAW, ANET, AMTB

(+5) - Complementary Listed to AMCX, AMCX7, AMTB, ANET, AOTX, AOTX7, APAW, APAW7, APOU, APOU7, NBSX, UOJZ

(+6) - Complementary Listed under AMCX, AMCX7, AMTB, ANET, AOTX, ATOX7, APAW, APAW7, APOU, APOU7, NBSX, UTOU, UTOU7, UOXX, ANSI/SIA CP-01-2010.

(a) - Suitable for use with the model C900V2 dialer capture module and receivers as indicated in the installation instructions.

(b) - For use with control panels and keypads indicated in the installation instructions.

(c) - May be suffixed by TD.

(d) - May be followed by suffixes R, TD, or W, for use with control panels indicated in the installation instruction (covered under File S5579).

(e) - Multiplex module (covered under File BP8925).

(f) - Covered under S5579.

Trademark and/or Tradename: "Safecom" ,



Last Updated on 2016-10-07

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".



UOJZ.S1871 Control Units, System

Page Bottom

Control Units, System

[See General Information for Control Units, System](#)

BOSCH SECURITY SYSTEMS INC

130 Perinton Pkwy
Fairport, NY 14450-9107 USA

S1871

UL 864 10th Edition Listed

Model	Control Unit System Type(s)	Initiating Device Type(s)	Signaling Type(s)
FPD-7024	L	A, M, SS, WF	C, NC
	CS (PPU)	A, M, SS, WF	DAC
	RS (PPU)	A, M, SS, WF	DAC, Rev Pol
	P (PPU)	A, M, SS, WF	OT
	AUX	A, M, WF	-

UL 864 9th Edition Listed

Model	Control Unit System Type(s)	Initiating Device Type(s)	Signaling Type(s)
7022#	CS (PPU), L, RS (PPU), RS	A, M, SS, WF	DAC, NC, Rev Pol
B-010(computer)(1)	P (RU)	A, M, SS, WF	OT
B9512G, B9512G-E, B8512G, B8512G-E (+6)	L	A, M, SS, WF	March, NC
	AUX	A, M, WF	-
	RS (PPU)	A, M, SS, WF, WSS	DAC, OT, Rev Pol
	P (PPU)	A, M, SS, WF, WSS	NC, OT
	CS (PPU)	A, M, SS, WF, WSS	DAC, OT
D10024	CS (PPU), RS (PPU)	A, M, SS, WF	DAC
	P (PPU)	A, M, SS, WF	OT
	AUX, CS (PPU), L, RS (PPU)	A, M, SS, WF	DAC, NC
D6100ipv6	CS, RS (RU)	A, M, SS, WF	DAC, OT
D6500 #+	CS (RU), RS (PPU)	A, M, SS, WF	C, DAC
D6600 #	P (RU)	A, M, SS, WF	OT
	CS (RU), RS (RU)	A, M, SS, WF	DAC
D7412GV2, D9112B1, D9412GV2	AUX, CS (PPU), L, RS (PPU)	A, M, SS, WF	DAC
D7412GV3 (3), D9412GV3 (3)	L	A, M, SS, WF	March, NC
	AUX	A, M, WF	-
	P (PPU)	A, M, SS, WF	NC, OT
	CS (PPU)	A, M, SS, WF	DAC, OT
	RS (PPU)	A, M, SS, WF	DAC, OT, Rev Pol
D7412GV4, D9412GV4 (5)	L	A, M, SS, WF	March, NC, OT
	AUX	A, M, WF	-
	P (PPU)	A, M, SS, WF, WSS	NC, OT

	CS (PPU)	A, M, SS, WF, WSS	DAC, OT
	RS (PPU)	A, M, SS, WF, WSS	DAC, OT, Rev Pol
D8024	CS (PPU), L, P (PPU), RS (PPU)	A, M, SS, WF	DAC, NC
D9112B1	P (PPU)	A, M, SS, WF	OT
D9124 #	CS (PPU), RS (PPU)	A, M, SS, WF	DAC
	AUX	A, M, WF	DAC
FPA-1000-UL, FPA-1000-V2 (2)	L	A, M, SS, WF	C, March, NC
	RS (PPU)	A, M, SS, WF	DAC, OT, Rev Pol
	CS (PPU)	A, M, SS, WF	DAC, OT
	P (PPU)	A, M, SS, WF	OT
	AUX	A, M, WF	-
SC4000 #	CS (PPU)	SS, WF	1W_RF

UL 864 10th Edition Listed

Subassembly, Model(s) D132B, D7035 Expanded Relay Module, D7042 Eight Input Remote Module, F01U068852 Enclosure, F01U294800 Motherboard, FPC-7034 Four Zone Expander, FPE-7039 MUX Expander

Model(s) FPD-7024

UL 864 9th Edition Listed

Subassembly, Model(s) B299 POPEX Module, B430 Phone Module, B440 Cellular Module, B441 Cellular Module, B442 Cellular Module, B443 Cellular Module, B450 Communicator Interface Module, B600 ZONEX Module, B8103, D8103, D8109, D8109G, D8109H, D8109L Enclosure, B901 Access Control Module, B915I, B925F(b), B926F(b) Keypad, D130 Relay Modules, D268 Independent Zone Control, D269 Independent Zone Control, D279 Independent Zone Control, D7014 Class A Adaptors, D7034 Four Zone Expander, D7035B Expanded Relay Module, D7042B Eight Input Remote Module, ITS-DX4020-G +(4) GPRS/GSM IP Communicator

L - Local System

A - Automatic Fire Alarm: thermostats, smoke detectors, etc.

M - Manual Fire Alarm: manually operated boxes

SS - Supervisory: gate valves, water-level switches, temperature switches, carbon monoxide alarm, residential fire alarm control units, etc.

WF - Waterflow Alarm: waterflow switches

C - Coded

NC - Noncoded, Steady, Temporal 3 Pattern, etc.

CS (PPU) - Central Station System (Protected Premises Unit)

DAC - Digital Alarm Communicator

RS (PPU) - Remote Station System (Protected Premises Unit)

Rev Pol - Reverse Polarity

P (PPU) - Proprietary System (Protected Premises Unit)

OT - Other Transmission Technologies

AUX - Auxiliary System

RS - Remote Station System

P (RU) - Proprietary System (Supervising Station Receiving Unit)

March - March Time

WSS - Watchman's Supervisory Service

CS - Central Station System

RS (RU) - Remote Station System (Supervising Station Receiving Unit)

CS (RU) - Central Station System (Supervising Station Receiving Unit)

1W_RF - Radio Frequency (one-way private radio)

- Must be used with specific devices as indicated in installation instructions and wiring diagrams to provide indicated service.

(1) - Complementary Listed to UOJZC, AMCX, AMCX7, APOU, APOU7.

(2) - Complementary Listed to FSZI.

(3) - Complementary Listed to AMCX, APAW, AOTX, APOU, AMTB, ALVY, NBSX, UTOU. When signaling is DAC and OT, see footnote #.

(4) - Complimentary Listed to AMCX, APAW, UTOU, NBSX, APOU

(5) - AMCX, APAW, AOTX, APOU, AMTB, ALVY, NBSX, UTOU, ANET. When signaling is DAC and OT, see footnote #.

+ - Remote station series only when used with UOJZ Listed Radionics VIP Series automation systems.

6 - AMCX, APAW, AOTX, APOU, AMTB, ALVY, NBSX, UTOU, ANET. When signaling is DAC and OT, see footnote #.

NOTE - Fire Alarm subassemblies and enclosures for use with Radionics products where referenced in the control unit installation instructions: D4103, D8103, D8109, D8109G, D8109H, D8109L, enclosure; D8108A, or D8108AH, enclosure part control stations; D125B powered loop interface; D127 reversing relay assembly; D129 dual Class A interface; D132B reversing relay module, D928 dual phone line switcher; D192D, D192G bell circuit supervision modules; D-105-FL end of line resistor assemblies; D8129 octo-relay, D8130 release module; D8132 booster power supply



Trademark and/or Tradename:

Last Updated on 2017-02-23

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".



NBSX.S1871 Household Burglar Alarm System Units

[Page Bottom](#)

Household Burglar Alarm System Units

[See General Information for Household Burglar Alarm System Units](#)

BOSCH SECURITY SYSTEMS INC

S1871

130 Perinton Pkwy
Fairport, NY 14450-9107 USA

Models B8103, D8103, D8109, D8109G, D8109H or D8109L enclosures, B12 mounting plate subassembly, D8108A or D8108AH enclosure accessories, D8004 transformer enclosure, Model D125B powered loop interface, Model D192G bell supervision modules and D-105-BL end of line resistor assembly, D8129 octo-relay, D8130 release module and D8132 and D8132LT+++ booster power supply.

Zonex subsystem, consisting of D8125 zone expansion module, D9127T and D9127U POPIT Modules.

Model D640 zone expander module.

Models D9412GV2, D7412GV2, D7212GV2, D9412GV3, D7412GV3, D7212GV3, D9412GV4, D7412GV4, D7212GV4 DACT Unit, may be used with Models B8103, D8103, D8109, D8108A, D8108AH enclosures, and Models D1256 and D1257, Command Centers. The combination modular control unit, Model D9112 may include listed modules and subassemblies referenced in the manufacturer's operation and installation manual; Model D8125 MUX Expansion Module.

Control unit accessories, RF receivers, Models D208RF, D216RF, RF3224, suitable for use with the transmitters indicated in the installation instructions.

Control units, Models D2212B, D2212BE with or without suffix "LT"; Models D4412, D4412LT, D6412, D6412LT; Models D2212B, D2212BE, D4412, D6412 are suitable for use with the model C900V2 dialer capture module and receivers as indicated in the installation instructions.

Control units, Models B3512(6), B4512(6), B5512(6), B6512(6) with Models B10, B11, B8103, D8103, D8109, D8108A enclosures and Listed modules and subassemblies referenced in the manufacturer's installation manual.

Control units, Models B8512G(+10), B8512G-E(+10), B9512G(+10), B9512G-E(+10) with Models B10, B11, B8103, D8103, D8109, D8108A enclosures and Listed modules and subassemblies referenced in the manufacturer's installation manual.

Control unit accessories, Models B915, B915I, B920, B921C, B921CW, B925F, B926F, B930, B942 and B942W keypads; Model B56 keypad surface mount box.

Control unit subassemblies, DACT Models B430, and Zone Module, B201.(+7).

Control unit subassemblies, Cellular communication modules B440, B442, B443.(+8).

Control unit subassemblies, Cellular communication module B441.(+9).

Control unit subassemblies, Models D2212B, D2212BE followed by suffix "LC"; Models D7043 input/output module, D7044 single point multiplex input module.

Control unit accessories, Models D202A, D220A, D222A, D223A, may be suffixed by TD keypads; Models D621, D621B, D621W, D623, D623B, D623W, D625, D625B, D625W keypads for use with control panels indicated in the installation instructions.

Models D720 and D1255, may be followed by suffixes R, TD, or W, for use with control panels indicated in the installation instructions (Covered under File S5579); Model D1260.

Control unit subassembly, Model ICP-SDI-9114, for use with control panels and keypads indicated in the installation instructions.

Control unit accessories, Models D133, D134 relay modules.

Control unit accessory, Model D208 zone expansion module.

Control unit subassemblies, Models D208LC, D8128D zone expansion module.

Control units, Models D2212B, D2212BE, D2412 with or without suffix "U".

Control unit accessory, Model SK-820 Data Repeater (Covered under S5579).

Control unit modules, Models SC-4000D, SC-4000DSC, SC-4000 Guard Unit (Covered under S5579).

Control unit subassemblies, Model LS-500 Line Simulator (Covered under S5579).

Models D6412LC, D4412LC, D4412M, D6412M, DX2010, DX3010.

Control unit, Model SC-4080.

Battery supervision module, Model D113 (Covered under S5579).

Control unit accessories, printer interface, Model D9131A. For use with Radionics products where referenced in the installation instructions.

Control unit subassemblies, C900V2+ dialer capture module, B420++ Ethernet Module (Covered under S5579).

Enclosures, Models B10, B11.

Control unit accessory, Model IPP-AL400-ULPS Power Supply and Enclosure.

Control unit subassembly, GPRS/GSM IP Communicator, Model ITS-DX4020-G (+4).

Control unit subassemblies, Models B299 Popex Module, B600 Zonex Module, B901 Access Control Module.

Communicator interface module, Model B450(+6).

Control unit accessory, Model ISW-D8125CW-V2 (+++) wireless Interface module for use with separately Listed ISW-EN-4200 Wireless Inovonics RF Receiver. Compatible with control panels D9412GV3/D7412GV3/D7212GV3, D9412GV2/D7412GV2, D7212GV2.

Subassembly, Model B46 Communicator Status Indicator (+11).

Model B465 Connettix Universal Dual Path Communicator (+11).

+ - Complementary Listed to AMCX, AMCX7, UTOU, UTOU7, NBSX7, APAW, APAW7, APOU, APOU7.

++ - Complementary Listed to ALVY, AMCX, AOTX, APAW, APOU, UOXX, UTOU.

+++ Complementary Listed to APOU, UTOU, AOTX, AMCX, APAW.

(+4) - Complementary Listed to UOJZ, AMCX, APOU, AOTX, APAW, UTOU.

(+5) - Complementary Listed to AMCX, AMCX7, AOTX, AOTX7, UTOU, UTOU7, NBSX7, APAW, APAW7, APOU, APOU7, ANET, AMTB.

(+6) - Complementary Listed to UOJZ, AMCX, AMCX7, APAW, APAW7, AOTX, AOTX7, UTOU, APOU, APOU7, AMTB, ANET.

(+7) Complementary Listed under AMCX, AMCX7, AMTB (ANSI/SIA CP-01-2010), ANET, AOTX, AOTX7, APAW, APAW7, APOU, APOU7, NBSX7, UTOU, UTOU7.

(+8) Complementary Listed under AMCX, AMCX7, AMTB, ANET, AOTX, ATOX7, APAW, APAW7, APOU, APOU7, NBSX7, UTOU, UTOU7, UOJZ, ANSI/SIA CP-01-2010.

(+9) Complementary Listed under AMCX, AMTB, ANET, AOTX, APOU, NBSX, UTOU, ANSI/SIA CP-01-2010.

(+10) Complementary Listed to UOJZ, AMCX, AMCX7, APAW, APAW7, AOTX, AOTX7, UTOU, APOU, APOU7, AMTB, ANET.

(+11) Complementary Listed under AMCX, AMCX7, AMTB, ANET, AOTX, ATOX7, APAW, APAW7, APOU, APOU7, NBSX7, UTOU, UTOU7, UOXX, ANSI/SIA CP-01-2010.



Trademark and/or Tradename: "Safecom"

Last Updated on 2016-05-02

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".



AOTX.S1871 Local Alarm Units

[Page Bottom](#)

Local Alarm Units

[See General Information for Local Alarm Units](#)

BOSCH SECURITY SYSTEMS INC

S1871

130 Perinton Pkwy
Fairport, NY 14450-9107 USA

Model D8108A or D8108AH, Enclosure accessory D8004 Transformer Enclosure, B8103 and D8103 Enclosure, B12 Mounting Plate subassembly, D125B Powered Loop Interface, D-105-BL End of Line Resistor Subassembly, D8129 Octo-Relay, D8130 Release Module, D8132 Booster Power Supply and D8132LT +++.

Zonex subsystem, consisting of D8125 Zone Expansion Module, B299 Popex Module, D9127T, D9127U POPIT Modules.

Burglar alarm system control unit accessory, Model D640 Zone Expander Module.

Combination control units, Models D2212B, D2212BE may be followed by suffix "LT" intended for use with other separately Listed devices as indicated in the instructions and wiring diagram; Models D2212B, D2212BE are suitable for use with the model C900V2 dialer capture module.

Control unit subassemblies, Models D2212B, D2212BE followed by suffix "LC".

Control unit accessories, Models D202A, D220A, D222A, D223A, may be suffixed by TD keypads; Models D621, D621B, D621W, D623, D623B, D623W, D625, D625B, D625W keypads for use with control panels indicated in the installation instructions.

Burglar alarm system control unit accessories, Models D720 and D1255, may be followed by suffixes R, TD, or W, for use with control panels indicated in the installation instructions (Covered under S5579); Models D1260, D1260B, D1260R, D1260W, D1260BLK.

Burglar alarm system control unit subassembly, Model ICP-SDI-9114, for use with control panels and keypads indicated in the installation instructions.

Burglar alarm system control unit accessories, Models D133, D134 relay modules.

Burglar alarm system control unit accessories, Models D208, D8128D zone expansion module.

Burglar alarm system control unit subassemblies, Model D208LC zone expansion module.

Models D9412GV2, D7412GV2, D7212GV2, D9412GV3, D7412GV3, D7212GV3, D9412GV4, D7412GV4, D7212GV4 DACT Units suitable for use in Mercantile Premise and Mercantile Safe and Vault Applications when used with the D8108A, or D8108AH, attack resistant enclosure and a Listed local sounding device. Also for use with Models D1255, D1256 and D1257, Command Centers, modules and subassemblies referenced in the manufacturer's operation and installation manual. In addition, D9112B/D7212B are suitable for bank safe and vault applications when used in conjunction with the Listed Model 5110 Electronic Sounding Device by Rothenbuhler Engineering, the Listed Model 4001-42 Balanced Line Module by Rothenbuhler Engineering, two Model D126 Batteries by Radionics, two Model D1218 Batteries by Radionics, one Model D133 Relay Module by Radionics, the Model D122L Battery Harness by Radionics and two Model D8108A or D8108AH, enclosures; Model D8125 MUX Expansion Module.

Control units, Models B3512(+4), B4512(+4), B5512(+4), B6512(+4), suitable for use in Mercantile Premise and Mercantile Safe and Vault Applications when used with the D8108A attack resistant enclosure and a Listed local sounding device. Also for use with modules and subassemblies referenced in the manufacturer's operation and installation manual. The control units are suitable for Bank Safe and Vault applications when used in conjunction with the Listed Model 5110 Electronic Sounding Device by Rothenbuhler Engineering, the Listed Model 4001-42 Balanced Line Module by Rothenbuhler Engineering, one Model D1218 battery.

Control units, Models B8512G(+9), B8512G-E(+9), B9512G (+9) and B9512G-E(+9), suitable for use in Mercantile Premise and Mercantile Safe and Vault Applications when used with the D8108A attack resistant enclosure and a Listed local sounding device. Also for use with modules and subassemblies referenced in the manufacturer's operation and installation manual. The control units are suitable for Bank Safe and Vault applications when used in conjunction with the Listed Model 5110 Electronic Sounding Device by Rothenbuhler Engineering, the Listed Model 4001-42 Balanced Line Module by Rothenbuhler Engineering, one Model D1218 battery.

Control unit accessories, Models B915, B915I, B920, B921C, B921CW, B925F, B926F, B930, B942 and B942W keypads; Model B56 keypad surface mount box

Burglar alarm system control unit accessories, Models D9210B, D9210BC, D9210BLC access control modules.

Burglar alarm system control unit modules, Models SC-4000D, SC-4000DSC, SC-4000 Guard Unit (Covered under S5579).

Burglar alarm system control unit subassembly, Model LS-500 Line Simulator (Covered under S5579).

RF receiving systems, Models SC-9000, SC-9001.

Battery supervision modules, Model D113 (Covered under S5579).

Models D4412, D4412LT, D6412, D6412LT. Units suitable for use in Mercantile Premise and Mercantile Safe and Vault Applications when used with the Model D8108A or D8108AH, attack resistant enclosure, a Listed local sounding device and off-premise transmission. Also for use with Models D621, D623, D625 Command Centers, modules and subassemblies referenced in the manufacturer's operation and installation manual. Suitable for bank safe and vault applications when used in conjunction with the Listed Model S110 Sounding Device by Rothenbuhler. Suitable for use with the model C900V2 dialer capture module.

Burglar alarm system control unit accessories, printer interface, Model D9131A. For use with Radionics products where referenced in the installation instructions.

Burglar alarm system control unit accessory, RF Receiver, Model RF3224. Suitable for use with transmitters indicated in the installation instructions.

Burglar alarm system control unit subassemblies, Models D6412LC, D6412M, D4412LC, D4412M, DX2010, DX3010.

Power Supply and Enclosure, Model IPP-AL400-ULPS(+).

Burglar alarm system control unit subassembly, GPRS/GSM IP Communicator, Model ITS-DX4020-G (++).

Communicator interface module, Model B450(+5).

Control unit accessory, Model ISW-D8125CW-V2 (+++++) wireless Interface module for use with separately Listed ISW-EN-4200 Wireless Inovonics RF Receiver. Compatible with control panels D9412GV3/D7412GV3/D7212GV3, D9412GV2/D7412GV2, D7212GV2, D9412GV4, D7412GV4, D7212GV4.

Control unit subassembly, Ethernet Module, Model B420(+) (Covered under S5579).

Control unit subassembly, DACT Model B430 and Zone Module, Model B201.(+6).

Control unit subassemblies, Models B901 Access Control Module, B600 Zonex Module.

Control unit subassembly, Cellular communication modules B440, B442, B443.(+7).

Control unit subassembly, Cellular communication module B441.(+8).

Subassembly, Model B46 Communicator Status Indicator (+10).

Model B465 Connettix Universal Dual Path Communicator (+10)

+ - Complementary Listed to ALVY, AMCX, APAW, APOU, NBSX, UOXX, UTOU.

(++) - Complementary Listed to UOJZ, AMCX, APOU, ALVY, APAW, UTOU, NBSX.

(+++) Complementary Listed to APOU,AMCX, UTOU, NBSX, APAW.

(+4) Complementary Listed to APOU, APOU7, AMCX, AMCX7, UTOU, UTOU7, NBSX, NBSX7, APAW, APAW7, ANET, AMTB, AOTX7.

(+5) Complementary Listed to UOJZ, AMCX, AMCX7, APAW, APAW7, AOTX7, APOU, APOU7, UTOU, NBSX, AMTB, ANET.

(+6) Complementary Listed under AMCX, AMCX7, AMTB (ANSI/SIA CP-01-2010), ANET, AOTX7, APAW, APAW7, APOU, APOU7, NBSX, NBSX7, UTOU, UTOU7.

(+7) Complementary Listed under AMCX, AMCX7, AMTB, ANET, AOTX7, APAW, APAW7, APOU, APOU7, NBSX, NBSX7, UTOU, UTOU7, UOJZ, ANSI/SIA CP-01-2010.

(+8) Complementary Listed under AMCX, AMTB, ANET, APAW, APOU, NBSX, UTOU, ANSI/SIA CP-01-2010.

(+9) Complementary Listed to APOU, APOU7, AMCX, AMCX7, UOJZ, UTOU, UTOU7, NBSX, NBSX7, APAW, APAW7, ANET, AMTB, AOTX7.

(+10) Complementary Listed under AMCX, AMCX7, AMTB, ANET, AOTX7, APAW, APAW7, APOU, APOU7, NBSX, NBSX7, UTOU, UTOU7, UOXX, ANSI/SIA CP-01-2010.



Trademark and/or Tradename: "Safecom"

Last Updated on 2016-05-02

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".



APAW.S1871 Police-station-connected Alarm Units

[Page Bottom](#)

Police-station-connected Alarm Units

[See General Information for Police-station-connected Alarm Units](#)

BOSCH SECURITY SYSTEMS INC

S1871

130 Perinton Pkwy
Fairport, NY 14450-9107 USA

Digital alarm communicator receiver, Model D6500.

Digital alarm communicator receiver, Model D6600. The system consists of the D6600 receiver, B-010 computer and B-008 monitor.

Commercial burglar-alarm-system control unit subassemblies and accessories, Models B8103, D8103, D8108A, or D8108AH Enclosure, B12 Mounting Plate, D8004 Transformer Enclosure, D125B Powered Loop Interface, D127 reversing relay module, D811 arm status relay module (covered under file BP8925), Model D192G bell circuit supervision module, D-105-BL end of line resistor assembly, D8129 octo-relay, D8130 release module, D8132and D8132LT (+7) booster power supply.

Digital alarm communicator receiver subassemblies, Models D6610 CPU Card; D6615 CPU Terminator Card, D6640, D6641 Line Cards; D6645 Telco Terminator Card; D6690 Line Card; D6691 Expansion Card; D6695 Terminator Card for use with Model D6600 and Model RF-2000 radio modem.

Commercial burglar-alarm-system control unit subassemblies, Models D6650, D6655 Line Cards suitable for use with only the Sonitrol Advantage Plus, Sonitrol Plus, and Plus SIA CP-01 control units.

Zonex subsystems, consisting of D8125, or B299 zone expansion modules, D9127T, D9127U POPIT, Modules; Models D636A, control station with zone expander, Model D640 zone expander module.

Models D7412, D9412GV2(+5), D7412GV2(+5), D7212GV2(+5), D9412GV3(+5), D7412GV3(+5), D7212GV3(+5), D9412GV4(+9), D7412GV4(+9), D7212GV4(+10) DACT Units suitable for Mercantile Premise, Mercantile Safe, Vault Applications. For all Applications, the Model D8108A, or D8108AH, attack resistant enclosure and a Listed local sounding device are required. Suitable for use with Models D1256 and D1257 Command Center. The units, may include Listed modules and subassemblies referenced in the manufacturer's operation, installation manual. Suitable for bank safe and vault applications when used in conjunction with the Listed Model 5110 Electronic Sounding Device by Rothenbuhler Engineering, the Listed Model 4001-42 Balanced Line Module by Rothenbuhler Engineering, two Model D126 Batteries by Radionics, two Model D1218 Batteries by Radionics, one Model D133 Relay Module by Radionics, the Model D122L Battery Harness by Radionics and two Model D8108A, or D8108AH enclosures. Suitable for service if employed with C801 or C802 cellular transceiver subassemblies in cellular only mode and a Listed local sounding appliance; Model D8125 MUX Expansion Module.

Combination control units, Models B3512(+11), B4512 (+11) and B5512 (+11) control units suitable for Mercantile Premise and Mercantile and Bank Safe and Vault Applications. For all Applications, the Model D8108A attack resistant enclosure and a Listed local sounding device are required. Suitable for use with Models B915, B915I, B920, B921C, B921CW, B930, B942, and B942W keypads and B430, B440, B441, B442, B443 communication modules; ; Model B56 keypad surface mount box. The units may include Listed modules and subassemblies referenced in the manufacturer's operation, installation manual. Suitable for bank safe and vault applications when used in conjunction with the Listed Model 5110 Electronic Sounding Device by Rothenbuhler Engineering, the Listed Model 4001-42 Balanced Line Module by Rothenbuhler Engineering, one Model D1218 Battery.

Combination control units, Models B8512G(+16), B8512G-E (+16), B9512G (+16), and B9512 (+16) control units suitable for Mercantile Premise and Mercantile and Bank Safe and Vault Applications. For all Applications, the Model D8108A attack resistant enclosure and a Listed local sounding device are required. Suitable for use with Models B915, B915I, B920, B921C, B921CW, B925F, B926F, B930, B942, and B942W keypads and B430, B440, B441, B442, B443 communication modules; Model B56 keypad surface mount box. The units may include Listed modules and subassemblies referenced in the manufacturer's operation, installation manual. Suitable for bank safe and vault applications when used in conjunction with the Listed Model 5110 Electronic Sounding Device by Rothenbuhler Engineering, the Listed Model 4001-42 Balanced Line Module by Rothenbuhler Engineering, one Model D1218 Battery.

Control unit accessories, Model B920, B921C, B921CW, B925F, B926F and B930 keypads.

Control unit subassemblies, DACT Models B430, B440, and Zone Module, B201.(+13).

Control unit subassemblies, Cellular communication modules B440, B442, B443.(+14).

Control unit subassemblies, Model B600 Zonex Module, B901 Access Control Module.

Control unit subassemblies, Cellular communication module B441.(+15).

Combination control units, Models D2212B, D2212BE may be followed by suffix "LT" intended for use with other separately Listed devices as indicated in the instructions, wiring diagram.

Control unit subassemblies, Models D2212B, D2212BE, followed by suffix "LC".

Control unit accessories, keypads, Models D202A, D220A, D222A, D223A, may be suffixed by TD; Models D621, D621B, D621W, D623, D623B, D623W, D625, D625B, D625W for use with control panels indicated in the installation instructions.

Models D720 and D1255, may be followed by suffixes R, TD or W, for use with control panels indicated in the installation instructions (covered under File S5579); Models D1260, D1260B, D1260R, D1260W, D1260BLK.

Control unit subassembly, Model ICP-SDI-9114, for use with control panels and keypads indicated in the installation instructions.

Control unit accessories, Models D133, D134 relay modules.

Control unit accessory, Model D208 zone expansion module.

Control unit subassembly, Model D208LC zone expansion module.

Control unit accessories, Models D9210B, D9210BC, D9210BLC access control modules. (Covered under File S5579).

Control unit accessories, Models SK-820 Data Repeater, SC9002 Printer (Covered under S5579).

Control unit modules, Models SC-4000D, SC-4000DSC, SC-4000 Guard Unit RF transmitters (Covered under S5579).

Control unit subassembly, Model LS-500 Line Simulator, Ethernet Module, Model B420 (Covered under S5579).

Control unit accessory, Network Interface Module, Model DX4020 (covered under File S5579).

Control unit subassembly, GPRS/GSM IP Communicator, Model ITS-DX4020-G (+8).

Communicator interface module, Model B450(+12).

Control unit accessories, printer interface, Model D9131A. For use with Radionics products where referenced in the installation instructions.

Control unit subassemblies, Models D6412LC, D6412M, D4412LC, D4412M, DX2010, DX3010.

Control unit subassembly, Ethernet Module, Model B420 (++) (Covered under S5579).

Control unit accessory, RF Receiver, Model RF3224. Suitable for use with transmitters indicated in the installation instructions.

Models D4412, D4412LT, D6412, D6412LT. For all applications, the Model D8108A or D8108AH, attack resistant enclosure and a Listed local sounding device are required. Suitable for use with Models D621, D621W, D623, D623W, D625, D625W Command Centers. The units may include Listed modules and subassemblies referenced in the manufacturer's operation, installation manual. Suitable for bank safe and vault applications when used in conjunction with the Listed Model S110 Electronic Sounding Device by Rothenbuhler Engineering.

Control unit subassembly, C900V2+ dialer capture module.

Power supply and enclosure, Model IPP-AL400-ULPS(++).

Computer, Model B-010 (+2) for use with receiver model D6600.

Monitor, Model B-008 (+3).

Digital alarm communicator receiver, Model 6100IPv6. The Model 6100IPv6 Connettix Receiver is suitable for use as a commercial DACR and PSDN communicator.

Control unit accessory, Model ISW-D8125CW-V2 (+7) wireless Interface module for use with separately Listed ISW-EN-4200 Wireless Inovonics RF Receiver. Compatible with control panels D9412GV3/D7412GV3/D7212GV3, D9412GV2/D7412GV2, D7212GV2.

Subassembly, Model B46 Communicator Status Indicator (+17).

Model B465 Connettix Universal Dual Path Communicator (+17).

+ - Complementary Listed to AMCX, AMCX7, UTOU, UTOU7, NBSX, NBSX7, APAW7, APOU, APOU7.

++ - Complementary Listed to ALVY, AMCX, AOTX, APOU, NBSX, UOXX, UTOU.

(+2) - Complementary Listed to UOJZ, UOJZC, AMCX7, APAW7, APOU, APOU7.

(+3) - Complementary Listed to UOXX, UOXXC, AMCX7, APAW7, APOU, APOU7.

(+4) - Complementary Listed to AMCX, AMCX7, APAW7.

(+5) - Suitable for Encrypted Line Security when employing Listed Models DX4020 or C900V2 via PSDN only.

(+6) - Complementary Listed to UOJZ, AMCX, APOU, ALVY, AOTX, NBSX, UTOU.

(+7) Complimentary Listed to APOU, AMCX, UTOU, AOTX, NBSX.

(+8) Complimentary Listed to UOJZ, AMCX, UTOU, NBSX, APOU.

(+9) Complimentary Listed to UOJZ, APOU, AMCX, APAW, ALVY, AOTX, UTOU, NBSX, AMTB, ANET, Suitable for Encrypted Line Security when employing Listed Models DX4020 or C900V2 via PSDN only.

(+10) Complimentary Listed to UOJZ, APOU, AMCX, APAW, ALVY, AOTX, UTOU, NBSX, AMTB, ANET, Suitable for Encrypted Line Security when employing Listed Models DX4020 or C900V2 via PSDN only.

(+11) Complimentary Listed to APOU, APOU7, AMCX, AMCX7, AOTX, AOTX7, APAW7, UTOU, UTOU7, NBSX, NBSX7, AMTB, ANET.

(+12) Complementary Listed to UOJZ, AMCX, AMCX7, APAW7, APOU, APOU7, AOTX, AOTX7, UTOU, NBSX, AMTB, ANET.

(+13) Complementary Listed under AMCX, AMCX7, AMTB (ANSI/SIA CP-01-2010), ANET, AOTX, AOTX7, APAW7, APOU, APOU7, NBSX, NBSX7, UTOU, UTOU7.

(+14) Complementary Listed under AMCX, AMCX7, AMTB, ANET, AOTX, ATOX7, APAW7, APOU, APOU7, NBSX, NBSX7, UTOU, UTOU7, UOJZ, ANSI/SIA CP-01-2010.

(+15) Complementary Listed under AMCX, AMTB, ANET, AOTX, APOU, NBSX, UTOU, ANSI/SIA CP-01-2010.

(+16) Complimentary Listed to APOU, APOU7, AMCX, AMCX7, AOTX, AOTX7, APAW7, UOJZ, UTOU, UTOU7, NBSX, NBSX7, AMTB, ANET.

(+17) Complementary Listed under AMCX, AMCX7, AMTB, ANET, AOTX, ATOX7, APAW7, APOU, APOU7, NBSX, NBSX7, UTOU, UTOU7, UOXX, ANSI/SIA CP-01-2010.

Model	Standard Line Security	Encrypted Line Security	No Line Security	Conditions and Notes
D6600 Netcom Receiver	X	—	—	when used with compatible control unit
D6600 Netcom Receiver	—	X	—	when used with a compatible control unit and Listed

				Model DX4020 Network Interface Module or the Listed model C900V2 Dialer Capture Module along with the D6680 network adapter.
D6500 Digital Alarm Communicator Receiver	—	—	X	—
D7412, D9412GV2, D7412GV2, D7212GV2, D9412GV3, D7412GV3, D7212GV3 DACT Units	X	—	—	—
B3512, B4512, B5512 Control Units	X	—	—	With onboard IP connection, B426 module, B440, B441, B442 or B443 cellular communication module with Bosch Listed D6600 or D6100IPv6
B8512G(+16), B8512G-E (+16), B9512G (+16), B9512 (+16)	—	X	—	With onboard IP connection, B426 module, B440, B441, B442 or B443 cellular communication module with Bosch Listed D6600 or D6100IPv6
B3512, B4512, B5512 Control Units	—	—	X	When using B430 DACT communication module
B8512G(+16), B8512G-E (+16), B9512G (+16), B9512 (+16)	—	—	X	When using B430 DACT communication module
D7412, D9412GV2, D7412GV2, D7212GV2, D9412GV3, D7412GV3, D7212GV3 DACT Units	—	X	—	when used with Listed Models DX4020 or C900V2 via PSDN only
D2212B, D2212BE(may be followed by suffix "LT") Control Units	—	X	—	when used with Listed model C900V2 Dialer Capture Module for use with receivers as indicated in the installation instructions
D4412, D4412LT, D6412, D6412LT Control Units	—	X	—	when used with the model C900V2 dialer capture module for use with receivers as indicated in the installation instructions
D6100IPv6 Digital Alarm Communicator Receiver	—	X	—	—
ITS-DX4020-G	X	X	—	When used with Bosch control panels, models D9412GV2, D7412GV2, D7212GV2, D9412GV3, D7412GV3, D7212GV3, and Bosch receivers, models D6600 and D6100I.



Trademark and/or Tradename: "Safecom"

Last Updated on 2015-12-17

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".



APOU.S1871 Proprietary Alarm Units

[Page Bottom](#)

Proprietary Alarm Units

[See General Information for Proprietary Alarm Units](#)

BOSCH SECURITY SYSTEMS INC

S1871

130 Perinton Pkwy
Fairport, NY 14450-9107 USA

Models D7212, D9412GV2(+6), D7412GV2(+6), D7212GV2(+6), D9412GV3(+6), D7412GV3(+6), D7212GV3(+6), D9412GV4(+10), D7412GV4(+10), D7212GV4(+11) Digital Control Communicators Control unit. Control Unit Accessories: Model D125B powered loop interface; D8108A or D8108AH enclosures, Model B12 subassembly, Model D127 reversing relay module; Model D130 relay module; Model D192G bell supervision module; Model D105-BL end of line resistor assembly; Model D8125 MUX Expansion Module; Model D8132 and D8132LT (+8) battery power supply and Model D8130 release module.

Control units, Models B8512G(+17), B8512G-E(+17), B9512G(+17), B9512G-E(+17), intended for use with accessories and subassemblies as described in the product's installation instructions.

Control units, Models B3512(+12), B4512(+12), B5512(+12), B6512(+12), intended for use with accessories and subassemblies as described in the product's installation instructions.

Control unit accessories, Models B915, B915I, B920, B921C, B921CW, B925F, B926F, B930, B942 and B942W keypads; Model B56 keypad surface mount box.

Control unit subassemblies, DACT Models B430, and Zone Module, B201.(+12).

Control unit subassemblies, Cellular communication modules B440, B442, B443.(+14).

Control unit subassemblies, Cellular communication module B441.(+15).

Control unit accessories, Model D640 Zone Expansion module.

Control unit accessories, Model D811 key switch module; Model D8125 zone expansion module.

Control unit accessories, Models D1256 and D1257 command centers; Model D811 key switch module (covered under file BP8925); Model D9131A supervised printer interface module; Zone expansion system consisting of Models D9127T, D9127U POPIT Modules; Models D8128, eight zone protection transponder; Zone Expansion Systems, Models D8128D.

Control unit accessory, Model D9131A.

Combination control units, Models D2212B, D2212BE may be followed by suffix "LT" intended for use with other separately Listed devices as indicated in the instructions.

Control unit subassemblies, Models D2212B, D2212BE followed by suffix "LC".

Control unit accessories, keypads, Models D202A, D220A, D222A, D223A, may be suffixed by TD; Models D621, D621B, D621W, D623, D623B, D623W, D625, D625B, D625W for use with control panels indicated in the installation instructions.

Models D720 and D1255, may be followed by suffixes R, TD, or W, for use with control panels indicated in the installation instructions (covered under File S5579); Models D1260, D1260B, D1260R, D1260W, D1260BLK.

Control unit subassembly, Model ICP-SDI-9114, for use with control panels and keypads indicated in the installation instructions.

Control unit accessories, relay modules, Models D133, D134.

Control unit accessories, zone expansion module, Model D208.

Control unit subassemblies, zone expansion module, Model D208LC.

Control unit subassemblies, Model B299 Popex Module, B600 Zonex Module, B901 Access Control Module

Control unit accessories for use with, Access control modules, Models D9210B, D9210BC, D9210BLC (Covered under File S5579).

Control unit accessory, Models SK-820 Data Repeater, SC9002 Printer (Covered under S5579).

Control unit modules, Models SC-4000D, SC-4000DSC, SC-4000 Guard Unit RF transmitters (Covered under S5579).

Control unit accessory, RF Receiver, Model RF3224 . Suitable for use with transmitters indicated in the installation instructions.

Control unit subassemblies, Model LS-500 Line Simulator (Covered under S5579).

Models D6412, D6412LT, D6412LC, D6412M, DX2010, DX3010, D4412, D4412LT, D4412LC, D4412M.

Battery supervision module, Model D113 (Covered under S5579).

Digital alarm communicator receivers, Model D6600++.

Receiver subassembly, Model RF-2000 radio modem.

Control unit subassemblies, DX4020+ network interface module and C900V2+ dialer capture module, B420+++ Ethernet Module (Covered under S5579).

Control unit subassembly, GPRS/GSM IP Communicator, Model ITS-DX4020-G (+9).

Communicator interface module, Model B450(+13).

Power supply and enclosure, Model IPP-AL400-ULPS(+++).

Computer, Model B-010 (+4) for use with receiver model D6600.

Monitor, Model B-008 (+5).

Control unit accessory, Model ISW-D8125CW-V2 (+8) wireless Interface module for use with separately Listed ISW-EN-4200 Wireless Inovonics RF Receiver. Compatible with control panels D9412GV3/D7412GV3/D7212GV3, D9412GV2/D7412GV2, D7212GV2.

Subassembly, Model B46 Communicator Status Indicator (+18).

Model B465 Connettix Universal Dual Path Communicator (+18).

(+) - Complementary Listed to AMCX, AMCX7, UTOU, UTOU7, NBSX, NBSX7, APAW, APAW7, APOU7.

(++) - Complementary Listed to AMCX, AMCX7, APAW, APAW7, APOU7.

(+++)- Complementary Listed to ALVY, AMCX, AOTX, APAW, NBSX, UOXX, UTOU.

(+4) - Complementary Listed to UOJZ, UOJZC, AMCX, AMCX7, APAW, APAW7, APOU7.

(+5) -complementary Listed to UOXX, UOXXC, AMCX, AMCX7, APAW, APAW7, APOU7.

(+6) -Suitable for Encrypted Line Security when employing Listed Models DX4020 or C900V2 via PSDN only.

(+7) - Complementary Listed to UOJZ, AMCX, APAW, ALVY, AOTX, NBSX, UTOU.

(+8) Complementary Listed to NBSX, UTOU, AOTX, AMCX, APAW.

(+9) Complementary Listed to UOJZ, AMCX, APAW, UTOU, NBSX.

(+10) Complementary Listed to UOJZ, APOU, AMCX, APAW, ALVY, AOTX, UTOU, NBSX, AMTB, ANET, Suitable for Encrypted Line Security when employing Listed Models DX4020 or C900V2 via PSDN only.

(+11) Complementary Listed to APOU, AMCX, APAW, ALVY, AOTX, UTOU, NBSX, AMTB, ANET, Suitable for Encrypted Line Security when employing Listed Models DX4020 or C900V2 via PSDN only.

(+12) Complementary Listed to APOU7, AMCX, AMCX7, APAW, APAW7, AOTX, AOTX7, UTOU, UTOU7, NBSX, NBSX7, AMTB (ANSI/SIA CP-01-2010), ANET.

(+13) Complementary Listed to UOJZ, AMCX, AMCX7, APAW, APAW7, AOTX, AOTX7, UTOU, APOU7, NBSX, AMTB, ANET.

(+14) Complementary Listed under AMCX, AMCX7, AMTB, ANET, AOTX, AOTX7, APAW, APAW7, APOU7, NBSX, NBSX7, UTOU, UTOU7, ANSI/SIA CP-01-2010.

(+15) Complementary Listed under AMCX, AMCX7, AMTB, ANET, AOTX, ATOX7, APAW, APAW7, APOU7, NBSX, NBSX7, UTOU, UTOU7, UOJZ, ANSI/SIA CP-01-2010.

(+16) Complementary Listed under AMCX, AMTB, ANET, AOTX, APOU, NBSX, UTOU, ANSI/SIA CP-01-2010.

(+17) Complementary Listed to APOU7, AMCX, AMCX7, APAW, APAW7, AOTX, AOTX7, UOJZ, UTOU, UTOU7, NBSX, NBSX7, AMTB (ANSI/SIA CP-01-2010), ANET.

(+18) Complementary Listed under AMCX, AMCX7, AMTB, ANET, AOTX, ATOX7, APAW, APAW7, APOU7, NBSX, NBSX7, UTOU, UTOU7, UOXX, ANSI/SIA CP-01-2010.

Model	Standard Line Security	Encrypted Line Security	No Line Security	Conditions and Notes
D6600 Netcom Receiver	X	—	—	when used with compatible control unit
D6600 Netcom Receiver	—	X	—	when used with a compatible control unit and Listed Model DX4020 Network Interface Module or the Listed model C900V2 Dialer Capture Module along with the D6680 network adapter.
D7412, D9412GV2, D7412GV2, D7212GV2, D9412GV3, D7412GV3, D7212GV3 DACT Units	X	—	—	—
D7412, D9412GV2, D7412GV2, D7212GV2, D9412GV3, D7412GV3, D7212GV3 DACT Units	—	X	—	when used with Listed Models DX4020 or C900V2 via PSDN only
B3512, B4512, B5512, B6512	X	—	—	When used with onboard or B426 PSDN connections or B440, B441, B442 or B443 cellular communication module
B3512, B4512, B5512, B6512	—	—	X	When used with B430 DACT communication module
B8512G, B8512G-E, B9512G, B9512G-E	—	X	—	When used with onboard or B426 PSDN connections or B440, B441, B442 or B443 cellular communication module
B8512G, B8512G-E, B9512G, B9512G-E	—	—	X	When used with B430 DACT communication module
D2212B, D2212BE(may be followed	—	X	—	when used with Listed model C900V2 Dialer

by suffix "LT") Control Units				Capture Module for use with receivers as indicated in the installation instructions
D6412, D6412LT, D6412LC, D6412M, DX2010, DX3010, D4412, D4412LT, D4412LC, D4412M Control Units	—	X	—	when used with the model C900V2 dialer capture module for use with receivers as indicated in the installation instructions
ITS-DX4020-G	X	X	—	When used with Bosch control panels, models D9412GV2, D7412GV2, D7212GV2, D9412GV3, D7412GV3, D7212GV3, and Bosch receivers, models D6600 and D6100I.



radionics



detection systems

Trademark and/or Tradename: "Safecom"

Last Updated on 2016-05-02

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".