

Issue 230 Test Logs and Defects

This collates the full content of the main log, all subagent logs, and all defect markdown files for PDF export.

Main Sequential Log

2026-
06-
25
22:32:40
+01:00
-
What
you
think
you
want
to
do
and
why

Create
the
re-
quired
dated/ordinal
re-
port-
ing
folder
and
pre-
serve
the
user
goal
prompt
be-
fore
any
sub-
stan-
tive
test-
ing.
This
keeps
the
test
ses-
sion
au-
ditable
and
sat-
is-
fies
the
pre-
testing
arti-
fact
re-
quire-
ment.

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

Created
docs/testing/20260625/issue-
230-
001/
with
logs,
sup-
port,
de-
fects,
and
screen-
shots
sub-
fold-
ers.
Wrote
the
full
ses-
sion
prompt
to
issue-
230-
session-
goal-
prompt.md.
No
ap-
pli-
ca-
tion
UI
test-
ing
has
been
per-
formed
yet.

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

The
folder
ex-
ists
and
the
prompt
arti-
fact
was
writ-
ten
suc-
cess-
fully.
Next
step
is to
prove
browser
con-
trol
on
[https://eviltester.github.io/grid-
table-
editor/](https://eviltester.github.io/grid-table-editor/)
us-
ing
an
MCP
browser
tool
be-
fore
sub-
stan-
tial
test-
ing.

2026-
06-
25
22:33:14
+01:00
-
What
you
think
you
want
to
do
and
why

Record
the
re-
quired
browser-
control
proof
and
be-
gin
de-
riv-
ing
the
plan-
ning
model
from
the
live
story/PR,
be-
cause
all
sub-
stan-
tive
test-
ing
must
be
tied
to
the
de-
ployed
en-
vi-
ron-
ment
and
ac-
tual
changed
sur-
face.

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

Opened
<https://eviltester.github.io/grid-table-editor/>
with
Chrome
Dev-
Tools
MCP.
Read
the
test
en-
vi-
ron-
ment
land-
ing
con-
tent,
which
re-
ported
branch
codex/230-
method-
picker-
mvc,
com-
mit
04570e0e428d,
built
2026-
06-
25T21:29:58.356Z.
Clicked
the
visi-
ble
Open
app.html
link,
nav-
igat-
ing
to
<https://eviltester.github.io/grid-table-editor/app.html>.
Fetched
GitHub
API
meta-
data
for

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

MCP
browser
con-
trol
is
avail-
able
and
can
in-
ter-
act
with
the
de-
ployed
test
en-
vi-
ron-
ment.
The
de-
ployed
test
en-
vi-
ron-
ment
matches
the
PR
head
SHA
re-
ported
by
GitHub
API:
04570e0e428dfe731cb489d97b5b804a5d7645c9.
Is-
sue
230
re-
quests
a
Method-
Pick-
er-
Dialog-
Con-
troller
+
Method-
Pick-

2026-
06-
25
22:35:53
+01:00
-
What
you
think
you
want
to
do
and
why

Complete
the
manda-
tory
plan-
ning
stage
be-
fore
sub-
stan-
tive
test-
ing
so
the
re-
view
is
grounded
in
the
story,
PR,
changed
files,
and
live
de-
ployed
com-
mand
in-
ven-
tory.

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

Reviewed

is-

sue

230

and

PR

247

meta-

data

saved

in

sup-

port/.

Opened

[https://eviltester.github.io/grid-](https://eviltester.github.io/grid-table-editor/generator.html)

table-

editor/generator.html,

changed

the

schema

field

source

type

to

do-

main,

clicked

the

visi-

ble

Se-

lect

do-

main

com-

mand

but-

ton,

and

in-

ven-

to-

ried

the

method

picker

dia-

log.

Wrote

the

re-

port

plan-

ning

sec-

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

The
live
method
picker
opens
as a
component-
backed
dia-
log
with
Method
Nav-
iga-
tor,
Method
List,
and
Method
Help
Dis-
play
sur-
faces.
The
dia-
log
showed
36
tabs
and
269
com-
mand
tiles:
3
core
com-
mands,
252
do-
main
com-
mands,
and
14
faker/helper
18
com-
mands.
This
con-
firms
the
broad
command-

2026-
06-
25
22:44:39
+01:00
-
What
you
think
you
want
to
do
and
why
Complete
Loop
1 re-
port-
ing
and
exe-
cute
Loop
2 fo-
cused
rechecks
from
the
ini-
tial
gaps
and
sub-
agent
com-
mand/accessibility
evi-
dence.

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

Reviewed
Galileo's
command-
coverage
log
and
Er-
dos'
re-
spon-
sive/accessibility
log.
In
the
de-
ployed
gen-
era-
tor,
exe-
cuted
Loop
2
ideas:
com-
merce.price
params
via
dia-
log,
helpers.arrayElement
params
via
dia-
log,
enum/literal/regex
via
picker,
datatype.enum
search,
no-
match
re-
cov-
ery,
docs
link
href
checks,
and
rep-
re-
sen-
ta-
tive

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

Loop
2
con-
firmed
that
com-
merce.price
works
cor-
rectly
through
the
params
dia-
log,
but
di-
rect
help-
style
params
be-
have
dif-
fer-
ently
and
ap-
pear
ig-
nored.
helpers.arrayElement
re-
mains
blocked
through
the
params
edi-
tor
with
un-
safe/complex
ar-
gu-
ment
pars-
ing²³
er-
rors
de-
spite
the
help
ex-

2026-
06-
25
22:46:30
+01:00
-
What
you
think
you
want
to
do
and
why

Perform
the
mandatory
final
re-
view
loop
over
story
re-
quire-
ments,
PR
changes,
ac-
cu-
mu-
lated
logs,
cov-
er-
age
model,
com-
mand
fam-
ilies,
docs
re-
viewed,
ex-
am-
ples
tried,
de-
fects
found,
and
re-
main-
ing
gaps.

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

Reviewed
all
six
sub-
agent
logs
plus
sup-
port
arti-
facts
and
de-
fects.
Gen-
er-
ated
12
final-
review
ideas
in
support/final-
review-
executions.json.
Clas-
si-
fied
5 as
execute-
now
and
7 as
de-
fer.
Exe-
cuted
the
in-
scope
deployed-
browser
checks:
Ap-
ply
fo-
cus
27
restora-
tion,
En-
ter
on a
fo-
cused
sin-

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

Final
re-
view
re-
con-
firmed
Ap-
ply
leaves
fo-
cus
on
BODY
rather
than
the
picker
trig-
ger,
En-
ter
on a
fo-
cused
se-
lected
re-
sult
leaves
the
dia-
log
open
and
row
com-
mand
empty,
Page-
Down
scrolls
the
back-
ground
page
while
the
modal
is
open,
do-
main/faker
top-
level
help

2026-
06-
25
22:48:29
+01:00
-
What
you
think
you
want
to
do
and
why

Package
the
com-
pleted
ex-
ploratory
re-
view
de-
liv-
er-
ables
af-
ter
the
final
re-
view
loop
so
the
ses-
sion
has
a
read-
able
re-
port,
col-
lated
evi-
dence
bun-
dle,
README,
and
PDF
ex-
ports.

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

Wrote
the
final
re-
port
to
issue-
230-
test-
report.md.
Col-
lated
the
full
main
log,
all
sub-
agent
logs,
and
all
de-
fect
files
into
test-
logs-
and-
defects.md.
Cre-
ated
README.md
with
read-
ing
or-
der.
Gen-
er-
ated
issue-
230-
test-
report.pdf
and
test-
logs-
and-
defects.pdf
us-
ing
pan-
doc.
No

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

All
re-
quired
de-
liv-
er-
ables
now
ex-
ist
un-
der
docs/testing/20260625/issue-
230-
001/.
The
final
re-
port
in-
cludes
the
ex-
ecu-
tive
sum-
mary,
plan-
ning
sum-
mary,
dele-
ga-
tion
sum-
mary,
cov-
er-
age
model,
loop
sum-
mary,
con-
firmed
de-
fects,
risks,
de-
ferred
ideas,
gaps,
screen-
shots,
and

Subagent Logs

command-coverage-test-log.md

2026-
06-
25
22:40:55
+01:00

2026-
06-
25
22:40:55
+01:00
-
What
you
think
you
want
to
do
and
why

2026-
06-
25
22:40:55
+01:00

Prove
ac-
tual
in-
ser-
tion
and
exe-
cu-
tion
for
a
sim-
ple
do-
main
com-
mand
be-
fore
test-
ing
more
com-
plex
pa-
ram-
eter
cases.
This
dis-
tin-
guishes
picker
UI
suc-
cess
from
end-
to-
end
generation
success.

2026-
06-
25
22:40:55
+01:00

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

##

2026-

06-

25

22:40:55

+01:00

On

[https://eviltester.github.io/grid-](https://eviltester.github.io/grid-table-editor/app.html)

table-

editor/app.html,

ex-

panded

Test

Data,

se-

lected

row

type

do-

main,

clicked

Se-

lect

do-

main

com-

mand,

searched

for

“city”,

se-

lected

loca-

tion.city,

read

the

help

de-

tail,

clicked

Ap-

ply,

filled

Col-

umn

Name

as

city,

set

How

Many

to 3,

and

clicked

Gen-

2026-
06-
25
22:40:55
+01:00
Data
used:
-
com-
mand:
loca-
tion.city
- col-
umn:
city
-
params:
blank
-
row
count:
3
the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

2026-
06-
25
22:40:55
+01:00
Picker
in-
ser-
tion
worked.
The
row
showed
type
do-
main,
but-
ton
text
loca-
tion.city,
shadow
se-
lect
value
loca-
tion.city,
params
dis-
abled
with
title
“No
doc-
u-
mented
params
avail-
able”.

2026-
06-
25
22:40:55
+01:00
Generation
suc-
ceeded
with
“Gen-
er-
ate
com-
plete.
Grid
up-
dated.”,
“To-
tal
rows:
3”,
header
city,
and
gen-
er-
ated
cells
in-
clud-
ing
North
Lau-
rence,
Fort
Lin-
neamouth,
and
South
Fabian
in
one
run.
This
is a
clean
p42s
for
no-
param
do-
main
com-
mand
.

2026-06-25 22:40:55 +01:00

- What you think you want to do and why

Sample command help with multiple examples and constrained/structured parameters, because these are high-risk for mismatches between picker help, row params, validation, and generator execution.

the actions you take - include urls, steps and data that you use, describe any UI interactions that you make

Selected commerce.price via the method picker search. The help panel advertised multiple usage examples, including:

- Params field: (dec=2, max=10, min=1, symbol="\$")
- Full call: commerce.price(dec=2, max=10, min=1, symbol="\$")
- Also blank params and dec-only examples

First tried params without parentheses, min=10,max=20,dec=2, which produced "Schema validation failed. Grid unchanged." Then reran using help-style params exactly: (dec=2, max=20, min=10, symbol="\$"), column price, row count 4.

the observations and results that you make

The help-style params allowed generation to complete, but the generated values did not reflect the requested min/max/symbol. Observed cells were 35.69, 426.99, 280.05, and 489.35: no "\$" symbol and values outside 10-20. This is a defect candidate or at least suspicious behavior: the picker help says the params field syntax should constrain the result, but the generated output looked like defaults.

Evidence saved in support/command-coverage-valid-params-rerun.json.

```
##  
2026-  
06-  
25  
22:40:55  
+01:00  
##  
2026-  
06-  
25  
22:40:55  
+01:00
```

2026-
06-
25
22:40:55
+01:00

-
What
you
think
you
want
to
do
and
why
Sample
core
com-
mands
through
the
new
picker,
es-
pe-
cially
since
the
picker
in-
cludes
Core
even
when
opened
from
a do-
main
row.

2026-
06-
25
22:40:55
+01:00

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

2026-
06-
25
22:40:55
+01:00

Opened
the
method
picker
from
a do-
main
row,
searched
enum,
se-
lected
enum,
clicked
Ap-
ply,
then
filled
col-
umn
core_status
and
at-
tempted
to
fill
the
visi-
ble
Value
/
Regex
field
with
al-
pha,beta,gamma
be-
fore
Gen-
er-
ate.

2026-
06-
25
22:40:55
+01:00

Data
used:
-
com-
mand:
enum
- col-
umn:
core_status
-
value:
al-
pha,beta,gamma
-
row
count:
6
the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

2026-
06-
25
22:40:55
+01:00
Picker
in-
ser-
tion
changed
the
row
type
to
enum
and
re-
moved
the
com-
mand
picker
but-
ton,
which
is
ex-
pected
for
core
enum.
Gen-
era-
tion
still
failed
with
“Row
1:
enum
value
is
re-
quired.”
This
may
b48
in-
valid
setup
if
the
value
field

2026-
06-
25
22:40:55
+01:00

Deferred:
recheck
core
enum,
lit-
eral,
and
regex
in a
man-
ual
browser
pass
with
screen-
shots
around
the
post-
apply
field
state,
then
com-
pare
against
typ-
ing
those
core
rows
with-
out
go-
ing
through
the
picker.

2026-06-25 22:40:55 +01:00

- What you think you want to do and why

Check search, recent commands, validators, and non-matching/visibility behavior to broaden coverage beyond happy-path selection.

the actions you take - include urls, steps and data that you use, describe any UI interactions that you make

Used picker search terms city, price, arrayElement, datatype enum, and enum. After several Apply actions, opened the picker again and inspected the Recently used tab contents. Also sampled failed validation paths by intentionally using params without the help-required parentheses and by attempting required helper params.

the observations and results that you make

Search found location.city, commerce.price, helpers.arrayElement, and enum. A search for datatype.enum returned no selectable tile in one automated pass even though datatype appears as a domain tab and datatype.boolean/datatype.enum were visible in the shadow select inventory; this needs a focused retest before calling it a defect.

Recently used populated with enum, commerce.price, location.city, and helpers.arrayElement after those commands were applied. In the automation snapshot the recent tab's active class did not update before the immediate read, but the list content did update, so I am treating that as timing noise rather than a confirmed UI issue.

Validator behavior was useful but terse: invalid params resulted in "Schema validation failed. Grid unchanged." and row-specific messages for helper/core cases. No console/network diagnostics were used in this subagent lane.

2026-
06-
25
22:40:55
+01:00

-
What
you
think
you
want
to
do
and
why
Record
cov-
er-
age,
gaps,
sus-
pi-
cious
be-
hav-
ior,
and
follow-
up
ideas
so
the
main
ex-
ploratory
re-
view
can
com-
bine
this
lane
with
other
sub-
agent
lanes.

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make
Reviewed
saved
sup-
port
arti-
facts:

- support/command-picker-live-inventory.json
- support/command-coverage-results.json
- support/command-coverage-valid-params-rerun.json
- Screenshots captured:
- screenshots/command-picker-domain-all-open.png
- screenshots/command-picker-domain-inventory.png
- Sampled family lies:

-
Core:
enum
via
picker
- Do-
main
no
params:
loca-
tion.city
- Do-
main
con-
strained
params/multiple
ex-
am-
ples:
com-
merce.price
- Do-
main
struc-
tured
params
search
at-
tempt:
datatype.enum
-
Faker/helper
re-
quired
params:
helpers.arrayElement
-
Picker
state:
All,
do-
main
cat-
e-
gories,
Faker,
Re-
cently
used,
search,
Ap-
ply

Deferred
fam-
i-
lies:

—
-
date.between
/
date.future
struc-
tured
dates
-
num-
ber.int
/
num-
ber.float
nu-
meric
bound-
aries
- in-
ter-
net.email
/ in-
ter-
net.password
helpers
with
op-
tional
params
-
string.uuid
/
string.fromCharacters
-
regex
and
lit-
eral
di-
rect
core
rows
-
params
dia-
log
UI
seri-
al⁵⁶
iza-
tion
-
con-
straints
textarea
exe-

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make
Defect
can-
di-
dates
/
sus-
pi-
cious
be-
hav-
ior:

1.
com-
merce.price
help-
style
params
gen-
er-
ated
suc-
cess-
fully
but
ap-
peared
ig-
nored:
no
sym-
bol
and
val-
ues
out-
side
min/max.

2.
helpers.arrayElement
help-
style
re-
quired
ar-
ray
params
failed
with
“Can-
not
read
prop-
er-
ties
of
un-
de-
fined
58
(read-
ing
‘length’).”

3.
enum
se-
lected
through

Follow-
up
ideas:

1.
Use
the
params
dia-
log
but-
ton
for
com-
merce.price
and
com-
pare
seri-
al-
ized
params
against
di-
rect
typ-
ing.

2.
Use
the
params
dia-
log
but-
ton
for
helpers.arrayElement
and
in-
spect
whether
it
writes
raw
ar-
ray,
named
ar-
ray,
or
paren-
the-
sized
syn-
tax.

3.
Retest
com-
merce.price

docs-consistency-test-log.md

2026-
06-
25
23:06:00
+01:00
-
What
you
think
you
want
to
do
and
why

Start
the
dele-
gated
docs/help/content
con-
sis-
tency
lane
for
is-
sue
#230.
The
PR
is a
Method-
Pick-
er-
Dia-
log
MVC
refac-
tor,
so
the
high-
risk
doc-
u-
men-
ta-
tion/content
sur-
face
is
not
only
pub-
lished
docs
pages;
it is
also
the
live
method
62
picker
help
panel,
Sto-
ry-
book
docs/examples,
and

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

Reviewed
the
ex-
ist-
ing
ses-
sion
con-
text
al-
ready
saved
un-
der
`docs/testing/20260625/issue-230-001/:`

- Issue
#230:
<https://github.com/eviltester/grid-table-editor/issues/230>

- PR
#247:
<https://github.com/eviltester/grid-table-editor/pull/247>

- Deployed
environment:
<https://eviltester.github.io/grid-table-editor/>

- Existing browser
proof in
issue-230-test-log.md:
deployed
environment
reported
branch
codex/230-method-picker-mvc,
commit
04570e0e428d,
built
2026-06-25T21:29:58.356Z,
then
opened
<https://eviltester.github.io/grid-table-editor/app.html>.

- PR
changed-
file
inventory
from
support/github-pr-247-files.json.

64

Derived
this
docs-
consistency
char-
ter
from
the
user
prompt
and
PR
con-
text:

-
Com-
pare
app/generator
method
picker
help,
pub-
lished
docs,
Sto-
ry-
book/docs
sur-
faces,
and
prac-
tical
run-
time
be-
hav-
ior
where
pos-
si-
ble.

-
Look
for
stale
ex-
am-
ples,
mis-
lead-
ing
ex-
am-
ples,
miss-
ing
help,
re-
moved
com-
mands
still
visi-
ble,
new
com-
mand/help
items
miss-

Techniques
and
heuris-
tics
se-
lected:

-
Con-
sis-
tency/oracle
check-
ing
be-
tween
live
picker
help,
docs
pages,
Sto-
ry-
book
docs,
and
run-
time
pre-
view.

-
Risk-
based
test-
ing
fo-
cused
on
changed
method
picker
MVC
files
and
help
ren-
der-
ing
util-
ities.

-
Doc-
u-
men-
ta-
tion
test-
ing
for
links,
ex-
am-
ples,

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make
Changed
sur-
faces
that
mat-
ter
to
this
lane:

-

apps/web/src/stories/method-picker-dialog.stories.js:

Sto-

ry-

book

ex-

am-

ples

now

use

real

method

picker

sub-

com-

po-

nents

and

dia-

log.

-

packages/core-ui/js/gui_components/shared/method-picker-dialog.stories.js:

new

nav-

iga-

tor,

list,

help

dis-

play,

dia-

log

con-

troller/view/utils.

-

packages/core-ui/js/gui_components/shared/test-data/ui/method-picker-dialog.stories.js:

com-

pati-

bil-

ity

ser-

vice

now

dele-

gates

to

the

com-

po-

nent

dia-

log.

-

docs/frontend-component-architecture.md,

docs/frontend-component-migration-plan.md,

Initial
follow-
up
ideas
to
carry
into
loops:

1.
Check
whether
de-
ployed
Sto-
ry-
book
has
a
Method
Picker
Dia-
log
page
and
whether
its
docs/examples
match
the
PR
claims.

2.
Check
whether
live
method
picker
help
still
ex-
poses
valid
docs
links
for
rep-
re-
sen-
ta-
tive
core,
do-
main,
and
faker
72
com-
mands.

3.
Com-
pare
Parameter
Details,
Parameter

2026-
06-
25
23:24:00
+01:00
-
What
you
think
you
want
to
do
and
why

Run
Loop
1
broad
in-
ven-
tory
across
pub-
lished
docs
and
Sto-
ry-
book
be-
fore
nar-
row-
ing
into
indi-
vid-
ual
method
help
ex-
am-
ples.
This
es-
tab-
lishes
which
docs/help
sur-
faces
ex-
ist
in
the
de-
ployed
en-
vi-
ron-
ment
and
which
pages
should
be
treated
as
ora-

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make
Used
de-
ployed/published
sur-
faces
only.
Fetched
and
in-
spected
these
pages/metadata:

```
-  
-  
https://eviltester.github.io/grid-table-editor/storybook/index.html  
-  
https://eviltester.github.io/grid-table-editor/storybook/projects.html  
-  
https://eviltester.github.io/grid-table-editor/storybook/?path=/story/  
-  
https://eviltester.github.io/grid-table-editor/storybook/iframe.html  
-  
https://eviltester.github.io/grid-table-editor/storybook/iframe.html  
-  
https://eviltester.github.io/grid-table-editor/storybook/iframe.html  
-  
https://eviltester.github.io/grid-table-editor/storybook/iframe.html  
-  
https://eviltester.github.io/grid-table-editor/site/docs/cats.html  
-  
https://eviltester.github.io/grid-table-editor/site/docs/test.html  
-  
https://eviltester.github.io/grid-table-editor/site/docs/test.html  
-  
https://eviltester.github.io/grid-table-editor/site/docs/test.html  
-  
https://eviltester.github.io/grid-table-editor/site/docs/test.html  
-  
https://eviltester.github.io/grid-table-editor/site/docs/test.html  
-  
https://eviltester.github.io/grid-table-editor/site/docs/test.html  
-  
https://eviltester.github.io/grid-table-editor/site/docs/test.html  
-  
Saved  
sup-  
port-  
ing  
data:  
-  
../support/docs-consistency-storybook-docs-audit.json  
-  
../support/docs-consistency-storybook-story-inspection.json  
-  
../support/docs-consistency-link-target-check.json
```

Captured

use-

ful

screen-

shots:

-

../screenshots/docs-consistency-storybook-method-picker-docs

-

../screenshots/docs-consistency-storybook-shared-method-picke

-

../screenshots/docs-consistency-storybook-shared-method-picke

-

../screenshots/docs-consistency-storybook-shared-method-picke

-

../screenshots/docs-consistency-storybook-shared-method-picke

Storyboard

in-

ven-

tory

found

these

Method

Picker

en-

tries

in

the

pub-

lished

in-

dex:

```

-
shared-method-picker-dialog--docs
-
shared-method-picker-dialog--navigator-default
-
shared-method-picker-dialog--list-default
-
shared-method-picker-dialog--help-display-with-usage
-
shared-method-picker-dialog--visual-always-open
-
shared-method-picker-dialog--choose-faker-method
-
shared-method-picker-dialog--filter-and-choose-domain-method
-
shared-method-picker-dialog--cancel-method-selection
the
ob-
ser-
va-
tions
and
re-
sults
that
you
make
Positive
ob-
ser-
va-
tions:

```

—
-

Pub-
lished
Sto-
ry-
book
con-
tains
the
ex-
pected
Method
Picker
Dia-
log
docs/stories
from
the
changed
story
file.

-
The
Sto-
ry-
book
story
list
names
align
with
is-
sue
#230

sub-
com-
po-
nents
and
flows:
Nav-
iga-
tor,
List,
Help
Dis-
play,
V79
sual
dia-
log,
choose/filter/cancel
flows.

-
Sto-

Storybook
con-
tent
ob-
ser-
va-
tions:

-
Help
Display
With
Usage
ren-
ders
`internet.password`
help
with
Pa-
ram-
eter
De-
tails,
Pa-
ram-
eter
Types,
Us-
age
Ex-
am-
ples,
re-
turn
ex-
am-
ples,
and
an
Open
documentation
link.
-
Visual
Always
Open
ren-
ders
tabs
(All,
Core,
commerce,
internet,
Faker,
Recently
used),
list
en-
tries,
se-
lected
`helpers.arrayElement`
help,

Potential
mis-
match
/ de-
fect
can-
di-
date
car-
ried
to
Loop
2:

—
-

Sto-
ry-
book
method
picker
help
links
use

<https://anywaydata.com/docs/...>,
while

the
live
de-
ployed
gen-
era-
tor
picker
uses

<https://eviltester.github.io/grid-table-editor/site/docs/...>
for
equiv-

a-
lent
help
links.

Both
tar-
gets
re-
solve,
but

the
link-
base
mis-
match

may
mat-
ter
in a
de-
ployed
PR

re-
view
en⁸³

vi-
ron-
ment.

Transient/tooling
note:
- A
rapid
Sto-
ry-
book
iframe
batch
hit
one
`net::ERR_CONNECTION_RESET;`
retry-
ing
the
same
Sto-
ry-
book
story
URLs
suc-
ceeded.
I
treated
this
as
GitHub
Pages/network
flak-
i-
ness,
not
an
app
de-
fect.

2026-
06-
25
23:38:00
+01:00
-
What
you
think
you
want
to
do
and
why

Run
Loop
2 fo-
cused
com-
pari-
son
be-
tween
live
method
picker
help,
pub-
lished
docs
ex-
am-
ples,
Sto-
ry-
book
ex-
am-
ples,
and
run-
time
be-
hav-
ior.
The
goal
is to
sep-
a-
rate
true
con-
tent
mis-
matches
from
ac-
cept-
able
ex-
am-
ple
vari-
a-
tion
and
in-
valid

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

Opened

<https://eviltester.github.io/grid-table-editor/generator.html>

with

in-

stalled

Chrome

through

browser

au-

toma-

tion,

stay-

ing

on

the

de-

ployed

page.

Cap-

tured

ini-

tial

proof

screen-

shot:

-

[../screenshots/docs-consistency-generator-open.png](#)

Changed

the

gen-

era-

tor

schema

row

type

to

domain,

opened

the

live

method

picker,

and

cap-

tured:

```
-  
-  
  ../screenshots/docs-consistency-method-picker-domain-open.png  
Sampled  
live  
method  
picker  
help  
by  
search-  
ing  
and  
se-  
lect-  
ing  
these  
com-  
mands:  
-  
  internet.password  
-  
  commerce.price  
-  
  helpers.arrayElement  
-  
  datatype.boolean  
-  
  internet.httpMethod  
-  
  image.urlLoremFlickr  
Saved  
ex-  
tracted  
live  
help  
con-  
tent  
and  
links  
to:  
-  
  ../support/docs-consistency-live-picker-samples.json  
Captured  
screen-  
shots:
```

```

-
../screenshots/docs-consistency-live-picker-internet_password
-
../screenshots/docs-consistency-live-picker-commerce_price.pr
-
../screenshots/docs-consistency-live-picker-helpers_arrayElen
-
../screenshots/docs-consistency-live-picker-datatype_boolean
-
../screenshots/docs-consistency-live-picker-internet_httpMetl
Fetched
docs
snip-
pets
for
the
sam-
pled
com-
mands
and
ex-
am-
ples,
sav-
ing:
-
../support/docs-consistency-doc-snippets.json
Checked
sam-
pled
live
and
Sto-
ry-
book
docs
link
tar-
gets,
sav-
ing:
-
../support/docs-consistency-link-target-check.json

```

Executed
a
rep-
re-
sen-
ta-
tive
doc-
u-
mented
ex-
am-
ple
through
the
de-
ployed
gen-
era-
tor:

1.
Se-
lected
`internet.httpMethod`
from
the
method
picker.

2.
Ap-
plied
the
se-
lec-
tion
so
the
row
com-
mand
be-
came
`internet.httpMethod`.

3.
En-
tered
params
ex-
actly
as
(`excludes="patch,
TRACE"`).

4.
Ini-
tially
clicked
Pre-
view
with
no
col-
umn
name
and
ob-
served
the
view

92
vali-
da-
tion
mes-
sage
Row
1:

Also
opened
<https://eviltester.github.io/grid-table-editor/app.html>,
in-
spected
the
em-
bed-
ded
schema
panel,
and
at-
tempted
to
open
its
method
picker.
The
app
page
was
in-
spected
and
screen-
shot
cap-
tured:

- ../screenshots/docs-consistency-app-page-open.png
- ../screenshots/docs-consistency-app-picker-attempt.png

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

Positive
con-
sis-
tency
ob-
ser-
va-
tions:

-
Live
picker
help
for
`internet.password`,
`commerce.price`,
`helpers.arrayElement`,
`datatype.boolean`,
and
`internet.httpMethod`
in-
cludes
the
ex-
pected
sec-
tions:
sum-
mary,
`schema/canonical`
call,
Pa-
ram-
eter
De-
tails,
Pa-
ram-
eter
Types,
Us-
age
Ex-
am-
ples,
re-
turn
ex-
am-
ples
where
avail-
able,
and
Open
documentation.

_ 95

Live
picker
docs
links
are
valid
de-

Potential
mis-
match
/ de-
fect
can-
di-
date:

—
-

Cre-
ated

../defects/docs-consistency-storybook-doc-link-base-mismatch-

for

the

Sto-

ry-

book/live

picker

docs-

link

base

mis-

match.

Sto-

ry-

book

iframe

ex-

am-

ples

link

Open

documentation

to

<https://anywaydata.com/docs/...>,

while

the

live

de-

ployed

gen-

era-

tor

picker

links

equiv-

a-

lent

com-

mands

to

<https://eviltester.github.io/grid-table-editor/site/docs/...>

Both

tar-

get

97
fam-

ilies

re-

solve.

Treat

as

low/medium

only

App
page
note
/
gap:

—
-
<https://eviltester.github.io/grid-table-editor/app.html>
con-
tains
an
em-
bed-
ded
schema
panel,
but
the
first
Play-
wright
se-
lect
at-
tempt
tar-
geted
a
hid-
den
Field
type
se-
lect
and
timed
out.
A
later
DOM-
level
at-
tempt
changed
the
visi-
ble
row
to
domain,
but
click-
ing
the
visi-
ble
com-
mand
picker
but-
ton

2026-
06-
25
23:47:00
+01:00
-
What
you
think
you
want
to
do
and
why

Perform
the
docs-
consistency
final
re-
view
pass
for
hand-
off:
ver-
ify
arti-
facts
ex-
ist,
sum-
ma-
rize
cov-
er-
age,
clas-
sify
new
follow-
up
ideas,
and
stop
once
the
re-
main-
ing
items
are
mostly
broader
regression/deep-
sampling
work
rather
than
likely
docs/content
de-
fects.

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

Reviewed
this
lane's
ac-
cu-
mu-
lated
log,
sup-
port
JSON,
screen-
shots,
and
de-
fect
can-
di-
date
file.
Con-
firmed
arti-
facts
ex-
ist
un-
der
the
re-
quested
ses-
sion
folder:

—
-

Log:
logs/docs-consistency-test-log.md

-

Sup-

port

JSON:

support/docs-consistency-storybook-docs-audit.json,
support/docs-consistency-storybook-story-inspection.json,
support/docs-consistency-live-picker-samples.json,
support/docs-consistency-doc-snippets.json,
support/docs-consistency-link-target-check.json

-

Screen-

shots:

gen-

era-

tor

open,

method

picker

open,

live

picker

com-

mand

sam-

ples,

Sto-

ry-

book

Method

Picker

docs/stories,

app

in-

spec-

tion

at-

tempt,

and

internet.httpMethod

run-

time

pre-

view.

-

Can-

di-

date

de-

fect:

defects/docs-consistency-storybook-doc-link-base-mismatch-can

Classified
ad-
di-
tional
follow-
up
ideas
from
final
re-
view:

1.
execute-
now
-
Con-
firm
Sto-
ry-
book
Method
Picker
en-
tries
ex-
ist
in
storybook/index.json.
Com-
pleted
in
Loop
1. 2.
execute-
now
-
Ren-
der
Sto-
ry-
book
Help
Dis-
play,
Vi-
sual
Dia-
log,
Nav-
iga-
tor,
and
List
iframe
sto-
ries.
Com-
pleted
in
Loop
1. 3.
execute-
now
-
Vali-
date

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make
Coverage
com-
pleted:

-
Pub-
lished
docs
re-
viewed:
generating-
data
cat-
e-
gory,
do-
main
overview,
com-
merce,
datatype,
in-
ter-
net,
loca-
tion,
faker
overview,
and
faker
helpers.

-
Sto-
ry-
book
sur-
faces
re-
viewed:
Method
Picker
docs
en-
try
plus
Help
Dis-
play,
Vi-
sual
Al-
ways
Open,
Nav-
iga-
tor,
and
List
sto-

Confirmed
de-
fect
can-
di-
dates:

1.
Sto-
ry-
book/live
picker

docs-
link
base
mis-
match:

`../defects/docs-consistency-storybook-doc-link-base-mismatch`

This

is a

can-

di-

date

be-

cause

both

link

tar-

get

fam-

ilies

re-

solve;

sever-

ity

de-

pends

on

whether

de-

ployed

Sto-

ry-

book

should

re-

main

in-

side

the

PR

GitHub

Pages

docs

con

text.

Not
de-
fects
from
this
lane:

-
`internet.httpMethod`
[help/docs/runtime](#)
were
con-
sis-
tent
in
the
sam-
pled
de-
ployed
state.

-
`commerce.price,`
`internet.password,`
and
`datatype.boolean`
picker
[help](#)
matched
[docs](#)
snip-
pets
for
rep-
re-
sen-
ta-
tive
ex-
am-
ples.

-
`helpers.arrayElement`
[Sto-](#)
[ry-](#)
[book](#)
[sam-](#)
[ple](#)
[dif-](#)
[fers](#)
[from](#)
[pub-](#)
[lished](#)
[docs](#)
412
ex-
[am-](#)
[ples](#)
but
re-
mains
valid-
looking

Stopping
ra-
tio-
nale:

The
lane
cov-
ered
the
re-
quested
docs/help/content
con-
sis-
tency
sur-
faces
broadly
enough
for
a
sub-
agent
pass:
pub-
lished
docs
pages,
Sto-
ry-
book
docs/stories,
live
picker
help,
link
tar-
gets,
re-
moved
com-
mand
visi-
bil-
ity,
and
one
prac-
tical
run-
time
ex-
am-
ple.
Re-
main-
ing
ideas
are

negative-validation-test-log.md

2026-
06-
25
22:34:05
+01:00

2026-
06-
25
22:36:20
+01:00

-
What
you
think
you
want
to
do
and
why

##

2026-

06-

25

22:34:05

+01:00

Exercise

method

picker

help

ex-

am-

ples

first

be-

cause

is-

sue

230

changed

the

method

picker

MVC/help

sur-

face

and

neg-

a-

tive

test-

ing

needs

a

base-

line

for

what

ex-

am-

ples

and

pa-

ram-

eter

guid-

ance

the

user

sees

be-

fore

en-

ter-

ing

2026-
06-
25
22:34:05
+01:00

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

2026-
06-
25
22:34:05
+01:00

On
<https://eviltester.github.io/grid-table-editor/app.html>,
with
Test
Data
open,
clicked
the
row
help
link
for
Regex
data
help
and
cap-
tured
screenshots/negative-
03-
regex-
help-
click.png.
Ro-
tated
the
row
type
se-
lec-
tor
through
enum,
lit-
eral,
regex,
do-
main,
and
file.
For
each
source
type,
clicked
the
visi-
ble

2026-
06-
25
22:34:05
+01:00

Data
used:

- enum
- lit-
eral
- regex
- do-
main
- faker
- the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

2026-
06-
25
22:34:05
+01:00

Enum,
lit-
eral,
and
regex
help
each
showed
schema
params
and
ex-
am-
ples.
Do-
main
help
only
showed
“Do-
main
com-
mands
pro-
vide
a
con-
trolled
in-
ter-
face
for
data
gen-
era-
tion”
plus
Learn
more.
Faker
help
~~only~~
showed
“Faker
com-
mands
gen-
er-
ate

2026-06-25 22:37:35 +01:00

- What you think you want to do and why

Use the method picker to select a command with required params, then test empty and malformed params. This probes the picker-to-schema handoff and validates that bad params are blocked without corrupting the grid.

the actions you take - include urls, steps and data that you use, describe any UI interactions that you make

On <https://eviltester.github.io/grid-table-editor/app.html>, changed the row type to faker and clicked Select faker command. The method picker opened; captured screenshots/negative-05-method-picker-open.png. Confirmed the dialog contains navigator tabs, search, method list, detail panel, parameter tables, usage examples, Open documentation, Cancel, and Apply. Left helpers.arrayElement selected and clicked Apply. Entered column name BadParam and tested Generate with these params: - empty params - malformed params: (["A","B"] - wrong-type params: ("A") - valid recovery params: (["A","B","C"])

Captured screenshots/negative-06-empty-required-params.png, screenshots/negative-07-malformed-faker-params.png, and screenshots/negative-08-valid-params-recovery.png.

the observations and results that you make

Empty required params were blocked and the grid stayed at Total rows: 0, but the row-level validation text exposed an internal implementation error: **Row 1: invalid faker params - Invalid Faker API Call Cannot read properties of undefined (reading 'length')**. This is a defect candidate because users should see a required-params/array-specific message rather than a JavaScript property access failure. Malformed params were blocked with **Row 1: params should be wrapped in parentheses, e.g. (["A","B"])**; that message is understandable enough but the example/echo is malformed and may confuse users. Valid params recovered cleanly: the grid generated one row and Total rows became 1.

2026-
06-
25
22:39:10
+01:00

2026-
06-
25
22:41:05
+01:00
-
What
you
think
you
want
to
do
and
why

2026-
06-
25
22:39:10
+01:00
Switch
to
text
schema
mode
and
test
mal-
formed
schema
en-
try,
in-
valid
method-
like
syn-
tax,
mal-
formed
regex/domain/faker
calls,
and
quote/comma/parenthesis
han-
dling.
This
cov-
ers
the
same
in-
valid
data
class
through
the
al-
ter-
na-
tive
~~ch~~23
try
path.

2026-
06-
25
22:39:10
+01:00

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

##

2026-

06-

25

22:39:10

+01:00

For

each

case,

loaded

[https://eviltester.github.io/grid-](https://eviltester.github.io/grid-table-editor/app.html)

table-

editor/app.html,

opened

Test

Data,

clicked

Edit

as

Text,

filled

the

Schema

text

textarea,

clicked

Gen-

er-

ate,

and

waited

for

visi-

ble

sta-

tus.

Tested:

-

empty

schema

text

-

OnlyColumn

-

Mystery

+

unknown()

-125

EmptyEnum

+

enum

-

BadRegex

+

regex([A-Z

##

2026-

06-

25

22:39:10

+01:00

Captured

screenshots/negative-

12-

text-

mode-

last-

case.png,

screenshots/negative-

13-

text-

empty-

busy.png,

screenshots/negative-

14-

text-

unknown-

busy.png,

and

screenshots/negative-

15-

text-

regex-

busy.png

while

recheck-

ing

long

waits.

the

ob-

ser-

va-

tions

and

re-

sults

that

you

make

2026-
06-
25
22:39:10
+01:00
Text
mode
even-
tu-
ally
re-
cov-
ered
from
slow-
looking
in-
valid
cases,
so
no
per-
ma-
nent
busy-
button
de-
fect
was
con-
firmed.
How-
ever,
sev-
eral
fail-
ures
only
re-
ported
the
generic
ban-
ner
Schema
validation
failed.
Grid
unchanged.
with
no
visi-
ble
field/line-

2026-06-25 22:42:30 +01:00

- What you think you want to do and why

Test constrained values and behavior after constraint errors, because constraint parsing combines column references, quotes, values, and line-number reporting.

the actions you take - include urls, steps and data that you use, describe any UI interactions that you make

On <https://eviltester.github.io/grid-table-editor/app.html>, opened Test Data, configured two row-mode enum fields: - Age, enum, minor, adult - Work, enum, School, Office

Opened Schema Constraints and tested these constraints with Generate: - IF [Nope] = "minor" THEN [Work] = "School" ENDIF - IF [Age] = "minor" THEN [Missing] = "School" ENDIF - IF [Age] = "minor" THEN [Work] = "School" - IF [Age] = "minor" THEN [Work] = "School" ENDIF

Captured screenshots/negative-16-constraint-valid-recovery.png after the valid recovery case.

the observations and results that you make

Constraint validation behaved well. Unknown source and target columns were blocked with specific **Line 6: unknown constraint parameter [...]** messages. The missing ENDIF case was blocked with **Line 6: Constraint must terminate with ";" or ENDIF**. The valid constraint recovered cleanly, generated one row, updated Total rows to 1, and the constraints summary changed to Schema Constraints (1). No page errors occurred.

2026-
06-
25
22:43:42
+01:00
-
What
you
think
you
want
to
do
and
why

Summarize

de-
fect
can-
di-
dates,
sus-
pi-
cious
be-
hav-
ior,
cov-
er-
age
notes,
and
follow-
up
ideas
while
the
ex-
act
de-
ployed
evi-
dence
is
fresh.

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

Reviewed
the
negative-
*

screen-
shots,
page
states,
visi-
ble
vali-
da-
tion
mes-
sages,
and
console/page-
error
state
from
the
de-
ployed
browser
ses-
sion.
Wrote
support/negative-
validation-
observations.json
with
a
com-
pact
arti-
fact/case
sum-
mary.

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

Defect
can-
di-
dates:
-
Medium:
Empty
re-
quired
params
for
`faker.helpers.arrayElement`
ex-
pose
in-
ter-
nal
JS
text:
Cannot
read
properties
of
undefined
(reading
'length')
in-
stead
of a
user-
facing
re-
quired
ar-
ray/params
mes-
sage.
Evi-
dence:
screenshots/negative-
06-
empty-
required-
params.png.
-
Low/Medium:
Text
183
schema
Mystery
/
`unknown()`
is
ac-
cepted
and

Suspicious

but

not

filed

as

con-

firmed

de-

fects:

-

Sim-

ple

enum,

quoted-

comma

enum,

and

empty

lit-

eral

looked

stuck

dur-

ing

short

waits,

but

all

com-

pleted

with

longer

waits.

This

sug-

gests

async

gen-

era-

tion

can

be

slow

but

did

not

prove

at³⁴

fail-

ure

in

this

pass.

-

enum

Follow-
up
ideas:

-

Add
a di-
rect
re-
gres-
sion
for
empty
re-
quired
params
on
helpers.arrayElement
and
as-
sert
no
raw
JavaScript
ex-
cep-
tion
text
reaches
the
UI. -
Test
ev-
ery
faker
helper
with
re-
quired
params
left
blank
to
find
other
in-
ter-
nal
ex-
cep-
tion
leaks.

-

Test
method
picker

responsive-accessibility-test-log.md

2026-
06-
25
22:44:00
+01:00

2026-
06-
25
22:45:00
+01:00
-
What
you
think
you
want
to
do
and
why

##

2026-

06-

25

22:44:00

+01:00

Exercise

the

method-

picker

dia-

log

in

the

inte-

grated

gen-

era-

tor

flow

with

keyboard-

only

in-

ter-

ac-

tion,

visi-

ble

fo-

cus,

names/roles,

es-

cape/backdrop

be-

hav-

ior,

and

se-

lec-

tion

ap-

ppli-

ca-

tion.

2026-
06-
25
22:44:00
+01:00

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

##

2026-

06-

25

22:44:00

+01:00

With

[https://eviltester.github.io/grid-](https://eviltester.github.io/grid-table-editor/generator.html)

table-

editor/generator.html

open,

clicked

Se-

lect

do-

main

com-

mand.

Cap-

tured

screenshots/responsive-

ally-

generator-

method-

picker-

desktop.png.

Read

the

ac-

ces-

si-

bil-

ity

snap-

shot

for

the

dia-

log.

Used

Tab,

Shift+Tab,

slash,

typed

city,

En-

ter,

~~Es~~

cape,

Ap-

ply,

and

a

browser-

side

2026-
06-
25
22:44:00
+01:00
the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

2026-
06-
25
22:44:00
+01:00

The
dia-
log
ap-
pears
as
dia-
log
“Se-
lect
schema
method”
modal.
The
search
in-
put
is fo-
cused
on
open
and
is
named
“Fil-
ter
meth-
ods”.
The
close
but-
ton
is
named
“Close”.
The
method
list
is
ex-
posed
as
a
re-
gion
“Meth-
ods”;
the
help
pane

2026-06-25 22:46:00 +01:00

- What you think you want to do and why

Check responsive/mobile layout and scroll containment for the method picker at desktop, tablet, and the narrowest Chrome DevTools width available in this profile.

the actions you take - include urls, steps and data that you use, describe any UI interactions that you make

Resized the deployed generator page to 1440x1000, 768x900, and the narrowest available Chrome DevTools content width, which was 500px wide despite requesting 390px. Captured screenshots/responsive-a11y-generator-method-picker-tablet.png and screenshots/responsive-a11y-generator-method-picker-mobile-390.png. Measured dialog, overlay, tabs, list, details, footer, document scroll width, and scroll heights in the browser. With the modal open at narrow width and focus in the search input, pressed PageDown and measured window.scrollTop before and after. Captured screenshots/responsive-a11y-background-scroll-page-down.png after the background scroll.

the observations and results that you make

At desktop, the dialog was 1202x962 inside a 1440x1000 viewport; the method list and help pane were side-by-side and independently scrollable. At tablet, the dialog stacked list and detail vertically, remained horizontally contained, and document scrollWidth did not exceed clientWidth. At narrow/mobile width, the filter buttons wrapped into many rows and left only about 183px for the method list plus 183px for details, but the layout remained horizontally contained. The tab/filter rail is usable but dense. A confirmed scroll containment problem exists: body/document overflow remained visible, and PageDown with focus in the method-picker search moved window.scrollTop from 0 to 290 while the modal stayed open. This means the underlying page can scroll behind the modal.

2026-
06-
25
22:47:00
+01:00

2026-
06-
25
22:48:00
+01:00

2026-
06-
25
22:47:00
+01:00

-
What
you
think
you
want
to
do
and
why

2026-
06-
25
22:47:00
+01:00

Use
pub-
lished
Sto-
ry-
book
to
re-
view
the
method-
picker
sub-
com-
po-
nent
sto-
ries
be-
cause
is-
sue
230
ex-
plic-
itly
re-
quested
story
cov-
er-
age
for
Method
Nav-
iga-
tor,
Method
List,
Method
Help
~~Dis~~
play,
and
the
com-
bined
dia-
log.

2026-
06-
25
22:47:00
+01:00
the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

##

2026-

06-

25

22:47:00

+01:00

Opened

[https://eviltester.github.io/grid-](https://eviltester.github.io/grid-table-editor/storybook/index.json)

[table-](https://eviltester.github.io/grid-table-editor/storybook/index.json)

[editor/storybook/index.json](https://eviltester.github.io/grid-table-editor/storybook/index.json)

di-

rectly

and

parsed

method-

picker

en-

tries

from

the

pub-

lished

Sto-

ry-

book

in-

dex.

Nav-

i-

gated

to

[https://eviltester.github.io/grid-](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[table-](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[editor/storybook/?path=/story/shared-](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[method-](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[picker-](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[dialog-visual-](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[always-](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[open](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[and](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[then](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[di-](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[rectly](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[to](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[https://eviltester.github.io/grid-](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[table-](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[editor/storybook/iframe.html?id=shared-](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[method-](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[picker-](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[dialog-visual-](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[always-](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

[open&viewMode=story.](https://eviltester.github.io/grid-table-editor/storybook/?path=/story/shared-method-picker-dialog-visual-always-open-and-then-directly-to-https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story)

Cap-

tured

screenshots/responsive-

2026-
06-
25
22:47:00
+01:00
the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

2026-
06-
25
22:47:00
+01:00
Published
Sto-
ry-
book
con-
tains
Shared/Method
Picker
Dia-
log
en-
tries
for
Docs,
Nav-
iga-
tor
De-
fault,
List
De-
fault,
Help
Dis-
play
With
Us-
age,
Vi-
sual
Al-
ways
Open,
Choose
Faker
Method,
Fil-
ter
And
Choose
Do-
n't
Method,
and
Can-
cel
Method
Se-
lec-

2026-06-25 22:49:00 +01:00

- What you think you want to do and why

Record defect candidates and follow-up ideas while separating confirmed observations from broader risks.

the actions you take - include urls, steps and data that you use, describe any UI interactions that you make

Created defect-candidate notes under defects/ and summarized this lane in responsive-accessibility-summary.md. No local build, verify, package-manager, or repo test commands were run.

the observations and results that you make

Defect candidates:

1. Medium: Method picker does not lock background page scrolling. With the modal open and focus in Filter methods, PageDown moved window.scrollY from 0 to 290. Evidence: screenshots/responsive-a11y-background-scroll-page-down.png.
2. Medium/Low: Plain Tab order through the all-methods dialog is very long. The desktop all-methods state exposed 310 focusable controls, including every method tile. Search and slash reduce pain for informed users, but keyboard-only tab traversal is excessive.
3. Low: Method-picker filter buttons have below-target normal-text contrast. Computed ratio was about 4.08:1 for blue text on pale blue at 13.33px normal text.
4. Low: Direct Storybook iframe at 500px clips the dialog top at y=-13. Evidence: screenshots/responsive-a11y-storybook-iframe-mobile-500.png. Integrated generator modal did not reproduce this.
5. Low / broader app debt: app/generator export option accessible names include neighboring help text, e.g. "Show help for this option Use Quotes", which can make screen-reader announcements noisy.

Follow-up ideas:

1. Add deployed-browser coverage for body scroll lock while the method-picker modal is open, including PageDown, Space, wheel, touch scroll, and background scrollbar drag.
2. Consider a roving tabindex/listbox pattern for method tiles so only the active tile is tabbable while arrow keys move between methods.
3. Add a visible keyboard help affordance near the search field if slash and Enter are first-class shortcuts.
4. Add aria-current, aria-selected, or a tablist/listbox pattern if the filter buttons are intended to behave as tabs rather than simple filters.
5. Re-check method-picker filter chip contrast against WCAG 2.2 normal-text thresholds and darken the blue or lighten/differentiate the background.

6. Add a mobile Storybook viewport story or visual regression for Visual Always Open at 500px and 390px widths.
7. Test with actual mobile emulation/touch input where available, because this Chrome DevTools session could not shrink content below 500px.
8. Verify screen-reader announcement order in NVDA or VoiceOver for dialog title, focused search, selected method, details updates, and live status changes.
9. Add an automated accessibility snapshot assertion that the integrated generator modal exposes exactly one dialog, named search, Methods region, Method details complementary pane, Close, Cancel, and Apply.
10. Add regression coverage that Escape, backdrop click, Cancel, Close, and Apply all restore focus to the original trigger in generator and Storybook stories.
11. Separate help buttons from form labels in export options so checkbox/textbox accessible names are concise, e.g. “Use Quotes” instead of “Show help for this option Use Quotes”.
12. Check whether the document behind the modal should be inert or aria-hidden while the modal is open, because snapshots still include the underlying generator/app controls before the modal subtree.
13. Add a reduced-results state test where a search like city produces one method and Enter selects it without requiring tile focus.
14. Add a recent-methods keyboard path test after applying a method to ensure Recently used is reachable, named clearly, and not empty-confusing.
15. Test docs links from Method Help Display in deployed Storybook and generator for same-origin versus production anywaydata.com targets and expected new-tab/current-tab behavior.

storybook-component-parity-test-log.md

```
##  
2026-  
06-  
25  
22:42:09  
+01:00  
-  
What  
you  
think  
you  
want  
to  
do  
and  
why
```

Create
a
gap-
coverage
log
for
Sto-
ry-
book
com-
po-
nent
par-
ity
around
is-
sue
230's
Method
Picker
Dia-
log
story
re-
quest.
The
char-
ter
is
nar-
rower
than
the
par-
ent
re-
view:
com-
pare
the
de-
ployed
Sto-
ry-
book
method-
picker
sub-
com-
po-
nent
sto-
ries
with
the

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

Used
only
de-
ployed/published
sur-
faces
and
GitHub
Pages
URLs.
Did
not
run
lo-
cal
ver-
ify,
build,
package-
manager,
or
repo
test
com-
mands.
Browser
con-
trol
was
through
Play-
wright
MCP
and
di-
rect
Play-
wright
au-
toma-
tion
against
sys-
tem
Chrome,
with
screen-
shots
saved
un-
der
screenshots/.

Opened

<https://eviltester.github.io/grid-table-editor/>

and

con-

firmed

the

de-

ployed

re-

view

en-

vi-

ron-

ment

re-

ports

branch

[codex/230-method-picker-mvc,](#)

com-

mit

04570e0e428d,

built

2026-06-25T21:29:58.356Z.

Opened

<https://eviltester.github.io/grid-table-editor/app.html>,

<https://eviltester.github.io/grid-table-editor/generator.html>

and

<https://eviltester.github.io/grid-table-editor/storybook/index.html>

Identified

the

de-

ployed

Sto-

ry-

book

cov-

er-

age

un-

der

Shared

/

Method

Picker

Dialog:

-
<https://eviltester.github.io/grid-table-editor/storybook/iframe>
-
<https://eviltester.github.io/grid-table-editor/storybook/iframe>
-
<https://eviltester.github.io/grid-table-editor/storybook/iframe>
-
<https://eviltester.github.io/grid-table-editor/storybook/iframe>
-
<https://eviltester.github.io/grid-table-editor/storybook/iframe>
-
<https://eviltester.github.io/grid-table-editor/storybook/iframe>
Techniques
and
heuris-
tics
used:

-
Story-
to-
live
par-
ity
com-
pari-
son:
first
map
each
Sto-
ry-
book
sub-
com-
po-
nent
story,
then
com-
pare
its
be-
hav-
ior
with
the
live
gen-
era-
tor's
real
schema
row
method-
picker.

-
Com-
po-
nent
de-
com-
po-
si-
tion:
156
checked
nav-
iga-
tor
tabs,
method
list
tiles,

Screenshots
cap-
tured:

-
Sto-
ry-
book
sub-
com-
po-
nent
snap-
shots:
gap-shared-method-picker-dialog--navigator-default.png,
gap-shared-method-picker-dialog--list-default.png,
gap-shared-method-picker-dialog--help-display-with-usage.png,
gap-shared-method-picker-dialog--visual-always-open.png,
gap-shared-method-picker-dialog--choose-faker-method.png,
gap-shared-method-picker-dialog--filter-and-choose-domain-met
gap-shared-method-picker-dialog--cancel-method-selection.png

-
Sto-
ry-
book
in-
ter-
ac-
tion
snap-
shots:
gap-story-choose-faker-open.png,
gap-story-choose-faker-after-apply.png,
gap-story-domain-filter-price.png,
gap-story-domain-after-escape.png

-
Live
gen-
era-
tor
snap-
shots:
gap-live-generator-initial.png,
gap-live-generator-after-select-faker.png,
gap-live-generator-after-select-domain.png,
gap-live-faker-before-select-command-click.png,
gap-live-faker-after-select-command-click.png,
gap-live-faker-picker-search-password.png,
gap-live-faker-picker-search-shuffle.png,
gap-live-faker-picker-selected-shuffle.png,
gap-live-faker-picker-after-scoped-apply-shuffle.png,
gap-live-faker-picker-recent-after-shuffle.png,
gap-live-faker-picker-after-recent-escape.png

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

Confirmed
Sto-
ry-
book
cov-
er-
age
ex-
ists
for
the
issue-
requested
sur-
face:
Method
Nav-
iga-
tor,
Method
List,
Method
Help
Dis-
play,
and
com-
bined
Method
Picker
Dia-
log
sto-
ries
are
all
de-
ployed
un-
der
Shared
/
Method
Picker
Dialog.

The
Sto-
ry-
book
nav-
iga-
tor
story
ren-
ders
tabs/categories
(All,
Core,
commerce,
internet,
Faker,
Recently
used)
and
a
search
in-
put
with
ac-
ces-
si-
ble
name
Filter
methods.
The
live
gen-
era-
tor's
faker
picker
ren-
ders
a
much
larger
cat-
alog
(All,
Core,
161
many
faker
names-
paces,
Faker,
Recently
used)
af-

The
Sto-
ry-
book
list/help
sto-
ries
use
a
small
mock
method
cat-
alog
with
four
items:
regex,
helpers.arrayElement,
internet.password,
and
commerce.price.
The
live
faker
picker
uses
a
larger
real
cat-
alog;
search-
ing
shuffle
pro-
duces
helpers.shuffle,
help
con-
tent,
pa-
ram-
eter
ta-
ble,
us-
age
ex-
am-
ple,
and
a
de-
ployed

Storybook
com-
bined
dia-
log
uses
visi-
ble
ti-
tle/accessibility
la-
bel
Choose
Method.
Live
gen-
era-
tor
uses
Select
schema
method.
This
is a
par-
ity
mis-
match
in
ac-
ces-
si-
ble
nam-
ing
and
visi-
ble
copy.

Storybook
Choose
Faker
Method
opens
with
fo-
cus
in
the
Filter
methods
search
in-
put.
Se-
lect-
ing
internet.password
and
click-
ing
dialog-
scoped
Apply
closes
the
dia-
log
and
up-
dates
the
story
re-
sult
text
to
domain: internet.password.
The
re-
sult-
ing
se-
lected
pre-
fix
is 164
sus-
pi-
cious
for a
story
named
“Choose

Storybook
Filter
And
Choose
Domain
Method
sup-
ports
search
text
price,
nar-
rows
to
commerce.price,
ren-
ders
the
help
panel,
and
Es-
cape
closes
the
dia-
log
with
the
story
re-
sult
text
Cancelled.

Live
gen-
era-
tor
opens
the
picker
from
the
schema
row
only
af-
ter
chang-
ing
field
type
to
faker
or
domain.
Click-
ing
Select
faker
command
opens
a
modal
la-
belled
Select
schema
method
and
fo-
cuses
the
Filter
methods
in-
put.
Search-
ing
shuffle
nar-
rows
to
helpers.shuffle;
se-
lect-
ing
it
en-

Live
Ap-
ply
works
when
scoped
to
the
dia-
log.
Af-
ter
ap-
ply-
ing
`helpers.shuffle,`
the
row
opener
text
changes
from
`Select`
`faker`
`command`
to
`helpers.shuffle,`
the
params
but-
ton
be-
comes
en-
abled
as
`Edit`
`params`
for
`helpers.shuffle,`
and
the
hid-
den
shadow
se-
lect
value
is
`helpers.shuffle.`

Suspicious
be-
hav-
ior /
de-
fect
can-
di-
dates:

-
Sto-
ry-
book
com-
bined
dia-
log
la-
bel/copy
does
not
match
the
live
dia-
log
la-
bel/copy:
Sto-
ry-
book
says
**Choose
Method,**
live
says
**Select
schema
method.**

-
Sto-
ry-
book
method
cat-
alog
is
too
small
and
pos-
si-
bly
mis-
lead-
ing
for
par-
ity:
**Choose
Faker
Method**
se-
lects

Follow-
up
ideas:

1.
Add
a
Sto-
ry-
book
combined-
dialog
story
that
uses
the
real
de-
ployed
gen-
era-
tor
faker
cat-
alog
shape
in-
stead
of
the
four-
item
mock
list.

2.
Add
a
Sto-
ry-
book
story
for
the
live
ti-
tle/copy
vari-
ant
Select
schema
method
so

171
the
ac-
ces-
si-
ble
name
is

ux-regression-test-log.md

UX Regression Testing Lane Log

Scope: GitHub issue #230 / PR #247 deployed environment review. Deployed environment only: <https://eviltester.github.io/grid-table-editor/> plus published app/help/docs pages under <https://eviltester.github.io/grid-table-editor/>.

Charter: UX/usability and workflow regression in the generator, method-picker, help, and related flows. Focus areas: dialog open/close/apply/cancel/backdrop/escape, search, tabs, recent methods, keyboard shortcuts / and Enter, focus restoration, selected command continuity, help panel readability, generator workflow after method selection, and app integration.

Constraints honored: no app code edits, no local build/test/verify commands, no package-manager/repo test commands. This lane writes only session artifacts under `docs/testing/20260625/issue-230-001/`.

Techniques and heuristics: exploratory testing, risk-based testing from the changed method-picker/story surfaces, state/flow modeling for picker dialogs and generator row workflows, consistency/oracle checks between visible picker help and published help/docs pages, keyboard accessibility heuristics, focus-management heuristics, modal/dialog behavior heuristics, negative UX observation for cancel/escape/backdrop cases, and workflow continuity testing across standalone generator and embedded app surfaces.

```
##
2026-
06-
25
22:40:00
+01:00
##
2026-
06-
25
22:43:00
+01:00
```


2026-
06-
25
22:40:00
+01:00

-
What
you
think
you
want
to
do
and
why

2026-
06-
25
22:40:00
+01:00

Prove
browser
con-
trol
and
cap-
ture
a
scout
in-
ven-
tory
be-
fore
test-
ing
dia-
log
and
work-
flow
re-
gres-
sions.
This
vali-
dates
that
later
ob-
ser-
va-
tions
are
from
the
de-
ployed
en-
vi-
ron-
ment,
not
in-
ferred
from
code
or
lo-

2026-
06-
25
22:40:00
+01:00
the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

##

2026-

06-

25

22:40:00

+01:00

Opened

a

ded-

i-

cated

head-

less

Chrome

ses-

sion

against

<https://eviltester.github.io/grid-table-editor/>.

Con-

firmed

the

land-

ing

page

title

Grid

Table

Editor

Test

Environment,

cap-

tured

the

branch/commit/build

card,

clicked

the

visi-

ble

Open

app.html

link,

and

con-

firmed

nav-

iga-

~~tt~~**to**

to

<https://eviltester.github.io/grid-table-editor/app.html>.

Then

nav-

i-

gated

to

2026-
06-
25
22:40:00
+01:00

-
screenshots/ux-regression-00-browser-proof-landing.png
-
screenshots/ux-regression-01-browser-proof-app-loaded.png
-
screenshots/ux-regression-02-generator-initial.png
the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

##

2026-

06-

25

22:40:00

+01:00

Browser

con-

trol

is

con-

firmed

and

screen-

shots

are

visu-

ally

in-

spectable.

The

land-

ing

page

re-

ports

branch

codex/230-method-picker-mvc,

com-

mit

04570e0e428d,

built

2026-06-25T21:29:58.356Z.

The

app

and

stan-

dalone

gen-

era-

tor

both

loaded

from

pub-

lished

pages.

T78

2026-06-25 23:01:00 +01:00

- What you think you want to do and why

Loop 1: exercise the method picker dialog mechanics from a clean standalone generator state. This targets the highest-risk MVC refactor surface: modal open/close, Escape, Cancel, backdrop, search filtering, Apply, and focus restoration.

the actions you take - include urls, steps and data that you use, describe any UI interactions that you make

Used the deployed <https://eviltester.github.io/grid-table-editor/generator.html>. Changed the single schema row from `regex` to `domain`, clicked `Select domain command`, and captured `screenshots/ux-regression-04-method-picker-open-full.png`. Verified the picker opens as an overlay/modal headed `Select schema method`, with search focused, tab chips visible, list tiles on the left, details/help on the right, and `Cancel/Apply` footer actions.

Then searched `internet.httpMethod`, captured `screenshots/ux-regression-05-method-picker-search-ht`, pressed `Enter` from the search field, canceled, reopened, selected `internet.httpMethod`, clicked outside the modal backdrop, reopened again, selected `internet.httpMethod`, and clicked `Apply`. State details were saved to `support/ux-regression-flow-results.json`.

the observations and results that you make

Working behavior:

- Opening the picker focuses the search input.
- Escape closes the picker and restores focus to `Select domain command`.
- Cancel closes the picker and restores focus to the command button.
- Backdrop click closes the picker and restores focus to the command button.
- Search for `internet.httpMethod` filters to one tile and updates the detail pane.
- Apply updates the row command to `internet.httpMethod`, enables the params edit button, and updates the row help/docs link to <https://eviltester.github.io/grid-table-editor/site/docs/test-data/domain/internet>.

Defect candidate: Apply does not restore focus. After clicking `Apply`, the captured state was `activeTag: BODY, focusOnPickerButton: false`, while `Escape/Cancel/backdrop` all restored focus correctly. Wrote `defects/ux-001-apply-does-not-restore-focus.md`.

Defect candidate: `Enter` did not apply the single filtered selected result when focus was in the search field. The picker stayed open and the row command stayed empty. This was retested later with tile focus.

Suspicious UX behavior: the domain picker opens on the `All` tab with `enum` selected and details for `Enum()`, even though the row is in `domain` mode and the launcher says `Select domain command`. This may be intentional cross-mode discovery, but it is easy to read as a mismatched default.

2026-
06-
25
23:08:00
+01:00

2026-
06-
25
23:14:00
+01:00
-
What
you
think
you
want
to
do
and
why

2026-
06-
25
23:08:00
+01:00

Loop
3:
ex-
plic-
itly
cover
key-
board
short-
cuts
and
gen-
er-
ate
follow-
up
ideas
from
un-
cov-
ered
edges
be-
fore
stop-
ping
the
dele-
gated
UX
lane.
This
closes
the
char-
ter
items
for
/,
En-
ter,
key-
board
con-
tinu-
ity,
fo-
cus
restora-

2026-
06-
25
23:08:00
+01:00
the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

##

2026-

06-

25

23:08:00

+01:00

Ran

a fo-

cused

key-

board

pass

on

<https://eviltester.github.io/grid-table-editor/generator.html>

Opened

a do-

main

picker,

fo-

cused

the

first

re-

sult

tile,

pressed

/,

then

searched

`internet.httpMethod,`

fo-

cused

the

sin-

gle

re-

sult

tile,

pressed

Enter,

and

cap-

tured

[screenshots/ux-regression-10-keyboard-enter-after-tile-focus](#)

Key-

board

state

~~was~~

saved

to

[support/ux-regression-keyboard-results.json](#).

2026-
06-
25
23:08:00
+01:00
the
ob-
ser-
va-
tions
and
re-
sults
that
you
make
Working
be-
hav-
ior:

2026-
06-
25
23:08:00
+01:00
- /
works
as a
search-
focus
short-
cut
when
a re-
sult
tile
has
fo-
cus.
Fo-
cus
moved
back
to
the
search
in-
put
and
did
not
in-
sert
/
into
the
search
value.

2026-
06-
25
23:08:00
+01:00

Defect
can-
di-
date:
Enter

on a
fo-
cused
se-
lected
re-
sult
tile
does
not
ap-
ply
the
com-
mand.

Af-
ter
press-
ing

Enter,
the
dia-
log
re-
mained

open,
`internet.httpMethod`

re-
mained
se-
lected,
and
the
row
com-
mand

was
empty.

This
sup-
ports
the
ear-
lier

2026-
06-
25
23:08:00
+01:00
Follow-
up
ideas
gen-
er-
ated
from
this
lane:

2026-
06-
25
23:08:00
+01:00

1.
Exe-
cute
a
man-
ual
keyboard-
only
picker
jour-
ney:
open,
search,
ar-
row
through
re-
sults,
ap-
ply,
edit
params,
pre-
view,
with
no
mouse.

2.
Con-
firm
whether
En-
ter
is
in-
tended
to
ap-
ply,
select-
only,
or
no-
op,
then
align
im-
ple-
men-

##

2026-

06-

25

23:08:00

+01:00

Stopping

note

for

this

lane:

the

char-

tered

UX

sur-

faces

were

cov-

ered

broadly

enough

for

a

dele-

gated

pass:

open/close/apply/cancel/backdrop/Escape,

search,

tabs,

re-

cent

meth-

ods,

/

and

En-

ter,

fo-

cus

restora-

tion,

se-

lected

com-

mand

con-

ti-

ity,

help

read-

abil-

ity,

gen-

era-

Defects

AD-001-helper-arrayelement-params-unusable.md

AD-001: helpers.arrayElement documented array params cannot be applied from the params editor

Severity: Medium

Status: confirmed repeatable in deployed test environment.

Environment

- URL: <https://eviltester.github.io/grid-table-editor/generator.html>
- Test environment branch/commit: `codex/230-method-picker-mvc / 04570e0e428d`
- Evidence files: `../support/repeat-checks-main-agent.json`, `../support/helper-arrayelement-comma-param.json`, `../support/loop2-focused-rechecks.json`
- Screenshots: `../screenshots/params-dialog-helpers-arrayelement.png`, `../screenshots/helper-arrayelement-comma-param.png`, `../screenshots/loop2-helper-arrayelement.png`

Steps to Reproduce

1. Open the deployed generator.
2. In the first schema row, enter column name `Tier`.
3. Change field type to `faker`.
4. Click `Select faker command`.
5. Search for and apply `helpers.arrayElement`.
6. Click the row `params/edit` button.
7. Try the documented/help-style array examples, for example `(["free", "pro", "enterprise"])`, or a simple comma value `red,green,blue`.

Expected Result

The params editor should accept a valid array value or clearly explain the exact supported syntax. Applying params should allow preview/generation to choose one of the supplied values.

Actual Result

The params editor keeps `Apply` disabled and reports errors such as:

- Row 1: invalid faker params - Invalid Faker API Call Unsafe
faker rule syntax detected: requires complex argument parsing
- Direct/help-style params can also produce `Cannot read properties of undefined (reading 'length')`.

The picker help says `Params field: ("A", "B", "C")` and Full call: `helpers.arrayElement(["A", "B", "C"])`, so the documented example appears unusable in the live row/params workflow.

Notes

This blocks at least one required-params helper command from the method-picker-to-generator workflow and suggests structured helper params need focused review beyond this one command.

AD-002-core-enum-regex-picker-preview-no-output.md

AD-002: Picker-applied enum and regex rows accept visible values but preview produces no data

Severity: Medium

Status: confirmed repeatable for `enum` and `regex`; `literal` works through the same picker flow.

Environment

- URL: <https://eviltester.github.io/grid-table-editor/generator.html>
- Test environment branch/commit: `codex/230-method-picker-mvc / 04570e0e428d`
- Evidence files: `../support/enum-via-picker-repeat.json`, `../support/loop2-focused-rechecks.js`, `../support/loop1-command-runtime-matrix.json`
- Screenshots: `../screenshots/enum-via-picker-after-fill.png`, `../screenshots/loop2-core-enum-via-picker.png`, `../screenshots/loop2-core-regex-via-picker.png`

Steps to Reproduce

1. Open the deployed generator.
2. In the first schema row, set field type to `domain` so the method picker trigger is visible.
3. Click `Select domain command`.
4. Search for `enum`, select the core `enum` tile, and click `Apply`.
5. Enter column name `Status` and visible value `alpha,beta,gamma`.
6. Click `Preview`.
7. Repeat with `regex` and visible value `[A-Z]{2}[0-9]{2}`.

Expected Result

After applying a core command from the method picker and filling its visible value field, Preview should generate data just as direct row selection does.

Actual Result

- For **enum**, the row initially continues to show Row 1: **enum value is required**. after the visible value is filled.
- Preview clears the schema error but produces no output.
- For **regex**, the same pattern occurs: visible value is present, prior required-value text is shown, Preview produces no output.
- A direct row-mode matrix where **enum/regex** are selected without the method picker generated valid output, and picker-applied **literal** also generated output.

Notes

This looks specific to the core command transition through the new method picker path. It is important because the picker exposes Core commands in the All tab, so users can naturally select them from the dialog.

AD-003-commerce-price-direct-help-params-ignored.md

AD-003: Directly typed commerce.price help-style params are ignored while params-dialog values work

Severity: Low/Medium

Status: confirmed suspicious behavior; params dialog path works, direct params-field path does not appear equivalent.

Environment

- URL: <https://eviltester.github.io/grid-table-editor/app.html> and <https://eviltester.github.io/grid-table-editor/generator.html>
- Test environment branch/commit: `codex/230-method-picker-mvc / 04570e0e428d`
- Evidence files: `../support/command-coverage-valid-params-rerun.json`, `../support/loop2-focused-rechecks.json`
- Screenshot: `../screenshots/loop2-commerce-price-params-dialog.png`

Steps to Reproduce

1. Select **commerce.price** from the method picker.
2. Use the help example syntax in the params field: `(dec=2, max=20, min=10, symbol="$")`.
3. Generate several rows.
4. Repeat by opening the params dialog and entering `dec=2, max=20, min=10, symbol=$` in the separate fields.

Expected Result

The help-style params syntax and the params dialog should serialize to equivalent generation behavior, or the UI should clearly direct users to the params dialog and reject unsupported manual syntax.

Actual Result

The direct help-style params path generated values outside the requested 10-20 range and omitted the \$ symbol, for example 35.69, 426.99, 280.05, 489.35.

The params dialog path generated expected values such as \$16.55, \$18.09, \$19.05, \$17.75, all within the configured range and with the symbol.

Notes

This may be a row params parsing issue rather than a method picker component issue, but the new Method Help Display shows params examples prominently and users may copy them into the row params field.

docs-consistency-storybook-doc-link-base-mismatch-candidate.md

Candidate: Storybook method picker help links use production docs while live deployed picker uses GitHub Pages docs

Summary

Published Storybook method picker examples link their Open documentation help links to <https://anywaydata.com/...>, while the live deployed generator method picker links equivalent commands to <https://eviltester.github.io/grid-table-editor/site/docs>

This may be intentional if Storybook is production-facing, but it is inconsistent inside the deployed review environment and can send reviewers out of the test deployment while app/generator picker help stays within it.

Environment

- Deployed app/generator: <https://eviltester.github.io/grid-table-editor/generator.html>
- Deployed Storybook: <https://eviltester.github.io/grid-table-editor/storybook/>
- PR: <https://github.com/eviltester/grid-table-editor/pull/247>
- Issue: <https://github.com/eviltester/grid-table-editor/issues/230>

Evidence

Live deployed generator method picker samples:

- `internet.password` link: <https://eviltester.github.io/grid-table-editor/site/docs/test-data/internet/password>
- `commerce.price` link: <https://eviltester.github.io/grid-table-editor/site/docs/test-data/commerce/price>
- `helpers.arrayElement` link: <https://eviltester.github.io/grid-table-editor/site/docs/test-data/helpers/arrayElement>

Storybook iframe samples:

- `shared-method-picker-dialog--help-display-with-usage` `Open`
documentation link: <https://anywaydata.com/docs/test-data/domain/internet/password>
- `shared-method-picker-dialog--visual-always-open` `Open` `documentation`
link: <https://anywaydata.com/docs/test-data/faker/helpers/arrayElement>

Supporting artifacts:

- `../support/docs-consistency-live-picker-samples.json`
- `../support/docs-consistency-storybook-story-inspection.json`
- `../support/docs-consistency-link-target-check.json`
- `../screenshots/docs-consistency-live-picker-internet_password.png`
- `../screenshots/docs-consistency-storybook-shared-method-picker-dialog--help-display-with-usage.png`
- `../screenshots/docs-consistency-storybook-shared-method-picker-dialog--visual-always-open.png`

Reproduction

1. Open <https://eviltester.github.io/grid-table-editor/generator.html>.
2. Change the schema row type to domain.
3. Open the method picker.
4. Search for and select `internet.password`.
5. Observe the `Open` `documentation` link uses the GitHub Pages `/grid-table-editor/site/docs/...` base.
6. Open <https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog--help-display-with-usage>
7. Observe the `Open` `documentation` link uses the production <https://anywaydata.com/docs/test-data/domain/internet/password> base.

Impact

Low to medium depending on intended behavior. If deployed Storybook is meant to mirror the deployed test environment, the link base mismatch weakens docs/help consistency and may hide branch-specific docs changes from reviewers. If Storybook is intentionally production-facing, classify this as accepted behavior and not a defect.

Suggested follow-up

Decide whether Storybook stories should receive the same deployed docs base as the app/generator shell. If yes, update Storybook story setup or help-model docs URL normalization so `Open` `documentation` stays inside the GitHub Pages deployment during PR review.

NV-002-text-schema-unknown-call-accepted.md

NV-002: Text schema `unknown()` is accepted as generated data instead of rejected

Severity: Low/Medium

Status: confirmed in negative-validation lane.

Environment

- URL: <https://eviltester.github.io/grid-table-editor/app.html>
- Test environment branch/commit: `codex/230-method-picker-mvc / 04570e0e428d`
- Evidence: `../logs/negative-validation-test-log.md`, `../support/negative-validation-observa`
`../screenshots/negative-14-text-unknown-busy.png`

Steps to Reproduce

1. Open the deployed app and expand Test Data.
2. Switch schema editing to text mode.
3. Enter a schema with column `Mystery` and rule `unknown()`.
4. Click Generate.

Expected Result

A method-like `unknown` function call should be rejected with a clear validation message, or the docs should clearly state that `unknown` function-like text is intentionally treated as literal data.

Actual Result

The schema generated a row with value `unknown`, making the malformed function-like call look accepted rather than invalid.

Notes

This may be a parser ambiguity rather than a method-picker regression, but it matters because issue 230 surfaces richer method names and examples; malformed method-like text should not silently pass as generated data without clear intent.

NV-003-text-mode-generic-validation-message.md

NV-003: Text-mode malformed schemas can show only a generic validation failure

Severity: Low

Status: observed in negative-validation lane.

Environment

- URL: <https://eviltester.github.io/grid-table-editor/app.html>
- Evidence: `../logs/negative-validation-test-log.md`, `../screenshots/negative-13-text-empty-../screenshots/negative-15-text-regex-busy.png`

Steps to Reproduce

1. Open the deployed app and expand Test Data.
2. Switch schema editing to text mode.
3. Try malformed or empty schemas such as empty text or `BadRegex` with `regex([A-Z`.
4. Click Generate.

Expected Result

Text mode should provide line-specific or rule-specific validation comparable to row mode.

Actual Result

Some text-mode failures only showed `Schema validation failed. Grid unchanged.` without the detailed row/line-level cause visible to the user.

Notes

Row mode generally produced clearer messages for similar invalid input, so this is a consistency and debuggability issue.

NV-004-domain-faker-top-level-help-thin.md

NV-004: Top-level domain/faker help lacks params/examples compared with core command help

Severity: Low

Status: confirmed in negative-validation and final-review passes.

Environment

- URL: <https://eviltester.github.io/grid-table-editor/generator.html> and app Test Data panel
- Evidence: `../logs/negative-validation-test-log.md`, `../support/final-review-executions.json`, `../screenshots/negative-04-faker-help.png`

Steps to Reproduce

1. Open the deployed generator or app Test Data panel.
2. In the schema row, rotate the field type through enum, literal, regex, domain, and faker.
3. Inspect the top-level help for each type.

Expected Result

Domain and faker top-level help should orient users with at least the same level of params/example guidance as enum, literal, and regex, especially because domain/faker commands now open a rich method picker.

Actual Result

Enum, literal, and regex help show schema params, parameter descriptions, and examples. Domain and faker help only show a short category description plus a Learn more link.

Notes

The method picker gives detailed help after opening and selecting a command, so this is not a blocker. It is a discoverability/content consistency issue around the changed help surface.

NV-005-malformed-faker-params-example-echo.md

NV-005: Malformed faker params message can echo a malformed example

Severity: Low

Status: confirmed in negative-validation lane.

Environment

- URL: <https://eviltester.github.io/grid-table-editor/app.html>
- Evidence: `../logs/negative-validation-test-log.md`, `../screenshots/negative-07-malformed-f`

Steps to Reproduce

1. Open the deployed app and expand Test Data.
2. Select **faker** and choose **helpers.arrayElement** from the method picker.
3. Enter malformed params such as `(["A","B".`
4. Click Generate.

Expected Result

The validation message should explain the expected wrapping/syntax without echoing an incomplete or confusing example.

Actual Result

The UI showed: `params should be wrapped in parentheses, e.g. (["A","B").`

The echoed example is itself incomplete/malformed, which makes it harder for users to repair the input.

RA-001-method-picker-background-scroll.md

RA-001: Method Picker Allows Background Page Scroll

Severity: Medium

Environment: <https://eviltester.github.io/grid-table-editor/generator.html>, branch codex/230-method-picker-mvc, commit 04570e0e428d.

Steps:

1. Open generator.html.
2. Change the first schema row field type to domain.
3. Open the method picker from Select domain command.
4. Keep focus in the Filter methods search box.
5. Press PageDown.

Observed:

window.scrollTop moved from 0 to 290 while the modal remained open. The modal stayed fixed, but the underlying page scrolled behind it.

Expected:

Background page scroll should be locked while the modal is open, or PageDown should be contained within the active modal/list region.

Evidence:

- screenshots/responsive-a11y-background-scroll-page-down.png

- [logs/responsive-accessibility-test-log.md](#)

RA-002-method-picker-long-tab-order.md

RA-002: Method Picker All-Methods State Has Excessive Tab Order

Severity: Medium/Low

Environment: <https://eviltester.github.io/grid-table-editor/generator.html>, branch `codex/230-method-picker-mvc`, commit `04570e0e428d`.

Observed:

The desktop all-methods dialog exposed 310 focusable controls, including 36 filter buttons and 269 method tiles. Tab trapping worked, but a plain Tab user must traverse a very long sequence unless they already know to use search, slash, or filtering.

Expected:

The method list should consider roving tabindex, listbox/grid semantics, or another keyboard model where Tab moves across major regions/actions and arrow keys move within the method list.

Evidence:

- [screenshots/responsive-a11y-generator-method-picker-desktop.png](#)
- [logs/responsive-accessibility-test-log.md](#)

RA-003-method-picker-filter-contrast.md

RA-003: Method Picker Filter Button Text Contrast Is Below 4.5:1

Severity: Low

Environment: <https://eviltester.github.io/grid-table-editor/generator.html> and Storybook method-picker stories, branch `codex/230-method-picker-mvc`, commit `04570e0e428d`.

Observed:

Computed browser-side contrast for method-picker filter/tab button text was approximately 4.08:1 for `rgb(31, 111, 235)` text on `rgb(233, 241, 255)` background at 13.33px normal-weight text.

Expected:

Normal-size text should meet at least 4.5:1 contrast.

Evidence:

- screenshots/responsive-a11y-generator-method-picker-mobile-390.png
- logs/responsive-accessibility-test-log.md

RA-004-storybook-iframe-mobile-clipping.md

RA-004: Direct Storybook Method Picker Iframe Clips Dialog Top At 500px

Severity: Low

Environment: <https://eviltester.github.io/grid-table-editor/storybook/iframe.html?id=shared-method-picker-dialog-visual-always-open&viewMode=story>, branch codex/230-method-picker-mvc, commit 04570e0e428d.

Observed:

At 500px content width, the direct Storybook iframe dialog measured x=20, y=-13, w=460, h=806, so the top of the dialog is clipped above the viewport. The integrated generator modal did not reproduce this and measured with a positive top offset.

Expected:

The direct Storybook story should keep the full dialog inside the viewport at narrow widths.

Evidence:

- screenshots/responsive-a11y-storybook-iframe-mobile-500.png
- logs/responsive-accessibility-test-log.md

RA-005-option-accessible-name-pollution.md

RA-005: Export Option Accessible Names Include Neighboring Help Text

Severity: Low / broader app accessibility debt

Environment: <https://eviltester.github.io/grid-table-editor/app.html> and <https://eviltester.github.io/grid-table-editor/generator.html>, branch codex/230-method-picker-mvc, commit 04570e0e428d.

Observed:

Accessibility snapshots show export option controls with names that include adjacent help-button text, for example checkbox “Show help for this option Use Quotes” and textbox “Show help for this option Quote Char”.

Expected:

Option controls should have concise names such as “Use Quotes” and “Quote Char”, while the neighboring help buttons should retain their own independent names.

Evidence:

- screenshots/responsive-a11y-app-mobile-500.png
- logs/responsive-accessibility-test-log.md

ux-001-apply-does-not-restore-focus.md

UX-001: Applying a method picker selection does not restore keyboard focus

Severity: Low to medium

Status: Defect candidate, repeatable in automated browser pass

Area: Method picker dialog, focus restoration, generator workflow

Evidence:

- Screenshot: ../screenshots/ux-regression-05-method-picker-search-httpmethod.png
- State data: ../support/ux-regression-flow-results.json, labels selected-httpmethod-before-apply and after-apply-httpmethod

Steps:

1. Open <https://eviltester.github.io/grid-table-editor/generator.html>.
2. Change the schema row type to domain.
3. Click **Select domain command**.
4. Search for `internet.httpMethod`.
5. Select `internet.httpMethod`.
6. Click **Apply**.

Observed:

The dialog closes and the row updates to `internet.httpMethod`, but focus moves to the document body. The captured state after apply was `activeTag: "BODY"` and `focusOnPickerButton: false`.

Expected:

After a modal apply action, focus should return to the invoking `internet.httpMethod` command picker button, matching the behavior observed for Escape, Cancel, and backdrop close.

Why this matters:

Keyboard users lose their position after applying a method and must rediscover where focus is. This is especially noticeable because the adjacent Cancel, Escape, and backdrop close paths do restore focus correctly.

ux-002-enter-does-not-apply-selected-method.md

UX-002: Enter does not apply the focused selected method in the picker

Severity: Low to medium

Status: Defect candidate, repeatable in automated browser pass

Area: Method picker dialog, keyboard shortcut, search results

Evidence:

- Screenshot: `../screenshots/ux-regression-10-keyboard-enter-after-tile-focus.png`
- State data: `../support/ux-regression-keyboard-results.json`, labels `enter-with-tile-focused-before-key` and `enter-with-tile-focused-after-key`

Steps:

1. Open `https://eviltester.github.io/grid-table-editor/generator.html`.
2. Change the schema row type to domain.
3. Click **Select domain command**.
4. Search for `internet.httpMethod`.
5. Focus the single visible result tile.
6. Press **Enter**.

Observed:

The focused tile remains focused, the dialog stays open, and the row remains **Select domain command** with an empty command value. A parallel check pressing **Enter** while the search input contained the single selected result also left the dialog open without applying the command.

Expected:

If **Enter** is intended as a picker shortcut, pressing **Enter** on a focused selected result should apply the selected method or otherwise activate the focused result in a clearly useful way. If **Enter** is intentionally not an apply shortcut, the UI should not rely on it as part of the picker keyboard workflow.

Why this matters:

Search narrows to a single selected result, but keyboard users still have to tab or move to **Apply**. This makes the advertised or expected search-plus-**Enter** workflow feel incomplete.