

Issue 266 Exploratory Test Report

Executive Summary

A deployed-only multi-agent exploratory review was completed for issue #266 using <https://eviltester.github.io/grid-table-editor/site/>. The application is broadly healthy for normal generation and command execution: representative regex, domain, faker/helper, enum, auto-increment, validator-backed, and structured-parameter examples worked in the deployed generator, and app text-schema mode generated/amended grid data successfully.

Five repeatable defects were confirmed. The highest product risk is that invalid auto-increment parameters can write ****ERROR**** into generated output while reporting success. The strongest issue-specific grid/generation defect is that active global filters are not reapplied after **Amend Table** changes data. One accessibility defect and one docs/runtime mismatch were also confirmed.

Final recommendation: the changes are not cleanly acceptable without follow-up. Most happy paths look good, but the confirmed defects should be fixed or explicitly accepted before treating the story as complete.

Scope and References

- Target issue: <https://github.com/eviltester/grid-table-editor/issues/266>
- Target repo: <https://github.com/eviltester/grid-table-editor>
- Test environment: <https://eviltester.github.io/grid-table-editor/site/>
- Primary runtime page: <https://eviltester.github.io/grid-table-editor/site/app.html>
- Supporting runtime page: <https://eviltester.github.io/grid-table-editor/site/generator.html>
- Relevant recent PR context used for changed-surface planning:
 - PR #247 method picker MVC: <https://github.com/eviltester/grid-table-editor/pull/247>
 - PR #243 enum/domain command changes: <https://github.com/eviltester/grid-table-editor/pull/243>

Issue #266 asked for app-grid/test-data-generation interplay review and to ignore preview/export areas except where needed for setup or observation. The command-definition surface was also treated as primary coverage because recent changes affected broad command metadata, validators, docs, and method-picker behavior.

Planning Summary

The mandatory planning stage was completed before substantive testing. The initial report identified:

- Story scope: data grid, grid features, and test-data generation interplay in `app.html`.
- Risk areas: command-definition breadth, app/generator parity, method-picker/params editor regressions, grid-generation state, docs/help oracle drift, and mobile/accessibility.
- Changed-surface inventories saved in `support/pr-247-changed-surface-summary.txt` and `support/pr-243-changed-surface-summary.txt`.
- Command coverage strategy across domain commands, faker/helper commands, newly added commands, removed/deprecated commands, validators, structured params, and docs with multiple examples.

Delegation Summary

Six subagents were used:

Lane	Subagent	Log
Command coverage and example execution	Kant	<code>logs/command-coverage-test-log.md</code>
Negative validation and malformed parameters	Schrodinger	<code>logs/negative-validation-test-log.md</code>
Docs/help/content consistency	Singer	<code>logs/docs-consistency-test-log.md</code>
UX/usability and workflow regression	Poincare	<code>logs/ux-regression-test-log.md</code>
Responsive/mobile and accessibility review	Aquinas	<code>logs/responsive-accessibility-test-log.md</code>
Issue-specific grid-generation interplay	Boyle	<code>logs/grid-generation-interplay-test-log.md</code>

Model-Based Coverage

flowchart TD

```

A["Published test environment"] --> B["app.html"]
A --> C["generator.html"]
A --> D["published docs/help"]
B --> E["schema editor"]
E --> F["method picker"]
E --> G["params editor"]
E --> H["generate/amend rows"]
H --> I["data grid"]
I --> J["row/column actions"]
I --> K["filter/sort/reset"]
D --> L["examples and command references"]
L --> E
C --> E

```

```
F --> M["command metadata and validators"]
G --> M
M --> N["domain/faker/helper/runtime output"]
N --> I
```

Techniques and Heuristics

Used exploratory testing, risk-based testing, equivalence partitioning, boundary analysis, negative testing, consistency/oracle checking, state/flow modeling, pairwise thinking, accessibility heuristics, responsive testing heuristics, and documentation testing.

Browser control was proven before testing by opening the deployed site, clicking into `app.html`, opening the Instructions help control, and saving this screenshot:

Coverage by Area

Command Families

Sampled and executed:

- Domain commands: `person.firstName`, `person.lastName`, `internet.email`, `internet.httpMethod(commonOnly=true)`, `location.streetAddress`, `location.direction(abbreviated=true)`, `location.city`, `number.int(min=32,max=47)`, `date.between(...)`, `finance.iban(...)`, `airline.name`, `book.title`, `food.dish`, `music.genre`, `vehicle.vin`.
- Faker/helper commands: `helpers.mustache`, `helpers.fake`, `helpers.arrayElement`, `helpers.uniqueArray`, and helper negative cases.
- Newly/actively changed commands: `datatype.enum`, `autoIncrement.sequence`, current image commands from the picker.
- Removed/unknown commands: `image.urlLoremFlickr()` and `notAReal.domainCommand(foo=true)` were rejected with visible unknown-keyword messages.
- Validators and structured params: numeric ranges, date ordering, booleans, country-code params, enum CSV values, faker helper arrays/callbacks.
- Multiple-example docs: Faker helpers, schema definition, auto-increment sequences, counterstrings, domain docs, pairwise/n-wise docs.

Deferred: exhaustive execution of all 253 domain commands and every output format; broad sampling was enough for this story and PR risk.

Docs Surfaces

Reviewed deployed docs for intro, generating-data category, test-data generation, editable data grid, generate to file, schema definition, faker test data, faker helpers, domain test data, counterstrings, auto-increment sequences, pairwise, n-wise, web UI, REST API, and CLI.




Figure 1: Browser proof

One docs/runtime mismatch was confirmed: `helpers.uniqueArray(this.word.sample, 5)` is documented but rejected by the deployed generator.

Workflow Areas

Covered app new-table generation, amend-table generation, amend-selected behavior, global filter plus amend, sort plus amend, duplicate generated names, grid-to-enum schema, reset table, generator parity, method picker, params editor, stored schema save path, docs navigation, responsive/mobile layout, keyboard navigation, and validation/error handling.

Loops Performed

Loop 1 - Broad Initial Coverage

Covered positive app/generator generation, command examples, grid amend/filter/sort flows, docs/runtime checks, negative validation, UX, and responsive/accessibility. Identified repeat candidates without filing early.

Loop 2 - Confirmation and New Ideas

Generated 10 ideas and executed the in-scope confirmations: auto-increment invalid params, filter/amend, invalid JSON import, keyboard tab order, docs `uniqueArray` example, positive baselines, and removed-command validation. Confirmed five defects and dropped the JSON import suspected defect because a visible message appeared on repeat.

Loop 3 - Gap Review

Generated 10 more ideas. Created defect files for repeatable issues and kept weaker items as suspicious behavior or deferred risks: help icon touch targets, method-picker search ranking, generated duplicate headers, method-picker docs gap, and app grid accessible naming.

Final Review Loop

Reviewed the story, PR summaries, changed files, logs, coverage model, sampled command families, docs reviewed, examples tried, defects, and remaining gaps. Generated 10 final ideas, executed packaging/consistency checks, and stopped because recent loops produced packaging or expectation questions rather than new runtime findings.

Confirmed Defects

1. Defect 001 - `autoIncrement.sequence` step 0 generates **ERROR** rows instead of validation
2. Defect 002 - `autoIncrement.sequence` negative zeropadding generates **ERROR** rows

3. Defect 003 - active global filter is not reapplied after Amend Table changes generated data
4. Defect 004 - generator schema row keyboard tab order skips Field type and Value controls
5. Defect 005 - Faker Helpers docs show a uniqueArray example that deployed generator rejects

Key evidence:




Figure 2: Defect 001 app evidence




Figure 3: Defect 003 filter amend evidence




Figure 4: Defect 004 keyboard loop evidence

Suspicious Behaviors and Risks

- `Unique Column Names` did not change duplicate generated schema headers in subagent testing. This may be intended only for import/manual grid editing, so it was not filed.
- Method-picker search for `firstName` surfaced `helpers.fake` via example text before direct command discovery. This may be broad-search behavior rather than a defect.
- Some help icons are very small and inconsistent under hover/click. Needs design/accessibility expectation review.
- App Tabulator grid appeared unnamed in accessibility probes. Needs accessibility-owner confirmation before filing.
- Docs do not strongly explain the method-picker workflow. This is a docs improvement risk rather than a replicable defect.
- `datatype.enum(active,inactive,pending)` fails while `datatype.enum(csv="...")` works; docs are accurate for CSV form, but params-editor handoff should be checked.

Dropped or Not Confirmed

- Invalid JSON import initially looked console-only, but main-agent repeat showed visible text: `Import failed. Check file format/options.` It

Docs

Generating Data

Faker Based Data

Faker helpers

Faker Helpers

helpers.* commands are supported in the faker path and are intentionally excluded from the domain abstraction.

Use:

```
helpers.arrayElement(["red", "green", "blue"])
```

or:

```
faker.helpers.arrayElement(["red", "green", "blue"])
```

Do not use:

```
domain.helpers.arrayElement(["red", "green", "blue"])
```

That form is invalid and will fail with `helpers_not_supported_in_domain`.

Common Helper Examples

```
helpers.fake("Hi, my name is {{person.firstName}} {{person.lastName}}!")
```

```
helpers.mustache("Hello {{name}}", { name: "Ada" })
```

```
helpers.fromFlagIp("A-2][2][0-9]{3}")
```

Helper Methods

helpers.arrayElement

```
helpers.arrayElement(["red", "green", "blue"])
```

helpers.arrayElements

```
helpers.arrayElements(["red", "green", "blue"], { min: 1, max: 2 })
```

helpers.slugify

```
helpers.slugify("Hello world from AnyWayData")
```

helpers.replaceSymbols

AnyWayData

App

Docs

Blog

GitHub

Docs

Documentation

About

Editable Data

Grid

Import From File

Text Editing

Exporting Data

Data Formats

Generating Data

Text Data Generation

Data Grid Editable

Generate to File

Schema Definition

Regex Based Data

Literal Data

Pairwise Testing

N Wise Testing

Domain Test Data

Faker Based Data

Faker Helpers

Counterstrings

Auto Increment Sequences

Common helper Examples

Helper Methods

helpers.arrayElement

helpers.arrayElements

helpers.slugify

helpers.replaceSymbols

helpers.shuffle

helpers.uniqueArray

helpers.weightedArrayElement

helpers.rangeToNumber

helpers.maybe

helpers.multiple

helpers.replaceCreditCardSymbols

helpers.shuffle

helpers.uniqueArray

helpers.weightedArrayElement

helpers.rangeToNumber

helpers.maybe

helpers.multiple

Notes

Faker Reference

Previous

Next

Counterstrings

Figure 5: Defect 005 docs evidence

9

AnyWayDataAppGeneratorDocsBlog

► Data Generator Instructions ⓘ

Schema

Words failed faker validation - Invalid Faker API Call Unsafe faker rule syntax detected: requires complex argument parsing ⓘ

Edit as SchemaLoad Schema FileSave Schema File

Words

helpers.uniqueArray(this.word.sample, 5)

► Managed Stored Schemas (0)

Generate Data and Options

Generate Rows1000Output FormatCSV ⓘGenerate DataⓘSettings

Options ⓘ

ⓘ☒ Use Quotes

ⓘ☒ Use Header

ⓘ

Quote Char

"

ⓘ

Escape Char

"

Apply

Preview

Preview Items Count10 ⓘPreview

Output Preview

Data Table Preview

~rename-me

Figure 6: Defect 005 runtime evidence

was not filed.

- + **Add Field** occasional automation friction was not manually repeatable enough to file.
- Method-picker focus leak was observed once by UX lane but did not repeat cleanly.

What Was Not Covered

- Exhaustive execution of all 253 domain commands.
- Every output/export format for every command family.
- Manual screen-reader testing.
- Multiple browsers beyond Chromium/Chrome automation.
- Deep file import/export and download content checks outside generator parity evidence.
- Full stored-schema load/rename/delete lifecycle.
- N-wise/combinatorial flows, except docs review.

Screenshot Inventory

All images left in `screenshots/` are referenced here or in defect files:

- browser-proof-app-help.png
- command-coverage-browser-proof.png
- command-coverage-edit-as-text-final-case.png
- command-coverage-edit-as-text-smoke.png
- command-coverage-ui-sample-after.png
- defect-autoincrement-invalid-step-app.png
- defect-autoincrement-invalid-step-generator.png
- defect-autoincrement-negative-zeropadding-generator.png
- defect-docs-unique-array-generator-rejects-this-example.png
- defect-docs-unique-array-this-example.png
- defect-filter-amend-not-reapplied.png
- defect-generator-schema-keyboard-loop.png
- defect-invalid-json-import-no-visible-error.png
- main-loop-domain-row-inspection.png
- main-loop-filter-sort-after-generation.png
- main-loop-invalid-command-feedback.png
- main-loop-regex-domain-enum-new-table.png
- main-loop-text-amend-table-adds-city.png
- main-loop-text-filter-open-after-generation.png
- main-loop-text-grid-to-enum-schema.png
- main-loop-text-invalid-auto-sequence-step-zero.png
- main-loop-text-invalid-helper-message.png
- main-loop-text-mode-smoke.png
- main-loop-text-positive-regex-domain-enum.png
- main-loop-text-sort-after-generation.png

Final Recommendation

The deployed environment supports the main happy paths and broad command coverage well, but the confirmed defects are significant enough to require follow-up. Fix the auto-increment validation leaks and filter reapplication issue first; then address the keyboard navigation and docs mismatch.