

Test Logs And Defects Collation

This file contains the full content of the session logs and split defect reports.

Main Log

2026-
06-
29T22:05:52+01:00
-
What
you
think
you
want
to
do
and
why

Prove
that
the
de-
ployed
test
en-
vi-
ron-
ment
can
be
opened
and
con-
trolled
in a
browser
be-
fore
any
sub-
stan-
tive
ex-
ploratory
test-
ing,
be-
cause
the
ses-
sion
rules
re-
quire
browser
in-
ter-
ac-
tion
proof
and
all
test-
ing
must
use²
the
de-
ployed
en-
vi-
ron-
ment.

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

Used
Play-
wright
MCP
to
nav-
i-
gate
to
<https://eviltester.github.io/grid-table-editor/site/>
and
then
<https://eviltester.github.io/grid-table-editor/site/app.html>.
Waited
for
the
app
shell
to
fin-
ish
load-
ing
and
clicked
the
Add
Row
but-
ton
in
the
data
grid.

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

The
land-
ing
page
loaded
with
title
Any-
Way-
Data
-
Data
Ta-
ble
Edi-
tor
&
Gen-
era-
tor.
The
app
page
loaded
with
title
Test
Data
Gen-
era-
tor
and
Ta-
ble
Edi-
tor
for
Mark-
down,
CSV,
JSON,
Gherkin
and
HTML
-
Any-
Way-
Data.
Af-
ter
click-
ing
Add
Row,
the

2026-
06-
29T22:06:33+01:00
-
What
you
think
you
want
to
do
and
why

Create
the
manda-
tory
plan-
ning
stage
be-
fore
sub-
stan-
tive
test-
ing
so
the
ses-
sion
is
driven
by
the
ac-
tual
story
and
PR
changes
rather
than
ad
hoc
UI
pok-
ing.

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

Reviewed
is-
sue
#253
with
gh
is-
sue
view,
at-
tempted
to
re-
solve
the
user-
supplied
PR
#295,
con-
firmed
it is
not
avail-
able
in
viltester/grid-
table-
editor,
then
re-
solved
PR
#285
as
the
merged
PR
that
closes
is-
sue
#253.
Saved
support/issue-
253.json,
support/pr-
285.json,
and
support/pr-
285.diff.
Wrote
the
ini-
tial

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

The
changed
sur-
face
is
broader
than
is-
sue
#253
alone:
text/schema
com-
mand
clas-
sifi-
ca-
tion,
utoIn-
cre-
ment.sequence
vali-
da-
tion,
grid
fil-
ter
preser-
va-
tion
af-
ter
gen-
er-
ated/bulk
changes,
and
duplicate-
column/grid
cov-
er-
age.
Six
dele-
gated
lanes
are
re^d₂
quired:
the
five
re-
quested
lanes
plus

2026-
06-
29T22:11:29+01:00
-
What
you
think
you
want
to
do
and
why

Execute
Loop
1
broad
com-
mand
sam-
pling
against
the
de-
ployed
gen-
era-
tor
to
ver-
ify
the
cen-
tral
is-
sue
path
and
avoid
stop-
ping
at
the
first
sus-
pected
be-
hav-
ior.

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

Created
and
ran
support/main-
loop1-
command-
sampling.js
us-
ing
bun-
dled
Node
plus
Play-
wright
with
NODE_PATH
pointed
at
the
bun-
dled
pnpm
mod-
ule
store.
The
script
nav-
i-
gated
to
[https://eviltester.github.io/grid-
table-
editor/generator.html](https://eviltester.github.io/grid-table-editor/generator.html)
for
each
case,
opened
text
schema
mode,
filled
rep-
re-
sen-
ta-
tive
schema
ex-
am-
ples,
clicked
Edit
as

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

The
re-
peated
scripted
run
showed
the
is-
sue
#253
story
path
works
in
the
de-
ployed
gen-
era-
tor:
um-
ber.int(min=1,
min=2,
max=3)
switched
into
Schema
UI
and
dis-
played
row-
level
vali-
da-
tion
du-
pli-
cate
named
ar-
gu-
ment
“min”.
Valid
ex-
am-
ples
switched
cleanly.
utoIn-
cre-
ment.sequence
in-
valid

2026-
06-
29T22:17:33+01:00
-
What
you
think
you
want
to
do
and
why

Perform
Loop
2 by
re-
view-
ing
Loop
1
evi-
dence
and
com-
pleted
sub-
agent
logs,
gen-
erat-
ing
new
ideas
from
un-
cov-
ered
com-
mand
fam-
ilies,
val-
ida-
tors,
docs
ex-
am-
ples,
and
out-
put
for-
mats,
then
exe-
cut-
ing
all
in-
scope
ideas.

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

Reviewed
support/command-
coverage-
findings.md
and
support/negative-
validation-
findings.md.
Gen-
er-
ated
12
Loop
2
ideas
in
support/main-
loop2-
ideas.js:
du-
pli-
cate
params
on
utoIn-
cre-
ment.sequence,
du-
pli-
cate
params
on
loca-
tion.cardinalDirection,
mal-
formed
quotes,
valid/malformed
string.fromCharacters
struc-
tured
ar-
rays,
docs
helper
ex-
am-
ples
helpers.mustache
and
helpers.fake,
per-
son.fullName,
un-
known

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

Loop
2
con-
firmed
du-
pli-
cate
named
pa-
ram-
e-
ters
on
utoIn-
cre-
ment.sequence
and
loca-
tion.cardinalDirection
re-
main
ed-
itable
in
Schema
UI
with
row-
level
vali-
da-
tion.
Valid
struc-
tured
ar-
rays,
helpers.mustache,
helpers.fake,
and
per-
son.fullName()
gen-
er-
ated
suc-
cess-
fully.
Un-
known
per-
son.notACommand()
stayed
in
text

2026-
06-
29T22:23:17+01:00
-
What
you
think
you
want
to
do
and
why

Perform

Loop

3 by

re-

view-

ing

the

new

Loop

2 re-

sults

and

sub-

agent

can-

di-

date

de-

fects,

then

exe-

cut-

ing

at

least

10

new

ideas

fo-

cused

on

docs/runtime

mis-

match,

ac-

ces-

si-

bil-

ity,

re-

spon-

sive

touch

tar-

gets,

key-

board

be

hav-

ior,

and

con-

trol

checks.

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

Generated
12
Loop
3
ideas
in
support/main-
loop3-
ideas.js.
Exe-
cuted
10
in-
scope
ideas
against
de-
ployed
URLs:
rechecked
the
Faker
Helpers
docs/runtime
helpers.uniqueArray(this.word.sample,
5)
fail-
ure,
per-
formed
the
work-
ing
helpers.uniqueArray(faker.word.sample,
5)
con-
trol,
scanned
app/generator
land-
marks
and
H1s
at
desk-
top/mobile/narrow
mo-
bile,
scanned
mo-
bile
touch
tar-
get
sizes

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

Loop
3
con-
firmed
the
docs/runtime
mis-
match:
helpers.uniqueArray(this.word.sample,
5)
fails
while
the
nearby
aker.word.sample
form
works.
It
con-
firmed
app.html
has
no
main
land-
mark
and
no
H1
at
sam-
pled
view-
ports
while
gen-
era-
tor
has
both.
It
con-
firmed
app/generator
have
visi-
ble
me-
bile
con-
trols
be-
low
24px.
It

2026-
06-
29T22:28:59+01:00
-
What
you
think
you
want
to
do
and
why

Perform
the
manda-
tory
final
re-
view
loop
be-
fore
gen-
erat-
ing
PDFs,
check-
ing
the
story
re-
quire-
ments,
PR
sum-
mary
and
changed
files,
ac-
cu-
mu-
lated
logs,
cov-
er-
age
model,
sam-
pled
com-
mand
fam-
ilies,
docs
re-
viewed,
ex-
am-
ples
tried,
de-
fects
found,
and
re-
main-

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

Generated
12
final-
review
ideas
in
support/final-
review-
ideas.js.
Clas-
si-
fied
10
as
xecute-
now
and
2 as
de-
fer.
Exe-
cuted
the
in-
scope
ideas
against
de-
ployed
URLs:
rechecked
is-
sue
#253
ex-
act
ex-
am-
ple,
rechecked
un-
known
com-
mand
dis-
tinc-
tion,
34
rechecked
valid
padded
utoIn-
cre-
ment.sequence,
rechecked
in-

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

Final
re-
view
con-
firmed
um-
ber.int(min=1,
min=2,
max=3)
still
switches
to
Schema
UI
with
row-
level
duplicate-
param
vali-
da-
tion.
Un-
known
per-
son.notACommand()
re-
mains
text
mode
with
unknown-
command
feed-
back.
Valid
padded
utoIn-
cre-
ment.sequence
gen-
er-
ates
ex-
pected
file-
name
val
ues.
In-
valid
step=0
re-
mains
row-

Subagent Logs

command-coverage-test-log.md

2026-
06-
29T22:16:00+01:00
'_

What
you
think
you
want
to
do
and
why'
Con-
firm
the
cur-
rent
char-
ter,
re-
mote
is-
sue/PR
rela-
tion-
ship,
and
arti-
fact
bound-
aries
be-
fore
test-
ing
so
this
lane
stays
deployed-
only
and
does
not
re-
peat
39
the
already-
opened
PR
#295
dead
end.
ac-

2026-
06-
29T22:16:00+01:00
'_

What
you
think
you
want
to
do
and
why'
Con-
firm
the
cur-
rent
char-
ter,
re-
mote
is-
sue/PR
rela-
tion-
ship,
and
arti-
fact
bound-
aries
be-
fore
test-
ing
so
this
lane
stays
deployed-
only
and
does
not
re-
peat
40
the
already-
opened
PR
#295
dead
end.
ac-

2026-06-29T22:34:00+01:00

‘- What you think you want to do and why’ Execute a broad schema-command matrix in the deployed generator to confirm valid examples generate data and invalid validators fail with command-aware messages rather than silent literals or generic errors. actions - Used the deployed generator text schema editor and Preview action. - Ran 12 schema cases covering enum, regex, literal, inline schema examples, parameterized domain commands, structured params, faker/helper commands, counterstrings, valid `autoIncrement.sequence`, duplicate params, unknown commands, and invalid `autoIncrement.sequence` params. - Saved detailed results to `support/command-coverage-matrix-results.json`. - Saved screenshots for representative valid and invalid states under `screenshots/command-coverage-case-*.png`. observations - Valid enum/regex/literal examples generated CSV preview rows. - Inline docs examples such as `Status: enum("Open","In Progress","Closed")` generated rows. - Parameterized domain examples generated bounded/structured values, e.g. `number.int(min=32, max=47)`, `location.direction(abbreviated=true)`, and `finance.iban(formatted=true, countryCode="GB")`. - Faker/helper examples generated composed fake strings, e.g. `helpers.fake("Hi, my name is {{person.firstName}} {{person.lastName}}!")`. - `autoIncrement.sequence()` and `autoIncrement.sequence(start=10, step=5)` generated 1,2,3 and 10,15,20 respectively. - `autoIncrement.sequence(start=1, step=5, prefix="filename", suffix=".txt", zeropadding=3)` generated `filename001.txt`, `filename006.txt`, `filename011.txt`. - Invalid duplicate params failed with Invalid keyword arguments: duplicate named argument "min". - `autoIncrement.sequence(step=0)` failed with argument "step" must be a non-zero integer. - `autoIncrement.sequence(zeropadding=-1)` failed with argument "zeropadding" must be greater than or equal to 0. - Unknown command `unknown.command(foo=1)` failed with Unknown keyword: `unknown.command`. — ## 2026-06-29T22:40:00+01:00 ‘- What you think you want to do and why’ Verify the text-to-schema switching boundary for invalid known commands versus unknown commands because issue #253 was specifically about not converting known commands with bad params to literals. actions - Entered invalid schemas in text mode, then clicked Edit as Schema. - Retested `number.int(min=1, min=2, max=3)`, `autoIncrement.sequence(step=0)`, `autoIncrement.sequence(zeropadding=-1)`, and `unknown.command(foo=1)`. - Saved switch-boundary details to `support/command-coverage-switch-results.json`. - Saved screenshots under `screenshots/command-coverage-switch-*.png`. observations - Known command with duplicate params switched to schema row mode as `domain / number.int` with params preserved and row-level validation. - Known `autoIncrement.sequence(step=0)` switched to schema row mode as `domain / autoIncrement.sequence` with params preserved and row-level validation. - Known `autoIncrement.sequence(zeropadding=-1)` switched to schema row mode as `domain / autoIncrement.sequence` with params preserved and row-level validation. - Unknown `unknown.command(foo=1)` did not silently convert; it displayed the convert-invalid-definitions prompt, which is

the expected boundary for unknown or malformed command definitions. - No repeatable deployed defect was found in this command-coverage lane. —

docs-consistency-test-log.md

2026-
06-
29T22:16:00+01:00

2026-
06-
29T22:20:00+01:00

-
What
you
think
you
want
to
do
and
why
Prove
de-
ployed
browser
con-
trol
be-
fore
us-
ing
the
live
app
and
docs
as
the
con-
sis-
tency
ora-
cle.

2026-
06-
29T22:16:00+01:00

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

##

2026-

06-

29T22:16:00+01:00

Used

Play-

wright

au-

toma-

tion

with

the

in-

stalled

Chrome

exe-

cutable

to

open

<https://eviltester.github.io/grid-table-editor/site/>.

Cap-

tured

the

de-

ployed

land-

ing

page,

clicked

the

visi-

ble

Use

The

Application

link,

waited

for

<https://eviltester.github.io/grid-table-editor/site/app.html>,

then

clicked

the

app

Add

Row

but-

ton.

Saved

evi-

dence:

2026-
06-
29T22:16:00+01:00

-
support/docs-consistency-browser-proof.json
-
screenshots/docs-consistency-001-site-home.png
-
screenshots/docs-consistency-002-app-opened-from-site.png
-
screenshots/docs-consistency-003-app-add-row-proof.png
the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

2026-
06-
29T22:16:00+01:00

Browser
in-
ter-
ac-
tion
is
proven.
The
de-
ployed
home
page
title
was
AnywayData
-

Data
Table
Editor
&
Generator.
The
app
page
title
was
Test
Data
Generator
and
Table
Editor
for
Markdown,
CSV,
JSON,
Gherkin
and
HTML
-

AnywayData.
Af-
ter
click-
ing
Add
Row,
the
app
re-
ported

2026-06-29T22:24:00+01:00

- What you think you want to do and why

Inventory the deployed docs/help pages that can describe or contradict the changed command/schema behavior in issue #253 and PR #285.

the actions you take - include urls, steps and data that you use, describe any UI interactions that you make

Fetches and renders deployed pages only, then extracts page titles, headings, links, and code snippets. Pages reviewed included:

- <https://eviltester.github.io/grid-table-editor/site/>
- <https://eviltester.github.io/grid-table-editor/site/app.html>
- <https://eviltester.github.io/grid-table-editor/site/generator.html>
- <https://eviltester.github.io/grid-table-editor/generator.html>
- <https://eviltester.github.io/grid-table-editor/site/docs/intro>
- <https://eviltester.github.io/grid-table-editor/site/docs/category/generating-data>
- <https://eviltester.github.io/grid-table-editor/site/docs/test-data/test-data-generation>
- <https://eviltester.github.io/grid-table-editor/site/docs/test-data/data-grid-editable>
- <https://eviltester.github.io/grid-table-editor/site/docs/test-data/generate-to-file>
- <https://eviltester.github.io/grid-table-editor/site/docs/test-data/Schema-Definition>
- <https://eviltester.github.io/grid-table-editor/site/docs/test-data/faker-test-data>
- <https://eviltester.github.io/grid-table-editor/site/docs/test-data/faker/helpers>
- <https://eviltester.github.io/grid-table-editor/site/docs/test-data/domain/domain-test-d>
- <https://eviltester.github.io/grid-table-editor/site/docs/test-data/domain/number>
- <https://eviltester.github.io/grid-table-editor/site/docs/test-data/domain/autoIncrement>
- <https://eviltester.github.io/grid-table-editor/site/docs/test-data/auto-increment-sequ>
- <https://eviltester.github.io/grid-table-editor/site/docs/interfaces-and-deployment/web>
- <https://eviltester.github.io/grid-table-editor/site/docs/interfaces-and-deployment/rest>
- <https://eviltester.github.io/grid-table-editor/site/docs/interfaces-and-deployment/cli>

Saved support artifacts:

- `support/docs-consistency-page-inventory.json`
- `support/docs-consistency-page-inventory.md`
- `support/docs-consistency-page-matches.json`
- `screenshots/docs-consistency-004-docs-inventory-last-page.png`

the observations and results that you make

The docs inventory found current examples for `number.int`, `autoIncrement.sequence`, and `helpers.mustache`. It did not find visible user-facing docs for `image.urlLoremFlickr`. The Faker Helpers docs still publish `helpers.uniqueArray(this.word.sample, 5)`, which required runtime comparison because previous command parsing changes make callback syntax a high-risk content area. The reviewed docs do not describe the issue #253 text-to-Schema-UI distinction directly; the runtime `app/generator` behavior is the oracle for that workflow.

2026-
06-
29T22:31:00+01:00

2026-
06-
29T22:39:00+01:00

-
What
you
think
you
want
to
do
and
why

2026-
06-
29T22:31:00+01:00

Copy
pub-
lished
ex-
am-
ples
into
the
de-
ployed
gen-
era-
tor
and
com-
pare
their
be-
hav-
ior
with
docs/help
sur-
faces,
es-
pe-
cially
com-
mand
fam-
ilies
touched
by
PR
#285
and
command-
definition/example
sur-
faces.

2026-
06-
29T22:31:00+01:00

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make
Tested
these
ex-
am-
ples
in
the
de-
ployed
gen-
era-
tor
pre-
view:

```

____
##
2026-
06-
29T22:31:00+01:00
____

-
Filename
/
autoIncrement.sequence(start=1,
step=5,
prefix="filename",
suffix=".txt",
zeropadding=3)
-
Build
/
autoIncrement.sequence(start=10,
step=0)
-
Build
/
autoIncrement.sequence(zeropadding=-1)
-
Sentence
/
helpers.mustache("Hello
{{name}}",
{
name:
"Ada"
}) -
Words
/
helpers.uniqueArray(this.word.sample,
5) -
Words
/
helpers.uniqueArray(faker.word.sample,
5) -
Num
/
number.int(min=32,
max=47)

```

2026-
06-
29T22:31:00+01:00

Opened
the
com-
mand
picker/help
sur-
face
for
`number.int`
and
`autoIncrement.sequence`,
searched
for
re-
moved
`urlLoremFlickr`,
and
cap-
tured
app
Test
Data
help/scout
in-
for-
ma-
tion.
Saved
evi-
dence:

2026-
06-
29T22:31:00+01:00

- support/docs-consistency-autoincrement-runtime.json
- support/docs-consistency-runtime-examples.json
- support/docs-consistency-command-selection-surface.json
- support/docs-consistency-command-picker-number-int.json
- support/docs-consistency-picker-removed-current.json
- support/docs-consistency-app-help-scout.json
- screenshots/docs-consistency-010-autoincrement-valid.png
- screenshots/docs-consistency-011-autoincrement-step-zero.png
- screenshots/docs-consistency-012-autoincrement-negative-zero.png
- screenshots/docs-consistency-013-helpers-mustache.png
- screenshots/docs-consistency-014-helpers-uniquearray-this-word.png
- screenshots/docs-consistency-015-helpers-uniquearray-faker-word.png
- screenshots/docs-consistency-016-number-int-valid.png
- screenshots/docs-consistency-017-command-selection-surface.png
- screenshots/docs-consistency-018-command-picker-number-int.png
- screenshots/docs-consistency-019-picker-urlLoremFlickr-absent.png
- screenshots/docs-consistency-020-picker-autoincrement-sequential.png
- screenshots/docs-consistency-021-app-test-data-scout.png

2026-
06-
29T22:31:00+01:00

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

2026-
06-
29T22:31:00+01:00

Consistent
ex-
am-
ples:
doc-
u-
mented
number.int(min=32,
max=47)
gen-
er-
ated
val-
ues
in
range;
doc-
u-
mented
helpers.mustache("Hello
{{name}}",
{
name:
"Ada"
})
gen-
er-
ated
Hello
Ada;
doc-
u-
mented
autoIncrement.sequence(start=1,
step=5,
prefix="filename",
suffix=".txt",
zeropadding=3)
gen-
er-
ated
padded
file-
names
such
as
filename001.txt,
filename006.txt,
and
filename011.txt.
PR-

##

2026-

06-

29T22:31:00+01:00

Mismatch:

the

pub-

lished

Faker

Helpers

ex-

am-

ple

helpers.uniqueArray(this.word.sample,
5)

was

re-

jected

with

Invalid

Faker

API

Call

Unsafe

faker

rule

syntax

detected:

requires

complex

argument

parsing.

The

equiv-

a-

lent

helpers.uniqueArray(faker.word.sample,
5)

worked

and

gen-

er-

ated

ar-

rays

of

five

50-
s50-

pled

words.

The

com-

mand

picker

did

2026-06-29T22:46:00+01:00

- What you think you want to do and why

Close the docs/help/content consistency lane by summarizing confirmed coverage, suspected content drift, missing/removed commands, and deferred follow-up ideas without creating final defect files.

the actions you take - include urls, steps and data that you use, describe any UI interactions that you make

Visually checked representative screenshots for the known invalid params state and the rejected `helpers.uniqueArray(this.word.sample, 5)` example. Wrote:

- `support/docs-consistency-findings.md`
- `support/docs-consistency-candidate-defects.md`

the observations and results that you make

Confirmed one repeatable candidate docs/content defect: Faker Helpers documents `helpers.uniqueArray(this.word.sample, 5)`, but the deployed generator rejects that exact example; `helpers.uniqueArray(faker.word.sample, 5)` works. No final defect files were created. Positive consistency: issue #253 text-to-Schema-UI behavior is fixed in both app and generator, `autoIncrement.sequence` docs/help/runtime agree for sampled examples and validators, `number.int` docs/help/runtime agree for sampled examples, and removed `urlLoremFlickr` was absent from reviewed user-facing docs and picker search.

grid-filter-regression-test-log.md

2026-
06-
29T22:11:02+01:00

2026-
06-
29T22:18:06+01:00

2026-
06-
29T22:11:02+01:00

-
What
you
think
you
want
to
do
and
why

2026-
06-
29T22:11:02+01:00

Exercise
the
PR
#285
filter-
preservation
be-
hav-
ior
with
generated-
data
re-
place-
ment
and
amend-
ment,
be-
cause
the
PR
changed
the
Tab-
ula-
tor
adapter
to
reap-
ply
ac-
tive
fil-
ters
af-
ter
bulk/generated
mu-
ta-
tions.

2026-
06-
29T22:11:02+01:00

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

2026-
06-
29T22:11:02+01:00

Used
the
de-
ployed
app
at
<https://eviltester.github.io/grid-table-editor/site/app.html>.
Opened
the
Test
Data
panel,
switched
the
schema
edi-
tor
to
text
mode,
and
gen-
er-
ated
CaseId
data
with
`autoIncrement.sequence`.

2026-
06-
29T22:11:02+01:00

Workflow

1,
new-
table
re-
place-
ment:

-

Gen-
er-
ated
5

rows
from
CaseId

/

autoIncrement.sequence(start=100,step=1).

-

Ap-
plied
global
fil-
ter

202,
leav-
ing

no
visi-
ble
rows

in
the
100
through
104
dataset.

-

Changed
schema
to

autoIncrement.sequence(start=200,step=1).

-

Gen-
e62
ated

a
new
5-
row
ta-
ble

2026-
06-
29T22:11:02+01:00

Workflow
2,
amend-
table
mu-
ta-
tion:

-
Gen-
er-
ated
2
rows
from
CaseId
/
autoIncrement.sequence(start=2,step=1).

-
Ap-
plied
global
fil-
ter
2,
leav-
ing
only
the
2
row
visi-
ble.

-
Changed
schema
to
autoIncrement.sequence(start=100,step=1).

-
Gen-
er-
ated
in
Amend
Table
mode
with
row
count
1
while
the

2026-
06-
29T22:11:02+01:00

Saved
screen-
shots
grid-filter-regression-002-new-table-baseline.png
through
grid-filter-regression-008-clear-filter-after-amend.png
and
struc-
tured
ob-
ser-
va-
tions
in
support/grid-filter-regression-run.json.
the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

2026-
06-
29T22:11:02+01:00

Workflow

1
passed.

Be-
fore
re-
place-
ment,
fil-
ter

202
showed
0

visi-
ble
rows
from
to-
tal
rows
5.

Af-
ter
the
new-
table
re-
place-
ment,
the
fil-
ter
value
re-
mained

202,
to-
tal
rows
re-
mained

5,
and

65
actly
one
visi-
ble
row,
202,
was

2026-
06-
29T22:11:02+01:00

Workflow
2

passed.

Be-
fore
amend-
ment,
fil-
ter

2
showed

one
visi-
ble

row
from

to-
tal
rows

2.
Af-
ter
amend-
ment,

the
fil-
ter
value

re-
mained

2,
to-
tal
rows
stayed

2,
and

the
visi-
ble

row
count

changed
to 0.

Af-
ter
clear-
ing
the
fil-
ter,
it

2026-06-29T22:19:50+01:00

- What you think you want to do and why

Cover the related duplicate-column/copy regression behavior from PR #285 and check nearby deployed app/generator/docs links without creating final defect files unless a repeatable defect is found.

the actions you take - include urls, steps and data that you use, describe any UI interactions that you make

Used the deployed app at <https://eviltester.github.io/grid-table-editor/site/app.html>. Generated `CaseId` rows from `autoIncrement.sequence(start=10,step=1)`, used the header `Duplicate` column control, completed the naming dialog with `CaseIdCopy`, filtered the duplicated grid with global filter 11, cleared filters, switched preview to CSV, accepted the `Set Text From Grid` confirmation, clicked `Copy`, and read browser clipboard text back through the automated browser context. Also opened <https://eviltester.github.io/grid-table-editor/generator.html> and <https://eviltester.github.io/grid-table-editor/site/docs/> as deployed link checks.

Saved screenshots `grid-filter-regression-009-duplicate-baseline.png` through `grid-filter-regression-014-docs-scout.png`. Saved structured run data to `support/grid-filter-regression-run.json`.

the observations and results that you make

Duplicate-column behavior passed. The duplicate action created `CaseIdCopy`; visible grid rows became 10/10, 11/11, and 12/12. With global filter 11, exactly one visible row remained and both duplicated values were 11. CSV preview after clearing the filter contained headers "`CaseId`", "`CaseIdCopy`" and all three copied rows. Clipboard readback matched the preview after normalizing line endings.

No page errors were captured. One Tabulator initialization warning and generic failed-resource console messages appeared; the only identified non-OK response in the final run was a 403 from a Google ad request on the docs page, so this was not treated as a grid/filter regression defect. The deployed generator and docs pages loaded for the scoped link check.

negative-validation-test-log.md

Negative Validation Test Log

Charter

- Owner: negative validation and malformed parameter testing lane

- Goal: probe duplicate params, unknown commands, malformed syntax, invalid constrained params, literal conversion prompts, `autoIncrement.sequence` edge cases, and structured params for deployed issue #253 / PR #285 review
- Write scope: this file plus `support/negative-validation-findings.md`; candidate defects only if repeatable
- Techniques and heuristics: negative testing, boundary analysis, equivalence partitioning, parser/oracle comparison, state transition checking, docs/runtime consistency checking

```
##
2026-
06-
29T22:05:52+01:00
```

```
##
2026-
06-
29T22:09:48+01:00
```

```
-
What
you
think
you
want
to
do
and
why
```


2026-
06-
29T22:05:52+01:00

Start
with
the
ex-
act
is-
sue
ex-
am-
ple
so
the
lane
has
a di-
rect
ora-
cle
for
the
fixed
be-
hav-
ior:
a
known
com-
mand
with
in-
valid
params
should
move
from
text
mode
back
into
Schema
UI
with-
out
b69
ing
treated
as
an
un-
known
or

2026-
06-
29T22:05:52+01:00

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

-
Opened
<https://eviltester.github.io/grid-table-editor/generator.html>

-
Clicked
Edit
as
Text.
- En-
tered:
text
Num
number.int(min=1,
min=2,
max=3)

2026-
06-
29T22:05:52+01:00

-
Clicked
Generate
Data.

-
Clicked
Edit
as
Schema.

-
Cap-
tured
screen-
shots:

-
screenshots/negative-validation-number-int-duplicate-generate

-
screenshots/negative-validation-number-int-duplicate-schema-
the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

2026-
06-
29T22:05:52+01:00

-
Text-
mode
gen-
era-
tion
re-
ported:
Num
failed
domain
validation

-
Invalid
keyword
arguments:
duplicate
named
argument
"min".

-
Switch-
ing
to
Schema
UI
did
not
show
the
lit-
eral
con-
ver-
sion
prompt.

-
Schema
UI
re-
tained
one
do-
mains
row:

-
Col-
umn
Name:
Num

-
Field

2026-06-29T22:10:25+01:00

- What you think you want to do and why

Contrast the issue example against malformed syntax, unknown command names, and known commands with invalid constrained params so I can see whether the deployed app separates “known command with bad params” from “unknown or unsafe to edit in Schema UI”.

the actions you take - include urls, steps and data that you use, describe any UI interactions that you make

For each case, I reloaded <https://eviltester.github.io/grid-table-editor/generator.html>, clicked **Edit as Text**, entered the schema, clicked **Generate Data**, then clicked **Edit as Schema** and captured text/generate/switch screenshots.

Invalid examples tried:

- Malformed params syntax:

BadSyntax

```
number.int(min=1, max=3
```

- Reversed numeric bounds:

Num

```
number.int(min=5, max=1)
```

- `autoIncrement.sequence` zero step:

Seq

```
autoIncrement.sequence(step=0)
```

- `autoIncrement.sequence` negative zero padding:

Seq

```
autoIncrement.sequence(zeropadding=-1)
```

- Unknown command:

Bad

```
number.notARealCommand(min=1)
```

- Invalid bareword boolean-like value:

Dir

```
location.cardinalDirection(abbreviated=maybe)
```

- Structured array param accepted/edge case:

Chars

```
string.fromCharacters(characters=[], length=4)
```

- Structured array param malformed:

Chars

```
string.fromCharacters(characters=[abc, length=4])
```

the observations and results that you make

- `number.int(min=5, max=1)` stayed editable as `number.int` in Schema UI and showed row validation: argument "min" must be less than or equal to argument "max".
- `autoIncrement.sequence(step=0)` stayed editable as `autoIncrement.sequence` in Schema UI and showed row validation: argument "step" must be a non-zero integer.
- `autoIncrement.sequence(zeropadding=-1)` stayed editable as `autoIncrement.sequence` in Schema UI and showed row validation: argument "zeropadding" must be greater than or equal to 0.
- `location.cardinalDirection(abbreviated=maybe)` stayed editable as `location.cardinalDirection` in Schema UI and showed row validation: bare values are not allowed; wrap strings in quotes.
- `number.notARealCommand(min=1)` stayed in text mode and showed the literal conversion dialog: Convert invalid definitions? Syntax errors are present that can not be edited in Schema UI. Allow editing by converting invalid definitions to literal? Yes No.
- `number.int(min=1, max=3)` switched into Schema UI as known `number.int` and showed row validation: params should be wrapped in parentheses, e.g. `(min=1, max=3)`.
- `string.fromCharacters(characters=[abc, length=4])` switched into Schema UI as known `string.fromCharacters` and showed row validation: bare values are not allowed; wrap strings in quotes.
- `string.fromCharacters(characters=[], length=4)` was accepted and generated a download-ready CSV. I did not classify this as a defect because the deployed docs show array params for string commands, and I did not find a specific deployed oracle saying an empty array must be rejected.

```
##  
2026-  
06-  
29T22:11:10+01:00  
##  
2026-  
06-  
29T22:12:05+01:00
```


2026-
06-
29T22:11:10+01:00

-
What
you
think
you
want
to
do
and
why

2026-
06-
29T22:11:10+01:00

Check
the
de-
ployed
app
sur-
face
briefly
be-
cause
PR
#285
touched
shared
schema
edi-
tor
be-
hav-
ior
and
app/generator
sync
tests,
while
keep-
ing
the
main
negative-
validation
evi-
dence
on
the
gen-
era-
tor
where
schema
edit-
ing
is
d76
rectly
avail-
able.

2026-
06-
29T22:11:10+01:00

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

2026-
06-
29T22:11:10+01:00

-
Opened
<https://eviltester.github.io/grid-table-editor/site/app.html>

-
Cap-
tured
[screenshots/negative-validation-app-initial.png](#).

- In-
spected
the
visi-
ble
app
sur-
face
and
Test
Data
area.
the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

2026-
06-
29T22:11:10+01:00

-
The
de-
ployed
app
loaded
and
ex-
posed
the
ta-
ble
edi-
tor
plus
import/export-
oriented
Test
Data
panel
in
the
cur-
rent
visi-
ble
state.

- I
did
not
force
the
de-
tailed
malformed-
param
cases
through
the
app
be-
cause
the
g79-
era-
tor
ex-
poses
the
shared
schema

2026-06-29T22:13:00+01:00

- What you think you want to do and why

Review the evidence and decide whether any repeatable candidate defect should be written under `support/negative-validation-candidate-defects.md`.

the actions you take - include urls, steps and data that you use, describe any UI interactions that you make

- Visually checked key screenshots:
 - `screenshots/negative-validation-number-int-duplicate-schema-ui.png`
 - `screenshots/negative-validation-unknown-command-clean-after-switch.png`
 - `screenshots/negative-validation-autoincrement-step-zero-after-switch.png`
- Compared observed behavior against issue #253 and PR #285 expectations.

the observations and results that you make

- No repeatable deployed-app defect was found in this negative-validation lane.
- The strongest result is positive: known invalid-param commands are allowed into Schema UI with row-level validation, while the unknown command still triggers a literal conversion prompt.
- Suspicious but not defect-classified: `string.fromCharacters(characters=[], length=4)` generated successfully. This may be valid behavior; it needs a product/spec oracle before being treated as a bug.
- Because no repeatable defect was found, I did not create a candidate defect file.

`responsive-accessibility-test-log.md`

```
##
2026-
06-
29T22:10:00+01:00
##
2026-
06-
29T22:18:00+01:00
```


2026-
06-
29T22:10:00+01:00

-
What
you
think
you
want
to
do
and
why

2026-
06-
29T22:10:00+01:00

Prove
browser
in-
ter-
ac-
tion
against
the
de-
ployed
en-
vi-
ron-
ment
and
ex-
er-
cise
the
is-
sue
#253
schema
switch-
ing
path
be-
fore
broad
re-
spon-
sive/accessibility
scan-
ning,
be-
cause
the
lane
should
be
grounded
in
the
changed
work-
flow
rather
than
generic
page
in-

2026-
06-
29T22:10:00+01:00

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

##

2026-

06-

29T22:10:00+01:00

Opened

<https://eviltester.github.io/grid-table-editor/site/>

at

390x844,

cap-

tured

screenshots/responsive-accessibility-001-site-home-mobile.png

clicked

the

visi-

ble

Use

The

Application

link,

con-

firmed

nav-

iga-

tion

to

<https://eviltester.github.io/grid-table-editor/site/app.html>,

and

cap-

tured

screenshots/responsive-accessibility-002-app-mobile-after-cta

Opened

<https://eviltester.github.io/grid-table-editor/site/generator>

cap-

tured

screenshots/responsive-accessibility-003-generator-mobile-in

used

Edit

as

Text,

en-

tered

Num\nnumber.int(min=1,

min=2,

max=3),

clicked

Edit

as

Schema,

and

saved

screen-

shots

004

through

006.

D

2026-
06-
29T22:10:00+01:00

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

2026-
06-
29T22:10:00+01:00

Browser
proof
suc-
ceeded
on
de-
ployed
GitHub
Pages.
The
di-
rect
text-
mode
en-
try
showed
a
sta-
tus
Num
failed
domain
validation

-
Invalid
keyword
arguments:
duplicate
named
argument
"min"
and
stayed
visu-
ally
in
text
mode
af-
ter
click-
ing
Edit
as
Schema;
this
is
sus-
pi-
cious

2026-06-29T22:32:00+01:00

- What you think you want to do and why

Run the responsive/mobile and accessibility lane across the public deployed surfaces and separate real layout/accessibility problems from invalid setup noise.

the actions you take - include urls, steps and data that you use, describe any UI interactions that you make

Sampled these deployed URLs at 1440x900, 768x1024, 390x844, and 320x568: <https://eviltester.github.io/grid-table-editor/site/>, <https://eviltester.github.io/grid-table-editor/site/app.html>, <https://eviltester.github.io/grid-table-editor/site/generator.html>, <https://eviltester.github.io/grid-table-editor/site/docs/intro/>, and <https://eviltester.github.io/grid-table-editor/site/docs/test-data/domain/domain-test-da>. Saved the broad scan as `support/responsive-accessibility-responsive-scan.json` and mobile screenshots under `screenshots/responsive-accessibility-*.png`. Also sampled <https://eviltester.github.io/grid-table-editor/site/docs/test-data/schema-definit> but it returned a GitHub Pages 404 and was discarded as an invalid guessed URL rather than filed.

the observations and results that you make

Home, app, generator, docs intro, and domain docs pages did not show page-level horizontal overflow at the sampled mobile/narrow widths after filtering expected offscreen skip links and scrollable docs code blocks. `site/app.html` still has no `main` landmark and no H1 at all sampled widths. App and generator controls remain dense on mobile: help icons are commonly 13x13, schema inputs/selects are about 21px tall, and many compact controls fall below 24px in at least one dimension. Docs pages generally expose H1/main landmarks and fit the viewport, with code examples scrolling inside their own blocks rather than forcing document-width overflow.

2026-
06-
29T22:42:00+01:00
-
What
you
think
you
want
to
do
and
why

Target
key-
board/focus
be-
hav-
ior
for
the
method
picker
and
schema
edi-
tor
be-
cause
those
are
the
highest-
risk
ac-
ces-
si-
bil-
ity
sur-
faces
in
the
is-
sue
#253
/
PR
#285
work-
flow.

the
ac-
tions
you
take
- in-
clude
urls,
steps
and
data
that
you
use,
de-
scribe
any
UI
in-
ter-
ac-
tions
that
you
make

At
390x844
on
<https://eviltester.github.io/grid-table-editor/site/generator>
changed
the
schema
row
field
type
to
domain,
clicked
the
Select
domain
command
but-
ton,
and
saved
[screenshots/responsive-accessibility-010-generator-mobile-me](#)
plus
[support/responsive-accessibility-method-picker-mobile-probe.](#)
Pressed
Tab
re-
peat-
edly
in
the
open
method
picker
us-
ing
two
au-
toma-
tion
paths
and
saved
[support/responsive-accessibility-method-picker-tab-sequence.](#)
and
[support/responsive-accessibility-method-picker-tab-sequence-1](#)
Pressed
Es
cape
and
saved
[support/responsive-accessibility-method-picker-after-escape.](#)
plus
[screenshots/responsive-accessibility-011-generator-mobile-me](#)
Re-

the
ob-
ser-
va-
tions
and
re-
sults
that
you
make

The
mo-
bile
method
picker
fits
the
view-
port
and
ex-
poses
`role="dialog"`
with
`aria-modal="true"`
and
a la-
belled
`Select`
`schema`
`method`
dia-
log.
The
method
list
uses
`role="listbox"`
with
`role="option"`
chil-
dren,
which
looks
con-
sis-
tent
with
the
prior
ARIA-
structure
fix.
Es-
cape
closed
the
dia-
log
and
re-
turned
fo-
cus
to

`ux-regression-test-log.md`

2026-
06-
29T22:19:47+01:00
'_

What
you
think
you
want
to
do
and
why'
Start
the
UX/usability
lane
for
is-
sue

#253
/

merged
PR
#285,
pre-
serve
ex-
ist-
ing
ses-
sion
arti-
facts,
and
keep
the
re-
view
deployed-
only
so
the
evi-
dence

re-
flects
95
the
pub-
lic
GitHub
Pages
en-
vi-
ron-

2026-
06-
29T22:19:47+01:00
'_

What
you
think
you
want
to
do
and
why'
Start
the
UX/usability
lane
for
is-
sue

#253
/

merged
PR
#285,
pre-
serve
ex-
ist-
ing
ses-
sion
arti-
facts,
and
keep
the
re-
view
deployed-
only
so
the
evi-
dence

re-
flects
96
the
pub-
lic
GitHub
Pages

en-
vi-
ron-

2026-06-29T22:31:00+01:00

‘What you think you want to do and why’ Check recovery and generation behavior after invalid-param validation so the fix does not leave users stuck or produce misleading output. actions - With `number.int(min=1, min=2, max=3)` in Schema UI, clicked Preview. - Edited the params field directly to `(min=1, max=3)` and clicked Preview again. - Captured: - `screenshots/ux-regression-009-invalid-before-preview.png` - `screenshots/ux-regression-010-invalid-preview-click.png` - `screenshots/ux-regression-011-recovery.png` - Saved raw state in `support/ux-regression-workflow-results.json`. observations - Preview with invalid duplicate params kept the row-level schema error visible and did not generate output. - After correcting params to `(min=1, max=3)`, the error cleared and preview generated a CSV preview plus table rows with values in the expected range. - Error recovery was local and understandable: the user could edit the params field without returning to text mode or accepting literal conversion. — ## 2026-06-29T22:38:00+01:00

‘What you think you want to do and why’ Cover method-picker and help affordances around schema editing because PR #285 changed classification paths that users reach through both text and UI workflows. actions - Started from a clean generator page. - Named a column `Email`, changed field type to `domain`, opened `Select domain command`, inspected the method picker. - Navigated within the picker to `internet.email`, selected it, and applied the method. - Clicked a visible help affordance while the picker was open. - Captured: - `screenshots/ux-regression-012-domain-row-ready.png` - `screenshots/ux-regression-013-method-picker-open.png` - `screenshots/ux-regression-014-method-picker-open.png` - `screenshots/ux-regression-015-method-picker-email-applied.png` - `screenshots/ux-regression-016-help-affordance-after-click.png` observations - The method picker opened in a modal with visible close, cancel, and apply controls. - The picker showed method names, descriptions, schema snippets, parameter details, parameter required/optional status, examples, and an `Open documentation` link for the selected method. - `internet.email` details were visible and showed optional parameters including `allowSpecialCharacters`, `firstName`, `lastName`, and `provider`. - Scripted search input did not behave like real typing in this automation pass, so no defect is claimed from that signal. — ## 2026-06-29T22:44:00+01:00

‘What you think you want to do and why’ Lightly check the deployed app and docs routes linked from the public site so this UX lane covers the deployed workflow surfaces around generator/schema editing. actions - Loaded the public site route and captured `screenshots/ux-regression-001-site-proof-retry.png`. - Loaded the deployed app route directly and captured `screenshots/ux-regression-021-app-direct.png`. - Loaded the docs generating-data category and captured `screenshots/ux-regression-022-docs-generating-data.png`. - Saved route state in `support/ux-regression-app-docs-results.json`. observations - The app route rendered the grid editor with toolbar controls, filter, reset, test-data panel, import/export panel, preview controls, and output-format tabs. - The docs generating-data category rendered current navigation for Test Data Generation, Data Grid Editable, Generate to File, Schema Definition,

domain/faker data, and Auto Increment Sequences. - A guessed docs URL for a data-generator page returned a GitHub Pages 404 and was not counted as a product defect because it was not a fetched link from the UI. - A separate site/app click run produced unstyled output during transient resource-load trouble; direct route retry rendered correctly, so that unstyled run was not counted as a repeatable product defect. — ## 2026-06-29T22:49:00+01:00 ‘- What you think you want to do and why’ Finalize the lane notes by classifying confirmed behavior, suspicious but non-defect observations, and deferred ideas without creating final defect files. actions - Reviewed screenshots and raw browser states from the UX lane. - Wrote `support/ux-regression-findings.md`. - Wrote `support/ux-regression-candidate-defects.md`. observations - No repeatable UX/workflow regression defect was confirmed in this lane. - The issue #253 acceptance behavior appears fixed on the deployed generator: known commands with invalid params stay editable in Schema UI and show row-level errors, while unknown commands still get literal-conversion protection. - Deferred deeper coverage includes real keystroke method-picker search, mobile/narrow viewport, and deeper app grid/filter mutation coverage. —

Defects

defect-001-docs-helpers-uniquearray-this-word.md

DEF-001 - Published Faker Helpers `helpers.uniqueArray(this.word.sample, 5)` example is rejected by deployed generator

Status: confirmed repeatable defect

Severity: Medium

Area: published docs / generator runtime consistency

Affected docs URL: <https://eviltester.github.io/grid-table-editor/site/docs/test-data/faker/helpers/>

Runtime URL: <https://eviltester.github.io/grid-table-editor/generator.html>

Summary

The published Faker Helpers docs show `helpers.uniqueArray(this.word.sample, 5)` as an example, but the deployed generator rejects that syntax. A nearby equivalent using `faker.word.sample` works, which makes this a stale or misleading docs/runtime mismatch rather than a general helper failure.

Steps To Reproduce

1. Open <https://eviltester.github.io/grid-table-editor/generator.html>.
2. Click **Edit as Text**.
3. Enter:

```
Words
helpers.uniqueArray(this.word.sample, 5)
```

4. Click Preview.

Observed Result

The generator displays:

```
Words failed faker validation - Invalid Faker API Call Unsafe faker rule syntax detected: re
```

Expected Result

A published docs example should either execute successfully in the deployed generator or clearly state that it is not direct generator syntax. If `faker.word.sample` is the supported syntax, the docs should use that form.

Repeatability

Repeated by the docs-consistency subagent and again in main Loop 3. Repeatable.

Control Check

This similar schema works and generates arrays of sampled words:

```
Words
helpers.uniqueArray(faker.word.sample, 5)
```

Evidence

Video: defect-001-docs-helpers-uniquearray-this-word.webm

Supporting data:

- support/docs-consistency-runtime-examples.json
- support/main-loop3-ideas-results.json

defect-002-app-missing-main-h1.md

DEF-002 - Deployed app page lacks a main landmark and H1

Status: confirmed repeatable defect

Severity: Medium

Area: accessibility / page structure

Affected URL: <https://eviltester.github.io/grid-table-editor/site/app.html>

DATA GENERATOR

► Data Generator Instructions ⓘ

Schema

Words failed faker validation - Invalid Faker API Call Unsafe faker rule syntax detected: requires complex argument parsing

ⓘ Edit as Schema

Load Schema File

Save Schema File

Words

helpers.uniqueArray(this.word.sample, 5)

► Managed Stored Schemas (0)

Generate Data and Options

Generate Rows Output Format ⓘ Generate Data

ⓘ Settings

Options ⓘ

ⓘ ☒ Use Quotes

ⓘ ☒ Use Header

ⓘ

Quote Char

ⓘ

Escape Char

Apply

Preview

Preview Items Count ⓘ Preview

Observed: deployed generator rejects docs example with unsafe/complex faker syntax

Data Table Preview

~rename-me

Figure 1: Rejected docs example

100

LAST MODIFIED

▶ Data Generator Instructions ⓘ

Schema

ⓘ Edit as Schema
Load Schema File
Save Schema File

```
Words
helpers.uniqueArray(faker.word.sample(), 5)
```

▶ Managed Stored Schemas (0)

Generate Data and Options

Generate Rows
Output Format ⓘ
ⓘ Generate Data
ⓘ Settings

Options ⓘ

ⓘ ☒ Use Quotes

ⓘ ☒ Use Header

ⓘ Quote Char

ⓘ Escape Char

Apply

Preview

Preview Items Count
ⓘ Preview

Control: faker.word.sample generates output, so the docs syntax is the mismatch.

```
"Words"
["woot","woot","","chapel","","woot","woot","woot","woot","woot"]
```

Data Table Preview

Words
["woot","chapel","woot","woot","woot"]
["sparkling","along","exasperation","relieve","furthermore"]
["energetically","essay","ingratitude","a","whoever"]
["handle","plump","personalise","likewise","maintainer"]
["deduct","frankly","meatloaf","it","subtle"]
["apparatus","serenade","lonely","hopeful","lightly"]
["apologise","which","atop","perfection","queasy"]
["worth","eventually","besides","hmp","which"]
["for","sugary","amongst","apud","potentially"]
["successfully","why","woot","league","yahoo"]

Figure 2: Working control example

Summary

The deployed app page exposes the editor UI but does not include a `main` landmark or an `H1`. This makes orientation harder for keyboard and assistive-technology users, especially because the editor surface is dense and has many controls.

Steps To Reproduce

1. Open <https://eviltester.github.io/grid-table-editor/site/app.html>.
2. Inspect the DOM or accessibility structure.
3. Check for `main`, `[role="main"]`, and `h1` elements.
4. Repeat at desktop and mobile viewport sizes.

Observed Result

DOM probes found:

`main landmarks: 0`

`h1 elements: 0`

This repeated at 1440x900, 390x844, and 320x568.

Expected Result

The app page should expose a main landmark and a page-level heading so users can identify and jump to the primary editor content.

Repeatability

Repeated by the responsive/accessibility subagent and main Loop 3. Repeatable.

Evidence

Video: `defect-002-app-missing-main-h1.webm`

Supporting data:

- `support/responsive-accessibility-responsive-scan.json`
- `support/main-loop3-ideas-results.json`

`defect-003-sub-24px-touch-targets.md`

DEF-003 - App and generator mobile controls include sub-24px touch targets

Status: confirmed repeatable defect

Severity: Medium




Figure 3: App page mobile view

Area: mobile usability / accessibility

Affected URLs:

- <https://eviltester.github.io/grid-table-editor/site/app.html>
- <https://eviltester.github.io/grid-table-editor/generator.html>

Summary

Mobile scans found multiple visible interactive controls below 24px in at least one dimension. Examples include 13x13 help icons, small docs links, and schema row inputs/selects around 19-21px high. These controls are difficult to operate reliably on touch devices and fall below the WCAG 2.2 target-size floor used as the review heuristic.

Steps To Reproduce

1. Open the app or generator at a mobile viewport such as 390x844.
2. Inspect visible interactive controls (`button`, `a`, `input`, `select`, `textarea`).
3. Measure their rendered bounding boxes.
4. Note controls with width or height below 24px.

Observed Result

Examples from the deployed app/generator include:

- Help icons around 13x13.
- Generator field type select around 312x19.
- Schema row inputs around 320x21.
- Several mobile nav/doc links under 24px high.

Expected Result

Interactive controls should provide at least a 24px target area, and preferably larger touch-friendly targets in mobile layouts.

Repeatability

Repeated by the responsive/accessibility subagent and main Loop 3. Repeatable.

Evidence

Red outlines mark controls below 24px in at least one dimension.

Video: defect-003-sub-24px-touch-targets.webm

Supporting data:

- `support/responsive-accessibility-responsive-scan.json`
- `support/main-loop3-ideas-results.json`




Figure 4: App small touch targets

TEST ENVIRONMENT

► Data Generator Instructions ⓘ

Schema ⓘ

Edit as Text

Load Schema File

Save Schema File

⋮ + - ↑ ↓

Column Name

regex

ⓘ

Value / Regex

► Schema Constraints (0)

+ Add Field

► Managed Stored Schemas (0)

Generate Data and Options

Generate Rows 1000

Output Format CSV

ⓘ Generate Data

⚙ Settings

Options ⓘ

ⓘ ☒ Use Quotes

ⓘ ☒ Use Header

ⓘ

Quote Char

"

Generator help icons and schema controls also fall below 24px.

Apply

Preview

Preview Items Count 10 ⓘ Preview

Output Preview

~preview

Data Table Preview

Figure 5: Generator small touch targets

defect-004-schema-row-tab-order.md

DEF-004 - Generator schema row keyboard order skips from Column Name to page/body and row action controls before Field Type

Status: confirmed repeatable defect

Severity: Medium

Area: keyboard usability / schema editor workflow

Affected URL: <https://eviltester.github.io/grid-table-editor/generator.html>

Summary

When keyboard focus starts in the first schema row **Column Name** field, pressing Tab does not move directly to the next logical data-entry field (**Field type**) or value/command controls. In the main-agent repeat, focus moved to the document body and then through row action buttons such as drag/reorder/insert/remove before reaching the core editing controls. This makes schema row entry inefficient and confusing for keyboard users.

Steps To Reproduce

1. Open <https://eviltester.github.io/grid-table-editor/generator.html>.
2. Focus the first schema row **Column Name** input.
3. Press Tab repeatedly.
4. Observe the focused element after each Tab.
5. Repeat on desktop and mobile viewport sizes.

Observed Result

Main Loop 3 focus sequence began:

Column Name input

BODY

Drag field to reorder

Insert field after this row

Remove field

...

The responsive/accessibility subagent also reported repeated keyboard-order problems around the schema row.

Expected Result

Tab should move through the row's primary editing controls in a predictable order, such as **Column Name** -> **Field type** -> command/value/params controls

-> constraints/additional row controls. Row management controls can remain reachable, but should not interrupt the primary data-entry path immediately after the first field.

Repeatability

Repeated by responsive/accessibility lane and main Loop 3, with main Loop 3 refining the symptom from a trap to a poor/non-intuitive tab order. Repeatable.

Evidence

The screenshot displays the 'Data Generator Instructions' interface. It is divided into three main sections:

- Schema:** Contains a 'Schema' header with a 'Column Name' input field, a 'regex' dropdown, and a 'Value / Regex' input field. Below this is a 'Schema Constraints (0)' section with an '+ Add Field' button. At the bottom of this section is a 'Managed Stored Schemas (0)' link.
- Generate Data and Options:** Features a 'Generate Rows' input set to '1000', an 'Output Format' dropdown set to 'CSV', and a 'Generate Data' button. To the right is a 'Settings' link. Below these are 'Options' including checkboxes for 'Use Quotes' and 'Use Header', and input fields for 'Quote Char' and 'Escape Char'. An 'Apply' button is at the bottom of this section.
- Preview:** Includes a 'Preview Items Count' input set to '10' and a 'Preview' button. Below this is an 'Output Preview' text area. At the bottom is a 'Data Table Preview' section with a 'Focus after Tab 5. INPUT Column Name' label and a corresponding input field.

Figure 6: Schema row tab order

Video: defect-004-schema-row-tab-order.webm

Supporting data:

- support/responsive-accessibility-generator-schema-tab-order.json
- support/main-loop3-ideas-results.json