
−2 35M, partial FT
antiGen / PSSM gate
Where x which
Site x Substitution
Where x which + events
SxS, MCM interpolation
PSSM
BLO
A
Recall, top decile
P(obs. mut. in top decile)
0.00
0.25
0.50
0.75
5
Train / test cutoff (years into pandemic)
B
Recall, top 20% quantile
P(obs. mut. in top 20% quantile)
1.00
0.75
0.50
0.25
0.00
5
Train / test cutoff (years into pandemic)
C
Recall, top 50% quantile
P(obs. mut. in top 50% quantile)
1.00
0.75
0.50
0.25
0.00
5
Train / test cutoff (years into pandemic)
D
P(obs. mut. in top decile)
0.00
0.25
0.50
0.75
Number of mutations
E
P(obs. mut. in top 20% quantile)
1.00
0.75
0.50
0.25
0.00
Number of mutations
F
P(obs. mut. in top 50% quantile)
1.00
0.75
0.50
0.25
0.00
Number of mutations
G
P(obs. mut. in top decile)
0.00
0.25
0.50
0.75
Number of sequences
H
P(obs. mut. in top 20% quantile)
1.00
0.75
0.50
0.25
0.00
Number of sequences
I
P(obs. mut. in top 50% quantile)
1.00
0.75
0.50
0.25
0.00
Number of sequences