

Cucumber Report

Jun 7, 2024, 11:31:11 PM

Start : Jun 07, 11:30:53.245 PM

End : Jun 07, 11:31:11.366 PM

Duration : 18.121 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 3
FAILED - 2
SKIPPED - 0

PASSED - 15
FAILED - 2
SKIPPED - 8




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>XYZ Bank</u>	18.121 s	5	3	2	0	25	15	2	8

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@XYZBank	5	3	2	0	1	0	1	0
@AddCustomer	5	3	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>XYZ Bank</u>	5	3	2	0	18.121 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>XYZ Bank</u>	<u>Add Customer</u>	5	5	0	0	4.277 s
2	<u>XYZ Bank</u>	<u>Add Customer</u>	5	0	1	4	3.256 s
3	<u>XYZ Bank</u>	<u>Add Customer</u>	5	5	0	0	3.656 s
4	<u>XYZ Bank</u>	<u>Add Customer</u>	5	0	1	4	3.232 s
5	<u>XYZ Bank</u>	<u>Add Customer</u>	5	5	0	0	3.666 s

XYZ Bank



FAILED	DURATION - 18.121 s	Scenarios		Steps	
/ 11:30:53.245 PM // 11:31:11.366 PM /		Total - 5		Total - 25	
		Pass - 3		Pass - 15	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 8	


Add Customer

<div>PASSED</div> <div>DURATION - 4.277 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:30:53.252 PM // 11:30:57.529 PM /</div>				
<div>XYZ Bank</div>				
<div>@XYZBank @AddCustomer</div>				



#	Step / Hook Details	Status	Duration
1	Given user goes to url "https://www.globalsqa.com/angularJs-protractor/BankingProject/#/login"	PASSED	2.937 s
2	When click on Bank Manager Login	PASSED	0.548 s
3	And click on Add Customer	PASSED	0.300 s
4	And enter firstname "John", lastname "Doe", postcode "12345"	PASSED	0.425 s
5	And click on Add Customer Submit button	PASSED	0.050 s

Add Customer

<div>FAILED</div> <div>DURATION - 3.256 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 11:30:57.536 PM // 11:31:00.792 PM /				
XYZ Bank				
@XYZBank @AddCustomer				



#	Step / Hook Details	Status	Duration
1	<p>Given user goes to url "https://www.globalsqa.com/angularJs-protractor/BankingProject/#/login"</p> <p>org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : Customer added successfully with customer id :6} (Session info: chrome=125.0.6422.142): Customer added successfully with customer id :6 Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [15436cc02d9ca158fdd74acc37efe01c, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.141 (4b1e8393712..., userDataDir: C:\Users\Dell\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55543}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:55543/devtoo..., se.cdpVersion: 125.0.6422.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 15436cc02d9ca158fdd74acc37efe01c</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:136) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1034) at utilities.Driver.getDriver(Driver.java:45) at stepdefinitions.CommonStepDefinitions.userGoesToUrl(CommonStepDefinitions.java:17) at ?.user goes to url "https://www.globalsqa.com/angularJs-protractor/BankingProject/#/login"(file:///C:/Users/Dell/Desktop/deneme_ee/ CucumberProject/src/test/resources/features/11_XYZBank.feature:4) * Not displayable characters are replaced by '?'.</p>	FAILED	0.017 s
2	When click on Bank Manager Login	SKIPPED	0.000 s
3	And click on Add Customer	SKIPPED	0.000 s
4	And enter firstname "Can", lastname "Kaya", postcode "45677"	SKIPPED	0.000 s
5	And click on Add Customer Submit button	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	3.232 s
	Başarısız Senaryo Ekran Görüntüsü		
			

Add Customer


PASSED		DURATION - 3.656 s			<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:31:00.801 PM // 11:31:04.457 PM /						
XYZ Bank						
@XYZBank @AddCustomer						

#	Step / Hook Details	Status	Duration
1	Given user goes to url "https://www.globalsqa.com/angularJs-protractor/BankingProject/#!/login"	PASSED	2.310 s
2	When click on Bank Manager Login	PASSED	0.521 s
3	And click on Add Customer	PASSED	0.352 s
4	And enter firstname "Ali", lastname "Can", postcode "34576"	PASSED	0.417 s
5	And click on Add Customer Submit button	PASSED	0.049 s



Add Customer

<div>FAILED</div> <div>DURATION - 3.232 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 11:31:04.463 PM // 11:31:07.695 PM /				
XYZ Bank				
@XYZBank @AddCustomer				

#	Step / Hook Details	Status	Duration
1	Given user goes to url "https://www.globalsqa.com/angularJs-protractor/BankingProject/#!/login" org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : Customer added successfully with customer id :6} (Session info: chrome=125.0.6422.142): Customer added successfully with customer id :6 Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [7fdfe7c6e1ad536e9b332bf3ac110224, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.141 (4b1e8393712..., userDataDir: C:\Users\Dell\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55569}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:55569/devtoo..., se.cdpVersion: 125.0.6422.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	7fdfe7c6e1ad536e9b332bf3ac110224 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:136) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1034) at utilities.Driver.getDriver(Driver.java:45) at stepdefinitions.CommonStepDefinitions.userGoesToUrl(CommonStepDefinitions.java:17) at ?.user goes to url "https://www.globalsqa.com/angularJs-protractor/BankingProject/#/login"(file:///C:/Users/Dell/Desktop/deneme_ee/CucumberProject/src/test/resources/features/11_XYZBank.feature:4) * Not displayable characters are replaced by '?'.		
2	When click on Bank Manager Login	SKIPPED	0.001 s
3	And click on Add Customer	SKIPPED	0.000 s
4	And enter firstname "Veli", lastname "Yan", postcode "98761"	SKIPPED	0.001 s
5	And click on Add Customer Submit button	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	3.220 s
	Başarısız Senaryo Ekran Görüntüsü		
			

Add Customer

PASSED		DURATION - 3.666 s			Steps Total - 5 Pass - 5 Fail - 0 Skip - 0		
/ 11:31:07.700 PM // 11:31:11.366 PM /							
XYZ Bank							
@XYZBank @AddCustomer							

#	Step / Hook Details	Status	Duration
1	Given user goes to url "https://www.globalsqa.com/angularJs-protractor/BankingProject/#/login"	PASSED	2.307 s
2	When click on Bank Manager Login	PASSED	0.563 s
3	And click on Add Customer	PASSED	0.293 s
4	And enter firstname "Fatma", lastname "Tan", postcode "56782"	PASSED	0.422 s
5	And click on Add Customer Submit button	PASSED	0.076 s