

Cucumber Report

15.Eyl.2023 11:34:39

Start : Eyl 15, 11:33:20.477 AM

End : Eyl 15, 11:34:38.215 AM

Duration : 1 m 17.738 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 2
FAILED - 2
SKIPPED - 11



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Product Detail Feature</u>	38.470 s	1	0	1	0	7	1	1	5
<u>Search Result Feature</u>	39.237 s	1	0	1	0	8	1	1	6

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Smoke	2	0	2	0	2	0	2	0
@Regression	2	0	2	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>Product Detail Feature</u>	1	0	1	0	38.470 s
2	<u>Search Result Feature</u>	1	0	1	0	39.237 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Product Detail Feature</u>	<u>Check First Product Name of Best Sellers</u>	7	1	1	5	38.469 s
2	<u>Search Result Feature</u>	<u>Check Product Names is Relevant to Search Text</u>	8	1	1	6	39.237 s

Product Detail Feature

FAILED	DURATION - 38.470 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	
/ 11:33:20.477 AM // 11:33:58.947 AM /					


Check First Product Name of Best Sellers

FAILED	DURATION - 38.469 s		Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	
/ 11:33:20.478 AM // 11:33:58.947 AM /				
Product Detail Feature				
@Smoke @Regression				



#	Step / Hook Details	Status	Duration
1	Given I click Discover Pasaj Button	PASSED	10.065 s
2	Then I should see Pasaj Page org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: /ierarchy/android.widget.FrameLayout/android.widget.LinearLayout/android.widget.FrameLayout/android.widget.LinearLayout/android.widget.FrameLayout/android.view.ViewGroup/android.widget.LinearLayout[1]/android.widget.FrameLayout/android.widget.LinearLayout/android.view.ViewGroup[1]/android.widget.FrameLayout/android.view.View[2] (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at pages.BasePage.waitForVisibilityOfElement(BasePage.java:30) at pages.PasajPage.verifyPasajPageOpen(PasajPage.java:22) at steps.S000_MainSteps.checkPasajPage(S000_MainSteps.java:24) at ?.I should see Pasaj Page(file:///C:/Users/evrenak/NetasWorkspace/PomMobileTurkcellPasajAutomation/src/test/java/features/ProductDetail_CheckName.feature:8) Caused by: org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'NTS5CG0488VTN', ip: '192.168.0.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_371' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.ttech.android.onlineisl..., appPackage: com.ttech.android.onlineislem, autoGrantPermissions: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.ttech.android.onlineisl..., appPackage: com.ttech.android.onlineislem,	FAILED	10.720 s

#	Step / Hook Details	Status	Duration
	<p>autoGrantPermissions: true, automationName: UiAutomator2, deviceName: Pixel 2 API 30, noReset: false, platformName: android, platformVersion: 11.0, skipUnlock: true, udid: emulator-5554}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: sdk_gphone_x86, deviceName: emulator-5554, deviceScreenDensity: 420, deviceScreenSize: 1080x1920, deviceUDID: emulator-5554, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, noReset: false, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 11, skipUnlock: true, statBarHeight: 63, takesScreenshot: true, udid: emulator-5554, viewportRect: {height: 1731, left: 0, top: 63, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: db061216-3b95-4b99-baf5-1442e57314cf ***</p> <p>Element info: {Using=xpath, value=/ierarchy/android.widget.FrameLayout/android.widget.LinearLayout/android.widget.FrameLayout/android.widget.LinearLayout/android.widget.FrameLayout/android.view.ViewGroup/android.widget.LinearLayout[1]/android.widget.FrameLayout/android.widget.LinearLayout/android.view.ViewGroup[1]/android.widget.FrameLayout/android.view.View[2]}</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:247)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:41)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:61)</p> <p>at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:151)</p> <p>at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:57)</p> <p>at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:205)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:201)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)</p> <p>at pages.BasePage.waitForVisibilityOfElement(BasePage.java:30)</p> <p>at pages.PasajPage.verifyPasajPageOpen(PasajPage.java:22)</p> <p>at steps.S000_MainSteps.checkPasajPage(S000_MainSteps.java:24)</p>		



#	Step / Hook Details	Status	Duration
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:117) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:114) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064)		

#	Step / Hook Details	Status	Duration
	<pre>at com.intelij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intelij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)</pre> <p>* Not displayable characters are replaced by '?'. </p>		
3	When I scroll down until First Product Name of Best Sellers visible	SKIPPED	0.001 s
4	When I get Product Name in Pasaj Screen	SKIPPED	0.001 s
5	Then I click First Product of Best Sellers	SKIPPED	0.001 s
6	Then I scroll up until Name of Product visible	SKIPPED	0.001 s
7	Then I compare Product Name between Pasaj Screen and First Product of Best Sellers Product Screen	SKIPPED	0.000 s
	AFTER - steps.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.927 s
	Check First Product Name of Best Sellers		
			

Search Result Feature

FAILED	DURATION - 39.237 s	Scenarios		Steps	
/ 11:33:58.978 AM // 11:34:38.215 AM /		Total - 1		Total - 8	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	


Check Product Names is Relevant to Search Text

<div>FAILED</div> <div>DURATION - 39.237 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 11:33:58.978 AM // 11:34:38.215 AM /				
Search Result Feature				
@Smoke @Regression				

#	Step / Hook Details	Status	Duration
1	Given I click Discover Pasaj Button	PASSED	7.754 s
2	Then I should see Pasaj Page org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: /ierarchy/android.widget.FrameLayout/android.widget.LinearLayout/android.widget.FrameLayout/android.widget.LinearLayout/android.widget.FrameLayout/android.view.ViewGroup/android.widget.LinearLayout[1]/android.widget.FrameLayout/android.widget.LinearLayout/android.view.ViewGroup[1]/android.widget.FrameLayout/android.view.View[2] (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at pages.BasePage.waitForVisibilityOfElement(BasePage.java:30) at pages.PasajPage.verifyPasajPageOpen(PasajPage.java:22) at steps.S000_MainSteps.checkPasajPage(S000_MainSteps.java:24) at ?.I should see Pasaj Page(file:///C:/Users/evrenak/NetasWorkspace/PomMobileTurkcellPasajAutomation/src/test/java/features/SearchBox_CheckProductNamesRelevant.feature:8) Caused by: org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'NTS5CG0488VTN', ip: '192.168.0.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_371' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.ttech.android.onlineisl..., appPackage: com.ttech.android.onlineislem, autoGrantPermissions: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.ttech.android.onlineisl..., appPackage: com.ttech.android.onlineislem, autoGrantPermissions: true, automationName: UiAutomator2, deviceName: Pixel 2 API 30, noReset: false, platformName: android, platformVersion: 11.0, skipUnlock: true, uidid: emulator-5554}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: sdk_gphone_x86, deviceName: emulator-5554, deviceScreenDensity: 420, deviceScreenSize: 1080x1920, deviceUDID: emulator-5554, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, noReset: false, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 11, skipUnlock: true, statusBarHeight: 63, takesScreenshot: true, uidid: emulator-5554, viewportRect: {height: 1731, left: 0, top: 63, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 5d27fd15-9c5d-4b1e-89c9-83f2a20001a0 *** Element info: {Using=xpath, value=/ierarchy/android.widget.FrameLayout/android.widget.LinearLayout/android.widget.FrameLayout/android.widget.LinearLayout/android.view.ViewGroup/android.widget.LinearLayout[1]/android.widget.FrameLayout/android.widget.LinearLayout/android.view.ViewGroup[1]/android.widget.FrameLayout/android.view.View[2]} at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	10.773 s

#	Step / Hook Details	Status	Duration
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:247) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:41) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:61) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:151) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:57) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:205) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:201) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at pages.BasePage.waitUntilVisibilityOfElement(BasePage.java:30) at pages.PasajPage.verifyPasajPageOpen(PasajPage.java:22) at steps.S000_MainSteps.checkPasajPage(S000_MainSteps.java:24) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:117) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:114) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) * Not displayable characters are replaced by '?'.		
3	When I click SearchBox	SKIPPED	0.001 s
4	When I fills TextBox	SKIPPED	0.001 s
5	And I tap Enter on Keyboard	SKIPPED	0.001 s
6	Then I wait until Search Results loaded	SKIPPED	0.000 s
7	When I see all Product Names on the Screen	SKIPPED	0.001 s
8	Then I check Product Names is relevant to Search Text	SKIPPED	0.001 s
	AFTER - steps.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.961 s

#	Step / Hook Details	Status	Duration
	<p>Check Product Names is Relevant to Search Text</p>  A screenshot of a mobile application interface. At the top, there's a status bar showing the time 11:54 and battery level. Below it, a navigation bar with a magnifying glass icon and the text 'TÜRKİYE' and 'İzmir'. A search bar with the placeholder text 'Ürün, kategori veya marka arayın' is present. Below the search bar, there's a section titled 'Bambaşka' with a subtitle '22 gün ve 2 hafta önce'. This section features a grid of four circular icons representing different products: a black bag, a white bowl, a green box, and a blue box. At the bottom, there's a navigation bar with five icons: a home icon, a list icon, a heart icon, a magnifying glass icon, and a person icon. The text 'Ana Sayfa', 'Kategoriler', 'Favorilerim', 'Aradıklarım', and 'Profilim' are visible below the icons.		