

Cucumber Report

20.Eyl.2023 10:17:42

Start : Eyl 20, 10:16:45.646 AM

End : Eyl 20, 10:17:41.155 AM

Duration : 55.509 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 13




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Product Detail Feature</u>	26.562 s	1	0	1	0	7	0	1	6
<u>Search Result Feature</u>	28.922 s	1	0	1	0	8	0	1	7

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Smoke	2	0	2	0	2	0	2	0
@Regression	2	0	2	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>Product Detail Feature</u>	1	0	1	0	26.562 s
2	<u>Search Result Feature</u>	1	0	1	0	28.922 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Product Detail Feature</u>	<u>Check First Product Name of Best Sellers</u>	7	0	1	6	26.558 s
2	<u>Search Result Feature</u>	<u>Check Product Names is Relevant to Search Text</u>	8	0	1	7	28.922 s

Product Detail Feature

FAILED	DURATION - 26.562 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	
/ 10:16:45.646 AM // 10:17:12.208 AM /					


Check First Product Name of Best Sellers

FAILED	DURATION - 26.558 s		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	
/ 10:16:45.650 AM // 10:17:12.208 AM /				
Product Detail Feature				
@Smoke @Regression				



#	Step / Hook Details	Status	Duration
1	<p>Given I click Discover Pasaj Button</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: /ierarchy/android.widget.FrameLayout/android.widget.LinearLayout/android.widget.FrameLayout/android.widget.LinearLayout/android.widget.FrameLayout/android.view.ViewGroup/android.view.ViewGroup[2]/android.view.ViewGroup[2]/android.view.ViewGroup/androidx.cardview.widget.CardView/android.view.ViewGroup/android.widget.Button (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at pages.BasePage.waitForElementClickable(BasePage.java:34) at pages.BasePage.clickAndWait(BasePage.java:42) at pages.MainPage.clickDiscoverPasajButtonAndWait(MainPage.java:17) at steps.S000_MainSteps.clickDiscoverPasajButton(S000_MainSteps.java:19) at ?.I click Discover Pasaj Button(file:///C:/Users/evrenak/NetasWorkspace/PomMobileTurkcellPasajAutomation/src/test/java/features/ProductDetail_CheckName.feature:7) Caused by: org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'NTS5CG0488VTN', ip: '192.168.0.9', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_371' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.ttech.android.onlineisl..., appPackage: com.ttech.android.onlineislem, autoGrantPermissions: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.ttech.android.onlineisl..., appPackage: com.ttech.android.onlineislem,</p>	FAILED	10.515 s

#	Step / Hook Details	Status	Duration
	<pre>autoGrantPermissions: true, automationName: UiAutomator2, deviceName: Pixel 2 API 30, noReset: false, platformName: android, platformVersion: 11.0, skipUnlock: true, udid: emulator-5554}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: sdk_gphone_x86, deviceName: emulator-5554, deviceScreenDensity: 420, deviceScreenSize: 1080x1920, deviceUDID: emulator-5554, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, noReset: false, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 11, skipUnlock: true, statBarHeight: 63, takesScreenshot: true, udid: emulator-5554, viewportRect: {height: 1731, left: 0, top: 63, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 0a5972f8-75d5-466f-9a37-f786bcca2147 *** Element info: {Using=xpath, value=/ierarchy/android.widget.FrameLayout/android.widget.LinearLayout/android.widget.FrameLayout/android. widget.LinearLayout/android.widget.FrameLayout/android.view.ViewGroup/android.view.ViewGroup[2]/android.view.ViewGroup[2]/android. view.ViewGroup/androidx.cardview.widget.CardView/android.view.ViewGroup/android.widget.Button} at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:247) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:41) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:61) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:151) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:57) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:205) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:201) at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:641) at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:638) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at pages.BasePage.waitUntilElementClickable(BasePage.java:34)</pre>		



#	Step / Hook Details	Status	Duration
	at pages.BasePage.clickWithWait(BasePage.java:42) at pages.MainPage.clickDiscoverPasajButtonWithWait(MainPage.java:17) at steps.S000_MainSteps.clickDiscoverPasajButton(S000_MainSteps.java:19) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:117) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:114) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - steps.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.884 s
	Check First Product Name of Best Sellers		
			
2	Then I should see Pasaj Page	SKIPPED	0.000 s
3	When I scroll down until First Product Name of Best Sellers visible	SKIPPED	0.000 s
4	When I get Product Name in Pasaj Screen	SKIPPED	0.001 s
5	Then I click First Product of Best Sellers	SKIPPED	0.000 s
6	Then I scroll up until Name of Product visible	SKIPPED	0.000 s
7	Then I compare Product Name between Pasaj Screen and First Product of Best Sellers Product Screen	SKIPPED	0.000 s

Search Result Feature

FAILED	DURATION - 28.922 s	Scenarios		Steps	
/ 10:17:12.233 AM // 10:17:41.155 AM /		Total - 1		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	


Check Product Names is Relevant to Search Text

<div>FAILED</div> <div>DURATION - 28.922 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 10:17:12.233 AM // 10:17:41.155 AM /				
Search Result Feature				
@Smoke @Regression				

#	Step / Hook Details	Status	Duration
1	<p>Given I click Discover Pasaj Button</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: /ierarchy/android.widget.FrameLayout/android.widget.LinearLayout/android.widget.FrameLayout/android.widget.LinearLayout/android.widget.FrameLayout/android.view.ViewGroup/android.view.ViewGroup[2]/android.view.ViewGroup[2]/android.view.ViewGroup/androidx.cardview.widget.CardView/android.view.ViewGroup/android.widget.Button (tried for 10 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)</p> <p>at pages.BasePage.waitUntilElementClickable(BasePage.java:34)</p> <p>at pages.BasePage.clickWithWait(BasePage.java:42)</p> <p>at pages.MainPage.clickDiscoverPasajButtonWithWait(MainPage.java:17)</p> <p>at steps.S000_MainSteps.clickDiscoverPasajButton(S000_MainSteps.java:19)</p> <p>at ?.I click Discover Pasaj Button(file:///C:/Users/evrenak/NetasWorkspace/PomMobileTurkcellPasajAutomation/src/test/java/features/SearchBox_CheckProductNamesRelevant.feature:7)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'NTS5CG0488VTN', ip: '192.168.0.9', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_371' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.ttech.android.onlineisl..., appPackage: com.ttech.android.onlineislem, autoGrantPermissions: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.ttech.android.onlineisl..., appPackage: com.ttech.android.onlineislem, autoGrantPermissions: true, automationName: UiAutomator2, deviceName: Pixel 2 API 30, noReset: false, platformName: android, platformVersion: 11.0, skipUnlock: true, uid: emulator-5554}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: sdk_gphone_x86, deviceName: emulator-5554, deviceScreenDensity: 420, deviceScreenSize: 1080x1920, deviceUDID: emulator-5554, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, noReset: false, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 11, skipUnlock: true, statBarHeight: 63, takesScreenshot: true, udid: emulator-5554, viewportRect: {height: 1731, left: 0, top: 63, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: e3d60092-3908-4f74-9eef-05ee89a34ce0 *** Element info: {Using=xpath, value=/ierarchy/android.widget.FrameLayout/android.widget.FrameLayout/android.widget.FrameLayout/android.widget.LinearLayout/android.widget.FrameLayout/android.view.ViewGroup/android.view.ViewGroup[2]/android.view.ViewGroup[2]/android.view.ViewGroup/androidx.cardview.widget.CardView/android.view.ViewGroup/android.widget.Button}</p> <p>at sun.reflect.GeneratedConstructorAccessor13.newInstance(Unknown Source)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p>	FAILED	10.499 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:247) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:41) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:61) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:151) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:57) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:205) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:201) at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:641) at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:638) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at pages.BasePage.waitUntilElementClickable(BasePage.java:34) at pages.BasePage.clickWithWait(BasePage.java:42) at pages.MainPage.clickDiscoverPasajButtonWithWait(MainPage.java:17) at steps.S000_MainSteps.clickDiscoverPasajButton(S000_MainSteps.java:19) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:117) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:114) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319) at org.testng.SuiteRunner.run(SuiteRunner.java:268) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.run(TestNG.java:1064) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - steps.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.980 s
	Check Product Names is Relevant to Search Text		

#	Step / Hook Details	Status	Duration
			
2	Then I should see Pasaj Page	SKIPPED	0.000 s
3	When I click SearchBox	SKIPPED	0.000 s
4	When I fills TextBox	SKIPPED	0.000 s
5	And I tap Enter on Keyboard	SKIPPED	0.001 s
6	Then I wait until Search Results loaded	SKIPPED	0.001 s
7	When I see all Product Names on the Screen	SKIPPED	0.001 s
8	Then I check Product Names is relevant to Search Text	SKIPPED	0.000 s