

# Seneca College

**May 29, 2019**

Applied Arts &amp; Technology

SCHOOL OF COMPUTER STUDIES

**JAC444      Demo & Final Code Due date      : June 05, 2019**

## Workshop 3

### Notes:

- i. Each task should be presented during the lab, demo worth 70% of the workshop marks and code uploading worth the other 30%.
- ii. Make sure you have all security and check measures in place, like wrong data types etc., no need to implement Exception as we haven't covered yet. There are other ways to handle bad input data.
- iii. Given output structure is just for student to have a glimpse what the output can look, student are free to make the output better in any way.
- iv. The final should be submitted by the midnight to avoid late penalties which are 10% each day late.


Other inputs can be given during demo, so make sure you test your program properly.

**Task 1:** Design a new **Triangle** class that extends the abstract **GeometricObject** class (provided in Lecture 3). Provide the UML diagram for the classes **Triangle** and **GeometricObject** and then implement the **Triangle** class.

Write a test program that prompts the user to enter three sides of the triangle, a color, and a Boolean value to indicate whether the triangle is filled. The program should create a **Triangle** object with these sides and set the color and filled properties using the input. The program should display the area, perimeter, color, and true or false to indicate whether it is filled or not.

### **Task 2:**

Banks lend money to each other. In tough economic times, if a bank goes bankrupt, it may not be able to pay back the loan. A bank's total assets are its current balance plus its loans to other banks. The diagram below shows five banks. The banks' current balances are 25, 125, 175, 75, and 181 million dollars, respectively. The directed edge from node 1 to node 2 indicates that bank 1 lends 40 million dollars to bank 2.



Banks lend money to each other

If a bank's total assets are under a certain limit, the bank is unsafe. The money it borrowed cannot be returned to the lender, and the lender cannot count the loan in its total assets. Consequently, the lender may also be unsafe, if its total assets are under the limit.

Write a program to find all the unsafe banks. Your program reads the input as follows.

1. It first reads two integers **n** and **limit**, where **n** indicates the number of banks and **limit** is the minimum total assets for keeping a bank safe from the user.
2. It then reads **n** lines that describe the information for **n** banks with IDs from **0** to **n-1**.

The first number in the line is the bank's balance, the second number indicates the number of banks that borrowed money from the bank, and the rest are pairs of two numbers. Each pair describes a borrower. The first number in the pair is the borrower's ID and the second is the amount borrowed.

For example, the input for the five banks in above picture is as follows (**note that the limit is 201**):

Number of banks: 5

Minimum asset limit: 201

Bank # 0 → Balance: 25 → Number of banks Loaned: 2 → Bank ID: 1 → Amount: 100.5 → Bank ID: 4 → Amount: 320.5

Bank # 1 → Balance: 125 → Number of banks Loaned: 2 → Bank ID: 2 → Amount: 40 → Bank ID: 3 → Amount: 85

Bank # 2 → Balance: 175 → Number of banks Loaned: 2 → Bank ID: 0 → Amount: 125 → Bank ID: 3 → Amount: 75

Bank # 3 → Balance: 75 → Number of banks Loaned: 1 → Bank ID: 0 → Amount: 125

Bank # 4 → Balance: 181 → Number of banks Loaned: 1 → Bank ID: 2 → Amount: 125

The total assets of bank 3 are (75 + 125), which is under 201, so bank 3 is unsafe. After bank 3 becomes unsafe, the total assets of bank 1 fall below (125 + 40). Thus, bank 1 is also unsafe.

**Note: Program should take inputs from the user like Number of banks, Minimum asset limit and then all other inputs**

**The output of the program should be**  
Unsafe banks are 3 and Bank 1