

Activation instructions

1. Clone repository to local environment.


<https://github.com/evya/FinalProject.git>

2. Google Chrome Extension


a. First Use

- Open Chrome
- Go to

- Chrome menu
- "Tools"
- "Extensions"



- Check the "Developer mode" checkbox



- Click "Load unpacked extension"

Chrome

Extensions


History

Extensions


Load unpacked extension...

Pack extension...



- Select the "ClassLineUI" directory and click "OK"



- The class line Chrome extension is ready for "Launch"



ClassLine App1.0

 Enabled 

Dvir & Evyatar [Permissions](#)

ID: gekcgcmddhaehlfbidkemocoikokipnb

Loaded from: C:\Users\Evyatarp\Documents\GitHub\FinalProject\Software\ClassLineUI

Inspect views: [background page \(inactive\)](#)

There were warnings when trying to install this extension:


- 'app.launch' is only allowed for hosted apps and legacy packaged apps, and this is a packaged app.
- 'commands' is only allowed for extensions, and this is a packaged app.
- 'content_security_policy' is only allowed for extensions and legacy packaged apps, and this is a packaged app.

☐ Allow in incognito


[Reload \(Ctrl+R\)](#) [Launch](#)

b. Reoccurring use:

- Go to "Extentions" area



- Press "Launch" on the ClassLine App area



3. Server Application

- Access path <Local Repository> \\\nFinalProject\\Software\\ClassLineService\\ServerUI\\bin\\Debug
- Double-click executable

