



swagger

<http://ewall.radio.pub.ro/platform-dev/notification-manager/api-c>[Explore](#)

eWall Notification Manager

Single processing entity for managing (i.e. storing, forwarding or deleting) all eWALL notifications.

[Contact the developer](#)

basic-error-controller : Basic Error Controller

[Show/Hide](#) | [List Operations](#) | [Expand Operations](#) | [Raw](#)**GET** /error error

Implementation Notes

error

Response Class

[Model](#) | [Model Schema](#)Response Content Type

Response Messages

HTTP Status Code	Reason	Response Model
200	OK	
401	Unauthorized	
403	Forbidden	
404	Not Found	

[Try it out!](#)**GET** /error errorHtml

Implementation Notes

errorHtml

Response Class

[Model](#) | [Model Schema](#)

```
{
  "view": {
    "contentType": ""
  }
}
```

```
},
"model": "object",
"viewName": "",
"reference": false,
"modelMap": {
  "empty": false
},
```

Response Content Type text/html ▼

Response Messages

HTTP Status
Code

Reason

Response Model

200

OK

Model

Model Schema

```
{
  "view": {
    "contentType": ""
  },
  "model": "object",
  "viewName": "",
  "reference": false,
  "modelMap": {
    "empty": false
  },
  "empty": false
}
```

401

Unauthorized

403

Forbidden

404

Not Found

[Try it out!](#)

POST /error

errorHtml

Implementation Notes

errorHtml

Response Class

Model

Model Schema

```
{
  "view": {
    "contentType": ""
  },
  "model": "object",
  "viewName": "",
  "reference": false,
```

```
"modelMap": {  
  "empty": false  
},  
"empty": false
```

Response Content Type

Response Messages

HTTP Status
Code

Reason

Response Model

200

Model

Model Schema

```
{  
  "view": {  
    "contentType": ""  
  },  
  "model": "object",  
  "viewName": "",  
  "reference": false,  
  "modelMap": {  
    "empty": false  
  },  
  "empty": false  
}
```

201

Created

401

Unauthorized

403

Forbidden

404

Not Found

[Try it out!](#)

PUT /error

errorHtml

Implementation Notes

errorHtml

Response Class

Model

Model Schema

```
{  
  "view": {  
    "contentType": ""  
  },  
  "model": "object",  
  "viewName": "",  
  "reference": false,  
  "modelMap": {  
    "empty": false  
  }  
}
```

},

Response Content Type text/html ▼

Response Messages

HTTP Status
Code

Reason

Response Model

200

Model | Model Schema

```
{
  "view": {
    "contentType": ""
  },
  "model": "object",
  "viewName": "",
  "reference": false,
  "modelMap": {
    "empty": false
  },
  "empty": false
}
```

201 Created

401 Unauthorized

403 Forbidden

404 Not Found

[Try it out!](#)

PATCH

[/error](#)

errorHtml

Implementation Notes

errorHtml

Response Class

Model | Model Schema

```
{
  "view": {
    "contentType": ""
  },
  "model": "object",
  "viewName": "",
  "reference": false,
  "modelMap": {
    "empty": false
  },
}
```

Response Content Type text/html ▼

Response Messages

HTTP Status
Code

Reason

Response Model

200

Model

Model Schema

```
{
  "view": {
    "contentType": ""
  },
  "model": "object",
  "viewName": "",
  "reference": false,
  "modelMap": {
    "empty": false
  },
  "empty": false
}
```

204

No Content

401

Unauthorized

403

Forbidden

Try it out!

DELETE

/error

errorHtml

Implementation Notes

errorHtml

Response Class

Model

Model Schema

```
{
  "view": {
    "contentType": ""
  },
  "model": "object",
  "viewName": "",
  "reference": false,
  "modelMap": {
    "empty": false
  },
  "empty": false
}
```

Response Content Type text/html ▼

Response Messages

HTTP Status Code	Reason	Response Model
200		<div>Model Model Schema</div> <pre>{ "view": { "contentType": "" }, "model": "object", "viewName": "", "reference": false, "modelMap": { "empty": false }, "empty": false }</pre>
204	No Content	
401	Unauthorized	
403	Forbidden	

Try it out!

OPTIONS /error errorHtml

Implementation Notes

errorHtml

Response Class

Model | Model Schema

```
{
  "view": {
    "contentType": ""
  },
  "model": "object",
  "viewName": "",
  "reference": false,
  "modelMap": {
    "empty": false
  },
  "empty": false
}
```

Response Content Type

Response Messages

HTTP Status Code	Reason	Response Model
------------------	--------	----------------

HTTP Status Code	Reason	Response Model
200		<div>Model Model Schema</div> <div><pre>{ "view": { "contentType": "" }, "model": "object", "viewName": "", "reference": false, "modelMap": { "empty": false }, "empty": false }</pre></div>
204	No Content	
401	Unauthorized	
403	Forbidden	

Try it out!

/error

errorHtml

Implementation Notes

errorHtml

Response Class

Model | Model Schema

```
{
  "view": {
    "contentType": ""
  },
  "model": "object",
  "viewName": "",
  "reference": false,
  "modelMap": {
    "empty": false
  },
  "empty": false
}
```

Response Content Type

text/html ▼

Response Messages

HTTP Status Code	Reason	Response Model
------------------	--------	----------------

HTTP Status Code	Reason	Response Model
200		<div>Model Model Schema</div> <pre> { "view": { "contentType": "" }, "model": "object", "viewName": "", "reference": false, "modelMap": { "empty": false }, "empty": false } </pre>
204	No Content	
401	Unauthorized	
403	Forbidden	

Try it out!

HEAD /error errorHtml

Implementation Notes

errorHtml

Response Class

Model | Model Schema

```

{
  "view": {
    "contentType": ""
  },
  "model": "object",
  "viewName": "",
  "reference": false,
  "modelMap": {
    "empty": false
  },
  "empty": false
}

```

Response Content Type text/html ▼

Response Messages

HTTP Status Code	Reason	Response Model
------------------	--------	----------------

HTTP Status Code	Reason	Response Model
200		<div>Model Model Schema</div> <pre>{ "view": { "contentType": "" }, "model": "object", "viewName": "", "reference": false, "modelMap": { "empty": false }, "empty": false}</pre>
204	No Content	
401	Unauthorized	
403	Forbidden	

Try it out!

HEAD /error error

Implementation Notes

error

Response Class

Model | Model Schema

Response Content Type */* ▼

Response Messages

HTTP Status Code	Reason	Response Model
200		
204	No Content	
401	Unauthorized	
403	Forbidden	

Try it out!

POST /error error

Implementation Notes

error

Response Class

Model | Model Schema

Response Content Type */* ▼

Response Messages

HTTP Status Code	Reason	Response Model
200		
201	Created	
401	Unauthorized	
403	Forbidden	
404	Not Found	

Try it out!

PUT /error error

Implementation Notes

error

Response Class

Model | Model Schema

Response Content Type */* ▼

Response Messages

HTTP Status Code	Reason	Response Model
200		
201	Created	
401	Unauthorized	
403	Forbidden	
404	Not Found	

Try it out!

PATCH /error error

Implementation Notes

error

Response Class

Model | Model Schema

Response Content Type

Response Messages

HTTP Status Code	Reason	Response Model
200		
204	No Content	
401	Unauthorized	
403	Forbidden	

Try it out!

DELETE /error error

Implementation Notes

error

Response Class

Model | Model Schema

Response Content Type

Response Messages

HTTP Status Code	Reason	Response Model
200		
204	No Content	
401	Unauthorized	
403	Forbidden	

Try it out!

OPTIONS

/error

error

Implementation Notes

error

Response Class

Model | Model Schema

Response Content Type

/

Response Messages

HTTP Status Code	Reason	Response Model
200		
204	No Content	
401	Unauthorized	
403	Forbidden	

Try it out!

/error

error

Implementation Notes

error

Response Class

Model | Model Schema

Response Content Type

/

Response Messages

HTTP Status Code	Reason	Response Model
200		
204	No Content	
401	Unauthorized	
403	Forbidden	

Try it out!

feedback-iface : Feedback Iface

[Show/Hide](#)[List Operations](#)[Expand Operations](#)[Raw](#)**POST** /userFeedback

getFeedback

Implementation Notes

getFeedback

Parameters

Parameter	Value	Description	Parameter Type	Data Type
notID	<input type="text" value="(required)"/>	id	query	string
feedback	<input type="text" value="(required)"/>	feedback	query	string

Response Messages

HTTP Status Code	Reason	Response Model
200		
201	Created	
401	Unauthorized	
403	Forbidden	
404	Not Found	

[Try it out!](#)

iface-controller : Iface Controller

[Show/Hide](#)[List Operations](#)[Expand Operations](#)[Raw](#)**GET** /getNot

sendNot

Implementation Notes

sendNot

Response Class

string

Response Content Type

Parameters

Parameter	Value	Description	Parameter Type	Data Type
user	<input type="text" value="BOB"/>	user	query	string

Parameter	Value	Description	Parameter Type	Data Type
userID	<input type="text" value="JAMES007BOB"/>	userID	query	string
device	<input type="text" value="0"/>	device	query	string

Response Messages

HTTP Status Code	Reason	Response Model
200	OK	
401	Unauthorized	
403	Forbidden	
404	Not Found	

[Try it out!](#)**POST** /IDSSR1

IR1

Implementation Notes

IR1

Parameters

Parameter	Value	Description	Parameter Type	Data Type
user	<input type="text" value="user"/>	user	query	string
userID	<input type="text" value="JB"/>	userID	query	string
date	<input type="text" value="10-10-10"/>	date	query	string
time	<input type="text" value="12:30.214"/>	time	query	string
nID	<input type="text" value="1"/>	notID	query	string
prior	<input type="text" value="0.5"/>	prior	query	string

Response Messages

HTTP Status Code	Reason	Response Model
200		
201	Created	
401	Unauthorized	
403	Forbidden	
404	Not Found	

[Try it out!](#)

POST /IDSSR2 IR2

Implementation Notes

IR2

Parameters

Parameter	Value	Description	Parameter Type	Data Type
user	<input type="text" value="user"/>	user	query	string
userID	<input type="text" value="JB"/>	userID	query	string
type	<input type="text" value="two-buttons"/>	type	query	string
title	<input type="text" value="Important notification"/>	title	query	string
content	<input type="text" value="Bla bla"/>	content	query	string
nID	<input type="text" value="1"/>	notID	query	string

Response Messages

HTTP Status Code	Reason	Response Model
200		
201	Created	
401	Unauthorized	
403	Forbidden	
404	Not Found	

Try it out!

POST /Notif GetNotif

Implementation Notes

GetNotif

Response Class

string

Response Content Type */* ▼

Parameters

Parameter	Value	Description	Parameter Type	Data Type
-----------	-------	-------------	----------------	-----------

Parameter	Value	Description	Parameter Type	Data Type
user	<input type="text" value="user"/>	user	query	string
date	<input type="text" value="10-10-10"/>	date	query	string
time	<input type="text" value="12:30.214"/>	time	query	string
type	<input type="text" value="Default"/>	type	query	string
title	<input type="text" value="Default"/>	title	query	string
content	<input type="text" value="Default"/>	content	query	string
prior	<input type="text" value="0.5"/>	prior	query	string
source	<input type="text" value="Default"/>	source	query	string

Response Messages

HTTP Status Code	Reason	Response Model
200		
201	Created	
401	Unauthorized	
403	Forbidden	
404	Not Found	

Try it out!

POST

/notification

recvNotificaiton

Implementation Notes

recvNotificaiton

Response Class

Model | Model Schema

```
{
  "content": {
    "feedback": [
      {
        "min": "",
        "max": "",
        "label": "",
        "type": "",
        "url": ""
      }
    ]
  }
}
```


Response Content Type application/json ▼

Parameters

Parameter	Value	Description	Parameter Type	Data Type
body	<div></div> <div>Parameter content type: application/json ▼</div>	notifContent	body	<div>Model Model Schema</div> <div><pre>{ "content": { "feedback": [{ "min": "", "max": "", "label": "", "type": "", "url": "" }], "motivational": "" } }</pre></div> <div>Click to set as parameter value</div>

Response Messages

HTTP Status Code	Reason	Response Model
200		<div>Model Model Schema</div> <div><pre>{ "content": { "feedback": [{ "min": "", "max": "", "label": "", "type": "", "url": "" }], "motivational": "" } }</pre></div>
201	Created	
401	Unauthorized	
403	Forbidden	
404	Not Found	

Try it out!

POST /Position

UInfo

Implementation Notes

UInfo

Parameters

Parameter	Value	Description	Parameter Type	Data Type
user	<input type="text" value="user"/>	user	query	string
userID	<input type="text" value="JB"/>	userID	query	string
position	<input type="text" value="1"/>	location	query	string

Response Messages

HTTP Status Code	Reason	Response Model
200		
201	Created	
401	Unauthorized	
403	Forbidden	
404	Not Found	

[Try it out!](#)
POST /setEmail

setEmailAdd

Implementation Notes

setEmailAdd

Parameters

Parameter	Value	Description	Parameter Type	Data Type
userEM	<input type="text" value="none"/>	user	query	string
relatEM	<input type="text" value="none"/>	relative	query	string
caregivEM	<input type="text" value="none"/>	caregvr	query	string
reset	<input type="text" value="No"/>	reset	query	string

Response Messages

HTTP Status Code	Reason	Response Model
200		
201	Created	
401	Unauthorized	
403	Forbidden	
404	Not Found	

Try it out!

POST /UsrReg

Ureg

Implementation Notes

Ureg

Parameters

Parameter	Value	Description	Parameter Type	Data Type
user	<input type="text" value="Bob"/>	user	query	string
userID	<input type="text" value="JAMES007BOB"/>	userID	query	string
position	<input type="text" value="1"/>	location	query	string
lang	<input type="text" value="en"/>	lang	query	string

Response Messages

HTTP Status Code	Reason	Response Model
200		
201	Created	
401	Unauthorized	
403	Forbidden	
404	Not Found	

Try it out!

notification-mongo : Notification Mongo

Show/Hide

List Operations

Expand Operations

Raw

POST /{caregiverUsername}/notifications

insertCaregiverNotificationDB

Implementation Notes

insertCaregiverNotificationDB

Response Class

string

Response Content Type */* ▼

Parameters

Parameter	Value	Description	Parameter Type	Data Type
-----------	-------	-------------	----------------	-----------

Parameter	Value	Description	Parameter Type	Data Type
caregiverUsername	<input type="text" value="(required)"/>	caregiverUsername	path	string
primaryUser	<input type="text" value="(required)"/>	user	query	string
dateTime	<input type="text" value="(required)"/>	date	query	string
type	<input type="text" value="Default"/>	type	query	string
title	<input type="text" value="Default"/>	title	query	string
content	<input type="text" value="Default"/>	content	query	string
priority	<input type="text" value="0.5"/>	prior	query	string
source	<input type="text" value="Default"/>	source	query	string

Response Messages

HTTP Status Code	Reason	Response Model
200		
201	Created	
401	Unauthorized	
403	Forbidden	
404	Not Found	

Try it out!

GET /{caregiverUsername}/notifications getAllNotsFromCG

Implementation Notes

getAllNotsFromCG

Response Class

Model | Model Schema

```
[
  {
    "caregiver": "",
    "primaryUser": "",
    "dateTime": "",
    "content": "",
    "triggerType": "",
    "title": "",
    "priority": "",
    "source": "",
    "Td": ""
```

Response Content Type

Parameters

Parameter	Value	Description	Parameter Type	Data Type
caregiverUsername	<input type="text" value="(required)"/>	caregiverUsername	path	string
From	<input type="text" value="(required)"/>	From	query	string
To	<input type="text" value="(required)"/>	To	query	string

Response Messages

HTTP Status Code	Reason	Response Model
200	OK	
401	Unauthorized	
403	Forbidden	
404	Not Found	

[Try it out!](#)

wadl-controller : Wadl Controller

[Show/Hide](#) | [List Operations](#) | [Expand Operations](#) | [Raw](#)[GET](#) /application.wadl[generateWadl](#)

Implementation Notes

generateWadl

Response Class

[Model](#) | [Model Schema](#)

```
{
  "doc": [
    {
      "content": [
        "object"
      ],
      "title": "",
      "lang": "",
      "otherAttributes": [
        {
          "key": ""
        }
      ]
    }
  ]
}
```

Response Content Type

Response Messages

HTTP Status Code	Reason	Response Model
200	OK	<div><div>ModelModel Schema</div><div><pre>{ "doc": [{ "content": ["object"], "title": "", "lang": "", "otherAttributes": [{ "key": "" }] }] }</pre></div></div>
401	Unauthorized	
403	Forbidden	
404	Not Found	

Try it out!

[BASE URL: <http://ewall.radio.pub.ro/platform-dev/notification-manager/api-docs> , API VERSION: 1.0]