

COMP30960 HCI Design Challenge - Group 2

DONAL O MAOLAGAIN, DONNCHA CONNOLLY, EWAN SHERIDAN, GAVIN FARRELLY, LILLY RYLL, and NICOLE MCCABE

This paper explores the inequality of university students from DEIS secondary schools versus those from fee-paying schools. In an effort to reduce this inequality, an AI-powered guidance counsellor is proposed as a HCI-inspired solution to the problem.

Additional Key Words and Phrases: User Centred Design, Stakeholders, Direct Users, Indirect Users, Decision Makers, Affected Groups, Conditions, Critical Interaction, Contexts, Human-Centred AI, Visual Design, The Cost-Benefit Model, Usability

1 Introduction

TreorAI is an AI-powered chatbot app. Its purpose is to advise Leaving Cert students with concerns about the CAO, university courses, and third-level education in general. In particular, it's targeted towards students in underprivileged DEIS schools, where guidance counsellors are often unfit to answer specific questions about university, stemming from a high proportion of students from these schools opting for apprenticeship, direct employment, or PLC rather than higher education [7]. Often they are first-generation university students [2], and thus their parents are also unable to assist in university application. This disadvantage compared to their fee-paying counterparts allows for the continuing of the constant cycle of students from affluent areas following in their parents' academic footsteps, while DEIS families cannot even get a foot on the university ladder.

This inequality of knowledge between second-level students propagates to a disparity between financial backgrounds at university. This inspired us to design TreorAI, a know-all guidance counsellor that levels the playing field by giving underprivileged students access to the same knowledge as everyone else. This is a stark instance of where the Sustainable Development Goal of "Reduced Inequalities" needs to be addressed. The design of TreorAI not only addresses this SDG, but actually provides a solution to this specific case of inequality.

2 User Centred Design

2.1 Stakeholders

2.1.1 Direct Users. The direct users are DEIS 6th Years who are exploring the idea of applying to university. We believe that students who come from more affluent families will be much less likely to require external support when it comes to university. Anyone using the app is obviously interested in researching university, but they may not be fully confident in trawling the vast array of existing support websites. Naturally, any users will have some specific aspects of university that they are unsure about. The students' parents may not have attended university, and it's likely that guidance counsellors were unable to help with their specific query. We needed to keep this in mind in subsequent design steps, so as not to recreate the issues that the primary users likely already faced elsewhere.

2.1.2 Indirect Users. Unlike general-purpose AI chatbots, TreorAI doesn't scrape the internet. Instead, it strictly and exclusively pulls from its own pre-approved information. All data about a university will be provided by that university's administrators, who act as indirect users to the service. The same applies to state-run bodies, where any information the app provides to direct users must be unambiguously provided by indirect users. This rules out any chance of misinformation and establishes trust with the direct users.

The prospect of a more diverse, representative student body should be incentive enough for any university to partner with this service. However, we still need to consider what motivation university administrators would have to actually provide thorough and in-depth information about their respective universities. In labs, we examined the persona of "Juliana Silva", a college admissions supervisor at UCD. We tried to look at using the app from her perspective to ensure the idea was viable from all angles.

2.1.3 Decision Makers. Usually in user centred design we must consider business investors and balance their needs against the users'. However, TreorAI would operate as a non-profit and rely on government funding. This doesn't mean we can neglect the so-called "decision makers" — the app still needs to be financially viable. For example, we need realistic expectations regarding the number of tokens the AI chatbot uses per request, how long a single query will take to process, etc.

2.1.4 Affected Groups. One major affected group is traditional guidance counsellors. Their jobs wouldn't necessarily be in jeopardy as a result of our app, but instead they could utilise TreorAI as a tool to assist them. They can also be seen as a key resource in informing direct users (students) about the app. For instance, when a student has a query that the counsellor is unsure of, they can recommend that the student try TreorAI.

Another affected group is the parents of the direct users. As discussed, it's likely that a direct user will have already tried (and failed) to gain insight from their parents, who don't have the personal experience to aid them with university application. While obviously frustrating for the student, this situation would also be stressful for parents, who feel incompetent that they can't help their child. With TreorAI, parents would be put at ease knowing that their child's uncertainties are being reliably and truthfully answered.

2.2 Conditions

"Conditions" are measurable aspects of a key task the user performs. We examine two examples below.

2.2.1 App Setup. Initial onboarding and setup of a user's account was the "critical interaction" we examined in labs. Because of this, it is the area we decided to study existing literature on specifically. This is covered in detail in **Section 5: Literature Review**. We established a clear measure of three minutes as the maximum time this process should take. This step naturally requires gathering information from the user, which, if implemented incorrectly, could prove to be tedious and invasive [6]. A rule of no more than two different questions on screen at once is implemented in the low-fidelity prototypes. A progress bar lets the user see how close they are to completing the setup process.

When we iterated through the "Design, Test, Learn" process, we eventually ended up with our high-fidelity prototype (discussed in more detail in **Section 8: Proposed Solution**). This built on the key ideas of its pen-and-paper predecessor, opting for a Dot-Slide indicator rather than a progress bar to give the user a more detailed report on "how long is left".

2.2.2 A Simple Chat with the Chatbot. Another key task is actually chatting with the chatbot. We tried to make this interaction analogous to texting a friend. Long paragraphs of unintelligible jargon were not what any student would want to see. Instead, short, succinct replies with a friendly tone should be prioritised. As a measurable condition, we enforced that any reasonable query should be resolved within five messages.

For example:

- "What universities offer physiotherapy at level 8?"

- *Here's a list of all universities in Ireland that offer courses associated with **Physiotherapy**: UCD, UL, RCSI, Trinity, Ulster University, ATU Donegal. [1] Would you like to know the duration (3 / 4 years) of each course?*
- "Which of those are within a two hour commute for me?"
- *Your current address is **Ongar**. UCD, RCSI, and TCD are all within 2 hours commute by bus. However, UL, UU, and ATU Donegal are all 3-5 hours away by car. Do you have any questions about course requirements?*
- "Yes, do these courses require Chemistry as a LC subject?"
- *UCD, Trinity, and RCSI all require at least **one lab science**. This can be Chemistry, Biology, Physics, or Agricultural Science. [1] You've told me you study **Chemistry and Biology**, so you're definitely eligible.*
- "I predict to get around 550 points, would I get into any of these courses?"
- *Last year, ATU was 531, and RCSI was 556. UCD, UL, and Trinity were all 580+. [1] UU is in the UK, so you apply through UCAS. Points are predicted to deflate this year, so they're all definitely attainable for you!*
- "List the ones I can do, based on previous messages"
- *Courses <550 points, with commute time < 2hrs: RCSI is your only option. It's a great college with a long history of medical degrees. Should I save **Physiotherapy at RCSI [RC004]** to your **Saved Courses** list?*

2.3 Contexts

The primary environment for a teenager using any technology today is the smartphone. To make a desktop-only environment for our service would rule out the overwhelming majority of primary users. The app may often be used in schools, so it must be ensured that any HEA networks, eduroam, or other educational ISPs don't block access to the service. Like any LLM, we would require an internet connection to access the database of information provided by universities and the CAO. However, even when offline, the app should operate with some limited functionality, e.g. notifications for open days.

3 Requirements

3.1 In Response to the Design Challenge

3.1.1 Promotes wellbeing and inclusivity for a specified underrepresented or vulnerable user group. DEIS students are severely underrepresented at university level, making up only 9% of the third-level student body. The figure is over double that at Leaving Cert level [8]. TreorAI promotes these students' wellbeing by trying to bridge the gap in the disparity of DEIS pupils at third level.

3.1.2 Linked to the United Nations SDG of Reduced Inequalities. Our design is inherently linked to the aforementioned Sustainable Development Goal – the idea came from observing the inequality between students from different financial backgrounds. Not only is it a primary example of what SDG 10 sets out to address, it's a viable, direct, and realistic solution to the problem that we started this process by just observing.

3.1.3 Specifies and solves a relevant and "burning" problem. The disparity between DEIS and fee-paying students in university is regularly talked about in the news, and has been for decades. It's at the heart of the class divide in Ireland, and solving it would be one of the first steps to resolving class inequality as a whole. This problem directly affects society by impeding diversity in high-income professions.

3.1.4 Uses technology in an appropriate and novel way. TreorAI uses artificial intelligence without misinforming its users. There is full transparency that the user isn't talking to a real human guidance counsellor from the

moment they download the app. The app doesn't store inappropriate user data or take advantage of users. For teenagers, a mobile app is more novel than a website.

3.1.5 Well-crafted and effectively presented design. The finished prototype design is of high quality and reflects many top-level mobile apps of today. It's presented with only relevant scenarios and is easy to understand. The prototype can be seen in the screenshots in [an appendix to this paper](#), as well as in the five-minute video that explores the prototype in more detail.

3.1.6 Validated appropriately to demonstrate fulfilling the design goal. All team members contributed to design recommendations and critiqued different iterations of prototypes to ensure the design goal was fulfilled in the final design. At the end of each lab, we asked other groups to critique current iterations of the prototype. This topic is discussed in more detail in [Section 9: Design Evaluation](#).

3.1.7 Relevant prior work properly identified and cited. All citations and references are correct and complete, in accordance with the ACM acmlarge single-column formatting, as requested.

3.1.8 Systematic analysis, synthesis, design, and evaluation. All analysis was done on real research from respected papers. The design was synthesised through the "Design, Test, Learn" iterative process discussed in lectures. Details within the design changed at each stage based on the group's evaluation of that iteration. Evaluation was not done on users; instead, we used other heuristic methods to evaluate our iterations of the design until we arrived at the final prototype. This is detailed further in [Section 9: Design Evaluation](#).

3.1.9 Demonstrates key ideas. The final design is interactive and complete. The key ideas of this project were to address the inequality of DEIS students at university and to create a technology using the key HCI principles learned in class. Both of these were not only demonstrated but fulfilled to the point where the final prototype displays a realistic solution to the initial key ideas we set out to address.

3.1.10 Ecosystem of stakeholders, conditions, and contexts was explored. All three were fully investigated to aid the design process. The details of how we evaluated the users, measures of key features, and contexts are described in [Section 2: User Centred Design](#).

3.2 In Response To Specific Users, Tasks & Contexts

3.2.1 Users. Students must get answers quickly and efficiently. University administrators and other third parties must know about the app and be incentivised to submit information to the chatbot's database. This must be an easy process and shouldn't give a university any reason not to partake.

3.2.2 Tasks (Conditions). App setup should take no longer than three minutes. All necessary information must be gathered without the user feeling an invasion of privacy. Any reasonable conversation should be resolved within five "chats". If the user wants to explore in more detail, the conversation must be able to extend past this.

3.2.3 Context. The app should run on school ISPs and also have some limited offline functionality. Push notifications should be available should the user opt in to receiving them.

4 Goals

The goals of the design are, by definition, to fulfil all the requirements. Primarily, we aim for the final design to resemble a fully functional chatbot app, addressing all the needs of all direct users in all contexts. In particular, we should always keep in mind the specific subset of students that is DEIS students, and how the app can be tailored more to aid them, and ultimately "reduce the inequality" that birthed this idea in the first place.

5 Literature Review

Full citations for each piece of literature are in [Section 10: References](#). Here, we just refer to the titles of each paper.

5.1 Sign-Up or Give-Up [6]

This paper analysed over 95,000 sessions of users registering for different websites, specifically Microsoft, Google, and Yahoo. The rates of completion varied drastically depending on how complex the sign-up was. Google's required a phone verification step, which caused a significant proportion of the users to give up. The main takeaway from the study was that higher "friction" leads to abandonment. It also explored the idea of the "cost-benefit" model. The more that users were shown something they considered to be of value (the reward), and the less privacy and effort they had to give up (the cost), the more likely they were to complete the form. If users don't see value from the moment they open our app, they will leave, so we needed to have it in the user's best interests to actually "want" to sign up.

5.2 You have 50 milliseconds to make a good first impression! [5]

In this article, they examined the speed at which users form a first impression when presented with a new interface. Based purely on visual design and the interface's clarity, the user will decide if they're going to continue using the interface after only 50 milliseconds. We need our opening screen to not only grab users' attention, but also to appear trustworthy and appealing. The moments leading up to the sign-up "flow" are just as important for user retention as the flow itself. If a user's first 50 milliseconds of using the app give them a bad first impression, the chances of them abandoning registration entirely will increase.

5.3 Designing Usable Web Forms [10]

The importance of unnecessary input is considered in this paper. They found that reducing the frequency of unnecessary questions boosted usability and eliminated many sign-up errors. All the questions in the onboarding process should be checked to ensure they are critical to the app's functionality. If not, then keeping them will be to our own detriment. Similarly to the previously discussed article by Lindgaard et al. [5], the notion of "cost" versus "reward" (or benefit) is explored here. Questions that users deem to be irrelevant will only increase cost and reduce the value they place on our app.

6 Alternative Design Considerations

Early on, we considered a variety of differing designs, narrowing our choice based on the project's requirements. Below are some alternative designs we decided against using.

6.1 First Idea

Our first idea was to completely re-invent the CAO. Instead of relying on Leaving Cert results in subjects unrelated to students' desired courses, it would instead operate like LinkedIn, allowing students to upload a CV and describe their personal profile. Universities could then choose students based on their individual skills. It would also get students accustomed to the process of applying for a job, writing cover letters, and participating in interviews. This would help lower-income students in particular, as they achieve between 100 and 150 points less than those from more affluent backgrounds [4] [9]. This disparity is a result of the prevalence of grinds schools in areas like South Dublin [3]. However, we realised this idea was unfeasible, as academic results are a necessary metric for accepting students into undergraduate programmes. Replacing this entire system would be a task beyond the scope of just HCI concepts, and it wouldn't properly address SDG 10.

6.2 Second Idea

Next, we looked at the issue of student housing. We could incorporate on-campus accommodation, digs, and shared housing into one portal, and compare each choice. They could apply for campus housing through us, avoiding applying to each separate university. We shelved this idea due to the fact that the existing systems for housing are not majorly flawed. The main issue that third-level students in Ireland have with housing is price [12]. The problem of affordability is an economic one, and not something we could attempt to resolve using HCI.

6.3 Third Idea

Finally, we explored a "Commuter Help" app. It would specifically target those in less well-off families, who have an average of 18 minutes longer commute time [11]. This idea seemed more promising as it directly corresponded to an inequality we could reduce. It could assist with setting up an M50 eToll tag, give information on bus timetables, and show cycle paths or unsafe cycling zones on college routes. In the end, we felt this idea didn't have enough substance to support itself as a fully-fledged design challenge.

7 Design Principles & Inspiration

7.1 Accessibility

The UI was designed in accordance with WCAG accessibility standards, reflecting a commitment to universal design. High-contrast text, responsive layouts, speech-to-text, text-to-speech, and compatibility across devices were prioritised to ensure that our app accommodates diverse digital access needs.

7.2 Alignment

Our app uses consistent alignment to improve readability and create predictability, making it easier for users to navigate. The onboarding screens employ centre alignment, which creates a stable, predictable reading path and reduces visual complexity. The heading, body text, subject tags, and interactive button are vertically aligned along a central axis. This uniform alignment contributes to an orderly interface that feels approachable.

7.3 Repetition / Consistency

Colour repetition is used repeatedly to create predictability, which is crucial for reducing friction, especially in onboarding flows. We used the same shade of green for all interactive elements, such as buttons and hyperlinks, to reduce the cognitive load required to navigate the system. Across all screens, the consistent use of the same colour palette, roundness, typography, and spacing also ensures a unified brand identity.

7.4 Contrast

Contrast draws attention to important content, as seen between our foreground elements (white and green) and the dark background. This supports WCAG accessibility requirements for visually impaired users. The green "Next" button stands out strongly from the black background, making it immediately identifiable as the primary action. The high-contrast palette also supports students with screen quality or brightness issues.

7.5 Hierarchy

The interface employs a clear, hierarchical organisation of content grounded in the principle of cognitive load management. There is a very clear typographic hierarchy, guiding users naturally through each screen. Large, bold headings ("Welcome to TreorAI" / "What subjects do you study?") establish the page's purpose instantly, while medium-weight supporting text provides instructions ("Click all that apply!") without competing for attention. Action buttons at the bottom anchor the user's next steps. The chatbot screen continues this hierarchy, where the bot's messages appear in distinct message bubbles above the user's input bar.

7.6 Progressive disclosure

During onboarding, we guide users through a multi-step process, providing the user with an apt amount of information to make choices at each step, without overwhelming them. The Dot-Slide indicator lets users orient themselves, and tooltips appear only when users hover over them. It's especially beneficial for students who may experience anxiety or reduced confidence navigating academic systems, breaking complex tasks into digestible segments.

7.7 Iconography and Visual Character

The mascot at the top of each screen adds emotional approachability. His thoughtful expression reinforces the app's educational purpose. This aligns with social presence theory, where friendly visual cues can make digital systems feel less intimidating. Duolingo's mascot inspired us due to its high level of success in its market.

7.8 Proximity and Grouping

This gave all elements a more intuitive UX, and a natural flow. Headings and subheadings appear close together, forming readable chunks of information. School subjects are clustered tightly, signalling that they belong to the same interaction group. The progress indicator and "Next" button form a cohesive navigation zone at the bottom. The Gestalt principle of proximity lets users understand which items are related, and which are independent.

7.9 Mobile-first Principles

The UI demonstrates a strong mobile-first approach, suitable for students relying on smartphones rather than laptops. Large tap targets (e.g. subject selection, "Next" buttons) support ease of interaction, and adequate spacing prevents accidental taps. Single-column layouts optimise readability on small screens. This supports equitable access by ensuring the app remains highly usable on lower-end or older mobile devices.

8 Proposed Solution

Our proposed solution is an AI-powered mobile app designed to support second-level students in navigating the transition into university. It provides personalised guidance on subjects, course pathways, grants, and application deadlines. By combining an AI assistant with an accessible and student-friendly interface, TreorAI acts as a virtual guidance counsellor for students who don't have access to high-quality education support.

8.1 Educational Problems Addressed

- Limited access to guidance counselling, especially for students from lower socioeconomic backgrounds who may receive less personalised, up-to-date advice on courses, CAO processes, and financial aid. m
- Confusion around financial supports, which disproportionately affects first-generation college entrants.
- Lack of clarity around how Leaving Cert subjects affect access to specific university courses.
- Stress caused by deadlines and administration tasks
- Digital inequity, where many students rely solely on mobile devices and benefit from interfaces designed for clarity, low cognitive load, and accessibility.

9 Design Evaluation

We applied Nielsen's 10 Usability Heuristics as a framework to systematically evaluate the interface.

- (1) **Visibility of System Status:** The app uses progress indicators (fig. 6) and active tab highlights (fig. 17) to convey where the user is within the system. The user's primary actions are always visible and unambiguous.

- (2) **Match Between System and Real World:** Plain language and simplified explanations align with the vocabulary used by students and teachers.
- (3) **User Control and Freedom:** The UI allows users to navigate back, (fig. 7) and choose between default prompts and custom messages. (fig. 12). Across onboarding, "togglng" is used, to allow users to fix incorrect selection immediately (fig. 7). The user can also choose to stop the bot from generating text (fig. 15).
- (4) **Consistency and Standards:** Colour, iconography, and typography remain consistent across onboarding, chatbot, and navigation interfaces.
- (5) **Error Prevention:** Only valid county names are accepted, and users must be aged 13 or over. For irreversible actions (e.g. deleting an entire chat history, see fig. 19) there's a pop-up to confirm the user is sure.
- (6) **Recognition rather than recall:** The app uses industry-standard icons, allowing users to instantly recognise their purpose. In fig. 12 the suggested questions also reduce reliance on memory, supporting novice users learning about CAO or SUSI.
- (7) **Flexibility and Efficiency of Use:** In fig. 17 there is a search bar to allow users to search for keywords in chat history. During sign-up in fig. 5, the Google account login provides a speedier path. Across onboarding, there is support for gestures so the user can swipe left and right to go to the subsequent screen.
- (8) **Aesthetic and Minimalist Design:** The app uses ample negative space, a restricted colour palette, minimal text, and clear, single-focused actions to reduce cognitive load.
- (9) **Help Users Recognise, Diagnose, and Recover From Errors:** If there is a network connection issue, a pop-up will appear to let the user know that their message has not been sent, see fig. 16.
- (10) **Help and Documentation:** The bot provides suggested prompts in the chat screen to show what it can do. The app also has "info" icons for clarification, such as in the subject selection screen, see fig. 10

References

- [1] [n. d.]. *Search for Physiotherapy Courses*. https://careersportal.ie/courses/coursefinder?txt=physiotherapy&levelInt=8&types_in=2+8
- [2] Harriet Coombs. 2022. First-in-Family Students: Executive Summary. <https://www.hepi.ac.uk/wp-content/uploads/2022/01/First-in-Family-Students.pdf>
- [3] Merike Darmody and Emer Smyth. 2022. Participation in shadow education and academic performance in Ireland and Germany. <https://www.esri.ie/publications/participation-in-shadow-education-and-academic-performance-in-ireland-and-germany>
- [4] Fás Aníos in Éirinn. 2019. Cohort '98 at 20 years old in 2018/19 (No. 4: Education, Training and Employment). <https://www.growingup.gov.ie/pubs/KF4-Web.pdf>
- [5] Gitte Lindaard, Gary Fernandes, Cathy Dudek, and Judith Brown. 2006. Attention web designers: You have 50 milliseconds to make a goodfirst impression! <https://www.tandfonline.com/doi/epdf/10.1080/01449290500330448?needAccess=true>
- [6] Miguel Malheiros and Sören Preibusch. 2013. Sign-Up or Give-Up: Exploring User Drop-Out in Web Service Registration. https://cups.cs.cmu.edu/soups/2013/trustbusters2013/Sign_up_or_Give_up_Malheiros.pdf
- [7] Selina McCoy, Emer Smyth, Dorothy Watson, and Merike Darmody. 2014. Leaving School in Ireland: A Longitudinal Study of Post-School Transitions (Ch 3.2). <https://www.esri.ie/system/files/publications/RS36.pdf>
- [8] Peter McGuire. 2022. *Fee-charging schools continue to have an advantage - but it is slipping*. <https://www.irishtimes.com/ireland/education/2022/12/14/proportion-of-students-from-deis-schools-who-secured-a-college-place-has-fallen/>
- [9] Carl O'Brien. 2024. *Leaving Cert class divide of 138 points linked with students' family backgrounds*. <https://www.irishtimes.com/ireland/education/2024/06/29/leaving-cert-class-divide-of-138-points-linked-with-students-family-backgrounds/>
- [10] Mirjam Seckler, Silvia Heinz, Javier A. Bargas-Avila, Klaus Opwis, and Alexandre N. Tuch. 2006. Designing Usable Web Forms – Empirical Evaluation of Web Form Improvement Guidelines. <https://dl.acm.org/doi/pdf/10.1145/2556288.2557265>
- [11] Liz Thomas. 2024. Briefing for Technological Higher Education Providers. <https://www.transforminglearning.ie/wp-content/uploads/2025/03/Briefing-presentation-website.pdf>
- [12] Threshold and Union of Students in Ireland (USI). 2020. *Latest Student Housing Survey Shows 78 % of Students Worried About Their Ability to Pay for Accommodation*. <https://threshold.ie/latest-student-housing-survey-shows-78-of-students/>

A Appendices

A.1 Personas




Fig. 1. Direct User: A DEIS secondary school student




Fig. 2. Indirect User: A university administrator

A.2 Sketches





Fig. 3. Low-Fidelity Prototypes using pen and paper



Fig. 4. Low-Fidelity Prototypes made with pen and paper

A.3 High-Fidelity Prototype



9:41



TreorAI

Your Personal Guidance Counsellor

 Enter Username

 Enter Email

 Enter Password 

☐ I accept the terms and privacy policy

Sign Up

Or

 Sign up with Google

Already have an account? [Login](#)

Fig. 5. Sign Up Page




Fig. 6. Beginning of Onboarding




Fig. 7. Onboarding - Language Selection




Fig. 8. Onboarding - Location




Fig. 9. Onboarding - Subject Selection




Fig. 10. Clarification Tip




Fig. 11. Onboarding Finished




Fig. 12. Question Prompts




Fig. 13. Accessibility - Speech to Text




Fig. 14. Chatbot Reply




Fig. 15. Stop Generating Response




Fig. 16. Error Prevention - Connection Error




Fig. 17. Chat History




Fig. 18. Chat History - Edit Chat




Fig. 19. Delete Chat Warning




Fig. 20. Profile




Fig. 21. Calendar