Beyond Aggregations: Understanding Count Information for Question Answering

Shrestha Ghosh




Max Planck Institute for Informatics

Saarland Informatics Campus





Count Information - What, Why and How?





Count Information - What, Why and How?

Popular QA datasets have 5%-10% count related queries.

QA systems default to ad-hoc count aggregation.

121 languages (90% confidence) Using data from 50 documents

Specific divisions:

- 1. 22 scheduled, 99 non-scheduled
- 2. 21 Indo-European, 17 Dravidian, ..,

Sample enumerations:

Assamese, Bengali, Gujarati, Hindi, ...



A few weeks ago ..

Goal

22 languages

The Eighth Schedule of the Constitution consists of the following **22 languages** – Assamese, Bengali, Gujarati, Hindi, Kannada, Kashmiri, Konkani, Malayalam, Manipuri, Marathi, Nepali, Oriya, Punjabi, Sanskrit, Sindhi, Tamil, Telugu, Urdu, Bodo, Santhali, Maithili and Dogri. Jul 1, 2018

indianexpress.com + India

More than 19,500 mother tongues spoken in India: Census ...

Related Work

- 1. Count information in IE
 - a. Saha et al. (ACL 17) Bootstrapping for numerical open IE.
 - b. Mirza et al. (ISWC 18) Enriching KB with counting quantifiers.
 - c. Ho et al. (ISWC 19) Qsearch: Answering quantity queries from text.
- 2. Count information QA
 - a. Abujabal et al. (ACL 17) QUINT: Interpretable QA over KBs.
 - b. Bast et al. (CIKM 15) More accurate QA on Freebase.
 - **c. Diefenbach et al. (WWW 19)** QAnswer (bridging the gap between a the LOD and enduser)
- 3. KB recall
 - a. Paulheim (SWJ 17) KG refinement: A survey of approaches and evaluation methods



Research Question

Given a natural language (count) query:

- Number of songs by the Beatles
- Number of languages in India

Provide a correct, informative and explainable answer.

- **Correct** true count or a reasonable estimate
- Informative representative enumerations.
- **Explainable** relevant context used to derive the count.

(Methodology)

Q1. How to *identify count information* in text.

(Evaluation)


Q2. How to ensure a) correctness b) informativeness and c) explainability.



Methodology - Count Extraction

Query

(Q: number of employees in Microsoft)



Text Retrieval

Count Extraction

Consolidation




Evaluation and Preliminary Results

- 1. Precision fraction of predictions which exactly match the gold answer.
- 2. Correctness ratio *min*(prediction, gold) to the *max*(prediction, gold).
 - Measures proximity to the true count.
 - A tolerance threshold for a relaxed precision measure.
- 3. Normalized 95% confidence interval size Compute ratio of the CI size to the predicted value.

Similarity (Q, C _n)	Precision	Rel. Precision	Correctness ratio	Norm. CI size
Head noun, Head noun				
Head noun, Noun phrase	~0.3	~0.3	~0.5	(10 ³ - 10 ⁶)
Query, Noun phrase				

Evaluation and Preliminary Results



Precision	Rel. Precision	Correctness ratio	Norm. CI size
~0.7	>0.7	>0.8	<10 👢



Next Steps

- 1. Identify enumerations from text snippets
 - Named entities belonging to the same class as the queries noun.
- 2. Evaluate the quality of enumerations



Current state-of-the-art NER systems

