

About

[GitHub Link](#)

Group Members

- 2301AI30
 - Tejas Tanmay Singh
- 2301AI04
 - Ayush Bansal
- 2301CS89
 - Suvrayan Bandyopadhyay

Database Documentation

ER Diagram




Table Schema

Trains

- **Attributes:** *tid* (PK, auto_increment), *tname*, *first_class*, *second_class*
- **Description:** Stores information about trains including their identifier, name, and the number of seats available in each class.

Routes

- **Attributes:** *rid* (PK, auto_increment), *tid* (FK), *origin*, *dest*, *departure*, *arrival*, *base_price*
- **Description:** Contains route information including origin and destination stations, departure and arrival times, and the base ticket price.

Customers

- **Attributes:** `cid` (PK, auto_increment), `cname`, `concession_class`, `age`
- **Description:** Stores customer information including their name, age, and concession category which determines discount eligibility.

Payments

- **Attributes:** `pid` (PK), `ptype`, `amount`, `ptime`
- **Description:** Records payment transactions with unique payment ID, payment type, amount, and timestamp of the transaction.

Bookings

- **Attributes:** `pnr` (PK, auto_increment), `cid` (FK), `pid` (FK), `btype`, `seat_class`, `seat_number`, `time_of_booking`
- **Description:** Tracks ticket bookings with PNR number, customer ID, payment ID, booking type (normal/RAC), seat information, and booking timestamp.

BookingsRoutes

- **Attributes:** `pnr`, `rid` (FK)
- **Description:** Junction table linking bookings to routes, allowing a single booking to include multiple route segments.

Cancellations

- **Attributes:** Same as Bookings plus `refund_id`
- **Description:** Records cancelled bookings with their original details and tracks refund status through `refund_id`.

RACPromotionQueue

- **Attributes:** `pnr` (PK), `seat_number`
- **Description:** Queue for processing Reservation Against Cancellation (RAC) tickets that are eligible for promotion to confirmed status.

Procedures, Functions, and Triggers

Procedures

QueryPNRStatus

- **Signature:** `QueryPNRStatus(IN _pnr INT)`
- **Description:** Retrieves status information for a specific PNR number, showing customer name, train name, seat details, and booking status.

QueryTrainSchedule

- **Signature:** `QueryTrainSchedule(IN _tid INT)`

- **Description:** Lists the complete schedule for a specific train, showing all route segments with departure and arrival times.

QueryTrainDatePassengers

- **Signature:** `QueryTrainDatePassengers(IN _tid INT, IN d DATE)`
- **Description:** Lists all confirmed passengers traveling on a specific train on a given date.

QueryRACCustomers

- **Signature:** `QueryTrainRACCustomers(IN _tid INT)`
- **Description:** Retrieves all waitlisted (RAC) passengers for a specific train.

QueryCancellations

- **Signature:** `QueryCancellations(IN refunded BOOL)`
- **Description:** Lists all cancellation records filtered by refund status (refunded or pending).

QueryItemizedBill

- **Signature:** `QueryItemizedBill(IN _cid INT, IN _rid INT, IN _seat_class VARCHAR(40))`
- **Description:** Generates a detailed bill for a ticket showing base price and all applicable discounts based on concession class and seat class.

CreateBooking

- **Signature:** `CreateBooking(IN _cid INT, IN _pid VARCHAR(40), IN _ptype VARCHAR(40), IN _amount INT, IN _btype VARCHAR(40), IN _seat_class VARCHAR(40), IN _seat_number VARCHAR(40))`
- **Description:** Creates a new booking record and associated payment entry, returning the generated PNR.

InsertBookingRoute

- **Signature:** `InsertBookingRoute(IN _pnr INT, IN _rid INT)`
- **Description:** Associates a booking with a specific route by adding an entry to the BookingsRoutes table.

InsertTrain

- **Signature:** `InsertTrain(IN _tname VARCHAR(40), IN _first_class INT, IN _second_class INT)`
- **Description:** Adds a new train to the system with the specified name and seating capacity by class.

InsertRoute

- **Signature:** `InsertRoute(IN _tid INT, IN _origin VARCHAR(40), IN _dest VARCHAR(40), IN _departure DATETIME, IN _arrival DATETIME, IN _base_price`

INT)

- **Description:** Creates a new route entry for a specific train with origin, destination, schedule times, and pricing information.

InsertCustomer

- **Signature:** `InsertCustomer(IN _cname VARCHAR(40), IN _concession_class VARCHAR(40), IN _age INT)`
- **Description:** Registers a new customer in the system with their name, age, and concession eligibility details.

Functions

GetRouteSeatAvailability

- **Signature:** `GetRouteSeatAvailability(_rid INT, _seat_number INT) RETURNS INT`
- **Description:** Checks if a specific seat is available on a given route, returning 1 if available and 0 if occupied.

GetTrainCancellationTotalRefund

- **Signature:** `GetTrainCancellationTotalRefund(_tid INT) RETURNS INT`
- **Description:** Calculates the total refund amount required if a specific train is cancelled.

GetPeriodRevenue

- **Signature:** `GetPeriodRevenue(s DATE, e DATE) RETURNS INT`
- **Description:** Calculates total revenue generated from ticket bookings over a specified date range.

GetBusiestRoute

- **Signature:** `GetBusiestRoute() RETURNS INT`
- **Description:** Identifies the route with the highest number of confirmed passengers based on booking counts.

GetRouteClassNumAvailableSeats

- **Signature:** `GetRouteClassNumAvailableSeats(_rid INT, _seat_class VARCHAR(40)) RETURNS INT`
- **Description:** Calculates the number of available seats for a specified route and seat class by comparing capacity with current bookings.

Triggers

AfterBookingsDelete

- **Triggered:** After `DELETE` operation on Bookings table
- **Description:** Manages the booking cancellation process by recording cancellation details, determining refund eligibility, and processing RAC ticket promotions when seats become available.

Normalization

Trains

- **1NF:** ✓ All attributes are atomic and table has a primary key (**tid**).
- **2NF:** ✓ All non-key attributes (**tname**, **first_class**, **second_class**) are fully dependent on the primary key.
- **3NF:** ✓ No transitive dependencies exist; all attributes directly depend on the primary key.
- **BCNF:** ✓ Every determinant is a candidate key.

Routes

- **1NF:** ✓ All attributes are atomic and table has a primary key (**rid**).
- **2NF:** ✓ All non-key attributes fully depend on the primary key.
- **3NF:** ✓ No obvious transitive dependencies.
- **BCNF:** ✓ Every determinant is a candidate key.

Customers

- **1NF:** ✓ All attributes are atomic and table has a primary key (**cid**).
- **2NF:** ✓ All non-key attributes (**cname**, **concession_class**, **age**) fully depend on the primary key.
- **3NF:** ✓ No transitive dependencies exist.
- **BCNF:** ✓ Every determinant is a candidate key.

Payments

- **1NF:** ✓ All attributes are atomic and table has a primary key (**pid**).
- **2NF:** ✓ All non-key attributes fully depend on the primary key.
- **3NF:** ✓ No transitive dependencies exist.
- **BCNF:** ✓ Every determinant is a candidate key.

Bookings

- **1NF:** ✓ All attributes are atomic and table has a primary key (**pnr**).
- **2NF:** ✓ All non-key attributes fully depend on the primary key.
- **3NF:** ✓ No obvious transitive dependencies, as cid and pid are foreign keys representing relationships rather than transitive dependencies.
- **BCNF:** ✓ Every determinant is a candidate key.

BookingsRoutes

- **1NF:** ✓ All attributes are atomic.
- **2NF:** ✓ This is a junction table linking bookings to routes with no non-key attributes.
- **3NF:** ✓ No non-key attributes means no transitive dependencies.
- **BCNF:** ✓ The combination of pnr and rid effectively forms the primary key.

Cancellations

- **1NF:** ✓ All attributes are atomic and table has a primary key (**pnr**).
- **2NF:** ✓ All non-key attributes fully depend on the primary key.

- **3NF:** ✓ No transitive dependencies.
- **BCNF:** ✓ Every determinant is a candidate key.

RACPromotionQueue

- **1NF:** ✓ All attributes are atomic and table has a primary key (**pnr**).
- **2NF:** ✓ This is a temporary queue table with just two fields where seat_number depends on pnr.
- **3NF:** ✓ No transitive dependencies.
- **BCNF:** ✓ Every determinant is a candidate key.