

EGFF


JEPPESEN

CARDIFF

CARDIFF

15 AUG 25 (19.1)

UNITED KINGDOM



BRIEFING STRIP

LOCATION

Elev **220'** /67m

N51 23.8 W003 20.6

ATIS


ATIS **132.480**

TOWER

CARDIFF TOWER **133.105**

ADMITTED AIRCRAFT





ALS - PAPI 12 (3.0°), 30 (3.0°) - THRL - RL - RENL - RCLL - TWYL - APRON - WDI - OBSTL

RWY No	Dimension (m) - Surface	TORA (m)	LDA (m)	Strength	Lights
12 (117°) 30 (297°)	2354 x 45 Asphalt	2318 2354	2098 2202	PCN 50/F/A/W/T	

1

Grooved

Intersection TKOF

RWY	PSN	TORA (m)
12	B	2098
	E	1494
30	C	2130
	D	1426
	H	1339

CAUTION: Pilots are reminded of the close proximity of St Athan AD to the WNW of Cardiff AD.

Pilots are warned, when landing on RWY 30 in strong W to SW winds, of the possibility of terrain induced turbulence on short finals.

Due to possibility of turbulence caused by hangar NE of THR 12 caution should be exercised during periods of strong NW to NE winds.

Grass cutting takes place MAY-OCT.

Single-engined ACFT should avoid overflying the chemical complex at Barry.

Red Stop Bars in operation H24.

General Information

NORDO ACFT PPR.

All training flights in the Cardiff CTR/CTA are PPR from CARDIFF APPROACH.

Circuit direction is normally to the N.

Every operator of ACFT using the AD shall ensure that all times that ACFT are operated in a manner calculated to cause the least disturbance practicable in areas surrounding the AD.

The attention of pilots of ACFT inbound to RWY 12 or outbound from RWY 30 at Cardiff AD is drawn to the close proximity of St Athan AD and the St Athan Local Flying Zone (see below) to the Cardiff arrival/ departure tracks. Pilots of VFR ACFT to/from Cardiff AD may be required by Cardiff ATC to enter/leave the CTR at Visual Reference Points which avoid the St Athan Local Flying Zone.

Additionally, St. Athan based ACFT may carry out aerobatic manoeuvres and other unusual activities above, within and below the western part of the Cardiff CTA. Pilots transiting above or below the CTA are strongly recommended to contact CARDIFF APPROACH for appropriate traffic information.

VFR flights and flights requesting SVFR clearance will normally be instructed to route via one of the VRPs as depicted.

Pilots are advised to use caution when routing via CARDIFF DOCKS VRP due to its proximity to Cardiff Heliport.

High-visibility clothing **MUST** be worn airspace.

Stands 1-9 and 11-17 parking with marshaller guidance.

CHANGES: Apron - Parking - AD Facilities.

© JEPPESEN, 2021, 2025. ALL RIGHTS RESERVED

EGFF



CARDIFF

CARDIFF

15 AUG 25 **19-3**

UNITED KINGDOM

St Athan AD - Local Flying Zone and Procedures

St Athan AD lies within the Cardiff CTR/CTA to the west of Cardiff.

Flights by St Athan based ACFT may take place in VMC, without reference to Cardiff ATC, within a Local Flying Zone (LFZ).

The following conditions apply to ACFT operating within the St Athan Local Flying Zone:

- ACFT are to be in communication with and comply with instructions from St Athan ATC;
- All ACFT conduct their flights within the weather criteria specified for VFR flights within Class (D) Airspace;
- Maximum altitude 1700' (Cardiff QNH);
- Pilots operating in the St Athan LFZ are responsible for maintaining their own visual separation from other ACFT, including ACFT on final approach to RWY 12 and departing from RWY 30 at Cardiff, which are in close proximity to the Local Flying Zone. (Traffic information will be passed by St Athan ATC).

Flights to/from St Athan ATC which are unable to comply with the requirements of the St Athan Local Flying Zone will be subject to individual clearance from Cardiff ATC and will be fully integrated with Cardiff arriving/departing traffic.

Visual approaches to Cardiff RWY 12 are unavailable when the Local Flying Zone is active.

All VFR flights are expected to comply with the following published VFR routes:

Departure Routes

Designator	RWY	MAX ALT	Route
East	07/25	1500'	ACFT remain west of Aberthaw power station over water, clearance limit Aberthaw power station, then as directed by Cardiff ATC.
South	07/25	1500'	ACFT remain west of the quarry and leave CAS towards MINEHEAD VRP.
Nash Point	07/25	1500'	ACFT remain within the confines of the LFZ and leave CAS to the west towards NASH POINT VRP.
North	07/25	1500'	Leave CAS between the ST HILARY and WENVOE TV MASTs.

Arrival Routes

Designator	RWY	MAX ALT	Route
East	07/25	1500'	From the northeast, route as directed by Cardiff ATC to hold east of Aberthaw power station and as directed by St Athan ATC.

Designator	RWY	MAX ALT	Route
South	07/25	1500'	Enter CAS from the south, remain west of the quarry and as directed by St Athan ATC.
Nash Point	07/25	1500'	Enter CAS via NASH POINT, route eastbound along the coast over water, then as directed by St Athan ATC.
Nash Arrival	07/25	1500'	Enter CAS towards the ST HILARY VRP to orbit and remain north of the mast, then as directed by Cardiff ATC.
Straight In	07/25	Subject to co-ordination	Enter CAS to position straight in for the RWY in use.

Standard VFR Routes to/from Cardiff AD

In order to reduce RTF congestion, the published outbound and inbound visual routes are allocated route designators. Pilots are to ensure that they are familiar with the route alignment. Level instructions will be passed with the appropriate ATC VFR clearance.

Inbound Visual Routes

Route Designator	Entry Point	RWY	Route
VFR St. Hilary	Bridgend	30/12	Enter CAS (Controlled Airspace) via Bridgend and route N of ST HILARY TV MAST, then as directed by Cardiff ATC. MAX ALT 1500'.
VFR North	N	30/12	Enter Cardiff CAS from N between the ST HILARY and WENVOE TV MASTs, then as directed by Cardiff ATC. MAX ALT 1500'.
VFR Wenvoe	W Cardiff Docks	30/12	Enter Cardiff CAS via the WENVOE TV MAST, then as directed by Cardiff ATC. MAX ALT 1500'.
VFR Cardiff Docks	Cardiff Docks	30/12	Enter Cardiff CAS via CARDIFF DOCKS, then as directed by Cardiff ATC. MAX ALT 1500'.
VFR Flat Holm	N of Flat Holm Lighthouse	30/12	Enter Cardiff CAS via Weston AD, route N of FLAT HOLM LIGHTHOUSE towards LAVERNOCK POINT, then as directed by Cardiff ATC. MAX ALT 1500'.
VFR South	N Minehead	30	Enter Cardiff CAS from the S, then as directed by Cardiff ATC. MAX ALT 1500'.

EGFF



CARDIFF

CARDIFF

28 APR 23

19-3A

UNITED KINGDOM

Route Designator	Entry Point	RWY	Route
VFR South	N Minehead	12	Enter Cardiff CAS from the S, remaining E of the quarry (1 NM W of Cardiff AD), then as directed by Cardiff ATC. MAX ALT 1500'.
VFR Nash Point	Nash Point	30	Enter Cardiff CAS via NASH POINT, route along the coast, remaining over water, then as directed by Cardiff ATC. MAX ALT 1500'. Route normally only AVBL when St. Athan is not active.
VFR Nash Point	Nash Point	12	Enter Cardiff CAS via NASH POINT, route along the coast, remaining over water, and E of the quarry (1 NM W of Cardiff AD), then as directed by Cardiff ATC. MAX ALT 1500'. Route normally only AVBL when St. Athan is not active.
VFR Watchet	VRP Watchet Harbour	30	Enter Cardiff CAS from the SE, then as directed by Cardiff ATC. MAX ALT 1500'.
VFR Watchet	VRP Watchet Harbour	12	Enter Cardiff CAS from the SE, remaining E of the quarry (1 NM W of Cardiff AD) then as directed by Cardiff ATC. MAX ALT 1500'.

Outbound Visual Routes

Route Designator	Exit Point	RWY	Route
VFR St. Hilary	Bridgend	30/12	Route N of ST HILARY TV MAST and leave CAS to the W routeing N of Bridgend at VRP 36 Junction. MAX ALT 1500'.
VFR North	N	30/12	Route between the ST HILARY and WENVOE TV MASTs and leave CAS to the N. MAX ALT 1500'.
VFR Wenvoe	W Cardiff Docks	30/12	Route E of the WENVOE TV MAST and leave CAS to the NE. MAX ALT 1500'.
VFR Flat Holm	NE Flat Holm Lighthouse	30/12	Route N of Barry then N of Flat Holm Island, and leave CAS at the E/SE zone boundary. MAX ALT 1500'.

Route Designator	Exit Point	RWY	Route
VFR South	N Minehead	30	Route E of the quarry (1 NM W of Cardiff AD) and leave CAS to the S towards MINEHEAD VRP. MAX ALT 1500'. Cardiff will endeavour to remove the 1500' restriction for flight over water as soon as possible.
VFR South	N Minehead	12	Route S and leave CAS to the S towards MINEHEAD VRP. MAX ALT 1500'. Cardiff will endeavour to remove the 1500' restriction for flight over water as soon as possible.
VFR Nash Point	Nash Point	30	Route E of the quarry (1 NM W of Cardiff AD) and leave CAS to the W along the coast, over water, via NASH POINT. MAX ALT 1500'. Route normally only AVBL when St. Athan is not active.
VFR Nash Point	Nash Point	12	Leave CAS to the W along the coast, over water, via NASH POINT. MAX ALT 1500'. Route normally only AVBL when St. Athan is not active.
VFR Watchet	VRP Watchet Harbour	30	Route E of the quarry (1 NM W of Cardiff AD) and leave CAS to the SE via WATCHET HARBOUR VRP. MAX ALT 1500'.
VFR Watchet	VRP Watchet Harbour	12	Route SE and leave CAS to the SE via WATCHET HARBOUR VRP. MAX ALT 1500'.

Special VFR Clearances

Special VFR clearance for flights within the Cardiff CTR may be requested and will be given whenever traffic conditions permit. These flights are subject to the general conditions laid down for Special VFR flights and will normally only apply to ACFT which carry RTF including the appropriate frequencies.

Frequency Monitoring Code (FMC)

Pilots operating in the vicinity of, but intending to remain outside Cardiff controlled airspace and maintaining a listening watch only on CARDIFF APPROACH are encouraged to select SSR code 3636.

Selection of 3636 does not imply the receipt of an ATC service. ACFT displaying the code are not expected to contact ATC under normal circumstances, remain responsible for their own navigation, separation, terrain

EGFF



CARDIFF

CARDIFF

28 APR 23

19-3B

UNITED KINGDOM

clearance and are expected to remain clear of the controlled airspace at all times.

Whilst squawking 3636 pilots should be aware that CARDIFF APPROACH may make blind transmissions in order to ascertain a particular ACFT's intentions/route.

When a pilot ceases to maintain a listening watch, code 3636 shall be deselected.