


INVERNESS

20 JUN 25 (19-1)

INVERNESS
UNITED KINGDOM

LOCATION Elev 31' 7m N57 32.6 W004 02.9	FIS SCOTTISH INFORMATION 134.850	LARS LOSSIE DEPARTURES 119.580	ATIS ATIS 109.200⁽²⁾	APPROACH INVERNESS RADAR 122.605⁽¹⁾
TOWER INVERNESS TOWER 118.405⁽¹⁾				




CHANGES: COM

© JEPPESEN, 2019, 2025. ALL RIGHTS RESERVED

BRIEFING STRIP™

LOCATION Elev 31' /9m N57 32.6 W004 02.9	ATIS ATIS 109.200 ⁽²⁾	TOWER INVERNESS TOWER 118.405 ⁽¹⁾	ADMITTED AIRCRAFT  
--	-------------------------------------	---	--



ALS 05/23 - PAPI 05 (3.0°), 23 (3.0°) - THRL 05/23 - RL 05/23 - RENL 05/23 - TWYL - WDI.

RWY No	Dimension (m) - Surface	TORA (m)	LDA (m)	Strength	Lights
05 (051°) 23 (231°)	1888 x 45 Asphalt	1888 1822	1822	PCN 40/F/C/X/T	
11 (111°) 29 (291°)	701 x 18 Asphalt	701	701	PCN 39/F/C/X/T	---

1 RWY grooved.

Intersection TKOF		
RWY	INT	TORA (m)
05	RWY 11	994
23	RWY 11	849

ACFT not subject to compulsory handling should contact Apron Operations via Tel MNM of 2 hr prior to ETA to obtain permission to operate.

International flights, including executive and private General Aviation, must make prior arrangements with a handling agent for ground handling of all flights.

All ground movement west of Hold D at pilots discretion.

Marshalling is routinely provided to all ACFT movements to or from South Apron.

Due to restricted PRKG availability all ACFT should be left in a towable condition wherever practicable.

Pilots should be aware that AD Controllers may refer to several Holding Points designated for vehicular management only. These do not form part of the AD manoeuvring area and are therefore not published.

High-visibility clothing must be worn airside at all times.

Smoking airside, including the use of e-cigarettes, is strictly prohibited.

WARNING: No ground signals except light signals.

Exercise caution when taxiing to Hangar 1 due to close proximity of an adjacent security fence.

Deer are occasionally on AD. Pilots are requested to report the location of any animals sighted to ATC.

Due to coastal location, birds are a hazard throughout most of the year. This hazard level is raised during the migration season when large numbers of wintering wildfowl transit across approaches to feeding locations on farmland adjacent to the AD.

In a strong southerly airstream, severe turbulence may occur below 4000'. In lee wave conditions, the turbulence may be particularly bad at very low levels.

High ground up to 2018' 7.4 NM S of AD.

Paragliding and hanggliding take place from Alturlie Point within an area known as Alturlie Box 3.3 NM SW of AD.

Due to the serious risks presented by rotor downwash and wake turbulence, HEL should avoid overflying or operating in close proximity to this area below 1500' when active. The status is available from ATC.

RWY Incursion Hot Spots

HS1 - Holding point E1 Vehicle Crossing Point and entry to RWY 11.

Helicopters may land/depart THR 11.

HS2 - Holding point F entry to main RWY, Red stop bars.

HEL Operations

HEL are expected to make approaches to, and departures from notified RWYs. Those with wheeled undercarriage will be treated similarly to fixed wing ACFT and must ground taxi within the apron/TWYs. For skid equipped HEL the aiming point will generally be RWY 11 THR followed by hover taxi to the apron. HEL can generally expect to be parked on the E side of the N apron. No hover taxiing by HEL permitted W of Hold D.

Exceptionally, if weather conditions make lengthy hover taxiing undesirable, departure into wind over the grass area W of RWY 11/29 will be permitted. Overflying the aprons and Terminal building is to be avoided.