Marsh gate survey

Procedure MG-023 | Revision 2 | Station M-0042

Record the route of water before opening the demonstration gate.

1. Intake

1.1 Field preparation

1.1.1 Marker checks

1. Match marker M-0042 to the intake register.
    a. Read the final two digits aloud; do not shorten 0042 to 42.
2. Place ruler R-0006 against the lower sill.

1.2 Route




Figure 1. Water route; arrows show the observed direction.

Note 1. The route is descriptive; gate opening requires a separate permit.

2. Verification

2.1 Marker checks

Repeat the marker reading at the outlet and retain both observations.

Table 1. Verification readings

Marker	Depth (cm)	Status
M-0042	0	Dry at intake
M-0108	12.5	Outlet flowing
M-0110	--	Not observed

Table note. -- means no observation; it is different from depth 0 cm.

2.2 Disposition

1. Keep the gate closed if either reading is missing.
2. File the card with Procedure MG-023, revision 2.

Reference: Survey register SR-0019, section 4 (synthetic internal reference).

Appendix A. Handheld intake card

CARD 09 / Station M-0042

A.1 Observation

At 06:40, the north inlet was clear.

A.1.1 Follow-up

1. Photograph the gate marker.

   a. Include ruler R-0006 in the frame.

2. Revisit after the afternoon tide.

Card note: a clear inlet does not establish safe passage.