



PROJECT PLANNING MEETING · 17 JULY 2026

Delivery plan & feasibility

Two React Native apps. One Laravel platform. Six engineers. A six-month target that needs clear choices.

USER APP

SELLER APP

BACKEND

ADMIN PROPOSAL

The decision in one slide

D

CONFIRMED

3
+
3

Approve six months as a conditional target, with delivery gates and an agreed deferral order.

React Native
+
Laravel
developers
from
Month
1

- Separate User and Seller apps
- Shared backend and reusable mobile packages
- Seller-managed logistics

Four surfaces, one operating model

ADMIN SCOPE
PROPOSED

User App

Browse · chat · pay · track

Seller App

List · convert · fulfil · support



Laravel API Platform

Identity · catalogue · compatibility · chat · orders · audit

MySQL + queues + object storage

Transactional data · jobs · media



Third parties

Escrow · social login · maps · push

Admin / Operations

Approval · moderation · exceptions · reporting

Core business

Spare parts and compatibility

Conversion

Chat and escrow payment links

Fulfilment

Seller shipping and tracking

Trust

Verification, reviews, reports, disputes

What we know today

Technology

- ✓ React Native frontend
- ✓ Laravel backend
- ✓ User and Seller are separate apps
- ✓ Editable Figma unavailable

Team

- ✓ 3 frontend developers
- ✓ 3 backend developers
- ✓ All available from Month 1
- ✓ PM owns product and UAT
- ✓ Infra owns environments/operations

Commerce


- ✓ Third-party escrow
- ✓ Seller sends link via chat
- ✓ Seller handles logistics
- ✓ Seller sends tracking to buyer
- ✓ Ideally all visible scope

Compatibility data

Expected from the design team or a backend import/scrape process.

Source rights, accuracy owner, and update process remain open.

A broad consumer marketplace



Account & vehicle

- Social login
- Profile and addresses
- My Cars
- Brand / series / variant / year

Marketplace

- Spare parts
- Accessories
- Compatibility

A complete selling and fulfilment tool

REACT NATIVE APP 2

Seller identity

- Social login
- Seller types and verification
- Store selection/profile
- China/Malaysia addresses

Listings

- Parts and accessories
- Vehicles and plates
- Media, price, stock
- Compatibility and moderation


Conversion

- Buyer conversations
- Product/order cards
- Escrow payment links
- Payment-status events

Fulfilment

- To pay / to ship
- Courier and tracking
- Cancel and refund
- Return received

One sale crosses both apps and the platform



Do not treat arbitrary links as payments

PROVIDER CAPABILITIES OPEN

Recommended escrow sequence

1. Platform or seller creates a provider transaction.
2. Backend stores provider ID, amount, order, seller, and expiry.
3. Seller sends an allowlisted link card through chat.
4. Buyer opens the provider page.
5. Signed webhook confirms paid / expired / cancelled / disputed / refunded.
6. Backend updates both apps and the audit trail.

Seller-managed logistics

1. Paid order enters **To Ship**.
2. Seller chooses courier and enters tracking.
3. Backend validates required fields and records history.
4. Buyer receives a tracking card and notification.
5. Seller and admin handle delay, invalid tracking, return, and refund exceptions.

Meeting decision: manual tracking only, or courier API verification?

Separate apps, shared foundations

RECOMMENDATION

User App

React Native
bundle

Seller App

React Native
bundle

Shared packages

UI · API · auth ·
chat · i18n



Laravel modular monolith

Identity ·
sellers ·
vehicles

Catalogue ·
compatibility
· search

Chat · orders
· escrow ·
tracking

Start as a modular monolith. Separate services only when measured scale or ownership requires it.

Shared React Native platform

USED BY BOTH APPS

Foundation

- Monorepo/shared packages
- Navigation and deep links
- Environment and feature flags
- API client and typed contracts
- Error/offline strategy

Design system

- Tokens from PNG references
- Forms and validation
- Lists, cards, modals, media
- Loading/empty/error states
- Accessibility and responsive rules

Platform services

- Secure token storage
- Social login SDKs
- Push notifications
- Analytics and crash reporting
- Localization

Realtime

- Conversation cache
- Message delivery/read state

User App workstream

PRIMARY BUYER JOURNEY

Identity

- Social sign-in
- Profile/addresses
- Settings/security
- Notifications

Vehicle

- My Cars
- Brand/series/variant/year
- Default car
- Compatibility status

Commerce

- Parts/accessories
- Categories/search/filter
- Detail/review/favourite
- Seller storefront

Orders

- Escrow link card
- Payment state
- Tracking/history
- Cancel/refund/return

Listings

- Used cars

Seller App workstream

OPERATIONS-HEAVY

Onboarding

- Social sign-in
- Seller type
- Documents/status
- Store profile

Catalogue

- Create/edit products
- Media/attributes
- Price/stock
- Publish/moderation

Compatibility

- Vehicle mapping
- Category selection
- Unknown fitment
- Correction status

Listings

- Parts/accessories
- Vehicles/plates
- Preview/comments
- Location/address

Chat

- Buyer threads

Laravel foundation & marketplace

BACKEND WORKSTREAM A

Platform

- API v1 + OpenAPI
- Validation/errors/pagination
- Policies/rate limits/audit
- Queues/cache/storage
- Monitoring and CI

Identity & sellers

- Social auth/tokens/devices
- Users, roles, permissions
- Seller types/documents
- Approval/suspension
- Addresses/regions

Vehicle data

- Brand/series/variant/year
- Import/scrape provenance
- Compatibility mapping
- Review/correction/versioning
- Data quality reports

Catalogue

- Products/SKUs/categories
- Attributes/media/price/stock

Engagement, escrow & operations

BACKEND WORKSTREAM B

Realtime chat

- Conversations/participants
- Messages/read state/media
- Product/order/link cards
- Block/report/retention
- Push events and retries

Escrow

- Provider adapter
- Link/transaction records
- Signed idempotent webhooks
- Paid/expired/disputed/refunded
- Exception reconciliation

Orders

- Snapshots and stock rules
- State machine/history
- Cancellation/refund/return
- Seller fulfilment
- Buyer/seller views

Tracking

- Courier and tracking fields
- Validation/history

Minimum operations dashboard

SCOPE NOT APPROVED

Access

Admin MFA, roles, permissions, and immutable audit logs.

Users & sellers

Verification, approval, suspension, documents, and seller history.

Catalogue

Categories, products, listing moderation, compatibility imports/corrections.

Orders

State history, cancellations, returns, refunds, and fulfilment exceptions.

Escrow

Link/transaction status, webhook exceptions, disputes, refunds, reconciliation.

Trust

Dispute resolution, feedback

Without minimum admin tools, operations will fall back to unsafe direct database changes.

Quality is a workstream, not a final phase

NO DEDICATED
QA IDENTIFIED

Developers own

- Unit and component tests
- API feature/contract tests
- Integration and regression
- Critical end-to-end flows
- Code review and static checks

PM owns

- Acceptance criteria
- Business-rule decisions
- UAT scenarios and sign-off
- Scope prioritization
- Go/no-go recommendation

Mobile

Devices, OS, login SDKs, offline, push, deep links, upgrades.

Commerce

Duplicate webhooks, expired links, cancellation, dispute, refund, return.

Security

Authorization, uploads, abuse, secrets, audit, privacy.

Operations

Load, queues, failed jobs, recovery, reconciliation.

Strongest schedule-protection recommendation: add dedicated QA capacity before Month 3.

Six engineers, explicit lanes

SUGGESTED OWNERSHIP

Frontend · 3 React Native

FE Lead	Shared architecture, auth, release pipeline, code review, quality
FE 2	User App marketplace, vehicle, discovery, buyer orders
FE 3	Seller App listings, order operations, seller profile
Converge	Chat, escrow cards, integration, regression, stores

Backend · 3 Laravel

BE Lead	Foundation, identity, architecture, escrow/security, code review
BE 2	Vehicle data, compatibility, catalogue, search, supporting modules
BE 3	Sellers, chat, orders, tracking, notifications, admin APIs
Converge	Escrow, integration, performance, security, production readiness

PM

Scope, decisions, acceptance criteria, UAT.

Infrastructure

Environments, CI/CD support, monitoring, recovery.

Gap

Daily QA and cross-app regression ownership.

Six-month controlled-release path

REQUIRES SCOPE LOCK

Gate rule: unfinished features cannot consume the entire Month 6 hardening window.

Weeks

1–

4

Month

1

|

- Shared foundations
- Auth and profiles
- Vehicle taxonomy
- Seller onboarding
- API contracts

Weeks

5–

8

Month

2

|

- Products/SKUs
- Seller listings
- Compatibility
- Search/filter
- Core UI system

Weeks

9–

13

Month

Three honest scenarios

PLANNING RANGE, NOT COMMITMENT

SCENARIO A

6-month controlled release

26 weeks

- Scope locked in Week 1
- Managed escrow/realtime/maps
- Minimum admin only
- Supporting features may defer
- Dedicated hardening window

Confidence: Medium, if conditions hold.

SCENARIO B

Full visible production scope

8–10 months

- Both apps fully polished
- All supporting modules
- Operational admin
- Robust refund/dispute flow
- Production quality and contingency

Confidence: Most credible current estimate.

Is six months doable?

YES*

for a controlled release with explicit conditions

Six months works when

- MVP and admin scope lock immediately.
- Escrow provider exposes usable APIs and signed webhooks.
- Both apps share packages and contracts.
- Compatibility source is legal and reliable.
- Testing runs continuously; Month 6 is protected.

Six months fails when

- “Ideally all” becomes an unprioritized fixed commitment.
- Admin, refund, seller, or data rules arrive late.
- Chat/payment links are built without provider certainty.
- No one owns daily regression and device testing.

What can move the date

REVIEW WEEKLY

CRITICAL

Escrow capability and policy

Link creation, webhooks, disputes, refunds, commission, reconciliation.

OPEN

CRITICAL

Compatibility data

Legal source, matching depth, accuracy owner, refresh and correction process.

OPEN

HIGH

Full visible scope

Two apps, supporting discovery, commerce, operations, and missing states.

OPEN

HIGH

No dedicated QA

Cross-app, device, payment, chat, and regression load falls on developers and PM.

ADD CAPACITY

HIGH

Static PNG specifications

Missing prototypes, tokens, edge states, validation rules, and exact assets.

DESIGN HANDOFF

MEDIUM

Admin not scoped

Operations cannot safely approve, moderate, reconcile, or resolve exceptions.

DECIDE

Decide before architecture locks

PO QUESTIONS

- 01

What does “six-month launch” mean?

Beta, public MVP, or fully hardened commercial launch?

Management + PM
- 02

What is protected MVP and what may defer?

Approve the scope-deferral order before delivery starts.

Management + PM
- 03

Is admin included in six months?

Confirm minimum modules, UI owner, and operational roles.

Operations + PM
- 04

Which escrow provider?

Confirm API links, signed webhooks, disputes, refunds, fees, and reconciliation.

Business + Finance
- 05

What payment links may sellers send?

Platform-created/allowlisted links are safer than arbitrary URLs.

Security + Product

Decide before feature milestones

P1 QUESTIONS

Marketplace rules

- Seller types and verification documents?
- One seller, one store—or multiple?
- Pre-approval or post-moderation?
- Inventory reservation and overselling?
- Multi-seller cart or one seller per order?

Order operations

- Cancellation/return/refund/dispute rules?
- Shipping deadline and late-seller action?
- Manual tracking or courier validation?
- Who resolves escrow and fulfilment exceptions?
- What evidence is required?

Data & integrations

- Legal compatibility source and owner?
- English and Chinese at launch?
- Social login providers?
- Realtime chat, push, maps, storage, analytics?
- Retention and privacy requirements?

Quality & release

- Who owns daily functional QA?
- Supported iOS/Android versions?

Delivery matrix

SHARED DEPENDENCY VIEW

DOMAIN	USER APP	SELLER APP	LARAVEL	ADMIN / QA
Identity	Login, profile, address	Login, onboarding, store	OAuth, tokens, roles, seller status	Approval, suspension, audit
Vehicle	My Cars, selection	Compatibility input	Taxonomy, imports, matching	Corrections, data quality
Catalogue	Browse/search/detail	Product/listing CRUD	SKU, media, stock, search	Moderation, reports
Chat	Seller conversation	Buyer conversation	Realtime, media, cards, abuse	Reported-thread review
Escrow	Open link, see status	Create/send approved link	Provider adapter/webhooks	Exceptions/reconciliation
Orders	History, track, dispute	Ship, track, refund, return	State machine, snapshots, events	Intervention and audit
Discovery	Cars, plates, maps, EV	Relevant listing management	Listings, Places adapters	Content management
Release	iOS/Android builds, privacy, monitoring		CI/CD, backup, alerts, performance	UAT, security, rollback, sign-off

Leave the meeting with five decisions

D Treat six months as a gated target for a controlled release—not an unconditional promise for every screen.

6 ENGINEERS FROM MONTH 1

SHARED RN PACKAGES

MINIMUM ADMIN

QA CAPACITY

1. **Define launch:** beta, MVP, or full production.
2. **Approve scope:** protected MVP and deferral order.

Next: record decisions, update the implementation plan, and convert the relative schedule into dated milestones.



Questions & decisions

The fastest path is clarity: scope, escrow, compatibility data, admin ownership, and quality capacity.

Use ← / → to navigate · Press O for slide index · Press P to print/PDF