

References

# CPS Quantum Computing

## Talk Excerpts

Yusheng Zhao

HKUST(GZ)

2024-08-29

# Outline

**Correlated Decoding and Algorithmic Fault-Tolerance in Quantum Computing**

**Quantum Computing At the Physical Layer**

**The Ultimate Boundaries of Quantum Causality**

**Constant-Overhead Fault-Tolerant Quantum Computing With Reconfigurable Atom Arrays**

**Entanglement Renormalization and Tensor Network Representation of Chern Insulator**

**References**

# Outline

## Correlated Decoding and Algorithmic Fault-Tolerance in Quantum Computing

Quantum Computing At the Physical Layer

The Ultimate Boundaries of Quantum Causality

Constant-Overhead Fault-Tolerant Quantum Computing With Reconfigurable Atom Arrays

Entanglement Renormalization and Tensor Network Representation of Chern Insulator

References

# Resource Estimation [1]

- Fault-tolerance requires too much resource




Figure 1: Resource Estimation for Various Application and Hardware Quality.

# Correlated Decoding [2]

- For transversal entangling gates “errors detected on one logical qubit can contain information about which errors occurred on other logical qubits”




Figure 2: In Simulation with Correlated Error, threshold is improved from 5.1% to 10.3%

# Correlated Decoding [2]

- “if we can perform fewer than  $d$  rounds between transversal CNOTs, by leveraging the deterministic propagation of stabilizer measurement errors through CNOTs to verify stabilizer measurements using surrounding rounds of syndrome extraction”
- “stabilizer measurement errors near transversal CNOTs generate hyperedges that make conventional decoding approaches challenging”

# Correlated Decoding [2]




FIG. 4. Reducing the space-time cost of deep logical circuits.  
 (a) The rounds of syndrome extraction per CNOT can be reduced to  $n_r \simeq \frac{1}{2}$  for MLE (bottom) and  $n_r \simeq 3$  for belief-HUF (top), without increasing  $P_L$ . (b) The extrapolated space-time cost to reach  $P_L = 10^{-6}$  is minimized at  $n_r = 1$  for belief-HUF and  $n_r = \frac{1}{4}$  for MLE.

# Algorithmic Fault-Tolerance [3]

- “a key component of many schemes for achieving universality is magic state teleportation, which crucially relies on the ability to realize feed-forward operations.”
- “such feed-forward operations require on-the-fly interpretation of logical measurements, followed by a subsequent conditional gate, when only a subset of the logical qubits have been measured”
- “Surprisingly, we find that these inconsistencies can be accounted for in classical processing, with a reinterpretation of subsequent measurement results”

# Algorithmic Fault-Tolerance [3]





FIG. 1. **Algorithmic fault tolerance.** (a) Conventional FT analysis separately examines each gadget (red boxes) in the circuit and ensures they are individually FT [4, 7, 31]. This requires  $\Theta(d)$  syndrome extraction (SE) rounds to achieve FT. (b) Algorithmic FT directly uses all accessible syndrome information up to a logical measurement (blue box), and guarantees FT of the measurement result, even if the gadgets are not individually FT and if future syndrome information is not yet accessible (partial decoding). We realize algorithmic FT through transversal operations, and only require a single SE round per logical operation, thus allowing constant time implementations of logical operations.

# Summary



# Outline

Correlated Decoding and Algorithmic Fault-Tolerance in Quantum Computing

**Quantum Computing At the Physical Layer**

The Ultimate Boundaries of Quantum Causality

Constant-Overhead Fault-Tolerant Quantum Computing With Reconfigurable Atom Arrays

Entanglement Renormalization and Tensor Network Representation of Chern Insulator

References

## Summary [4]

- “a quantum processor with such an instruction set, designing an instruction by replacing iSWAP with its matrix square root SQiSW can both reduce the gate error and improve compilation capabilities substantially”
- “taking only roughly half of the time of iSWAP, the SQiSW gate is expected to be implemented with much higher fidelity. Moreover, it has superior compilation capabilities than iSWAP in the task of compiling arbitrary two-qubit gates. An iFRB experiment, which can benchmark non-Clifford gates, on our capacitively coupled fluxonium quantum processor shows the gate error is reduced by 41% and the Haar random two-qubit gate error is reduced by 50% compared to iSWAP on the same chip”
- [Online Recoding of Talk](#)

# Outline

Correlated Decoding and Algorithmic Fault-Tolerance in Quantum Computing

Quantum Computing At the Physical Layer


**The Ultimate Boundaries of Quantum Causality**

Constant-Overhead Fault-Tolerant Quantum Computing With Reconfigurable Atom Arrays

Entanglement Renormalization and Tensor Network Representation of Chern Insulator

References

# Picture



OnePlus 12

HASSELBLAD

● 45mm f/1.6 1/108s ISO80

# Picture



OnePlus 12

HASSELBLAD  
● 45mm f/1.6 1/108s ISO80

# Picture



OnePlus 12

HASSELBLAD

● 45mm f/1.6 1/106s ISO100

# Picture



OnePlus 12

HASSELBLAD

● 45mm f/1.6 1/106s ISO80


# Picture



OnePlus 12

HASSELBLAD  
● 23mm f/1.6 1/106s ISO160

# Picture



OnePlus 12

HASSELBLAD  
● 47mm f/1.6 1/212s ISO100

# Picture



OnePlus 12

HASSELBLAD

● 23mm f/1.6 1/106s ISO200

# Notes

- Indefinite Causal order used to improve metrology with continuous variable system <https://www.nature.com/articles/s41567-023-02046-y>
- Indefinite causal order: wasn't it just a relaxation of the quantum channel between two parties, of-course it could violated some CHSH like inequality (ref Prof Xin Wang's course)
- Def Indefinite Causal Order: If you cannot represent the process of two parties as a probabilistic combination of two processes in one where A happens before B and the other otherwise.
- What is the boundary of violation of all possible experiment and all possible order....
- Quantum mechanics + causal order violates some inequality but not maximal (algebraically)

# Outline

Correlated Decoding and Algorithmic Fault-Tolerance in Quantum Computing

Quantum Computing At the Physical Layer

The Ultimate Boundaries of Quantum Causality

**Constant-Overhead Fault-Tolerant Quantum Computing With Reconfigurable Atom Arrays**

Entanglement Renormalization and Tensor Network Representation of Chern Insulator

References

# Summary


- “Practical implementation of product qLDPC code by (globally) rearranging atoms”
- “High-threshold, constant-space-overhead memory under circuit-level fault-tolerant design”
- “Fault-tolerant computation via teleportation to topological codes”
- “qLDPC-based FT quantum computer”

# qLDPC is necessary

- For surface code  $[[n, k, d]]$ , “ $\frac{n}{k} = d^2$ ”
- “Connectivity constrains quantum code” [5]
- “High-rate qLDPC code: constant space overhead”  $\left[ \left[ n, \Theta(n), \Theta\left(n^{\alpha \geq \frac{1}{2}}\right) \right] \right]$  [6–8]
- Con of qLDPC
  - “requires non-local and complicated connection”
  - “Large code size & low threshold”
  - [QIP2024 Talk](#)

# Example of qLDPC code: Hypergraph product Code [9]

- “The HGP code is constructed from two classical LDPC codes”



# Example of qLDPC code: Hypergraph product Code [9]

**Table 1 | Total number of data and ancilla qubits required to reach target numbers of logical qubits and LFRs using HGP codes and LP codes, compared to using surface codes**

Logical qubits	25	80	180	400
Logical failure rate	$10^{-3}$	$10^{-4}$	$2 \times 10^{-5}$	$6 \times 10^{-6}$
HGP code physical qubits (improvement over surface code)	1,235 ( $\times 1$ )	4,606 ( $\times 2.8$ )	10,760 ( $\times 4.0$ )	19,600 ( $\times 6.9$ )
LP code physical qubits (improvement over surface code)	851 ( $\times 1.4$ )	1,367 ( $\times 9.4$ )	2,670 ( $\times 16.2$ )	

We use  $(\times \beta)$  to indicate a  $\beta$  times qubit saving compared to the surface codes by using the corresponding qLDPC codes. The physical error rate is set to  $10^{-3}$ . The estimates for the HGP and LP codes are based on the numerical data in Fig. 3.

# Logical Operation with qLDPC code [9]

- “performing fault-tolerant logical operations and perform the first numerical simulation of logical gate performance on qLDPC codes”
- “We teleport the logical information between the qLDPC memory and ancillary topological codes using a measurement-based circuit”
- “prescribed logical measurements are implemented using lattice surgery”
- “Universal logical operations can then be performed in the topological codes using standard techniques”
- “To use these LDPC codes for quantum computation, one must be able to fault-tolerantly implement a universal set of protected logic gates. While Ref. [32] establishes a method to perform quantum computation using fault-tolerant gate teleportation [39], the cost associated with the distillation of the requisite resource state [40] is not understood well in the practical regime of interest” [10]

# Recording of Talk

- QIP2024 Talk
- QEC2023 Talk

# Outline

Correlated Decoding and Algorithmic Fault-Tolerance in Quantum Computing

Quantum Computing At the Physical Layer

The Ultimate Boundaries of Quantum Causality

Constant-Overhead Fault-Tolerant Quantum Computing With Reconfigurable Atom Arrays

**Entanglement Renormalization and Tensor Network Representation of Chern Insulator**

References

# Summary

- Question: Can tensor network formalism represent physically interesting materials: eg. free-fermion Chern Insulator ?
- Chirality and gappedness cannot co-exist in tensor network representation of Chern insulator
- Zipper: separate long-range entangled state from the short range entanglement by some BASIS CHANGE [11]
- Catch: bond dimension of PEPS grows polynomially as the size of the system.


# Chern Insulator: the “trouble maker”

- locally describable
  - dressed product states
  - Atomic Insulator
  - Quasi-1D Description (e.g. quantum Hall)
  - ??? non-chiral topological order ... toric code)
- Physically Interesting
  - Chiral states
  - Semi-metals
  - Critical states
  - Metals
  - ...


# Difficulties with Chiral Tensor Networks

- General picture: PEPS with finite bond dimensions can be chiral but [12,13]
  - No gapped, local parent Hamiltonian
  - Algebraically decaying correlation (which might approximate the short-range part well)
- No-go proven for free fermions w/ translation invariance [13]
- Interaction not as rigorously studied but the overall picture still holds [14–16]


# Photos



# Photos



# Photos



# Outline

Correlated Decoding and Algorithmic Fault-Tolerance in Quantum Computing

Quantum Computing At the Physical Layer

The Ultimate Boundaries of Quantum Causality

Constant-Overhead Fault-Tolerant Quantum Computing With Reconfigurable Atom Arrays

Entanglement Renormalization and Tensor Network Representation of Chern Insulator

References

# Bibliography

- M. E. Beverland, P. Murali, M. Troyer, K. M. Svore, T. Hoefler, V. Kliuchnikov, G. H. Low,  
[1] M. Soeken, A. Sundaram, and A. Vaschillo, *Assessing Requirements to Scale to Practical Quantum Advantage*, Arxiv (2022)
- M. Cain, C. Zhao, H. Zhou, N. Meister, J. Pablo, B. Ataides, A. Jaffe, D. Bluvstein, and M. D. Lukin, *Correlated Decoding of Logical Algorithms with Transversal Gates*, in (2024)
- H. Zhou, C. Zhao, M. Cain, D. Bluvstein, C. Duckering, H.-Y. Hu, S.-T. Wang, A. Kubica, and M. D. Lukin, *Algorithmic Fault Tolerance for Fast Quantum Computing*, in (2024)
- C. Huang et al., *Quantum Instruction Set Design for Performance.*, Physical Review Letters 70601 (2021)

- [5] S. Bravyi, D. Poulin, and B. M. Terhal, *Tradeoffs for Reliable Quantum Information Storage in 2d Systems*, Physical Review Letters 50503 (2009)
- [6] D. Gottesman, *Fault-Tolerant Quantum Computation with Constant Overhead*, Quantum Inf. Comput. 14, 1338 (2013)
- [7] N. P. Breuckmann and J. N. Eberhardt, *Quantum Low-Density Parity-Check Codes*, PRX Quantum 2, 40101 (2021)
- [8] P. Panteleev and G. V. Kalachev, *Asymptotically Good Quantum and Locally Testable Classical LDPC Codes*, Proceedings of the 54th Annual ACM SIGACT Symposium on Theory of Computing (2021)

- Q.-D. Xu, J. P. B. Ataides, C. A. Pattison, N. Raveendran, D. Bluvstein, J. Wurtz, B. V. Vasic,  
[9] M. D. Lukin, L. Jiang, and H. Zhou, *Constant-Overhead Fault-Tolerant Quantum Computation with Reconfigurable Atom Arrays*, Nature Physics (2023)
- L. Z. Cohen, I. H. Kim, S. D. Bartlett, and B. J. Brown, *Low-Overhead Fault-Tolerant Quantum Computing Using Long-Range Connectivity*, Science Advances **8**, (2021)
- [11] S. L. Wong, K. C. Pang, and H. C. Po, *Zipper Entanglement Renormalization for Free Fermions*, in (2022)
- T. B. Wahl, H.-H. Tu, N. Schuch, and J. I. Cirac, *Projected Entangled-Pair States Can Describe Chiral Topological States*, Phys. Rev. Lett. **111**, 236805 (2013)
- [13] J. Dubail and N. Read, *Tensor Network Trial States for Chiral Topological Phases in Two Dimensions and a No-Go Theorem in Any Dimension*, Phys. Rev. B **92**, 205307 (2015)

- [14] Z. Yang, F. Gao, X. Shi, X. Lin, Z. Gao, Y. Chong, and B. Zhang, *Topological Acoustics*, Phys. Rev. Lett. **114**, 114301 (2015)
- [15] J. Hasik, M. Van Damme, D. Poilblanc, and L. Vanderstraeten, *Simulating Chiral Spin Liquids with Projected Entangled-Pair States*, Phys. Rev. Lett. **129**, 177201 (2022)
- [16] E. L. Weerda and M. Rizzi, *Fractional Quantum Hall States with Variational Projected Entangled-Pair States: A Study of the Bosonic Harper-Hofstadter Model*, Physical Review B (2023)