



AWS  
re:Invent

AIM202-S

# Artificial intelligence in Healthcare

## **Matthew Rich**

Principal  
PwC

## **Sidd Bhattacharya**

Healthcare AI  
PwC

## **JR Burch**

Manager, Information & Digital  
Solutions  
Eli Lilly

The background is a complex, abstract composition of geometric shapes. It features a grid-like pattern of squares and circles in shades of orange, grey, and yellow. Some shapes are solid, while others are semi-transparent or layered, creating a sense of depth. The overall aesthetic is modern and minimalist.

AI at PwC

# We infuse and accelerate innovation into the business



*Dream it.*

## Strategy and Research

Our dedicated research specialists and subject matter experts continuously track a knowledge base of 265+ emerging technologies and share our perspective on how these technologies impact the marketplace.

- Immersion sessions
- Research dossiers



*Build it.*

## The Lab

Our lab puts research to the test through hands-on experimentation, rapid prototyping, and proofs of concept (POCs) that demonstrate the business potential of emerging technologies. We execute 30–40 POCs annually.

- Client sessions in lab
- Prototype co-creation
- Demonstrations



*Live it.*

## Sales and Delivery

The digital solutions team includes delivery consultants and specialized teams that deliver new services and digital solutions, at speed and at scale.

- Pre-built, flexible data and analytics solutions

# AI areas of focus



## Machine Learning

Using algorithms to learn from data and solve business problems without being explicitly programmed



## Deep Learning

Leveraging cutting-edge machine learning algorithms inspired by artificial neural networks especially for unstructured data




## Natural Language

Understanding human speech and text through application of computer science, AI, and computational linguistics



## Data Engineering/Model Ops

Using cutting-edge architecture to analyze terabytes of data and deploy AI models on cloud for production



## Simulation & RL

Testing various scenarios in models of real-world processes and finding optimal strategies under those scenarios



## Automated ML

Automating and standardizing machine learning pipelines to make them more accessible and reproducible



## Embodied AI

AI that is embodied within a physical artifact and interacts with humans and the environment (robots, IoT, autonomous drones)



## Responsible AI

Developing fair, safe, explainable, accountable, and ethical AI with a combination of people, process, technology, and governance

The background is a complex, abstract composition of geometric shapes. It features a grid-like structure with various colored squares and rectangles. Overlaid on these are several circles and semi-circles in shades of grey, yellow, and orange. Some circles are solid, while others are concentric rings. The overall effect is a modern, high-contrast, and visually busy pattern.


# Use cases of AI in Healthcare



AI for intelligent case management in drug safety, aka Pharmacovigilance (PV)

AI shifts the experience from a highly manual & labor-intensive process...


Data is manually aggregated from multiple sources in a multitude of formats



Dozens of manual steps are required to intake, enter, and interpret the data just to determine case seriousness; only then can the real decision process begin

...to one that is highly intelligent, dynamically learning, and automated


Machine learning and NLP optimize processing by automating data intake and entry, extracting key information, and interpreting that data



Intelligent automation (IA) reduces the effort the team spends on these transactional tasks, enabling them to focus on other activities, improving operational efficiency



# The solution uses intelligent automation to optimize case processing and is based on user-centric design




# The solution has increased case processing efficiency by 30% as a result of intelligent automation

**75%**

reduction in duration  
of processing

**>30%**

reduction in overall effort  
to process a case




## Issue & event detection using AI at call centers


# Automatically detect reportable issues & events in call center data

**Issue:** A large pharmaceutical company, receiving a very high call volume through its customer engagement programs, is facing **challenges in issue detection**. Failure to identify reportable issues (e.g., missed dosage, off label usage) causes **inefficiencies in terms of cost, effort, and compliance**. Large batches of incoming reports with a few missed issues and events (if found during regular quality checks) need to be completely reviewed and evaluated again to stay compliant.

**Solution:** A combination of rules and ML models can be developed to augment the manual effort required for accurately and quickly identifying reportable issues in call center reports, thus significantly reducing inefficiencies/costs associated with missed reportable issues.

We conducted a POC to demonstrate that select rules can be applied to identify repeatable events and issues to aid call center agents.





## Other Healthcare use cases

## Medical document retrieval chatbot

Retrieve documents using a chatbot that understands natural language queries

### What's the challenge?


Traditional document retrieval tools rely on handwritten rules, word matching, and metadata in order to retrieve documents that are relevant to a user's query. The main challenge is that traditional models cannot understand natural language since it would be impossible to handwrite all rules of language.

### Our solution

Our solution is to train a deep learning model to understand the natural language of user queries and match them to the natural language of each document in a database. This model was trained using a dataset of over 14 million medical document abstract-title pairs.

### What's the business value?

Our solution enables us to build a chatbot for any domain by training a deep learning model on a dataset of document abstract-title pairs. By deploying an early-stage chatbot, data can also be collected through usage, which would provide more task-specific training examples for edge cases.



## Regulatory policy evaluation

Identify requirements in regulations and gaps in existing policies using natural language processing (NLP) algorithms

### What's the challenge?


Complying with regulatory obligations that are global, changing, and difficult to monitor is repetitive and manually intensive. Existing platforms and technologies use brute-force techniques and provide limited technology relief (pencils and notepads).

### Our solution

Automatically identify rules from regulatory texts such as the US Code (USC), Code of Federal Regulations (CFR), and supervisory letters using NLP. Match and rank rules against policies to identify rules requiring further investigation using unsupervised NLP.

### What's the business value?

Rules are correctly identified 75% of the time in the external law and/or regulation (Step 1), and policy review time can be reduced by ~50+% (Step 2).



## Unstructured – Information extraction

Machine learning models that extract information from PDF and Excel documents

### What's the challenge?

Many business processes (e.g., reviewing contracts) rely on extracting information from unstructured documents such as PDF, Word, and Excel, which can be error-prone and time-consuming.


### Our solution

We developed machine learning models that can read through unstructured documents such as PDF, Word, and Excel and can extract a variety of fields (e.g., dates, currency amounts) and prepare model outputs for downstream consumption in other business processes.

### What's the business value?

With a target accuracy of 90+%, clients can extract the majority of fields present in unstructured documents, reducing the time spent on the process by thousands of hours and improving data capture.


Metadata (i.e. annotations, fields & values, ground-truth, golden data, etc.)



Search for the ground-truth data in the raw claims documents

Calculate the **hit-rate** (i.e. count of values found over count of values provided)


Raw underlying claims documents







Deeper dive




A closer look at the technology behind the  
intelligent automation in drug safety

# The current release of the platform deploys an end-to-end case narrative processing pipeline

## Example Text

Patient suffered from diarrhea once this month and was later admitted to the hospital complaining of severe stomach cramps.

## NLP Engine



## 1 Medical Text Classification

Patient History

## 2 Named Entity Recognition (NER)


	Entity	Type
0	diarrhea	event
1	stomach	location
2	stomach cramps	event

## 3 Term Similarity Search

As Reported term	Most Similar Term
diarrhea	Diarrhoea (excl infective)
stomach cramps	Gastrointestinal and abdominal pains (excl oral and throat)

# The platform is built on a cloud-native, serverless architecture to enable scaling on demand

The system follows an event-driven serverless architecture leveraging HIPAA-compliant cloud-native technologies to provide the necessary capability to scale on demand



# Contact us



Matthew Rich

Partner

[matthew.rich@pwc.com](mailto:matthew.rich@pwc.com)



JR Burch

Manager, Information & Digital  
Solutions, Eli Lilly

[burch\\_jacob\\_r@lilly.com](mailto:burch_jacob_r@lilly.com)



Sidd Bhattacharya

Director

[siddhartha.bhattacharya@pwc.com](mailto:siddhartha.bhattacharya@pwc.com)

The background features a complex geometric pattern. It includes large white circles, some of which are partially cut off by the edges. There are also various shapes in shades of orange and yellow, including triangles and curved segments. A dark grey horizontal band runs across the middle of the image, containing the text 'Additional topics'.

Additional topics

# End-to-end machine learning model lifecycle

## Process and tools

End-to-end modeling process involves using a variety of disparate tools and technologies

Multiple handoffs between data engineers, data scientists, and DevOps engineers

Data scientists need to iterate with agility on building machine learning models, while application engineers need to integrate the model changes in a repetitive and automated manner into stable production systems

### Modeling Process

#### Raw Data Collection Batch & Streaming

- Data collection and storage in distributed data stores
- Streaming data ingestion pipelines

- Kafka
- Amazon S3
- Hadoop
- Cassandra

#### Data Engineering

- Data cleansing, preparation, metadata management, data partitioning, ETL pipelines

- Spark
- Hive
- Airflow
- Presto
- Apache Zeppelin

#### Model Training

- Labeling, feature engineering, model selection, hyperparameter tuning

- TensorFlow
- PyTorch
- Scikit-learn
- Horovod
- Keras
- Jupyter

#### Experiment Tracking/ Data Provenance

- Model, code, data, and config tracking

- Pachyderm
- DVC
- Weights & Biases
- MLflow

#### Model Deployment/ Monitoring

- Model serving at scale for inference

- Docker
- Kubernetes
- Prometheus
- Clipper

#### Process Enablers

- Cloud Platforms
- Container Orchestrators

- Distributed ML Frameworks
- Continuous Integration

- Continuous Deployment
- Monitoring



## Real-time prediction model deployment challenges

---

Building and deploying machine learning systems involves a very different set of architectural practices compared to traditional software engineering.

Organizations are building more machine learning models, but only a few make it to production.

### Complexity

- Wide variety of languages are used to train models (e.g., Python, R, Scala, Java)
- High-velocity open-source ML frameworks and different ways to serve models (e.g., TensorFlow, Keras, Scikit-learn, PyTorch, Spark ML)
- Library versions and “dependency hell” cause difficulties in transferring models from development to production environments
- Different technology stacks are used for training models versus deploying models

### Lack of Standard Methodology

- Custom tooling developed in-house in the absence of established methods (e.g., FBLearn – Facebook, TFX – Google, and Michelangelo – Uber)
- Fragmented tools and standards that focus on a very specific problem but do not integrate into the larger end-to-end process

### Model Diagnostics

- Monitoring model latency, tracing API requests, and collecting request metrics such as request rate & error rate involves wiring together several custom tools

### Maintenance and Scalability

- Machine learning models are compute intensive; extensive hardware resources are required to scale machine learning models to serve predictions at large scale
- Rolling out new versions of a model and rolling back deployments can be time-consuming, effort-intensive, and error-prone
- Infrastructure maintenance and upgrades can cause downtimes in the model operations
- Infrastructure needs to be elastic to scale up or scale down based on demand

### Concept Drift and Feedback Mechanism


- Model predictive performance can change over time due to non-stationary distributions of real-world data
- Monitoring predictive accuracy of models in real time and comparing to ground truth is difficult in most use cases
- Monitoring model metrics over time and triggering retraining of models via a feedback mechanism is a non-trivial process

### Automation

- Simple, fast, and repeatable pipelines to deploy incremental changes from development to production environments
- Automation of model build and integration processes



# “Hidden Technical Debt in Machine Learning Systems”




Only a small fraction of real-world ML systems is composed of the ML code, as shown by the small black box in the middle. The required surrounding infrastructure is vast and complex.

**Paper by:**

D. Sculley, G. Holt, D. Golovin, E. Davydov, T. Phillips, D. Ebner, V. Chaudhary, M. Young, J.F. Crespo, and D. Dennison. Hidden Technical Debt in Machine Learning Systems. In Neural Information Processing Systems (NIPS). 2015.

# Real-time model operations platform: Modelhive

## High-level process architecture & technology stack



The background is a complex geometric pattern. It features a central horizontal orange band. Above and below this band are various shapes: large grey circles, yellow circles with orange centers, and yellow and orange triangles and quadrilaterals. Some shapes are partially cut off by the edges of the frame.

Contact details

# Thank you

[pwc.com](https://pwc.com)

© 2019 PwC. All rights reserved. Not for further distribution without the permission of PwC. "PwC" refers to the network of member firms of PricewaterhouseCoopers International Limited (PwCIL), or, as the context requires, individual member firms of the PwC network. Each member firm is a separate legal entity and does not act as agent of PwCIL or any other member firm. PwCIL does not provide any services to clients. PwCIL is not responsible or liable for the acts or omissions of any of its member firms nor can it control the exercise of their professional judgment or bind them in any way. No member firm is responsible or liable for the acts or omissions of any other member firm nor can it control the exercise of another member firm's professional judgment or bind another member firm or PwCIL in any way. This content is for general information purposes only, and should not be used as a substitute for consultation with professional advisors.



Please complete the session  
survey in the mobile app.