
Fame, Fortune, and the Fun Frontend

Arthur Ketcham
Lead Developer, gowatchit.com

March 8, 2013

-
- HTML is the DNA of the Web
 - The Internet is more than the Web
 - What are HTTP and HTML?

HTML






OCM CODE NUMBER
(Subject Category)

CARD SERIAL
NUMBER

OWC CODE
(Geographic Location)

NAME OF
CULTURAL UNIT

SF5 Aymara
Card 023





Document: Bungler OED

At: "<entry>"

```
<entry>
  <hwsec>
    <hwgp>
      <hwlem>bungler</hwlem>
      <pron>b</I>ʌŋɡlə</I></pron> </hwgp>
      <vfl>Also <vd>b</vd> <vf>bongler</vf>,
        </vfl>
      <etym>f. as prec. + <xra><xlem>-ER</xlem>
    <sen>One who bungles; a clumsy unskilful
      <quot>
        <qdat>1533 </qdat>
        <auth>MORE </auth>
        <wk>Answ. Poyson. Bk. </wk>Wks. (1557)
        <qtxt>He is even but a very bungler.
```

SGML





- Client and Server Model
- Client Requests
- Server Responds
- **GET/POST/PUT/DELETE**
- URIs
- **REST**
- Response: Usually HTML

- The web server listens to port 80
- Gets a request:
 - GET "/", HOST "gowatchit.com"
- Web server hands request to *Rails/Rack*
- “Give me the root page!”
 - HomeController#index as HTML
-

-
- Dynamic vs. Static content
 - Database generated content
 - Interactivity
 - Sessions
 - Images
 - Video
 - CDNs
 - CSS, Javascript, and Assets

Routing: Mapping an address to an action

config/routes.rb:

```
Watchitnow::Application.routes.draw do
```

```
  Resources :movies
```

```
  get '/tools/' => 'browser_bar_widget#new'
```

```
  match '/providers' => 'home#providers'
```

```
  root :to => "home#index"
```

```
  [...]
```

- *User asked for the movie “Argo”, id 265874*
- Rails: “Hey database: find Movie 265874”
- MySQL: “Ok here it is:”
#<Movie id: 265874, year: 2012, title: "Argo", synopsis: "When militants seize control of the U.S. embassy in...", in_theaters: false, priority: "high", run_time: 7200, rating: "R", image_file_name: "Argo.jpg", is_youtube_trailer: true, instant_available: false, queues: 1262, and so on...>
- Rails: *Cool, lets build HTML and fill in the gaps with that!*



Argo R

[MANAGE](#)

2012 • Thriller • 120 Minutes

Directed by **Ben Affleck**. Starring **Ben Affleck, Alan Arkin, John Goodman, Bryan Cranston, and Taylor Schilling**.

When militants seize control of the U.S. embassy in Tehran during the height of the Iranian Revoluti... [Read More](#)

84 Critic Score
Read all reviews from [MRQE.com](#)

87 Twitter Sentiment
See all tweets from [Flicktweets.com](#)

Watch In Theaters



Find Showtimes & Tickets

In Queue


🔍 In 1395 Queues

Friends that have queued this



2

Share this movie



[Share with a friend](#)

Watch Online and On Demand



SD / LC / HD
Buy from \$14.99
Rent from \$3.99



SD / HD / HDX
Buy from \$14.99
Rent from \$3.99



Buy from \$14.99
Rent from \$3.99



[Click for Availability](#)



Streaming
Rent from \$3.99



Streaming
Rent from \$3.99

```
<!DOCTYPE html>
<head>
  <title>Watch Argo Online and on DVD | Watch It</title>
  <link href="http://cdn.gowatchit.com/assets/full_site.css"
    media="screen" rel="stylesheet" type="text/css" />
  <script src="http://cdn.gowatchit.com/assets/application.js"
    type="text/javascript"></script>
  <link rel="shortcut icon" href="/favicon.ico"/>
  <meta itemprop="name" content="Watch It"/>
  <meta name="description" content="Watch Argo instantly, rent or buy
    online, on dvd and blu-ray, in theaters, or on demand. Directed
    by Ben Affleck and starring Ben Affleck, Alan Arkin, John
    Goodman, Bryan Cranston, Taylor Schilling." />
  <meta name="keywords" content="watch movies online, rent movies
    online, buy movies online, watch movies instantly, watch movies
    dvd, watch movies blu ray, watch movies in theater, watch movies
    on demand, Netflix, iTunes, Redbox, Amazon, Fandango, Movies on
    Demand." />
  <meta property="fb:app_id" content="167888973227524"/>
  <meta property="og:title" content="Argo"/>
  <meta property="og:type" content="movie"/>
</head>
<body>
...
```

```
<html>
  <head>
  </head>
  <body>
    <div id="leg 1"></div>
    <div id="leg2"></div>
  </body>
</html>
```



- DOM Elements:

- Root → <html> → <head> → <title>
- Root → <html> → <body> → <div>

- Block Elements

- <div>, <section>, <video>, <table>, , <form>, etc.

- Inline Elements

- , , <a>, , <td>

- Lists

```
<ul>  
  <li>List Item</li>  
</ul>
```

- Dictionaries

```
<dl class="urban">  
  <dt>Dawg</dt>  
  <dd>Close friend and/or Homie</dd>  
</dl>
```

- Tables

- Use for tabular data only! Never for layout!
- <table>,<th>,<td>,<tr>

- `Google`
- Elements (`<a>`)
- Attributes (`href`)
- Contents (`Google`)
 - Text
 - Other Elements
 - Code

```
<!DOCTYPE html>
  <head>
    <title>Watch Argo Online and on DVD | Watch It</title>
  </head>
  <body>
    <header>
      
      <div id="main_search" class="search_box">
        <form><input type="text" name="search" value="..." /></form>
      </div>

      <div id="movie_poster_trailer">
        
      </div>
      <div id="movie_description">
        <p>When militants seize control of the U.S. embassy in Tehran during the height of
the Iranian Revolution, CIA agent Tony Mendez (Ben Affleck) creates a fake Hollywood production
in order to fool the terrorists into releasing a group of U.S. diplomats in this Warner Bros.
docudrama based on actual events. Affleck directs from a script by Chris Terrio, with George
Clooney handling producing duties. Alan Arkin, John Goodman, and Bryan Cranston co-star.</p>
      </div>
    </body>
  </html>
```

- Cascading Stylesheets

- Cascade: Specific rules *override general rules*

```
body { color: blue; }  
body div.legs { color: brown }
```

- ID and Class


- ID: Unique!
 - Class: Common to many

```
<html>  
  <head>  
  </head>  
  <body>  
    <div id="leg1" class="legs"></div>  
    <div id="leg2" class="legs"></div>  
  </body>  
</html>
```

- Using many classes:

```
id="cheetah" class="spotted fast deadly"
```

- CSS Classes define a common trait shared among many related elements
- Reusable in your application
- Dot is the selector "."
- Names like "edit_actions" are better than "orange_buttons"



- An ID must be unique for every item.
- IDs are used a lot in JavaScript
- You can specify a specific item out of many in a group: `div#navMenu`
- Better to use classes in CSS, but...
 - IDs are faster
 - IDs cascade over classes (more specific)

- Dynamic Manipulations of a page (DOM)
- AJAX. Getting (or POSTing) remote resources
- Client side applications
- Examples:
 - Google Maps
 - Conway's Game of Life:
<http://www.julianpulgarin.com/canvaslife/>
 - MultiPlayer Piano
<http://www.multiplayerpiano.com/>
- Read: http://www.w3schools.com/js/js_intro.asp

-
- git clone
<https://github.com/excalq/cuny-software-engineering>
 - example.html
 - styles.css
 - javascript.js