Python for computational Problem Solving · Unit_01 · Unit 1: Introduction

DRAFT — UE26CS151A · Unit_01 · Unit 1: Introduction · Man Cabbage Goat Wolf Problem

Standalone video lesson · authored study notes with source citations

Hugging Face PESU_Materials source tree, official units.json catalogue, transcript sidecars, slide text/PDF/PPT sources and the selected First_Year_8enterprise archive; see the provenance datasets in the release ZIP. Generated 18 October 2026.

· How to use this pack

Read the topic explanation, worked examples, and recap. Evidence citations point to source transcript intervals and slide pages; full slide images remain in the source visual index. Topics include the applicable parts: overview, key terms, formulas, figures, flowcharts, important points, worked examples, past-paper questions and a recap. IDs are shared with the separate documents: E = formula, G = graph, F = flowchart, W = worked example. Each ID is numbered by topic, so E4.2 is the second formula of topic 4.

Source text	Verbatim or OCR-derived text, kept separate from editorial notes.
Candidate	Automated topic/source association requiring manual confirmation.
Low ASR confidence	Transcript segment requires audio verification.
DRAFT	Human review remains incomplete.

Contents

1. 1 · Man Cabbage Goat Wolf Problem
2. Appendix A · Symbol glossary
3. Appendix B · Sources, coverage and gaps
4. Appendix C · Revision and retrieval practice

M1

Man Cabbage Goat Wolf Problem

1 Man Cabbage Goat Wolf Problem

Study focus: Man Cabbage Goat Wolf Problem. The notes explain the key terms, distinctions, and practical method used in this lesson. Read the cited transcript intervals for source context, then use the examples to check your understanding. EV0000010 · EV0000011

SHORT-NOTE RECAP

Model the river puzzle as a state-space search. The farmer, wolf, goat, and cabbage begin on one bank. The boat carries the farmer plus at most one passenger. A state records which bank each item occupies.

A state is unsafe if the farmer leaves the wolf alone with the goat, or the goat alone with the cabbage. A legal move changes the farmer's bank and optionally moves one item with him; reject any move that creates an unsafe state.

Search the remaining legal states until the goal is reached, and keep a record of visited states to avoid cycling. The key computational idea is to make constraints explicit, generate only valid successors, and verify that the final state satisfies the goal.

EV0000010 · EV0000011 · EV0000012 · +9 source units in pack.json

A Symbol glossary

Symbol	Name	Meaning	Appears in

B Sources, coverage and gaps

Source	Path	Use
Man Cabbage Goat Wolf Problem transcript (JSON)	https://huggingface.co/buckets/alvin3y10/data/tree/pesuc/PESU_Materials/Sem-1/UE26CS151A_Python_for_computational_Problem_Solving/Unit_01/AV_Summaries/001_Man_Cabbage_Goat_Wolf_Problem__1ef4a632cd03282d.transcript.json	Full JSON sidecar. Normalized text similarity to canonical JSON: 1.0000; only the JSON segmentation supplies the displayed timestamps.
Man Cabbage Goat Wolf Problem transcript (Markdown)	https://huggingface.co/buckets/alvin3y10/data/tree/pesuc/PESU_Materials/Sem-1/UE26CS151A_Python_for_computational_Problem_Solving/Unit_01/AV_Summaries/001_Man_Cabbage_Goat_Wolf_Problem__1ef4a632cd03282d.transcript.md	Full Markdown sidecar. Normalized text similarity to canonical JSON: 1.0000; only the JSON segmentation supplies the displayed timestamps.
Man Cabbage Goat Wolf Problem transcript (plain text)	https://huggingface.co/buckets/alvin3y10/data/tree/pesuc/PESU_Materials/Sem-1/UE26CS151A_Python_for_computational_Problem_Solving/Unit_01/AV_Summaries/001_Man_Cabbage_Goat_Wolf_Problem__1ef4a632cd03282d.transcript.txt	Full plain text sidecar. Normalized text similarity to canonical JSON: 0.9988; only the JSON segmentation supplies the displayed timestamps.
Man Cabbage Goat Wolf Problem transcript (SRT)	https://huggingface.co/buckets/alvin3y10/data/tree/pesuc/PESU_Materials/Sem-1/UE26CS151A_Python_for_computational_Problem_Solving/Unit_01/AV_Summaries/001_Man_Cabbage_Goat_Wolf_Problem__1ef4a632cd03282d.srt	Full SRT sidecar. Normalized text similarity to canonical JSON: 1.0000; only the JSON segmentation supplies the displayed timestamps.

Historical question-source excerpts are shown only when a page has a strong text-based unit match. They are source references, not new solutions or exam predictions.

Known gaps, conflicts and corrections

1. 2 video-to-slide associations were not promoted to a match. Candidate rankings are listed in the transcript corpus and video-slide-matches.csv; the slide decks appear separately.
2. 16 transcript segments have low ASR confidence; they are flagged with timestamps in the transcript blocks and indexed in the corpus.
3. This is a visibly labelled source-preservation draft. Human page-level semantic and visual review is not complete; no unsupported subject summary or formula correction is claimed.
4. The 19.26 GiB MP4 files remain hosted on Hugging Face; the full video path/hash and transcript coverage are indexed. The full audio/video was not watched end-to-end.

5. Formula candidates are machine-extracted text with source locators; use the adjacent original slide page and the formula index before treating a candidate as an authoritative equation.
6. The study PDF contains edited, topic-organized lecture notes and textual slide-page takeaways. Full-page slide images remain in the source/visual index datasets, not embedded as the lesson. Human content, ASR, formula, and page-level visual review remains pending.

Coverage

Evidence is summarized by source to keep the reading copy legible. Full source-unit IDs, locators and decisions remain in pack.json.

Source	Unit counts	Example decisions
SRC00006	3 covered · 0 excluded · 0 gaps	t000000-000299: Timestamp interval t000000-000299; canonical segment IDs s0001 to s0023. Sidecar variants compare... t000300-000599: Timestamp interval t000300-000599; canonical segment IDs s0024 to s0047. Sidecar variants compare... t000600-000899: Timestamp interval t000600-000899; canonical segment IDs s0048 to s0066. Sidecar variants compare...
SRC00007	3 covered · 0 excluded · 0 gaps	t000000-000299: Timestamp interval t000000-000299; canonical segment IDs s0001 to s0023. Sidecar variants compare... t000300-000599: Timestamp interval t000300-000599; canonical segment IDs s0024 to s0047. Sidecar variants compare... t000600-000899: Timestamp interval t000600-000899; canonical segment IDs s0048 to s0066. Sidecar variants compare...

Source	Unit counts	Example decisions
SRC00008	3 covered · 0 excluded · 0 gaps	t000000-000299: Timestamp interval t000000-000299; canonical segment IDs s0001 to s0023. Sidecar variants compare... t000300-000599: Timestamp interval t000300-000599; canonical segment IDs s0024 to s0047. Sidecar variants compare... t000600-000899: Timestamp interval t000600-000899; canonical segment IDs s0048 to s0066. Sidecar variants compare...
SRC00009	3 covered · 0 excluded · 0 gaps	t000000-000299: Timestamp interval t000000-000299; canonical segment IDs s0001 to s0023. Sidecar variants compare... t000300-000599: Timestamp interval t000300-000599; canonical segment IDs s0024 to s0047. Sidecar variants compare... t000600-000899: Timestamp interval t000600-000899; canonical segment IDs s0048 to s0066. Sidecar variants compare...

C Revision and retrieval practice