# **SQL Programming Project**

CS-6360 Database Design Due: March 20, 2016

# **Description**

This SQL programming project involves the creation of a database host application that interfaces with a backend SQL database implementing a Library Management System. Users of the system are understood to be librarians (not book borrowers).

This is an individual (not group) project. All work, design, and coding must be done individually by you.

# **Programming Language(s) and Frameworks**

Your host application should have a GUI interface. You may implement either a native GUI application or a web interface.

Your application GUI may be programmed with Java, Ruby, Python, Javascript, or PHP. You may use a web programming framework like Django (Python) or Node.js (Javascript). You may NOT use a platform-specific language, e.g. Objective-C, Swift (Apple) or C#, F# (Microsoft).

You may use either MySQL, PostgreSQL, or MS SQL Server as your database.

If you would like to use any other language or framework not specifically listed above, you <u>must</u> obtain prior approval from the TA that she is able to effectively evaluate the language of your submission.

## **Functional Requirements**

## 1) Graphical User Interface (GUI) and Overall Design [20 points]

All interface with the Library (queries, updates, deletes, etc.) must be done from a graphical user interface of your original design. Your GUI application will interface with the Library database via an appropriate MySQL connector. Initial database creation and population may be done from command line or other admin tool. Overal design will be judged on usability first, look-and-feel secondary.

## 2) Book Search and Availability [20 points]

Using your GUI, be able to search for a book, given any combination of ISBN, title, and/or Author(s). Your query should support substring matching. You should then display the following in your search results:

- ISBN
- Book title
- Book author(s) (If displaying search results in table columns, **author** should display a single derived value, even though author names are stored as composite attributes.). Nonperson authors (i.e. institute names, group names) should use the **AUTHOR.Lname** field.
- Branch info
  - branch id
  - branch name
  - How many copies are owned/inventoried by a specified branch
  - Book availability at each branch (i.e. How many copies not already checked out?).

Each book at a given branch should display on a single line.

#### 3) Book Loans [20 points]

#### **Checking Out Books**

- Using your GUI, be able to check out a book, given the combination of BOOK\_COPIES(Isbn, branch\_id) and BORROWER(Card\_no), i.e. create a new tuple in BOOK\_LOANS. Generate a new unique primary key for loan\_id. The date\_out should be today's date. The due\_date should be 14 days after the date\_out.
- Each BORROWER is permitted a maximum of 3 BOOK\_LOANS. If a BORROWER already has 3 BOOK\_LOANS, then the checkout (i.e. create new BOOK\_LOANS tuple) should fail and return a useful error message.
- If the number of BOOK\_LOANS for a given book at a branch already equals the No\_of\_copies (i.e. There are no more book copies available at your library\_branch), then the checkout should fail and return a useful error message.

#### Checking In Books

• Using your GUI, be able to check in a book. Be able to locate BOOK\_LOANS tuples by searching on any of book\_id, Card\_no, and/or any part of BORROWER name. Once located, provide a way of selecting one of potentially multiple results and a button (or menu item) to check in (i.e. enter a value for date\_in in corresponding BOOK\_LOANS tuple).

## 4) Borrower Management [20 points]


- Using your GUI, be able to create new borrowers in the system.
- All name, SSN, and address attributes are required to create a new account (i.e. value must be not null).
- You must devise a way to automatically generate new card\_no primary keys for each new tuple that uses a compatible format with the existing borrower IDs.
- Borrowers are allowed to possess exactly one library card. If a new borrower is attempted withe same SSN, then your system should reject and return a useful error message.

## 5) Fines [20 points]

- fine\_amt attribute is a dollar amount that should have two decimal places.
- paid attribute is a boolean value (or integer 0/1) that idicates whether a fine has been paid.
- Fines are assessed at a rate of \$0.25/day (twenty-five cents per day).
- You should provide a button, menu item, etc. that updates/refreshes entries in the FINES table. In reality, this would occur as a cron/batch script that executed daily.
- There are two scenarios for late books
  - 1. Late books that have been returned the fine will be [(the difference in days between the due date and date in) \* \$0.25].
  - 2. Late book that are still out the estimated fine will be [(the difference between the due date and TODAY) \* \$0.25].
- If a row already exists in FINES for a particular late BOOK LOANS record, then
  - If paid == FALSE, do not create a new row, only update the fine\_amt if different than current value.
  - If paid == TRUE, do nothing.
- Provide a mechanism for librarians to enter payment of fines (i.e. to update a FINES record where paid == TRUE)
  - Do not allow payment of a fine for books that are not yet returned.
  - Display of Fines should be grouped by card\_no. i.e. SUM the fine\_amt for each Borrower.
  - Display of Fines should provide a mechanism to filter out previously paid fines (either by default or choice).

#### **Schema**

The schema for the library database is derived from (but NOT the same as) the library schema in the textbook (Figure 6.6). The *actual* schema used for this project is provided below. You are permitted to modify or augment this schema provided that your system (a) is backwards compatible with the given schema, and (b) adheres to the written requirements. As long as your system supports the documented functionality, you may add any features you deem useful.



#### Data

- Baseline data to initialize your database is provided in the eLearning programming assignment folder.
- All data is provided in plain text CSV files. Note that there is <u>not</u> a one-to-one, file-to-table correspondence. Part of your system design task to map (i.e. normalize) these data onto your schema and tables.
- All book id's are 10-character ISBN numbers (i.e. some contain alpha characters). Note
  that some may contain leading zeroes. These are part of ISBN and should <u>not</u> be
  truncated!

#### **Submission**

You will be required to submit the following files:

- A design document that describes your system architecture including design decisions and assumptions. (1.5-3 pages 12 point font, <u>not</u> including any schema diagrams or system architecture figures). Format should be PDF.
- A Quick Start user guide for librarian system users (1-2 pages).
- A readme.txt file that describes how to compile, build, and install your application. It should include any technical dependencies (language, frameworks, platform, OS, software libraries, software versions, etc.).
- All application source code, including any build files (e.g. make, ant, maven, etc.).
- All files must be zipped together into a single file. This file should be named <netid>\_cs6360.zip, where <net-id> is your Net ID. Example: cid021000\_cs6360.zip

# Grading

You will be required to demonstrate your application for the TA. If you are unable to bring a laptop computer to demonstrate your application, please let me know as soon as possible so I can make alternate arrangements.

An online sign-up mechanism will be made available to reserve a specific time with the TA for evaluation and grading. As a courtesy to the TAs and those waiting behind you, **please be on time for your scheduled slot** and have your application already launched and ready to go.

Each student will have 10-15 minutes to demonstrate their system and execute the test cases provided at grading time. Test cases will be designed to validate use cases from the published requirements.