BUG REPORTS AND BUG LIFE CYCLE

Software Testing Assignment

Test environment note: This draft is based on issues previously observed/reported in the Exelynt staging environment, not a separate public demo website. If the instructor strictly requires a public demo site, replace these reports with bugs independently reproduced on that site. Confirm each issue again before final submission.

1. Bug Report Summary

Bug ID	Title	Severity	Priority	Status
BUG-001	Unpaid student can be assigned to a mentor	High	High	Needs revalidation
BUG-002	Newly enrolled student does not appear at the top of the list	Medium	Medium	Needs revalidation
BUG-003	Embedded YouTube lesson video is unavailable in the course player	Medium	Medium	Needs revalidation
BUG-004	Free course displays Pending Approval status	Medium	Medium	Needs revalidation
BUG-005	Access Denied appears when viewing payment timeline	High	High	Needs revalidation

2. Detailed Bug Reports

BUG-001: Unpaid student can be assigned to a mentor

Module: College Admin > Mentors > Assign Students

Steps to Reproduce: 1. Log in as college admin.
2. Open Assign Students.
3. Select a course and a student with pending/unpaid status.
4. Attempt to assign the student to a mentor.

Expected Result: The system should block assignment until payment is completed, except for free courses or explicitly authorized exceptions.

Actual Result: The student can be selected and assigned without a completed payment check.

Severity: High

Priority: High

Screenshot / Evidence: Screenshot supplied: Assign Students modal and student/course API response. Reproduce and confirm the student's payment status before filing.

BUG-002: Newly enrolled student does not appear at the top of the list

Module: College Admin > Enrolled Students

Steps to Reproduce: 1. Log in as college admin.
2. Open Enrolled Students.
3. Enroll a new student or use a newly created enrollment.
4. Refresh the list and check the first rows.

Expected Result: The newest enrollment should appear first when the list is intended to be sorted by enrollment date descending.

Actual Result: The new enrollment is not shown at the top of the list.

Severity: Medium

Priority: Medium

Screenshot / Evidence: Screenshot supplied: Students list showing the table and Network response. Confirm expected sort order with product requirements.

BUG-003: Embedded YouTube lesson video is unavailable in the course player

Module: Student Panel > Course Content > Video

Steps to Reproduce: 1. Log in as a student.
2. Open the course and select the SDLC & Development Models lesson.
3. Select the Video tab and press play.

Expected Result: The lesson video should play inside the course player when embedding is permitted; otherwise, a clear fallback should be shown.

Actual Result: The player displays “Video unavailable” and says playback on other websites has been disabled by the video owner, with a Watch on YouTube option.

Severity: Medium

Priority: Medium

Screenshot / Evidence: Screenshot supplied: course player displays the YouTube “Video unavailable” message. This may be a content/embed restriction rather than an application defect; verify the video owner's embed settings.

BUG-004: Free course displays Pending Approval status

Module: Student/College Admin > Course Enrollment

Steps to Reproduce: 1. Open a course configured as free.
2. Enroll as a student or inspect the enrollment status in the relevant user/admin view.
3. Check the status shown after enrollment.

Expected Result: A free course should follow the defined free-enrollment workflow and should not require payment approval; any separate academic approval should be clearly distinguished.

Actual Result: The free course is shown as Pending Approval.

Severity: Medium

Priority: Medium

Screenshot / Evidence: Screenshot/issue previously reported by tester. Verify whether the status means academic approval or payment approval before classifying as a defect.

BUG-005: Access Denied appears when viewing payment timeline

Module: Student/User View > Payment Timeline

Steps to Reproduce: 1. Log in with the affected user account.
2. Navigate to the payment timeline.
3. Open the timeline page or select its view action.

Expected Result: An authorized user should be able to view their own payment timeline; unauthorized access should be handled with a clear, appropriate message.

Actual Result: The page displays an “Access Denied” message in the user view payment timeline.

Severity: High

Priority: High

Screenshot / Evidence: Issue previously reported by tester. Confirm role permissions and reproduce with a user who should have access.

3. Bug Life Cycle

Typical flow: New → Triaged → Assigned → In Progress → Fixed/Resolved → Retest → Closed. If the issue still exists during retesting, it is Reopened and sent back to the development team.

New Issue reported	**Triaged** Validated and prioritized	**Assigned** Owner selected	**In Progress** Fix underway
Fixed / Resolved Developer marks fix	**Retest** QA verifies	**Closed** Fix confirmed	**Reopened** Still failing

• **New:** A tester reports a reproducible issue with steps and evidence.

• **Triaged:** The team validates the report, checks duplicates, and assigns severity/priority.

• **Assigned:** The issue is assigned to a developer or responsible team.

• **In Progress:** The developer investigates and works on a fix.

• **Fixed / Resolved:** A fix is implemented and marked ready for verification.

• **Retest:** The tester repeats the failed steps on the fixed build.

• **Closed:** The tester confirms the fix and closes the bug.

• **Reopened:** If the issue still occurs, the tester reopens it and returns it for investigation.

• **Rejected / Duplicate / Cannot Reproduce:** Alternative outcomes when the report is invalid, already reported, or cannot be reproduced; the reason should be documented.

Other possible outcomes: Rejected (not a valid defect), Duplicate (already tracked), or Cannot Reproduce (not repeatable with the supplied information). Record the reason and supporting evidence.

4. Severity vs. Priority

Severity describes how seriously a bug affects system functionality or users. **Priority** describes how urgently the team should fix the bug.

Aspect	Severity	Priority
Meaning	Impact of the defect	Urgency to fix the defect
Usually decided by	QA with technical/product input	Product owner/business and team
Example scale	Critical, High, Medium, Low	P1, P2, P3, P4

5. Examples of Severity and Priority

Example 1: High Severity, High Priority. A user cannot access the payment timeline because the page shows Access Denied even though the user is authorized. This blocks access to important payment information. Severity: High. Priority: High, because the issue should be investigated quickly.

Example 2: Low Severity, High Priority. The company logo is slightly misaligned on the homepage just before a major public launch. Core functionality still works, so severity is Low, but the team may assign High priority because the branding issue is highly visible and time-sensitive.

6. Submission Notes

Attach screenshots for each bug in the final submission. Screenshots should show the issue clearly and avoid exposing passwords, tokens, or unnecessary personal data. Reproduce each issue, confirm expected behavior with requirements, and update severity/priority if the evidence changes.