# Glyphosate

## *List of information, tests and studies which are considered as relied upon by the RMS for the evaluation with a view to renew the active substance approval*

***Version 2 – information, tests and studies relied upon by the RMS and identified in the Renewal Assessment Report (18 December 2013, rev. 29 January 2015, rev. 31 March 2015), Addendum 1 (31 August 2016) and Addendum 2 (30 March 2017)***

**B.1 Identity, B.2 Physical and chemical properties, B.3 Data on application and further information, B.4 Proposals for classification and labelling, B.5 Methods of analysis**

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 2.1.1<br>KIIA 2.1.3<br>KIIA 2.2<br>KIIA 2.4.1<br>KIIA 2.4.2<br>KIIA 2.6<br>KIIA 2.7<br>(OECD) | Midgley, B., de Ryckel, B. | 2007 | Physico-chemical properties of glyphosate potassium salt<br>MSL0021012<br>GLP: Y, published: N<br>2308949 / 2308951 / 2308955 / 2308961 / 2308965 / 2308989 / 2308993 | Y | EGT |
| KIIA 2.1.3<br>KIIA 2.2<br>KIIA 2.4.1<br>KIIA 2.4.2<br>KIIA 2.5.1<br>(OECD) | Wollerton, C.; Husband, R. | 1997 | Glyphosate acid: Physical and Chemical Properties of Pure Material<br>RJ2400B<br>GLP: Y, published: N<br>CHE2001-61 | N | SYD |
| KIIA 2.1.3<br>KIIA 2.2<br>KIIA 2.4.1<br>KIIA 2.4.2<br>KIIA 2.7<br>KIIA 2.11.2<br>KIIA 2.14<br>KIIA 2.15<br>(OECD) | Wollerton, C.; Husband, R. | 1997 | Glyphosate acid: Physical and Chemical Properties of Technical Material<br>RJ2401B<br>GLP: Y, published: N<br>CHE2001-63 | N | SYD |
| KIIA 2.3.1<br>KIIA 2.5.1<br>KIIA 2.8.1<br>KIIA 2.11.1<br>KIIA 2.13<br>KIIA 2.14<br>KIIA 2.15<br>(OECD) | Oudhoff, K.A. | 2012 | Determination of physico-chemical properties of glyphosate potassium salt<br>497741<br>GLP: Y, published: N<br>2308959 / 2308969 / 2308995 / 2309007 / 2309017 / 2309023 / 2309027 | Y | EGT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 2.5.1 (OECD) | Janssen, H.M. | 2012 | Determination of 1H NMR spectrum<br>497740<br>GLP: N, published: N<br>2308973 | Y | EGT |
| KIIA 2.5.1 (OECD) | Van Schöll, I. | 1995 | Determination of the mass spectrum of MON 77209 pure<br>V 95.110<br>GLP: N, published: N<br>2308975 | N | EGT |
| KIIA 2.5.1<br>KIIA 2.9.5 (OECD) | Oudhoff, K.A. | 2012 | Determination of Physico-chemical properties of glyphosate ammonium salt; MS spectrum and dissociation constant<br>MSL0023949<br>GLP: Y, published: N<br>2308977 / 2309003 | Y | EGT |
| KIIA 2.5.2 (OECD) | Triska, J.J. | 2011 | UV/VIS spectral analysis and IR (infrared) spectral analysis of N-nitrosoglyphosate (NNG)<br>PCH-2011-0666<br>GLP: Y, published: N<br>2308985 | Y | EGT |
| KIIA 2.5.2 (OECD) | Triska, J.J. | 2011 | IR (infrared) spectral analysis of Formaldehyde<br>PCH-2011-0667<br>GLP: Y, published: N<br>2308987 | Y | EGT |
| KIIA 2.5.2 (OECD) | Horton, S. | 2013 | Analytical reference standard, Certificate of analysis , Expiration extension - NNG<br>3034<br>GLP: N, published: N<br>2716044 | Y | EGT |
| KIIA 2.5.2 (OECD) | Bjorholm, T.; Sorensen, E.V. | 1992 | Characterisation of formaldehyde (CAS No. 50-00-0) ca. 20% in water and 10% methanol, Merck 4025, batch No. 847225<br>REF 062-01<br>GLP: Y, published: N<br>2716046 / CHE9600621 | N | EGT |
| KIIA 2.5.2 (OECD) | Snoddy, C.B. | 1995 | Spectral information for N-nitrosoglyphosate, Lot No. NPD-9205-4204-A<br>AA016556<br>GLP: N, published: N<br>2717476 / CHE9600620 | N | EGT |
| KIIA 2.7 (OECD) | Bates, C. | 1999 | The solubility of sodium and ammonium glyphosate salts in organic solvents<br>MLL31266<br>GLP: Y, published: N<br>2308991 / | N | EGT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 2.10 (OECD) | Mehrsheikh, A. | 2012 | Atmospheric Oxidation of Glyphosate Salts - Atkinson Calculation Excel<br>MSL0024050<br>GLP: N, published: N<br>2309005 | Y | EGT |
| KIIA 2.11.2 (OECD) | Brekelmans, M.J.C. | 2013 | Determination of the relative self-ignition temperature of glyphosate potassium salt<br>MSL0025288<br>GLP: N, published: N<br>2716050 | Y | EGT |
| KIIA 2.13 (OECD) | Jackson, W.A. | 2002 | Thermal stability/ Stability in Air - 759acid<br>HT02/075<br>GLP: Y, published: N<br>2309015 | Y | EGT |
| KIIIA1 2.1<br>KIIIA1 2.4.1<br>KIIIA1 2.4.2<br>KIIIA1 2.6.1<br>KIIIA1 2.7.5<br>KIIIA1 2.8.4<br>(OECD) | Bates, C. | 2001 | Long term storage stability at ambient temperature of MON 52276 (glyphosate SL): analysis after 2 years storage at room temperature<br>MSL-17439<br>GLP: Y, published: N<br>2315951 / 2315953 / 2315955 / 2315959 / 2315963 / 2315967 | N | EGT |
| KIIIA1 2.2.2 (OECD) | Midgley, B.; Brekelmans, M.J.C. | 2012 | Statement on the oxidizing properties of MON 52276<br>MSL0024643<br>GLP: N, published: N<br>2716873 | Y | EGT |
| KIIIA1 2.5.1<br>KIIIA1 2.8.2<br>(OECD) | Van Hoeylandt, M., Roels, M. | 2011 | Kinematic viscosity and persistent foaming properties of MON 52276<br>MSL 0023798<br>GLP: N, published: N<br>2315957 / 2315965 | Y | EGT |
| KIIIA1 2.7.1<br>KIIIA1 2.8.2<br>(OECD) | Van Hoeylandt, M.; Roels, M. | 2013 | Persistent foaming properties of MON 52276<br>MSL0025280<br>GLP: N, published: N<br>2741216 / 2716875 | Y | EGT |
| KIIIA1 2.7.4 (OECD) | Dieudonné, M. | 2000 | One year storage stability test at ambient t°, accelerated storage stability by heating and low temperature stability of MON 52276: a water soluble concentration of glyphosate<br>MSL-F-99-52276-01<br>GLP: Y, published: N<br>2315961 | N | EGT |
| KIIIA1 4.1 | Midgley, B. | 2012 | Packaging suitability testing of MON 52276 with 1-litre high density polyethylene bottles<br>MPW 1536<br>GLP: N, published: N<br>2315969 | Y | EGT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIIA1 4.2.2 | Van Den Heuvel, F. | 2001 | Pressure rinsing of the 20L MONAGL container according to the CEN directive EN 12761-3:2001<br>MPW 1066<br>GLP: N, published: N<br>2315971 | Y | EGT |
| KIIIA1 4.4<br>KIIIA1 4.5 | Anonymous | 2012 | Safety data sheet - MON 52276<br>GLP: N, published: N<br>2315945 / 2433956 | Y | MOD |
| KIIA 4.2 (OECD) | Probst, D.A. | 2012 | NNG and formaldehyde method validations in MON 52276 and MON 77973<br>MSL0024115<br>GLP: Y, published: N<br>2309030 | Y | EGT |
| KIIA 4.2.1 (OECD) | Norris, D. | 2009 | Validation of the Methods of Analysis used for Glyphosate and Specified Impurities<br>DNA0686<br>GLP: Y, published: N<br>2315362 | Y | PUJ |
| KIIA 4.2.1 (OECD) | Norris, D. | 2009 | Validation of the Methods of Analysis used for Glyphosate and Specified Impurities (1st addendum)<br>DNA0686<br>GLP: N, published: N<br>2315364 | Y | PUJ |
| KIIA 4.2.1 (OECD) | Diehl, B. | 2008 | Glyphosate TC: Method Validation for the Analysis of Manufacturing Process Related Impurities<br>SSL 08807<br>GLP: Y, published: N<br>2315403 | Y | ALB |
| KIIA 4.2.1 (OECD) | Norris, D. | 2009 | Validation of the method of analysis used for Glyphosate and specified impurities<br>DNA 0775<br>GLP: Y, published: N<br>2315439 | Y | JGH |
| KIIA 4.2.1 (OECD) | Fox, O. | 2005 | Validation of a HPLC method for the Quantitative analysis of impurities in Glyphosate technical acid and 5-batch analysis of glyphosate technical acid for active ingredient, material insoluble in NaOH and moisture content<br>BAR-001<br>GLP: Y, published: N<br>2315440 | Y | BCL |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 4.2.1 (OECD) | Norris, D. | 2006 | Analysis of a sample of glyphosate technical material, to show the method specificity<br>DNA0055<br>GLP: Y, published: N<br>2315446 | Y | BCL |
| KIIA 4.2.1 (OECD) | Pedersen, S.N. | 2004 | Analytical Method VAM 002-04: Determination of Glyphosate (CAS No. 1071-83-6) in Glyphosate Technical, Glyphosate Concentrate and Glyphosate SL and SG Formulations<br>VAM 002-04 version 4<br>GLP: Y, published: N<br>2315498 | Y | CHE |
| KIIA 4.2.1 (OECD) | Pedersen, S.N. | 2002 | Validation of Analytical Method VAM 002-04 for determination of Glyphosate (CAS No. 1071-83-6) in Glyphosate Technical, Glyphosate Concentrate and Glyphosate Formulations<br>VAL 002-04<br>GLP: Y, published: N<br>2315500 | Y | CHE |
| KIIA 4.2.1 (OECD) | Hinz, B. | 2009 | Analytical Method VAM 002-04 : Determination of Glyphosate (CAS No. 1071-83-6) in Glyphosate Technical, Glyphosate Concentrate and Glyphosate SL and SG Formulations<br>VAM 002-04 version 5<br>GLP: N, published: N<br>2315506 | Y | CHE |
| KIIA 4.2.1 (OECD) | Comb, A.L. | 2005 | Glyphosate technical - Five-batch analysis - Method validation<br>NUF/083<br>GLP: Y, published: N<br>2315594 | Y | NUF |
| KIIA 4.2.1 (OECD) | Norris, D. | 2009 | Validation of the methods of analysis used for glyphosate and specified impurities, in compliance with Good Laboratory Practice<br>DNA0775<br>GLP: Y, published: N<br>2315649 | Y | HEL |
| KIIA 4.2.1 (OECD) | Diehl, B. | 2010 | Glyphosate TC - Method Validation for the Analysis of Manufacturing Process Related Impurities<br>SSL04309<br>GLP: Y, published: N<br>2315697 | Y | HEL |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 4.2.1 (OECD) | Diehl, B. | 2010 | Glyphosate TC - Method Validation for the Analysis of Manufacturing Process Related Impurities<br>SSL04309<br>GLP: Y, published: N<br>2315730 | Y | NUF |
| KIIA 4.2.1 (OECD) | Huazhen Wen | 2009 | Spectroscopy complementary data regarding the methods of analysis used in the study NC-2007-012<br>NC-2007-012<br>GLP: N, published: N<br>2315820 | Y | SFP |
| KIIA 4.2.1 (OECD) | Clarke, P.M.; Massey, P.R. | 2002 | AMP10089-03B - The Determination of Glyphosate and associated Impurities in technical Material by Ion Chromatography<br>R61837/0272<br>GLP: N, published: N<br>2315873 | Y | SYD |
| KIIA 4.2.1 (OECD) | Diehl, B. | 2010 | Glyphosate TC-Method Validation for the Analysis of Manufacturing Process Related Impurities<br>SSL04309<br>GLP: Y, published: N<br>2315935 | Y | ZXC |
| KIIA 4.2.1 (OECD) | Yusuf Vohra | 2009 | Preliminary analyses of five representative production batches of glyphosate acid technical grade active ingredient (TGAI) to determine % glyphosate and to quantify its associated impurities (Volume I and II)<br>8880<br>GLP: Y, published: N<br>2317346 | Y | AGT |
| KIIA 4.2.1 (OECD) | Norris, D. | 2012 | Validation of the method of determination of active ingredient and specified impurities in glyphosate technical material<br>DNA1301<br>GLP: Y, published: N<br>2317380 | Y | INA |
| KIIA 4.2.1 (OECD) | Ravi, P.E. | 2007 | Studies on the chemical composition of five batches of glyphosate technical<br>05197<br>GLP: Y, published: N<br>2317477 | Y | IMA |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 4.2.1 (OECD) | Hubbard, S. | 2009 | Analysis of 5 batches of Technical glyphosate for the active ingredient and relevant impurities with associated validation<br>OA01682 ALS<br>GLP: Y, published: N<br>2317612 | Y | AAP |
| KIIA 4.2.1 (OECD) | Wasser, C. | 2008 | Purity profile for 5 batches of glyphosate technical<br>A7190<br>GLP: Y, published: N<br>2317738 | Y | BRK |
| KIIA 4.2.1 (OECD) | Hongxia Li | 2010 | Preliminary Analysis and Enforcement Analytical Method of Glyphosate TGAI - Validation of Analytical Methodology for the Assay of Active Ingredients and related Significant Impurities and Subsequent 5 batch analysis of Glyphosate TGAI<br>NC-2009-019<br>GLP: Y, published: N<br>2317822 | Y | JFG |
| KIIA 4.2.1 (OECD) | Denny, O. | 2010 | Purity Profile of 5 Batches of Glyphosate Technical<br>R A9033<br>GLP: Y, published: N<br>2320229 | Y | MAH |
| KIIA 4.2.1 (OECD) | Clipston, A.S. | 2010 | 5-Batch analysis of Glyphosate acid TGAI in accordance with EC Commission Directive 94/37/EC Article 1.9 to 1.11 (amending EEC Council Directive 91/414/EEC)<br>EPP00009<br>GLP: Y, published: N<br>2320514 | Y | HEL |
| KIIA 4.2.1 (OECD) | Sardinha, R.G. | 2008 | Qualitative and Quantitative Profile of the test substance GLYPHOSATE TECHNICAL (Five Batch Analysis)<br>3996.030.288.07<br>GLP: Y, published: N<br>2320537 | Y | HEL |
| KIIA 4.2.1 (OECD) | Zepperitz, C | 2011 | Glyphosate 95% TC: Quantification and Identification of the Active Ingredient and Impurities in Five Batches by Validated Methods<br>C86955<br>GLP: Y, published: N<br>2320584 | Y | HEL |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 4.2.1 (OECD) | Skopec, J. | 2009 | Determination of Active Content and Impurity Profile of Glyphosate<br>RS-001<br>GLP: Y, published: N<br>2320625 | Y | HEL |
| KIIA 4.2.1 (OECD) | Skopec, J. | 2009 | Determination of active content and impurity profile of Glyphosate<br>OS-012<br>GLP: Y, published: N<br>2320658 | Y | HEL |
| KIIA 4.2.1 (OECD) | Mcdonald, E.; Craig, W.B. | 2002 | Glyphosate TGAI/MP: Analysis and certification of Limits for Glyphosate TGAI/MP: Selected studies to fulfill OPPTS Guidelines 830.1700, 830.1750 and 830.1600 in Accordance with 40 CFR part 158 and EEC Directive 94/37/EEC<br>20733<br>GLP: Y, published: N<br>2321334 | Y | SAO |
| KIIA 4.2.1 (OECD) | Pinto, V | 2008 | Glyphosate Analytical Profile<br>AI/21/08 Final report<br>GLP: Y, published: N<br>2321404 | Y | SAP |
| KIIA 4.2.1 (OECD) | Shen Lu | 2007 | Preliminary analysis and enforcement analytical method of Glyphosate TGAI - Validation of analytical methodology for the assay of active ingredient and related significant impurities and subsequent 5-Batch analysis of Glyphosate TGAI<br>NC-2007-012<br>GLP: Y, published: N<br>2322253 | Y | SFP |
| KIIA 4.2.1 | Jwo, S.-S. | 2014 | The five batches analysis of technical grade active ingredient (TGAI) glyphosate acid<br>M302<br>GLP: Y, published: N<br>2717921 | Y | SNN |
| KIIA 4.2.1 (OECD) | Doyle, T. | 2009 | 5 Batch Analysis of Glyphosate Technical Material for significant impurities, known impurities and materials insoluble in NaOH, including amendment<br>UPL-007<br>GLP: Y, published: N<br>2325565 | Y | UPL |
| KIIA 4.2.1 (OECD) | Silva, S. | 2011 | Analytical profile of glyphosate (Annexes)<br>AI/61/10 Final Rep.<br>GLP: Y, published: N<br>2326001 | Y | SAP |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 4.2.1 (OECD) | Silva, S. | 2011 | Analytical profile of glyphosate<br>AI/61/10 Final Rep.<br>GLP: Y, published: N<br>2326020 | Y | SAP |
| KIIA 4.2.1 (OECD) | Bockholt, K. | 2010 | Glyphosate TC-Analytical Profile of 5 Batches<br>SSL04409<br>GLP: Y, published: N<br>2404947 | Y | ZXC |
| KIIA 4.2.1 (OECD) | Clarke, P.M. | 2002 | Method Validation: AMP10089-03B 'The Determination of Glyphosate and Associated Impurities in Technical Material by Ion Chromatography'<br>R61837/0273! RJ3310B<br>GLP: Y, published: N<br>2415613 | Y | SYD |
| KIIA 4.2.1 (OECD) | Nelson, R.<br>Godbey, J.<br>Jones, J. | 2008 | Analysis of Product Samples for Active Ingredient and Impurities in Technical Grade of Glyphosate<br>FOR-07-044<br>GLP: Y, published: N<br>2431693 | Y | DOW |
| KIIA 4.2.1 (OECD) | Nelson, R.<br>Jones, J.<br>Linder, S.<br>Stock, M. | 2006 | Analysis of Product Samples for Active Ingredient and Impurities in Technical Grade of Glyphosate (GF-1548)<br>FOR04019<br>GLP: Y, published: N<br>2431695 | Y | DOW |
| KIIA 4.2.1 (OECD) | Nelson, R.<br>Jennings, C.<br>Jones, J.<br>Rodriguez-Rosas, M. | 2008 | Analysis of Product Samples for Active Ingredient and Impurities in Technical Grade of Glyphosate<br>FOR-07-062<br>GLP: Y, published: N<br>2431697 | Y | DOW |
| KIIA 4.2.1 (OECD) | Bockholt, K. | 2010 | Glyphosate TC - Analytical Profile of 5 Batches<br>SSL04409<br>GLP: Y, published: N<br>2434971 | Y | HEL |
| KIIA 4.2.1 (OECD) | Desai, H | 2008 | Preliminary Analysis of Five Representative Production Batches of Glyphosate Technical Grade Active Ingredient (TGAI) to Determine % Glyphosate and to Quantify Its Associated Impurities<br>8247<br>GLP: Y, published: N<br>2435558 | Y | RTA |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 4.2.2 (OECD) | Russchen, A. | 2007 | Validation of the HPLC-method to determine the content of Glyphosate in Glyphosate technical<br>0702019.00<br>GLP: Y, published: N<br>2315366 | Y | AGC |
| KIIA 4.3 (OECD) | Anderson, L.; Ely, S. V. | 2001 | N-(phosphonomethyl)glycine (PMG) and Aminomethyl Phosphonic acid (AMPA) validation of a residue analytical method for the determination of the residues in various crops<br>RJ3119B<br>BVL-2309035, ASB2012-12364 | N | EGT |
| KIIA 4.3 (OECD) | Clarke D. M.; Robinson, N. J. | 1998 | Validation of an analytical method for the determination of [N-(Phosphonomethyl)glycine] (PMG) and Aminomethylphosphonic acid (AMPA) in kidney, milk and eggs by gas chromatography with mass selective detection<br>RJ2585B<br>BVL-2309049, ASB2012-12398 | N | EGT |
| KIIA 4.3 (OECD) | Crook, S. J. | 2007 | Glyphosate: Provision of independent laboratory validation data to support analytical methods RAM 328/01 and RAM 308/01<br>J6696/01<br>BVL-2309039, ASB2012-12387 | Y | EGT |
| KIIA 4.3 (OECD) | Klimmek, S. | 2007 | Validation of the analytical method DFG Method 405 for determination of residues of Glyphosate and its Metabolite AMPA in various plant materials<br>0FC00014427 ! FCS-0703V<br>BVL-2309041, ASB2008-5606 | Y | EGT |
| KIIA 4.3 (OECD) | Klimmek, S.; Weber, H. | 2008 | First Amendment to final report - Validation of the analytical method DFG Method 405 for the determination of residues of Glyphosate and its metabolite AMPA in various plant materials<br>FCS-0703V<br>BVL-2309043, ASB2008-5607 | Y | EGT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 4.3 (OECD) | Robinson, N. J. | 1998 | GLYPHOSATE TRIMESIUM: Replacement of Chloroform in method RR93-104B RES for analysis of N-(Phosphonomethyl)Glycine and Aminomethyl-Phosphonic acid in animal matrices. A method development summary<br>36546/01<br>BVL-2309051, ASB2012-12465 | N | EGT |
| KIIA 4.3 (OECD) | Runnels, J. K. | 1993 | Applicability of multi-method S19 to the analysis of glyphosate-trimesium<br>BVL-2309059, ASB2009-5598 | N | EGT |
| KIIA 4.3 (OECD) | Schneider, E. | 2001a | Validation of an analytical method for the determination of Glyphosate in foodstuff of animal origin (meet, eggs, milk) (Monitoring method)<br>PR01/005<br>BVL-2309057, MET2005-367 | N | EGT |
| KIIA 4.3 (OECD) | Weber, H. | 2012 | Validation of an analytical method for the determination of Glyphosate and AMPA in Raw Agricultural Commodities using LC/MS/MS<br>S11-03331<br>BVL-2309045, ASB2012-12489 | Y | EGT |
| KIIA 4.3 (OECD) | Alferness P. L. and Wiebe L. A. | 2001 | Determination of Glyphosate and Aminomethylphosphonic Acid in Crops by Capillary Gas Chromatography with Mass-Selective Detection: Collaborative Study,<br>J AOAC International 84 (2001) 823 – 846,<br>ASB2012-12387 | N | LIT |
| KIIA 4.3 (OECD) | Karnik, S., Dillon, R. | 2007 | Independent laboratory validation of DuPont-20009, "Analytical method for the determination of N-acetalglyphosate and other analytes in various animal matrices using LC/MS/MS"<br>DuPont-21372, Pyxant Labs Inc. ID: 1806<br>BVL-1748764, ASB2008-2634 | Y | DPB |
| KIIA 4.3 (OECD) | Pentz, A.M., Bramble, F.Q. | 2007a | Analytical method for the determination of glyphosate and degradate residues in various crop matrices using LC/MS/MS<br>DuPont-15444 Revision-1<br>BVL-1748765, ASB2008-2635 | Y | DPB |
| KIIA 4.3 (OECD) | Pentz, A. M., Bramble, F. Q. | 2007b | Analytical method for the determination of N-acetylglyphosate and other analytes in various animal matrices using LC/MS/MS<br>DuPont-20009<br>BVL-1748766, ASB2008-2636 | Y | DPB |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 4.3 (OECD) | Seal, S., Dillon, R. | 2007 | Independent laboratory validation of DuPont-15444, "Analytical method for the determination of glyphosate and relevant metabolite residues in various crop matrices using LC/MS/MS"<br>DuPont-21313, Pyxant Labs Project no. 1763<br>BVL-1748767, ASB2008-2637 | Y | DPB |
| KIIA 4.4 (OECD) | Schneider, E. | 2001b | Validation of an analytical method for the determination of Glyphosate in soil<br>PR01/006<br>BVL-2309063, MET2005-371 | N | EGT |
| KIIA 4.4 (OECD) | Szuter, S. L. | 1996 | Glyphosate Acid: Independent laboratory lalidation of the method for determining residues of N-(Phosphonomethyl)glycine and (Aminomethyl)phosphonic acid in soil (WRC-96-082) (WINO 23013)<br>Study number ZPMG-96-MT-01, Report number RR 96-059B<br>not published, MET2000-699 | N | MOD |
| KIIA 4.5 (OECD) | Geschke, S. | 2011 | Independent laboratory validation of an analytical method for the determination of residues of Glyphosate and AMPA in drinking water<br>S10-02882<br>BVL-2309067, ASB2012-12426 | Y | EGT |
| KIIA 4.5 (OECD) | Knoch, E. | 2010 | Validation of an analytical method: Determination of Glyphosate and AMPA in water matrices using FMOC derivatization, manual SPE cleanup and LC-MS/MS quantitation<br>IF-10/01618859<br>BVL-2309065, ASB2012-12445 | Y | EGT |
| KIIA 4.7 (OECD) | Schneider, E. | 2001c | Validation of an analytical method for the determination of Glyphosate in air<br>PR01/007<br>BVL-2309069, MET2005-368 | N | EGT |
| KIIA 4.3 (OECD) | Bleeke, M. S. | 1997 | Nature of Glyphosate residues in cotton plants tolerant to Roundup herbicide.<br>Report No. MSL-14113<br>GLP: yes<br>not published<br>RIP9700619 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 4.3 (OECD) | Chapleo, S.; McLachlan, T. | 2010 | The metabolism of [14C]Glyphosate in 0827 canola<br>Sponsor Study No: DuPont-26109<br>GLP: yes<br>not published<br>BVL-2200198, ASB2011-13744 | Y | DPB |
| KIIA 4.3 (OECD) | George, Ch. | 1995 | Nature of Glyphosate residues in corn plants which are tolerant to Roundup herbicide<br>Report No. MSL-14018<br>GLP: yes<br>not published<br>RIP9700618 | N | MOD |
| KIIA 4.3 (OECD) | Goure, W. F. | 1994 | Nature of Glyphosate residues in soybeans tolerant to Roundup herbicide<br>Report No. MSL-13520<br>GLP: yes<br>not published<br>RIP9800117 | N | MOD |
| KIIA 4.3 (OECD) | Green, M. | 2007 | The metabolism of [14C]Glyphosate in Optimum GAT (Event DP-Ø9814Ø-6) field corn<br>DuPont-19529<br>BVL-1748787, ASB2008-2657 | Y | DPB |
| KIIA 4.3 (OECD) | Lowrie, Ch. | 2007 | Metabolism of [$^{14}$C]-N-Acetylglyphosate (IN-MCX20) in the lactating goat<br>Report No.: DuPont-19796<br>GLP: yes<br>not published<br>BVL-1748790, ASB2008-2660 | Y | DPB |
| KIIA 4.3 (OECD) | MacDonald, A. M. G. | 2007 | The metabolism of [14C]Glyphosate in GAT/GM-HRA (DP-356Ø43-5, PHP20163a) soybeans<br>DuPont-19530<br>BVL-1748788, ASB2008-2658 | Y | DPB |
| KIIA 4.3 (OECD) | Mehrsheikh, A. | 2000 | Metabolism of Glyphosate in Roundup Ready Sugarbeet<br>Report No. MSL-16247<br>GLP: yes<br>not published<br>RIP2001-906 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 4.3 (OECD) | Patanella, J. E.; Feng, P. | 1988 | Metabolism study of synthetic $^{13}C/^{14}C$-labeled Glyphosate and Aminomethylphosphonic acid in lactating goats. Part II<br>Report: MSL-7458<br>GLP: yes<br>not published<br>RIP9501204 | N | MOD |
| KIIA 4.3 (OECD) | Powles, P. | 1994 | ($^{14}C$-Glyphosate): Absorption, distribution, metabolism and excretion following repeated oral administration to the dairy goat<br>Report No. 676/9-1011<br>GLP: yes<br>not published<br>RIP9501207 | N | CHE |
| KIIIA1 5.2.1 (OECD) | Bates, C. | 2001 | Determination of glyphosate content in formulations MON 78043, MON 78044 and MON 2139 (glyphosate 360g/l) SL by HPLC : validation of the analytical method<br>MSL-17401<br>GLP: Y, published: N<br>2315973 | N | EGT |
| KIIIA1 5.2.4 (OECD) | Probst, D. A. | 2012 | NNG and formaldehyde method validations in MON 52276 and MON 77973<br>MSL0024115<br>GLP: Y, published: N<br>2315974 | Y | EGT |

**Codes of owner**

| | |
|---|---|
| AAP | Arysta LifeScience S.A.S |
| AGC | AgriChem B.V. |
| AGT | Agro Trade GmbH |
| ALB | Albaugh UK Limited |
| BCL | Barclay Chemicals Manufacturing Ltd. |
| BRK | BROKDEN, SL |
| CHE | Cheminova A/S |
| DOW | Dow AgroSciences GmbH |
| DPB | DuPont de Nemours |
| EGT | European Glyphosate Task Force AIR 2 |
| HEL | HELM AG |
| IMA | Imaspro Resources Sdn. Bhd. |
| INA | Industrias Afrasa |
| JFG | Jiangsu Fengshan |
| JGH | Jiangsu Good Harvest |
| MAH | Makhteshim-AGAN Group |
| MOD | Monsanto Europe S.A./N.V. |
| NUF | Nufarm GmbH & Co KG |
| PUJ | Punjab Chemicals and Crop protection Ltd |
| RTA | Rotam Agrochemicals Europe Ltd. |

| | |
|---|---|
| SAO | Sabero Organics Gujarat Ltd |
| SAP | Sapec Agro S.A. |
| SFP | Société Financière de Pontarlier |
| SNN | Sinon Corporation |
| SYD | Syngenta Agro GmbH |
| UPL | United Phosphorus Ltd. |
| ZXC | Zhejiang Xinan Chemical Industrial Group Co., Ltd. |

**B.6 Toxicology and metabolism**

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5<br>KIIIA1 7<br>(OECD) | EFSA | 2009 | Reasoned opinion: Modification of the residue definition of Glyphosate in genetically modified maize grain and soybeans, and in products of animal origin<br>EFSA Journal 2009; 7(9):1310 ! EFSA-Q-2009-00372<br>ASB2012-3480 | N | LIT |
| KIIA 5<br>KIIIA1 7<br>(OECD) | EFSA | 2012 | Final review of the Séralini et al. (2012a) publication on a 2-year rodent feeding study with glyphosate formulations and GM maize NK603 as published online on 19 September 2012 in Food and Chemical Toxicology<br>*EFSA Journal 2012;10(11):2986*<br>ASB2012-15513 | N | LIT |
| KIIA 5<br>KIIIA1 7<br>(OECD) | European Commission | 2002 | Review report for the active substance glyphosate. Finalised in the Standing Committee on Plant Health at its meeting on 29 June 2001in view of the inclusion of glyphosate in Annex I of Directive 91/414/EEC.<br>Glyphosat 6511/VI/99-final<br>ASB2009-4191 | N | --- |
| KIIA 5<br>KIIIA1 7<br>(OECD) | Germany | 1998 | Glyphosate (Monograph)<br>ASB2010-10302 | N | --- |
| KIIA 5<br>KIIIA1 7<br>(OECD) | Germany | 1998 | Glyphosate-trimesium (Monograph),<br>ASB2010-10493 | N | --- |
| KIIA 5<br>KIIIA1 7<br>(OECD) | Germany | 2000 | Glyphosate (Monograph): Addendum B.6,<br>ASB2013-2748 | N | --- |
| KIIA 5<br>KIIIA1 7<br>(OECD) | OECD | 2002 | OECD;<br>Guidance Notes for Analysis and Evaluation of Chronic Toxicity and Carcinogenicity Studies<br>ENV/JM/MONO(2002)19<br>ASB2013-3754 | N | LIT |
| KIIA 5<br>KIIIA1 7<br>(OECD) | Anonymous | 2006 | Background Response to “Glyphosate Toxic & Roundup Worse”. Monsanto statement.<br>http://www.monsanto.com/products/Documents/glyphosate-background-materials/Response_ISIS_apr_06.pdf<br>ASB2013-5455 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| MIIA Sec 3<br>MIIA Sec 6 | Akerman, G.; Blankinship, A.; | 2015 | US EPA Memorandum - EDSP: Weight of evidence analysis of potential interaction with the estrogen, androgen or thyroid pathways. Chemical: Glyphosate<br>GLP: Open Published: No<br>BVL-3194149, BVL-3194153, ASB2016-11617 | Y | EGT |
| MIIA Sec 3<br>MIIA Sec 6 | Anon. | 2016 | Literature Search on Glyphosate - ED Properties<br>GLP: Open Published: No<br>BVL-3194154, BVL-3194156, ASB2016-11618 | Y | EGT |
| MIIA Sec 3<br>MIIA Sec 6 | Levine, S. L. | 2016 | Glyphosat: Toxicological and metabolism studies on the active substance - Tier 2, IIA-5 (Weight-of -the evidence (WoE) Analysis for Glyphosate: An evaluation of results from the EDSP Tier I screening assays)<br>Doc. MII / Sec. 3 ! MSL0027951<br>GLP: Yes Published: No<br>BVL-3189460, BVL-3194162, ASB2016-11615 | Y | EGT |
| MIIA Sec 3<br>MIIA Sec 6 | Levine, S. L. | 2016 | Glyphosat: Toxicological and metabolism studies on the active substance - Tier 2, IIA-5 (OECD Tier II Study summaries of the Glyphosate endocrine disruptor screening program (EDSP) Tier 1 assays)<br>Doc. MII / Sec. 3 ! MSL0027952<br>GLP: Open Published: Yes<br>BVL-3194135, BVL-3194145, ASB2016-11616 | Y | EGT |
| KIIA 5.1<br>KIIA 5.6<br>(OECD) | Antoniou M, Habib MEEM, Howard CV, Jennings RC, Leifert C, Nodari RO, C Robinson, Fagan J. | 2011 | Roundup and birth defects: Is the public being kept in the dark?<br>Earth Open Source report. Available from: http://www.earthopensource.org/files/pdfs/Roundup-and-birth-defects/RoundupandBirthDefectsv5.pdf<br>ASB2011-7202 | N | LIT |
| KIIA 5.1<br>KIIA 5.10<br>(OECD) | Carr, K.H., Bleeke, M.S. | 2012 | Process Description for Identification, Review, and Categorization of Scientific Literature Concerning Glyphosate and AMPA Side-Effects on Health, the Environment, and Non-Target Species<br>k.A.<br>GLP: N, published: Y<br>2309656 / ASB2012-11583 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.1<br>KIIA 5.10<br>(OECD) | Klimisch, H.J., Andreae, M., Tillmann, U. | 1997 | A systematic approach for evaluating the quality of experimental toxicological and ecotoxicological data<br>Regulatory Toxicology and Pharmacology 25, 1-5<br>GLP: N, published: Y<br>2309856 / ASB2010-14388 | N | LIT |
| KIIA 5.1.1<br>KIIA 5.5.3<br>KIIA 5.9<br>KIIA 5.10<br>KIIIA1 7.6.4<br>(OECD) | Acquavella, J.F., Alexander, B.H., Mandel, J.S., Gustin, C., Baker, B., Chapman, P., Bleeke, M. | 2004 | Glyphosate biomonitoring for farmers and their families: Results from the farm family exposure study<br>Environmental Health Perspectives 112, 321-326<br>GLP: N, published: Y<br>2309536 / ASB2012-11528 | N | LIT |
| KIIA 5.1.1<br>KIIA 5.4.4<br>KIIA 5.7.4<br>KIIA 5.10<br>(OECD) | Anadon, A., Martinez-Larranaga, M.R., Martinez, M.A., Castellano, V.J., Martinez, M., Martin, M.T., Nozal, M.J., Bernal, J.L. | 2009 | Toxicokinetics of glyphosate and its metabolite aminomethyl phosphonic acid in rats<br>Toxicol Lett 190, 91-95<br>GLP: N, published: Y<br>2309568 / ASB2012-11542 | N | LIT |
| KIIA 5.1.1<br>(OECD) | Blech, S.; Stratmann, A. | 1995 | Glyphosate: ADME-study in rats - Final report<br>A&M 038/94,<br>TOX9552251 | N | ADM |
| KIIA 5.1.1<br>KIIA 5.4.4<br>(OECD) | Brewster, D. W.; Warren, J.; Hopkins, W. E. | 1991 | Metabolism of glyphosate in Sprague-Dawley rats: Tissue distribution, identification, and quantitation of glyphosate-derived materials following a single oral dose, Fundamental and Applied Toxicology 17(1991): 43-51<br>TOX9551791 | N | LIT |
| KIIA 5.1.1<br>KIIA 5.3.2<br>KIIA 5.4<br>KIIA 5.5<br>KIIA 5.10<br>(OECD) | Chan, P. C.; Mahler, J. F. | 1992 | NTP technical report on toxicity studies of Glyphosate administered in dosed feed to F344/N rats and B6C3F1 mice,<br>National Institutes of Health 16(1992) 1-57<br>TOX9551954 | N | LIT |
| KIIA 5.1.1<br>(OECD) | Colvin, L. B.; Miller, J. A. | 1973 | Final report on CP 67573 residue and metabolism. Part 9: The gross distribution of n-phosphonomethylglycine-$^{14}$C in the rabbit<br>TOX9552353 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.1.1 (OECD) | Colvin, L. B.; Miller, J. A.. | 1973 | CP 67573 residue and metabolism. Part 13: The dynamics of accumulation and depletion of orally ingested N-phosphonomethyl-glycine$^{14}$C<br>TOX9552355 | N | --- |
| KIIA 5.1.1 (OECD) | Davies, D.J. | 1996 | Glyphosate acid: Excretion and tissue retention of a single oral dose (10 mg/kg) in the rat<br>CTL/4940 SYN<br>GLP: Y, published: N<br>2309074 / TOX2000-1977 | N | SYD |
| KIIA 5.1.1 (OECD) | Davies, D.J. | 1996 | Glyphosate acid: Excretion and tissue retention of a single oral dose (1000 mg/kg) in the rat<br>CTL/4942 SYN<br>GLP: Y, published: N<br>2309076 / TOX2000-1978 | N | SYD |
| KIIA 5.1.1<br>KIIA 5.1.3 (OECD) | Davies, D. J. | 1996 | Glyphosate acid: Excretion and Tissue Retention of a Single Oral Dose (10 mg/kg) in the Rat Following Repeat Dosing<br>CTL/P/4944 SYN<br>GLP: Y, published: N<br>2309078 / TOX2000-1979 | N | SYD |
| KIIA 5.1.1<br>KIIA 5.1.3 (OECD) | Davies, D. J. | 1996 | Glyphosate acid: Whole body autoradiography in the rat (10 mg/kg)<br>CTL/P/4943 SYN<br>GLP: Y, published: N<br>2309080 / TOX2000-1980 | N | SYD |
| KIIA 5.1.1<br>KIIA 5.9<br>KIIA 5.10 (OECD) | Hoppe, H.-W. | 2013 | Glyphosate and AMPA: Determination of glyphosate residues in human urine samples from 18 European countries<br>Medical Laboratory Bremen**,** MLHB-2013-06-06<br>ASB2013-8037 | N | LIT |
| KIIA 5.1.1 (OECD) | Howe, R. K.; Chott, R. C.; McClanahan, R. H. | 1988 | The metabolism of glyphosate in Sprague/Dawley rats. Part II. Identification, characterization, and quantitation of glyphosate and its metabolites after intravenous and oral administration,<br>MSL-7206 ! 206300, TOX9552357 | N | MON |
| KIIA 5.1.1 (OECD) | Knowles, S.L.; Mookherjee, C.R. | 1996 | [$^{14}$C]-glyphosate: Absorption, distribution, metabolism and excretion following oral administration to the rat<br>1413/2-1011 NUF<br>GLP: Y, published: N<br>2309072 / ASB2012-11380 | Y | NUF |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.1.1 (OECD) | Leuschner, J. | 1995 | Metabolism study of $^{14}$C-labelled glyphosate after single oral and intravenous administration to Sprague-Dawley rats, 9202/95<br>TOX9650071 | N | ADM |
| KIIA 5.1.1<br>KIIA 5.1.3 (OECD) | Macpherson, D. | 1996 | Glyphosate acid: Biotransformation in the rat<br>CTL/P/5058 SYN<br>GLP: Y, published: N<br>2309082 / TOX2000-1981 | N | SYD |
| KIIA 5.1.1<br>KIIA 5.10 (OECD) | Mage, D.T. | 2006 | Suggested corrections to the Farm Family Exposure Study<br>Environmental Health Perspectives 114, A633-A634<br>GLP: N, published: Y<br>2309900 / ASB2012-11888 | N | LIT |
| KIIA 5.1.1 (OECD) | McEwen, A.B. | 1995 | HR-001: Metabolism in the rat<br>SNY 332/951256 HLS<br>GLP: Y, published: N<br>2309070 / ASB2012-11379 | N | ALS |
| KIIA 5.1.1 (OECD) | Powles, P.; Hopkins, R. | 1992 | ($^{14}$C)-glyphosate: Absorption and distribution in the rat - preliminary study<br>6365-676/1<br>TOX9552358 | N | CHE |
| KIIA 5.1.1 (OECD) | Powles, P.; Hopkins, R. | 1992 | ($^{14}$C)-glyphosate: Absorption, distribution, metabolism and excretion in the rat,<br>7006-676/2<br>TOX9300343 | N | CHE |
| KIIA 5.1.1 (OECD) | Ridley, W.P.; Mirly, K. | 1988 | The metabolism of glyphosate in Sprague/Dawley rats. I. Excretion and tissue distribution of Glyphosate and its metabolites following intravenous and oral administration<br>MSL-7215 ! EHL 86139 ! ML-86-438<br>TOX9552356 | N | MON |
| KIIA 5.2.1 (OECD) | Arcelin, G. | 2007 | Glyphosate technical material: Acute oral toxicity study in rats (Up and Down procedure)<br>B02755; T007035-05 SYN<br>GLP: Y, published: N<br>2309111 / ASB2012-11391 | Y | SYD |
| KIIA 5.2.1 (OECD) | Branch, D. K. | 1981 | Acute oral toxicity of MON 0139 to rats<br>800257 ! ML-80-261<br>TOX9552321 | N | MON |
| KIIA 5.2.1 (OECD) | Brett, M. G | 1990 | Acute oral toxicity in the rat: Glyphosate technical<br>R231 ! AGC-900823B ! AGC-101<br>TOX9500261 | N | AGC |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.2.1 (OECD) | Brown, J. C.; Ogilvie, S. W. | 1995 | Glyphosate technical 95 %: Acute oral toxicity ($LD_{50}$) test in rat<br>10670 ! IRI 556073<br>TOX9500377 | N | SNN |
| KIIA 5.2.1 (OECD) | Cuthbert, J. A.; Jackson, D. | 1989 | Glyphosate technical: Acute oral toxicity (limit) test in rats<br>5883 ! IRI 243268<br>TOX9552319 | N | CHE |
| KIIA 5.2.1 (OECD) | Dideriksen, L. H.; Skydsgaard, K. | 1981 | Assessment of acute oral toxicity of "Glyphosate technical" to mice - incl. Addendum<br>12321<br>TOX9552320 | N | CHE |
| KIIA 5.2.1 (OECD) | Do Amaral Guimaraes, S.P. | 2008 | Acute Oral Toxicity Study in Wistar Hannover Rats for Glyphosate Technical<br>RF -3996.305.475.07 HAG<br>GLP: Y, published: N<br>2309100 / ASB2012-11389 | Y | HAG |
| KIIA 5.2.1 (OECD) | Doyle, C.E. | 1996 | Glyphosate Acid: Acute Oral Toxicity Study in Rats<br>CTL/P/4660 SYN<br>GLP: Y, published: N<br>2309109 / TOX2000-1982 | N | SYD |
| KIIA 5.2.1 (OECD) | Dreher, D. M. | 1994 | Glyphosate premix: Acute oral toxicity (limit test) in the rat<br>545/37<br>TOX9552322 | N | CHE |
| KIIA 5.2.1 (OECD) | Enami, T., Nakamura, H. | 1995 | Acute Toxicity Study of MON 0139 By Oral Administration in Mice<br>XX-95-205 MON<br>GLP: Y, published: N<br>2309115 / ASB2012-11393 | Y | MON |
| KIIA 5.2.1 (OECD) | Haferkorn, J. | 2009 | Acute Oral Toxicity Study of Glyphosate TC in Rats<br>23910 HAG<br>GLP: Y, published: N<br>2309092 / ASB2012-11385 | Y | HAG |
| KIIA 5.2.1 (OECD) | Haferkorn, J. | 2010 | Acute Oral Toxicity Study of Glyphosate TC in Rats<br>24874 HAG<br>GLP: Y, published: N<br>2309094 / ASB2012-11386 | Y | HAG |
| KIIA 5.2.1 (OECD) | Haferkorn, J. | 2010 | Acute Oral Toxicity Study of Glyphosate TC in Rats<br>24602 HAG<br>GLP: Y, published: N<br>2309096 / ASB2012-11387 | Y | HAG |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.2.1 (OECD) | Heenehan, P.R., Braun, W.G. and Rinehart, W.E. | 1979 | Acute Oral Toxicity Study in Rats.<br>BD-77-428 MON<br>GLP: N, published: N<br>2309107 / Z35541 | N | MON |
| KIIA 5.2.1 (OECD) | Komura, Hitoshi | 1995 | HR-001: Acute Oral Toxicity Study In Rats<br>IET 94-0134 ALS<br>GLP: Y, published: N<br>2309086 / ASB2012-11382 | Y | ALS |
| KIIA 5.2.1 (OECD) | Komura, Hitoshi | 1995 | HR-001: Acute Oral Toxicity Study In Mice<br>IET 94-0133 ALS<br>GLP: Y, published: N<br>2309088 / ASB2012-11383 | Y | ALS |
| KIIA 5.2.1 (OECD) | Merkel, D. | 2005 | Glyphosate Acid Technical - Acute Oral Toxicity Up and Down Procedure in Rats<br>PSL 15274 HAG<br>GLP: Y, published: N<br>2309098 / ASB2012-11388 | Y | HAG |
| KIIA 5.2.1 (OECD) | Moore, G.E. | 1999 | NUP5a99 62 % glyphosate MUP: Acute oral toxicity study in rats - Limit test<br>7907 NUF<br>GLP: Y, published: N<br>2309117 / ASB2012-11394 | Y | NUF |
| KIIA 5.2.1 (OECD) | Pooles, A. | 2014 | Glyphosate: Acute oral toxicity in the rat - fixed dose method<br>Report No.: 41401853, Harlan Laboratories Ltd., Derbyshire, DE72 2GD, UK<br>Date: 2014-00-01, not published<br>ASB2014-9147 | Y | ALB |
| KIIA 5.2.1 (OECD) | Reagan, E. L. | 1987 | Acute oral $LD_{50}$ study of MON-8750 in Sprague-Dawley rats<br>FDRL 9308A<br>TOX9552323 | N | MON |
| KIIA 5.2.1 (OECD) | Reagan, E. L. | 1987 | Acute oral toxicity of MON 8750 in Sprague-Dawley rats<br>FD-86-431/9308A<br>Z85869 | N | MON |
| KIIA 5.2.1 (OECD) | Reagan, E.L. and Laveglia, J. | 1988 | Acute Oral Toxicity Study of Glyphosate Batch/lot/nbr no. XLI-55 in Sprague/Dawley rats<br>FD-88-29 (FDRL 88.20 MON 88.2053.007)<br>GLP: Y, published: N<br>2309105 / Z35389 | N | MON |
| KIIA 5.2.1 (OECD) | Sharp, V. M. | 1995 | Final report for oral and dermal $LD_{50}$ tests with Sanachem glyphosate acid technical in rats, limit test<br>00917<br>TOX9650909 | N | SLE |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.2.1<br>KIIA 5.2.2<br>(OECD) | Sharp, V. M. | 1995 | Final report for oral and dermal $LD_{50}$ tests with Sanachem glyphosate 62 % IPA in rats, limit test<br>00926<br>TOX9650910 | N | SLE |
| KIIA 5.2.1<br>(OECD) | Simon, C. | 2009 | Glyphosate Technical: Acute oral Toxicity Study in Rat, C22864,<br>C22864 EXC<br>GLP: Y, published: N<br>2309090 / ASB2012-11384 | Y | EXC |
| KIIA 5.2.1<br>(OECD) | Snell, K. | 1994 | Glyphosate: Acute oral toxicity (limit test) in the rat<br>710/14<br>TOX9500245 | N | HBX |
| KIIA 5.2.1<br>(OECD) | Suresh, T. P. | 1991 | Acute oral toxicity study with glyphosate technical (FSG 03090 H/05 march 90) in Wistar rats<br>ES.874.AOR ! ES-GPT-AOR ! TOXI-874/1990<br>TOX9551088 | N | ADM |
| KIIA 5.2.1<br>(OECD) | Suresh, T. P. | 1991 | Acute oral toxicity study with glyphosate technical (FSG 03090 H/05 march 90) in swiss albino mice<br>ES.875.AOM ! ES-GPT-AOM ! TOXI-875/1990<br>TOX9551089 | N | ADM |
| KIIA 5.2.1<br>(OECD) | Talvioja, K. | 2007 | GLYPHOSATE TECHNICAL (NUP05068) : Acute oral toxicity study in rats<br>BO2272 NUF<br>GLP: Y, published: N<br>2309103 / ASB2012-11390 | Y | NUF |
| KIIA 5.2.1<br>(OECD) | Tavaszi, J. | 2011 | Glyphosate technical - Acute Oral Toxicity Study in the Rat (Up and Down Procedure)<br>10/218-001P SYN<br>GLP: Y, published: N<br>2309113 / ASB2012-11392 | Y | SYD |
| KIIA 5.2.1<br>(OECD) | Tornai, A.;<br>Rozsnyoi, F.<br>Turczer, K.<br>Arszenovitz, S.<br>Dufner, A. | 1994 | Glyphosate (Alkaloida, Tiszavasvari): Acute oral toxicity in rats<br>GHA-94-401/R<br>TOX9650142 | N | ALK |
| KIIA 5.2.1<br>(OECD) | Tos, E. G.;<br>Maraschin, R.;<br>Orlando, L. | 1994 | Glyphosate technical: Acute oral toxicity study in mice<br>940020 ! PRO629<br>TOX9551624 | N | ICP |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.2.1 (OECD) | Ullmann, L.; Sacher, R.; Janiak, T.; Vogel, O. | 1989 | Acute oral toxicity study with glyphosate technical (isopropylamine salt 62 % in water equivalent to 46 % of N-phosphonomethylglycine acid) in rats<br>238050 ! PRO439<br>TOX9551623 | N | IPC |
| KIIA 5.2.1 (OECD) | Walker, D. J.; Jones, J. R. | 1992 | Glyphosate technical: Acute oral toxicity (limit test) in the rat<br>134/37<br>TOX9551810 | N | BCL |
| KIIA 5.2.1 (OECD) | Wang, S. C. | 1987 | Acute oral toxicity of 41 % SN750721 solution in mice - Test report entrusted by Shinung Corporation<br>TX58AO2<br>TOX9500376 | N | SIN |
| KIIA 5.2.1 (OECD) | Wang, S.-C. | 1987 | Acute oral toxicity of 64 % SN750721 technical liquid in mice Test report entrusted by Shinung Corporation<br>TX58AO1<br>TOX9500375 | N | SIN |
| KIIA 5.2.1 (OECD) | You, J. | 2009 | Glyphosate: Acute Oral Toxicity Study (UDP) In Rats<br>12170-08 HEL<br>GLP: Y, published: N<br>2309084 / ASB2012-11381 | Y | HAG |
| KIIA 5.2.2 (OECD) | Arcelin, G. | 2007 | Glyphosate technical material: Acute dermal toxicity study in rats<br>B02766 (T007036-05) SYN<br>GLP: Y, published: N<br>2309141 / ASB2012-11404 | Y | SYD |
| KIIA 5.2.2 (OECD) | Branch, D. K. | 1981 | Acute dermal toxicity of MON 0139 to rabbits<br>800258 ! ML-80-261<br>TOX9552326 | N | MON |
| KIIA 5.2.2 (OECD) | Brett, M. G. | 1990 | Acute dermal toxicity study in the rat: Glyphosate technical<br>AGC-900823A ! AGC-301 ! R232<br>TOX9551793 | N | AGC |
| KIIA 5.2.2 (OECD) | Busch, B. | 1987 | Acute dermal toxicity study of Mon 8750 in New Zealand white rabbits<br>FDRL 9308A ! FD-86-431<br>TOX9552327 | N | MON |
| KIIA 5.2.2 (OECD) | Busch, B. | 1987 | Acute dermal toxicity study of Mon 8722 in New Zealand white rabbits<br>FDRL 9307A ! FD-86-430<br>TOX9552328 | N | MON |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.2.2 (OECD) | Cuthbert, J.A., Jackson, D. | 1989 | Glyphosate Technical Acute Dermal Toxicity (Limit) Test in Rats<br>5884 CHE<br>GLP: Y, published: N<br>2309119 / TOX9300328 | N | CHE |
| KIIA 5.2.2 (OECD) | Do Amaral Guimaraes, S.P. | 2008 | Acute Dermal Toxicity in Wistar Hannover Rats for Glyphosate Technical<br>RF-3996.310.456.07 HAG<br>GLP: Y, published: N<br>2309135 / ASB2012-11402 | Y | HAG |
| KIIA 5.2.2 (OECD) | Doyle, C.E. | 1996 | Glyphosate Acid: Acute Dermal Toxicity in the Rat<br>CTL/P/4664 SYN<br>GLP: Y, published: N<br>2309139 / TOX2000-1983 | Y | SYD |
| KIIA 5.2.2 (OECD) | Haferkorn, J. | 2009 | Acute Dermal Toxicity Study of Glyphosate TC in CD Rats<br>LPT 23912 HAG<br>GLP: Y, published: N<br>2309127 / ASB2012-11398 | Y | HAG |
| KIIA 5.2.2 (OECD) | Haferkorn, J. | 2010 | Acute Dermal Toxicity Study of Glyphosate TC in CD Rats<br>LPT 24876 HAG<br>GLP: Y, published: N<br>2309129 / ASB2012-11399 | Y | HAG |
| KIIA 5.2.2 (OECD) | Haferkorn, J. | 2010 | Acute Dermal Toxicity Study of Glyphosate TC in CD Rats<br>LPT 24604 HAG<br>GLP: Y, published: N<br>2309131 / ASB2012-11400 | Y | HAG |
| KIIA 5.2.2 (OECD) | Komura, Hitoshi | 1995 | HR-001: Acute dermal toxicity study in rats<br>IET 94-0154 ALS<br>GLP: Y, published: N<br>2309123 / ASB2012-11396 | N | ALS |
| KIIA 5.2.2 (OECD) | Merkel, D. | 2005 | Glyphosate Acid Technical: Acute Dermal Toxicity Study in Rats - Limit Test<br>PSL 15275 HAG<br>GLP: Y, published: N<br>2309133 / ASB2012-11401 | Y | HAG |
| KIIA 5.2.2 (OECD) | Meyer-Carrive, I.; Bolt, A. G. | 1994 | Acute dermal toxicity of glyphosate technical in the rat<br>T1586.3.A<br>TOX9500378 | N | SIN |
| KIIA 5.2.2 (OECD) | Reagan, E. L.; Laveglia, J. | 1988 | Acute dermal toxicity of glyphosate<br>Batch/lot/nbr no. XLI-55 in new zealand white rabbits<br>88.2053.008 ! FD-88-29<br>TOX9552325 | N | MON |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.2.2 (OECD) | Simon, C. | 2009 | Glyphosate Technical: Acute Dermal Toxicity Study in Rat<br>C22875 EXC<br>GLP: Y, published: N<br>2309125 / ASB2012-11397 | Y | EXC |
| KIIA 5.2.2 (OECD) | Snell, K. | 1994 | Glyphosate: Acute dermal toxicity (limit test) in the rat<br>710/15<br>TOX9500246 | N | HBX |
| KIIA 5.2.2 (OECD) | Suresh, T. P. | 1991 | Acute dermal toxicity study with glyphosate technical (FSG 03090 H/05 march 90) in Wistar rats<br>ES.876.ADR ! ES-GPT-ARD ! TOXI-876/1990<br>TOX9551090 | N | ADM |
| KIIA 5.2.2 (OECD) | Talvioja, K. | 2007 | GLYPHOSATE TECHNICAL (NUP05068): Acute dermal toxicity study in rats<br>B02283 NUF<br>GLP: Y, published: N<br>2309137 / ASB2012-11403 | Y | NUF |
| KIIA 5.2.2 (OECD) | Tornai, A.; Rozsnyoi, F. Turczer, K. Arszenovitz, S. Dufner,A. | 1994 | Glyphosate (Alkaloida, Tiszavasvari): Acute dermal toxicity in rats<br>GHA-94-402/R<br>TOX9650143 | N | ALK |
| KIIA 5.2.2 (OECD) | Ullmann, L.; Sacher, R.; Janiak, T.; Vogel, O. | 1989 | Acute dermal toxicity study with glyphosate technical (isopropylamine salt 62 % in water equivalent to 46 % of N-phosphonomethylglycine acid) in rats<br>238061 ! PRO425<br>TOX9551625 | N | IPC |
| KIIA 5.2.2 (OECD) | Walker, D. J.; Jones, J. R. | 1992 | Glyphosate technical: Acute dermal toxicity (limit test) in the rat<br>134/38<br>TOX9551813 | N | BCL |
| KIIA 5.2.2 (OECD) | You, J. | 2009 | Glyphosate - Acute Dermal Toxicity Study in Rats<br>12171-08 HAG<br>GLP: Y, published: N<br>2309121 / ASB2012-11395 | Y | HAG |
| KIIA 5.2.2 (OECD) | Zelenak | 2011 | Glyphosate Technical - Acute Dermal Toxicity Study in Rats - Final Report Amendmend 1<br>10/218-002P SYN<br>GLP: Y, published: N<br>2309143 / ASB2012-11405 | Y | SYD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.2.3 (OECD) | Bechtel, C. L. | 1988 | Acute inhalation study of MON 8750 technical<br>EHL 87147 ! ML-87-228<br>TOX9552332 | N | MON |
| KIIA 5.2.3 (OECD) | Blagden, S. M. | 1994 | Glyphosate premix: Acute inhalation toxicity study four-hour exposure (nose only) in the rat<br>523-001 ! 545/39<br>TOX9552331 | N | CHE |
| KIIA 5.2.3 (OECD) | Blagden, S. M. | 1995 | Glyphosate: Acute inhalation toxicity study four-hour exposure (nose only) in the rat<br>710/16<br>TOX9500247 | N | CHE |
| KIIA 5.2.3 (OECD) | Bonnette | 2004 | An acute nose-only inhalation toxicity study in rats with MON 78623<br>SB-2003-116 MON<br>GLP: Y, published: N<br>2309169 / ASB2012-11417 | Y | MON |
| KIIA 5.2.3 (OECD) | Carter, L. | 2009 | Glyphosate - Acute Inhalation Toxicity Study in Rats<br>12107-08 HAG<br>GLP: Y, published: N<br>2309155 / ASB2012-11411 | Y | HAG |
| KIIA 5.2.3 (OECD) | Decker, U. | 2007 | Glyphosate technical (NUP05068) : 4-Hour acute inhalation toxicity study in rats<br>B02327 NUF<br>GLP: Y, published: N<br>2309161 / ASB2012-11414 | Y | NUF |
| KIIA 5.2.3 (OECD) | Dudek, B. R. | 1987 | Acute toxicity of Rodeo herbicide administered by inhalation to male and female Sprague-Dawley rats<br>EHL 86105 ! ML-86-281 ! MSL 6582<br>TOX9552330 | N | MON |
| KIIA 5.2.3 (OECD) | Griffith, D.R. | 2009 | Glyphosate Tech: Acute Inhalation Toxicity (Nose only) Study in the Rat<br>2743/0001 EXC<br>GLP: Y, published: N<br>2309149 / ASB2012-11408 | Y | EXC |
| KIIA 5.2.3 (OECD) | Haferkorn, J. | 2009 | Acute Inhalation Toxicity Study of Glyphosate TC in Rats<br>LPT 23911 HAG<br>GLP: Y, published: N<br>2309151 / ASB2012-11409 | Y | HAG |
| KIIA 5.2.3 (OECD) | Haferkorn, J. | 2010 | Acute Inhalation Toxicity Study of Glyphosate TC In Rats<br>24603 HEL<br>GLP: Y, published: N<br>2309145 / ASB2012-11406 | Y | HAG |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.2.3 (OECD) | Haferkorn, J. | 2010 | Acute Inhalation Toxicity Study of Glyphosate TC in Rats<br>LPT 24875 HAG<br>GLP: Y, published: N<br>2309153 / ASB2012-11410 | Y | HAG |
| KIIA 5.2.3 (OECD) | Koichi, E. | 1995 | HR-001: Acute inhalation toxicity study in rats<br>IET 94-0155 ALS<br>GLP: Y, published: N<br>2309147 / ASB2012-11407 | Y | ALS |
| KIIA 5.2.3 (OECD) | McDonald, P.; Anderson, B. T. | 1989 | Glyphosate technical: Acute inhalation toxicity study in rats (limit test)<br>5993 ! IRI 642062<br>TOX9552329 | N | CHE |
| KIIA 5.2.3 (OECD) | Merkel, D. | 2005 | Glyphosate Acid Technical: Acute Inhalation Toxicity Study in Rats - Limit Test<br>PSL 15276 HAG<br>GLP: Y, published: N<br>2309157 / ASB2012-11412 | Y | HAG |
| KIIA 5.2.3 (OECD) | Nagy, K. | 2011 | Glyphosate Technical - Acute inhalation Toxicity Study (Nose-only) in the Rat<br>11/054-004P SYN<br>GLP: Y, published: N<br>2309165 / ASB2012-11415 | Y | SYD |
| KIIA 5.2.3 (OECD) | Rattray, N.J. | 1996 | Glyphosate Acid: 4-Hour Acute Inhalation Toxicity Study in the Rat<br>CTL/P/4882 SYN<br>GLP: Y, published: N<br>2309163 / TOX2000-1984 | Y | SYD |
| KIIA 5.2.3 (OECD) | Thevenaz, P.; Biedermann, K. | 1989 | 4-hour, acute inhalation toxicity study with glyphosate technical in rats<br>238105 ! PRO426<br>TOX9551626 | N | IPC |
| KIIA 5.2.3 (OECD) | Tornai, A.; Kovacs, C.; Rozsnyoi, F. Turczer, K. Arszenovits, S. Dufner, A.. | 1994 | Glyphosate (Alkaloida, Tiszavasvari): Acute inhalation toxicity in rats<br>GHA-94-403/R<br>TOX9650144 | N | ALK |
| KIIA 5.2.3 (OECD) | Wnorowski, G. | 1999 | NUP5a99 62 % glyphosate MUP: Acute inhalation toxicity study in rats - Limit test<br>7909 NUF<br>GLP: Y, published: N<br>2309167 / ASB2012-11416 | Y | NUF |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.2.4 (OECD) | Arcelin, G. | 2007 | Glyphosate technical material: Primary skin irritation study in rabbits (4-hour semi-occlusive application)<br>B02777 (T007037-05) SYN<br>GLP: Y, published: N<br>2309193 / ASB2012-11426 | Y | SYD |
| KIIA 5.2.4 (OECD) | Brett, M. G. | 1990 | Acute dermal irritation/corrosion of glyphosate technical in the rabbit (intact and abraded skin)<br>AGC-900822A ! AGC-001 ! R233<br>TOX9551794 | N | AGC |
| KIIA 5.2.4 (OECD) | Busch, B. | 1987 | Primary dermal irritation study of Mon-8750 in New Zealand white rabbits<br>FDRL 9308A ! FD-86-431<br>TOX9552336 | N | MON |
| KIIA 5.2.4 (OECD) | Canabrava Frossard de Faria, B.C.F. | 2008 | Acute Dermal Irritation/Corrosion Study in Rabbits with Glyphosate Technical<br>RF-3996.311.476.07 HAG<br>GLP: Y, published: N<br>2309185 / ASB2012-11425 | Y | HAG |
| KIIA 5.2.4 (OECD) | Cuthbert, J. A.; Jackson, D. | 1989 | Glyphosate technical: Primary skin irritation test in rabbits<br>5885 ! IRI 243268<br>TOX9552333 | N | CHE |
| KIIA 5.2.4 (OECD) | Doyle, C.E. | 1996 | Glyphosate Acid: Skin Irritation To The Rabbit<br>CTL/P/4695 SYN<br>GLP: Y, published: N<br>2309191 / TOX2000-1985 | Y | SYD |
| KIIA 5.2.4 (OECD) | Dreher, D. M. | 1994 | Glyphosate premix: Acute dermal irritation test in the rabbit<br>565-003 ! 545/40<br>TOX9552335 | N | CHE |
| KIIA 5.2.4 (OECD) | Hideo, U. | 1995 | HR-001: Primary Dermal irritation study in rabbits<br>IET 95-0035 ALS<br>GLP: Y, published: N<br>2309175 / ASB2012-11420 | Y | ALS |
| KIIA 5.2.4 (OECD) | Leuschner, J. | 2009 | Acute Dermal Irritation/Corrosion Test (Patch Test) of Glyphosate TC In Rabbits<br>24877 HEL<br>GLP: Y, published: N<br>2309173 / ASB2012-11419 | Y | HAG |
| KIIA 5.2.4 (OECD) | Leuschner, J. | 2009 | Acute Dermal Irritation/Corrosion Test (Patch Test) of Glyphosate TC in Rabbits<br>LPT 23913 HAG<br>GLP: Y, published: N<br>2309177 / ASB2012-11421 | Y | HAG |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.2.4 (OECD) | Leuschner, J. | 2010 | Acute Dermal Irritation/Corrosion Test (Patch Test) of Glyphosate TC in Rabbits<br>LPT 24605 HAG<br>GLP: Y, published: N<br>2309179 / ASB2012-11422 | Y | HAG |
| KIIA 5.2.4 (OECD) | Merkel, D. | 2005 | Glyphosate Acid Technical - Primary Skin Irritation Study in Rabbits<br>PSL 15278 HAG<br>GLP: Y, published: N<br>2309183 / ASB2012-11424 | Y | HAG |
| KIIA 5.2.4 (OECD) | Reagan, E.L. & Laveglia, J. | 1988 | Primary Dermal Irritation Study of Glyphosate Batch/lot/nbr no. XLI-55 in New Zealand White Rabbits<br>FD-88-29 (FDRL 88.20 MON<br>GLP: Y, published: N<br>2309187 / Z35394 | N | MON |
| KIIA 5.2.4 (OECD) | Snell, K. | 1994 | Glyphosate 360g/L: Acute dermal irritation test in the rabbit<br>710/29<br>TOX9500248 | N | HBX |
| KIIA 5.2.4 (OECD) | Suresh, T. P. | 1991 | Primary skin irritation study with glyphosate technical (FSG 03090 H/05 march 90) in New Zealand white rabbits<br>ES.878.SKIN ! TOXI-878/1990 ! ES-GPT-SKIN<br>TOX9551092 | N | ADM |
| KIIA 5.2.4 (OECD) | Talvioja, K. | 2007 | Glyphosate Technical (NUP 05068): Primary Skin Irritation Study in Rabbits (4-Hour Semi-Occlusive Application)<br>B02294 NUF<br>GLP: Y, published: N<br>2309171 / ASB2012-11418 | Y | NUF |
| KIIA 5.2.4 (OECD) | Tornai, A.; Rozsnyoi, F.; Turczer, K. Arszenovits, S. Dufner,A. | 1994 | Glyphosate (Alkaloida, Tiszavasvari): Primary dermal irritation study in rabbits<br>GHA-93-404/N<br>TOX9650145 | N | ALK |
| KIIA 5.2.4 (OECD) | Tos, E. G.; Maraschin, R. | 1991 | Acute dermal irritation study in New Zealand White rabbits treated with the test article glyphosate tecnico 98 %<br>910259 ! PRO495<br>TOX9551627 | N | IPC |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.2.4 (OECD) | Ullmann, L.; Porricello, T.; Janiak, T. | 1989 | Primary skin irritation study with glyphosate technical (isopropylamine salt 62 % in water equivalent to 46 % of N-phosphonomethylglycine acid) in rabbits (4-hour semi-occlusive application on intact and abraded skin)<br>238072 ! PRO438<br>TOX9551628 | N | IPC |
| KIIA 5.2.4 (OECD) | You, J. | 2009 | Glyphosate - Acute Dermal Irritation Study in Rabbits<br>12173-08 HAG<br>GLP: Y, published: N<br>2309181 / ASB2012-11423 | Y | HAG |
| KIIA 5.2.4 (OECD) | Zelenák, V. | 2011 | Glyphosate technical - Primary skin irritation study in rabbits - Final report Amendment 1<br>10/218-006N SYN<br>GLP: Y, published: N<br>2309195 / ASB2012-11427 | Y | SYD |
| KIIA 5.2.5 (OECD) | Arcelin, G. | 2007 | Glyphosate technical material: Primary eye irritation study in rabbits<br>B02788 (T007038-05) SYN<br>GLP: Y, published: N<br>2309219 / ASB2012-11437 | Y | SYD |
| KIIA 5.2.5 (OECD) | Brett, M. | 1990 | Acute eye irritation/corrosion of glyphosate technical in the rabbit<br>AGC-900822 ! AGC-002 ! R234<br>TOX9500264 | N | AGC |
| KIIA 5.2.5 (OECD) | Busch, B. | 1987 | Primary eye irritation of Mon 8722 in New Zealand white rabbits<br>FDRL 9307A ! FD-86-430<br>TOX9552342 | N | MON |
| KIIA 5.2.5 (OECD) | Canabrava Frossard de Faria, B.C.F. | 2008 | Acute Eye Irritation/Corrosion Study in Rabbits with Glyphosate Technical<br>RF-3996.312.599.07 HAG<br>GLP: Y, published: N<br>2309213 / ASB2012-11436 | Y | HAG |
| KIIA 5.2.5 (OECD) | Cuthbert, J. A.; Jackson, D. | 1989 | Glyphosate technical: Primary eye irritation test in rabbits<br>5886 ! IRI 243268<br>TOX9552338 | N | CHE |
| KIIA 5.2.5 (OECD) | Dreher, D. M. | 1994 | Glyphosate premix: Acute eye irritation test in the rabbit<br>566-003 ! 545/41<br>TOX9552340 | N | CHE |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.2.5 (OECD) | Hideo, U. | 1995 | HR-001: Primary Eye Irritation study in rabbits<br>IET 95-0034 ALS<br>GLP: Y, published: N<br>2309201 / ASB2012-11430 | Y | ALS |
| KIIA 5.2.5 (OECD) | Johnson, I.R. | 1997 | Glyphosate Acid: Eye Irritation to the Rabbit<br>CTL/P/5138 SYN<br>GLP: Y, published: N<br>2309217 / TOX2000-1986 | Y | SYD |
| KIIA 5.2.5 (OECD) | Kuhn, J. O.; Harrison, L. V. | 1996 | CHA 440: Primary eye irritation study in rabbits<br>2981-96 ! S9-FF81-4.C41<br>TOX1999-881 | N | CHE |
| KIIA 5.2.5 (OECD) | Leuschner, J. | 2009 | Acute Eye Irritation/Corrosion Test Of Glyphosate TC In Rabbits<br>24878 HEL<br>GLP: Y, published: N<br>2309199 / ASB2012-11429 | Y | HAG |
| KIIA 5.2.5 (OECD) | Leuschner, J. | 2009 | Acute Eye Irritation/Corrosion Test of Glyphosate TC in Rabbits<br>LPT 23914 HAG<br>GLP: Y, published: N<br>2309205 / ASB2012-11432 | Y | HAG |
| KIIA 5.2.5 (OECD) | Leuschner, J. | 2010 | Acute Eye Irritation/Corrosion Test of Glyphosate TC in Rabbits<br>LPT 24606 HAG<br>GLP: Y, published: N<br>2309207 / ASB2012-11433 | Y | HAG |
| KIIA 5.2.5 (OECD) | Merkel, D. | 2005 | Eye Irritation/Corrosion Effects in Rabbits (*Oryctolagus cuniculus*) of Glyphosate 95 TC<br>PSL 15277 HAG<br>GLP: Y, published: N<br>2309211 / ASB2012-11435 | Y | HAG |
| KIIA 5.2.5 (OECD) | Reagan, E.L., Laveglia, J. | 1988 | Primary Eye Irritation Study of Glyphosate<br>FD-88-29 MON<br>GLP: N, published: N<br>2309215 / Z35395 | N | MON |
| KIIA 5.2.5 (OECD) | Simon, C. | 2009 | Expert Statement Expert Statement Expert Statement Glyphosate technical: Primary eye irritation study in rat<br>C22897 EXC<br>GLP: Y, published: N<br>2309203 / ASB2012-11431 | Y | EXC |
| KIIA 5.2.5 (OECD) | Snell, K. | 1994 | Glyphosate: Acute eye irritation test in the rabbit<br>710/18<br>TOX9500249 | N | HBX |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.2.5 (OECD) | Suresh, T. P. | 1991 | Primary eye irritation study with glyphosate technical (FSG 03090 H/05 march 90) in New Zealand white rabbits<br>ES.879.EYE ! TOXI-879/1990 ! ES-GPT-EYE<br>TOX9551093 | N | ADM |
| KIIA 5.2.5 (OECD) | Talvioja, K. | 2007 | Glyphosate Technical (NUP 05068): Primary Eye Irritation Study In Rabbits<br>B02305 NUF<br>GLP: Y, published: N<br>2309197 / ASB2012-11428 | Y | NUF |
| KIIA 5.2.5 (OECD) | Tavaszi, J. | 2011 | Glyphosate Technical - Acute Eye Irritation Study in Rabbits<br>10/218-005N NUF<br>GLP: Y, published: N<br>2309221 / ASB2012-11438 | Y | SYD |
| KIIA 5.2.5 (OECD) | Tornai, A.; Rozsnyoi, F.; Turczer, K. Arszenovits, S. Dufner,A. | 1994 | Glyphosate (Alkaloida, Tiszavasvari): Primary eye irritation study in rabbits<br>GHA-93-405/N<br>TOX9650146 | N | ALK |
| KIIA 5.2.5 (OECD) | Tos, E. G.; Maraschin, R. | 1991 | Acute eye irritation study in New Zealand White rabbits treated with the test article glyphosate tecnico 98 %<br>910260 ! PRO496<br>Z101610 | N | IPC |
| KIIA 5.2.5 (OECD) | Ullmann, L.; Porricello, T.; Janiak, Th. | 1989 | Primary eye irritation with glyphosate technical (isopropylamine salt 62 % in water equivalent to 46 % of N-phosphonomethylglycine acid) in the rabbit (rinsed / unrinsed eyes)<br>238083 ! PRO423<br>TOX9551629 | N | IPC |
| KIIA 5.2.5 (OECD) | You, J. | 2009 | Glyphosate - Acute Eye Irritation Study in Rabbits<br>12172-08 HAG<br>GLP: Y, published: N<br>2309209 / ASB2012-11434 | Y | HAG |
| KIIA 5.2.6 (OECD) | Auletta, C. S. | 1983 | A dermal sensitization study in guinea pigs with Glyphosate<br>BD-83-008 ! B/d 4235-82<br>Z35238 | N | MON |
| KIIA 5.2.6 (OECD) | Betts, C.J. | 2007 | Glyphosate Technical Material - Skin Sensitisation (Local Lymph Node Assay in the Mouse)<br>GM8048-REG SYN<br>GLP: Y, published: N<br>2309245 / ASB2012-11449 | Y | SYD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.2.6 (OECD) | Cuthbert, J. A.; Jackson, D. | 1989 | Glyphosate technical: Magnusson-Kligman maximisation test in guinea pigs<br>5887 ! IRI 243268<br>TOX9552343 | N | CHE |
| KIIA 5.2.6 (OECD) | Doyle, C.E. | 1996 | Glyphosate Acid: Skin Sensitisation to the Guinea Pig<br>CTL/P/4699 SYN<br>GLP: Y, published: N<br>2309243 / TOX2000-1987 | Y | SYD |
| KIIA 5.2.6 (OECD) | Dreher, D. M. | 1994 | Glyphosate premix: Magnusson & Kligman maximisation study in the guinea pig<br>567-003 ! 545/42<br>TOX9552345 | N | CHE |
| KIIA 5.2.6 (OECD) | Haferkorn, J. | 2009 | Examination of Glyphosate TC in Skin Sensitisation Test in Guinea Pigs according to Magnusson and Kligman (Maximisation Test)<br>LPT 23915 HAG<br>GLP: Y, published: N<br>2309231 / ASB2012-11443 | Y | HAG |
| KIIA 5.2.6 (OECD) | Haferkorn, J. | 2010 | Examination Of Glyphosate TC In The Skin Sensitisation Test In Guinea Pigs According To Magnusson And Kligman (Maximisation Test)<br>24879 HEL<br>GLP: Y, published: N<br>2309225 / ASB2012-11440 | Y | HAG |
| KIIA 5.2.6 (OECD) | Haferkorn, J. | 2010 | Examination of Glyphosate TC in Skin Sensitisation Test in Guinea Pigs according to Magnusson and Kligman (Maximisation Test)<br>LPT 24607 HAG<br>GLP: Y, published: N<br>2309233 / ASB2012-11444 | Y | HAG |
| KIIA 5.2.6 (OECD) | Hideo, U. | 1995 | HR-001: Dermal sensitisation study in guinea pigs<br>IET 95-0036 ALS<br>GLP: Y, published: N<br>2309227 / ASB2012-11441 | Y | ALS |
| KIIA 5.2.6 (OECD) | Lima Dallago, B.S. | 2008 | Skin Sensitisation Test for Glyphosate Technical in Guinea Pigs. Buehler Test<br>RF-3996.318.431.07 HAG<br>GLP: Y, published: N<br>2309239 / ASB2012-11447 | Y | HAG |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.2.6 (OECD) | Merkel, D. | 2005 | Glyphosate acid technical - Dermal Sensitisation in Guinea Pigs (Buehler Method)<br>PSL 15279 HAG<br>GLP: Y, published: N<br>2309237 / ASB2012-11446 | Y | HAG |
| KIIA 5.2.6 (OECD) | Pore, M. P.; Bhide, M. B.; Naik, P. Y. | 1993 | Skin sensitisation test in guinea-pigs with glyphosate technical 95 % min of Excel Industries Ltd., Bombay.<br>IIT 1230<br>TOX9650652 | N | LUX |
| KIIA 5.2.6 (OECD) | Richeux, F. | 2006 | Glyphosate Technical: Skin Sensitisation in the Guinea Pig - Magnusson and Kligman Maximisation method<br>2060/009 (SMK-PH-05- NUF<br>GLP: Y, published: N<br>2309241 / ASB2012-11448 | Y | NUF |
| KIIA 5.2.6 (OECD) | Simon, C. | 2009 | Glyphosate Technical: Contact Hypersensitivity in albino guinea pigs - Maximisation-Test<br>C22908 EXC<br>GLP: Y, published: N<br>2309229 / ASB2012-11442 | Y | EXC |
| KIIA 5.2.6 (OECD) | Snell, K. | 1994 | Glyphosate: Magnusson & Kligman maximisation study in the guinea pig<br>710/19<br>TOX9500250 | N | HBX |
| KIIA 5.2.6 (OECD) | Talvioja, K. | 2007 | Glyphosate Technical (NUP 05068): Contact Hypersensitivity in Albino Guinea Pigs, Maximisation Test<br>B02316 NUF<br>GLP: Y, published: N<br>2309223 / ASB2012-11439 | Y | NUF |
| KIIA 5.2.6 (OECD) | Török-Bathó, M. | 2011 | Glyphosate technical - Local lymph node assay in the mouse - Final report amendment 2<br>10/218-037E SYN<br>GLP: Y, published: N<br>2309247 / ASB2012-11450 | Y | SYD |
| KIIA 5.2.6 (OECD) | Walker, D. J.; Pateman, J. R.; Jones, J. R. | 1991 | Luxan glyphosate techn.: Magnusson & Kligman maximisation study in the guinea pig<br>349/11<br>TOX9551796 | N | LUX |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.2.6 (OECD) | You, J. | 2009 | Glyphosate - Skin Sensitisation Study in Guinea Pigs. Buehler Test<br>12174-08 HAG<br>GLP: Y, published: N<br>2309235 / ASB2012-11445 | Y | HAG |
| KIIA 5.3.1 (OECD) | Atkinson, C.; Perry, C. J.; Hudson, P.; Snodgrass, E. | 1989 | Glyphosate: 4 week dietary toxicity study in rats<br>5626 ! IRI 437462<br>TOX9552351 | N | CHE |
| KIIA 5.3.1 (OECD) | Goburdhun, R.; Oshodi, R. O. | 1989 | Glyphosate: Oral maximum tolerated dose study in dogs<br>5660 ! IRI 640683<br>TOX9552352 | N | CHE |
| KIIA 5.3.1<br>KIIIA1 7.6.2 (OECD) | Hadfield, N. | 2012 | Glyphosate acid - *In Vitro* absorption through abraded rabbit skin using [$^{14}$C]-glyphosate<br>JV2182-REG GTF<br>GLP: Y, published: N<br>2309282 / ASB2012-11459 | Y | EGT |
| KIIA 5.3.1 (OECD) | Heath, J.; Strutt, A.; Hudson, P.; Iswariah, V. | 1993 | Glyphosate: 3 week toxicity study in rats with dermal administration<br>7839 ! IRI 450881<br>TOX9552367 | N | CHE |
| KIIA 5.3.1<br>KIIA 5.3.7<br>KIIIA1 7.6.2 (OECD) | Johnson, D.E. | 1982 | 21-Day dermal toxicity study in rabbits<br>IR-81-195 MON<br>GLP: N, published: N<br>2309280 / TOX9552366 | N | MON |
| KIIA 5.3.1 (OECD) | Naylor, M. W. | 1982 | Range finding study of MON 0139 and isopropylamine administered orally to dogs<br>ML-81-032/810036 ! MSL-2155<br>TOX9552349 | N | MON |
| KIIA 5.3.1 (OECD) | Pinto, P.J. | 1996 | Glyphosate acid: 21-day dermal toxicity study in rats<br>CTL/P/4985 SYN<br>GLP: Y, published: N<br>2309288 / ASB2012-11461 | Y | SYD |
| KIIA 5.3.1 (OECD) | Suresh, T. P. | 1991 | 28-day dietary study in rats on glyphosate technical<br>ES.881.28 DDR ! TOXI-881/1991 ! ES-GPT-28 DDR<br>TOX9551095 | N | ADM |
| KIIA 5.3.1 (OECD) | Suresh, T. P. | 1994 | 28-day dietary study in rats on glyphosate technical –Amendment<br>ES.881.28 DDR ! TOXI-881/1991 ! ES-GPT-28 DDR<br>Z102035 | N | ADM |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.3.1 (OECD) | Suresh, T. P. | 1994 | 28-day dietary study in rats on glyphosate technical - Second Amendment<br>ES.881.28 DDR ! TOXI-881/1991 ! ES-GPT-28 DDR<br>Z102043 | N | ADM |
| KIIA 5.3.1 KIIA 5.3.7 (OECD) | Tornai, A. | 1994 | GGlyphosate technical (Alkaloida, Tiszavasvári): Repeated dose twenty-eight-Day dermal toxicity study in rabbits<br>MÜF 214/94 MON<br>GLP: Y, published: N<br>2309284 / TOX9650151 | N | MON |
| KIIA 5.3.1 KIIIA1 7.1.3 (OECD) | Velasquez, D. J. | 1983 | Four-week study of 33-1/3 % use-dilution of Roundup in water administered to male and female Sprague-Dawley rats by inhalation<br>830025 ! ML-83-015<br>TOX2002-694 | N | MON |
| KIIA 5.3.2 (OECD) | Antal, A. | 1981 | Glyphosate: Subchronic toxicological study 90-day rats<br>TOX9650152 | N | ALK |
| KIIA 5.3.2 (OECD) | Botham, P.A. | 1996 | First Revision to Glyphosate Acid: 90 Day Oral Feeding Study in Rats<br>CTL/P/1599 SYN<br>GLP: Y, published: N<br>2309249 / TOX2000-1990 | Y | SYD |
| KIIA 5.3.2 (OECD) | Brett, M.; | 1990 | Glyphosate technical: 90 day oral toxicity study in the rat<br>AGC-900914 ! AGC-401 ! R230<br>TOX9500266 | N | AGC |
| KIIA 5.3.2 (OECD) | Coles, L.J., Thomas, O.N., Bartlett, A.J., Brooks, P.N | 1996 | Technical Glyphosate: Ninety Day Sub-Chronic Oral (Dietary) Toxicity Study In The Rat<br>434/016 NUF<br>GLP: Y, published: N<br>2309256 / ASB2012-11451 | Y | NUF |
| KIIA 5.3.2 (OECD) | Eadie, A.; | 1989 | Glyphosate technical: 90 day oral toxicity study in the rats - incl. Amendment to Protocol BY-401<br>BY-891002 ! BY-401<br>TOX9551821 | N | BCL |
| KIIA 5.3.2 (OECD) | Kinoshita, M. | 1995 | HR-001: 13-week Subchronic Oral Toxicity Study in Rats<br>IET 94-0138 ALS<br>GLP: Y, published: N<br>2309258 / ASB2012-11452 | Y | ALS |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.3.2 (OECD) | Kuwahara | 1995 | HR-001: 13-week Oral Subchronic Toxicity Study in Mice<br>IET 94-0136 ALS<br>GLP: Y, published: N<br>2309260 / ASB2012-11453 | N | ALS |
| KIIA 5.3.2 (OECD) | Parker, R.M. | 1993 | 90 day range finding study of glyphosate in rats<br>011-0001 ALK<br>GLP: Y, published: N<br>2309252 / TOX9650149 | N | ALK |
| KIIA 5.3.2 (OECD) | Perry, C. J.; Atkinson, C.; Strutt, A.; Henderson, W.; Hudson, P. | 1991 | Glyphosate: 13-week dietary toxicity study in rats<br>7136 ! IRI 437876<br>TOX9552364 | N | CHE |
| KIIA 5.3.2 (OECD) | Stout, L. D.; Johnson, C. W. | 1987 | 90-day study of glyphosate administered in feed to Sprague-Dawley rats<br>MSL 7375 ! ML-86-351 ! EHL 86128<br>TOX9552362 | N | MON |
| KIIA 5.3.2 (OECD) | Suresh, T. P. | 1992 | Glyphosat techn. (FSG 03090 H/05 March 1990): 90 day oral toxicity study in wistar rats<br>TOXI-882/1991 ! ES-GPT-90 OR ! ES-882 90 OR<br>TOX9551096 | N | ADM |
| KIIA 5.3.3 (OECD) | Gaou, I. | 2007 | Glyphosate Technical: 13-Week Toxicity Study By Oral Route (Capsule) In Beagle Dogs<br>29646 TCC NUF<br>GLP: Y, published: N<br>2309262 / ASB2012-11454 | Y | NUF |
| KIIA 5.3.3 (OECD) | Hodge, M.C.E. | 1996 | First Revision to Glyphosate Acid: 90-Day Oral Toxicity Study in Dogs<br>CTL/P/1802 SYN<br>GLP: Y, published: N<br>2309271 / TOX2000-1991 | Y | SYD |
| KIIA 5.3.3 (OECD) | Prakash, P.J. | 1999 | Subchronic (90 Day) Oral Toxicity Study With Glyphosate Technical In Beagle Dogs AND Test compound stability in experimental diet (dog feed)<br>1816 / 1817-R.FST FSG<br>GLP: Y, published: N<br>2309264 / ASB2012-11455 | Y | ADM |
| KIIA 5.3.3 (OECD) | Reyna, M.S. | 1985 | Twelve month study of glyphosate administered by gelatin capsule to beagle dogs<br>MSL-5069 ! 636<br>Z35385 | N | MON |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.3.3 (OECD) | Reyna, M. S.; Thake, D. | 1983 | Six month study of MON 0139 administered by gelatin capsule to beagle dogs<br>810166 ! ML-81-368<br>TOX9552361 | N | MON |
| KIIA 5.3.3 (OECD) | Yoshida, A. | 1996 | HR-001: 13-week Oral Subchronic Toxicity Study in Dogs<br>IET 94-0158 ALS<br>GLP: Y, published: N<br>2309269 / ASB2012-11456 | Y | ALS |
| KIIA 5.3.4 (OECD) | Brammer, A. | 1996 | Glyphosate Acid: 1 Year Dietary Toxicity Study in Dogs<br>CTL/P/5079 SYN<br>GLP: Y, published: N<br>2309278 / TOX2000-1992 | Y | SYD |
| KIIA 5.3.4 (OECD) | Goburdhun, R. | 1990 | Glyphosate: 52-week oral toxicity study in dogs<br>7502 ! IRI 642675<br>TOX9552384 | N | CHE |
| KIIA 5.3.4 (OECD) | Haag, V. | 2007 | Glyphosate technical: 52-week Toxicity Study by Oral Route (Capsule)in Beagle Dogs<br>29647 TCC NUF<br>GLP: Y, published: N<br>2309274 / ASB2012-11457 | Y | NUF |
| KIIA 5.3.4 (OECD) | Nakashima, N. | 1997 | HR-001: 12-Month Oral Chronic Toxicity Study in Dogs<br>IET 94-0157 ALS<br>GLP: Y, published: N<br>2309276 / ASB2012-11458 | Y | ALS |
| KIIA 5.4.1 (OECD) | Akanuma, M. | 1995 | HR-001: Reverse Mutation Test<br>IET 94-0142 ALS<br>GLP: Y, published: N<br>2309291 / ASB2012-11462 | Y | ALS |
| KIIA 5.4.1 (OECD) | Callander, R.D. | 1996 | Glyphosate acid: An evaluation of mutagenic potential using *S. typhimurium* and *E. coli*<br>CTL/P/4874 SYN<br>GLP: Y, published: N<br>2309313 / ASB2012-11473 | Y | SYD |
| KIIA 5.4.1 (OECD) | Flügge, C. | 2009 | Mutagenicity Study of Glyphosate TC in the *Salmonella typhimurium* Reverse Mutation Assay (*in vitro*)<br>LPT 23916 HAG<br>GLP: Y, published: N<br>2309303 / ASB2012-11468 | Y | HAG |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.4.1 (OECD) | Flügge, C. | 2010 | Mutagenicity Study of Glyphosate TC in the *Salmonella typhimurium* Reverse Mutation Assay (*in vitro*)<br>LPT 24880 HAG<br>GLP: Y, published: N<br>2309305 / ASB2012-11469 | Y | HAG |
| KIIA 5.4.1 (OECD) | Jensen, J. C. | 1991 | Mutagenicity test: Ames salmonella assay with glyphosate, batch 206-JaK-25-1<br>Report: 12323,<br>TOX9552371 | N | CHE |
| KIIA 5.4.1<br>KIIIA1 7.6.3 (OECD) | Kier, L. D.; Stegeman, S. D.; Costello, J. G.; Schermes, S. | 1992 | Ames/salmonella mutagenicity assay of MON 2139 (Roundup herbicide formulation)<br>EHL 91183 ! ML-91-440 ! MSL-11729<br>TOX1999-239 | N | MON |
| KIIA 5.4.1 (OECD) | Kier, L. D.; Stegeman, S. D.; Costello, J. G.; Schermes, S. | 1992 | Ames/salmonella mutagenicity assay of MON 14445 (DIRECT Herbicide formulation)<br>MSL-11731 ! EHL 91185/ML-91-442<br>TOX1999-320 | N | MON |
| KIIA 5.4.1<br>KIIA 5.4.4 (OECD) | Kier, L. D.; Stegeman, S. D.; Costello, J. G.; Schermes, S. | 1992 | Ames/Salmonella mutagenicity assay of Rodeo<br>MSL-11730 ! EHL 91184/ML-91-441<br>TOX9552373 | N | MON |
| KIIA 5.4.1 (OECD) | Li, A. P.; Long, T. J. | 1988 | An evaluation of the genotoxic potential of glyphosate, Fundamental and Applied Toxicology 10 (1988)537 – 546<br>published: Y,<br>TOX9500253 | N | LIT |
| KIIA 5.4.1<br>KIIA 5.4.4 (OECD) | Rank, J.; Jensen, A. G.; Skov, B. | 1993 | Genotoxicity testing of the herbicide roundup and its active ingredient glyphosate isopropylamine using the mouse bone marrow micronucleus test, Salmonella mutagenicity test, and Allium anaphase-telephase test<br>Z82234 | N | --- |
| KIIA 5.4.1<br>KIIA 5.4.4 (OECD) | Rasmussen, E. S. | 1997 | Genotoxicity of Roundup/Glyphosate, Danish Environmental Protection Agency,<br>AA036753, 7042-0110<br>ASB2013-9671 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.4.1 (OECD) | Riberri do Val, R. | 2007 | Bacterial reverse mutation test (Ames Test) for Glifosato Técnico Helm<br>3393/2007-2.0AM-B HAG<br>GLP: Y, published: N<br>2309299 / ASB2012-11466 | Y | HAG |
| KIIA 5.4.1 (OECD) | Schreib, G. | 2012 | Reverse mutation assay using Bacteria (Salmonella typhimurium) with Glyphosate tech.<br>126159<br>ASB2014-9133 | Y | INA |
| KIIA 5.4.1 (OECD) | Shirasu, Y.; Moriya, M.; Ota, T.; Ohta, T. | 1978 | Glyphosate: The report of mutagenic study with bacteria for CP 67573 - Microbial mutagenicity testing on CP67573<br>Report: ET-78-241,<br>TOX9552368 | N | MON |
| KIIA 5.4.1 (OECD) | Sokolowski, A. | 2007 | *Salmonella typhimurium* and *Escherichia coli* Reverse mutation assay with glyphosate technical (NUP-05068)<br>1061401 NUF<br>GLP: Y, published: N<br>2309293 / ASB2012-11463 | Y | NUF |
| KIIA 5.4.1 (OECD) | Sokolowski, A. | 2007 | *Salmonella typhimurium* and *Escherichia coli* Reverse mutation assay with glyphosate technical (NUP-05070)<br>1061402 NUF<br>GLP: Y, published: N<br>2309295 / ASB2012-11464 | Y | NUF |
| KIIA 5.4.1 (OECD) | Sokolowski, A. | 2007 | *Salmonella typhimurium* and *Escherichia coli* Reverse mutation assay with glyphosate technical (NUP-05067)<br>1061403 NUF<br>GLP: Y, published: N<br>2309297 / ASB2012-11465 | Y | NUF |
| KIIA 5.4.1 (OECD) | Sokolowski, A. | 2009 | Glyphosate technical - *Salmonella typhimurium* and *Escherichia coli* Reverse Mutation Assay<br>1264500 SYN<br>GLP: Y, published: N<br>2309315 / ASB2012-11474 | Y | SYD |
| KIIA 5.4.1 (OECD) | Sokolowski, A. | 2010 | *Salmonella typhimurium* and *Escherichia coli* Reverse Mutation Assay with Solution of Glyphosate TC spiked with Glyphosine<br>1332300 HAG<br>GLP: Y, published: N<br>2309307 / ASB2012-11470 | Y | HAG |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.4.1 (OECD) | Thompson, P.W. | 1996 | Technical glyphosate: Reverse mutation assay "Ames test" using *Salmonella typhimurium* and *Escherichia coli*<br>434/014 NUF<br>GLP: Y, published: N<br>2309311 / ASB2012-11472 | Y | NUF |
| KIIA 5.4.1 (OECD) | Thompson, P. | 2014 | Glyphosate: Reverse mutation assay 'Ames test' using Salmonella typhimurium and Escherichia coli<br>41401854<br>ASB2014-9148 | Y | ALB |
| KIIA 5.4.1 (OECD) | Vargas, A. A. T.; Bonetti, R. | 1996 | The *Salmonella typhimurium* reverse mutation by Glifos<br>G.1.1 - 050/96<br>TOX1999-884 | N | CHE |
| KIIA 5.4.1 (OECD) | Wallner, B. | 2010 | Reverse Mutation Assay using Bacteria (*Salmonella typhimurium*) with Glyphosate TC<br>BSL 101268 HAG<br>GLP: Y, published: N<br>2309309 / ASB2012-11471 | Y | HAG |
| KIIA 5.4.2 (OECD) | Fox, V. | 1998 | Glyphosate acid: *In vitro* cytogenetic assay in human lymphocytes<br>CTL/P/6050 SYN<br>GLP: Y, published: N<br>2309321 / TOX2000-1995 | Y | SYD |
| KIIA 5.4.2 (OECD) | Jensen, J. C. | 1991 | Mutagenicity test: *In vitro* mammalian cell gene mutation test with glyphosate, batch 206-JaK-25-1, Report: 12325, published: N, TOX9552372 | N | CHE |
| KIIA 5.4.2 (OECD) | Kyomu, M. | 1995 | HR-001: *In vitro* cytogenetics test<br>IET 94-0143 ALS<br>GLP: Y, published: N<br>2309317 / ASB2012-11475 | Y | ALS |
| KIIA 5.4.2<br>KIIA 5.4.3<br>KIIA 4.4.4 (OECD) | Li, A. P. | 1983 | CHO/HGPRT gene mutation assay with glyphosate, Report ML-83-155 ! 830079, published: N,<br>TOX9552369 | N | MON |
| KIIA 5.4.2 (OECD) | Rossberger, S. | 1994 | Glyphosate: DNA repair test with primary rat hepatocytes, Report: 931564 ! 94-03-28 ro, published: N,<br>TOX9400697/ TOX9551099 | N | ADM |
| KIIA 5.4.2 (OECD) | van de Waart, E. J. | 1995 | Evaluation of the ability of glyphosate to induce chromosome aberrations in cultured peripheral human lymphocytes (with independent repeat)<br>Report: 141918, published: N, TOX9651525 | N | AGC |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.4.2 (OECD) | Wright, N.P. | 1996 | Technical glyphosate: Chromosome aberration test in CHL cells *in vitro*<br>434/015 NUF<br>GLP: Y, published: N<br>2309319 / ASB2012-11476 | Y | NUF |
| KIIA 5.4.3 (OECD) | Akanuma, M. | 1995 | HR-001: DNA Repair Test (Rec-Assay)<br>IET 94-0141 ALS<br>GLP: Y, published: N<br>2309325 / ASB2012-11477 | N | ALS |
| KIIA 5.4.3 (OECD) | Clay, P. | 1996 | Glyphosate acid: L5178 TK+/- mouse lymphoma gene mutation assay<br>CTL/P/4991 SYN<br>GLP: Y, published: N<br>2309323 / TOX2000-1994 | Y | SYD |
| KIIA 5.4.4<br>KIIA 5.10 (OECD) | Alvarez-Moya, C., Silva, M.R., Arambula, A.R.V., Sandoval, A.I., Vasquez, H.C., Montes, R.M.G. | 2011 | Evaluation of genetic damage induced by glyphosate isopropylamine salt using Tradescantia bioassays<br>Genetics and Molecular Biology 34 (1):127-130 34, 127-130<br>GLP: N, published: Y<br>2309560 / ASB2012-11538 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10 (OECD) | Amer, S.M., Aly, F.A.E., Farghaly, A.A., Ibrahim, A.A.E. | 2006 | *In vitro* and *in vivo* evaluation of the genotoxicity of the herbicide glyphosate in mice<br>Bulletin of the National Research Centre (Egypt) 31, 427-446<br>GLP: N, published: Y<br>2309562 / ASB2012-11539 | N | MOD |
| KIIA 5.4.4<br>KIIA 5.10 (OECD) | Andre, V., Goff, J.L., Pottier, D., Lebailly, P., Peluso, M., Munnia, A., Gauduchon, P. | 2007 | Evaluation of bulky DNA adduct levels after pesticide use: Comparison between open-field farmers and fruit growers<br>Toxicological & Environmental Chemistry 89, 125-139<br>GLP: N, published: Y<br>2309570 / ASB2012-11543 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.5.3<br>KIIA 5.6<br>KIIA 5..7.2<br>KIIA 5.10<br>KIIIA1 7.6.3<br>(OECD) | Anonym. | 2004 | WORLD HEALTH ORGANIZATION and FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS, Rome: Pesticide residues in food – 2004; Report of the Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and the WHO Core Assessment Group on Pesticide Residues Rome, Italy, 20–29 September 2004, ASB2008-6266 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Benachour, N., Seralini, G.E. | 2009 | Glyphosate formulations induce apoptosis and necrosis in human umbilical, embryonic, and placental cells<br>Chem Res Toxicol 22, 97-105<br>GLP: N, published: Y<br>2309606 / ASB2012-11561 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Bolognesi, C., Bonatti, S., Degan, P., Gallerani, E., Peluso, M., Rabboni, R., Roggieri, P., Abbondandolo, A. | 1997 | Genotoxic activity of glyphosate and its technical formulation roundup<br>Journal of Agricultural and Food Chemistry 45, 1957-1962<br>GLP: N, published: Y<br>2309628 / Z59299 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Bolognesi, C., Carrasquilla, G., Volpi, S., Solomon, K.R., Marshall, E.J. | 2009 | Biomonitoring of genotoxic risk in agricultural workers from five colombian regions: association to occupational exposure to glyphosate<br>J Toxicol Environ Health A 72, 986-997<br>GLP: N, published: Y<br>2309630 / ASB2012-11570 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Bolognesi, C., Landini, E., Perrone, E., Roggieri, P. | 2004 | Cytogenetic biomonitoring of a floriculturist population in Italy: micronucleus analysis by fluorescence in situ hybridization (FISH) with an all-chromosome centromeric probe<br>Mutation Research-Genetic Toxicology and Environmental Mutagenesis 557, 109-117<br>GLP: N, published: Y<br>2309634 / ASB2012-11572 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Bolognesi, C., Perrone, E., Landini, E. | 2002 | Micronucleus monitoring of a floriculturist population from western Liguria, Italy<br>Mutagenesis 175, 391-397<br>GLP: N, published: Y<br>2309636 / ASB2012-11573 | N | LIT |
| KIIA 5.4.4<br>(OECD) | Carvalho Marques, M.F. | 1999 | A micronucleus study in mice for glifosate técnico Nufarm<br>RF-G12.79/99 NUF<br>GLP: Y, published: N<br>2309335 / ASB2012-11482 | Y | NUF |
| KIIA 5.4.4<br>KIIA 5.10<br>KIIIA1 7.6.3<br>(OECD) | Cavalcante, D.G.S.M., Martinez, C.B.R., Sofia, S.H. | 2008 | Genotoxic effects of Roundup (R) on the fish *Prochilodus lineatus*<br>Mutation Research-Genetic Toxicology and Environmental Mutagenesis 655, 41-46<br>GLP: N, published: Y<br>2309662 / ASB2012-11586 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Cavas, T.,<br>Konen, S. | 2007 | Detection of cytogenetic and DNA damage in peripheral erythrocytes of goldfish (*Carassius auratus*) exposed to a glyphosate formulation using the micronucleus test and the comet assay<br>Mutagenesis 22, 263-268<br>GLP: N, published: Y<br>2309664 / ASB2012-11587 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Chruscielska, K.; Brzezinski, J.;<br>Grafstein, B. | 2000 | Glyphosate: Evaluation of chronic activity and possible far -reaching effects - Part 2. Studies<br>on mutagenic activity<br>Pestycydy, 2000, (3-4), 21-25<br>ASB2013-9830 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>KIIIA1 7.6.3<br>(OECD) | Clements, C.;<br>Ralph, S.;<br>Petras, M. | 1997 | Glyphosate: Genotoxicity of select herbicides in *Rana catesbeiana* tadpoles using the alkaline single-cell gel DNA electrophoresis (comet) assay<br>Environ. Molec. Mutagen., 29, 277-288<br>Z101728 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | N do Nascimento; A. C.; Grisolia, C. K.; | 2000 | Comparative analysis between micronuclei tests in mice and in peripheral erythrocytes of *Oreochromis niloticus* in evaluation ofmutagenic potential of the agrotoxins deltamethrin, dicofol, glyphosate, and lmazapyr<br>ASB2013-11477 | N | --- |
| KIIA 5.4.4<br>(OECD) | Costa, K. C. | 2008 | Evaluation of the mutagenic potential of Glyphosate Technical Micronucleus assay in mice<br>Bioagri Laboratories Ltda., Brazil<br>Data owner: HAG (original sponsor: Jingma Chemicals, Longyou Zhejian, China )<br>Report No.: RF - 3996.402.395.07<br>Date: 2008-09-29<br>Unpublished; ASB2012-11481 | N | HAG |
| KIIA 5.4.4<br>(OECD) | Costa, K. C. | 2010 | Amendment No. 1 to report: Evaluation of the mutagenic potential of Glyphosate technical by micronucleus assay in mice<br>3996.402.395.07<br>ASB2014-9284 | N | HAG |
| KIIA 5.4.4<br>KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Chruscielska, K.; Brzezinski, J.; Kita, K. | 2000 | Glyphosate: Evaluation of chronic activity and possible far - reaching effects - Part 1. Studies on chronic toxicity<br>Pestycydy, 2000, (3 -4), 11-20<br>ASB2013-9829 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Chruscielska, K.; Brzezinski, J.; Kahlhorn, D. | 2000 | Glyphosate: Evaluation of chronic activity and possible far - reaching effects - Part 3. Prenatal toxicity<br>Pestycydy, 2000, (3-4), 27-31<br>ASB2013-9831 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Dimitrov, B.D., Gadeva, P.G., Benova, D.K., Bineva, M.V. | 2006 | Comparative genotoxicity of the herbicides Roundup, Stomp and Reglone in plant and mammalian test systems<br>Mutagenesis 21, 375-382<br>GLP: N, published: Y<br>2309708 / ASB2012-11607 | N | LIT |
| KIIA 5.4.4<br>(OECD) | Durward, R. | 2006 | Glyphosate Technical: Micronucleus Test In The Mouse<br>2060/014 NUF<br>GLP: Y, published: N<br>2309327 / ASB2012-11478 | Y | NUF |
| KIIA 5.4.4<br>(OECD) | Flowers, L. J. | 1981 | Ames/salmonella mutagenicity assay of MON 8080<br>MSL 1538 ! ML-80-294/800281<br>TOX1999-319 | N | MON |
| KIIA 5.4.4<br>(OECD) | Flügge, C. | 2009 | Micronucleus Test of Glyphosate TC in Bone Marrow Cells of the CD Rat by oral administration<br>LPT 23917 HAG<br>GLP: Y, published: N<br>2309329 / ASB2012-11479 | Y | HAG |
| KIIA 5.4.4<br>(OECD) | Fox, V., Mackay, J.M. | 1996 | Glyphosate acid: mouse bone marrow micronucleus test<br>CTL/P/4954 SYN<br>GLP: Y, published: N<br>2309337 / TOX2000-1996 | N | SYD |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Grisolia, C.K. | 2002 | A comparison between mouse and fish micronucleus test using cyclophosphamide, mitomycin C and various pesticides<br>Mutation Research-Genetic Toxicology and Environmental Mutagenesis 518, 145-150<br>GLP: N, published: Y<br>2309776 / ASB2012-11834 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Guilherme, S., Gaivão, I., Santos, M.A., Pacheco, M. | 2010 | European eel (*Anguilla anguilla*) genotoxic and pro-oxidant responses following short-term exposure to Roundup®a glyphosate-based herbicide<br>Mutagenesis 25, 523-530<br>GLP: N, published: Y<br>2309780 / ASB2012-11836 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Helal, A.D., Moussa, H.M. | 2005 | Chromosomal aberrations induced by glyphosate isopropylamine herbicide and trials for diminuting its toxicity using some chemical inactivators and antioxidant<br>Veterinary Medical Journal Giza 53, 169-187<br>GLP: N, published: Y<br>2309794 / ASB2012-11841 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>KIIIA1 7.6.3<br>(OECD) | Heydens, W.F., Healy, C.E., Hotz, K.J., Kier, L.D., Martens, M.A., Wilson, A.G.E, Farmer, D.R. | 2008 | Genotoxic potential of glyphosate formulations: Mode-of-action investigations<br>Journal of Agricultural and Food Chemistry 56, 1517-1523<br>GLP: N, published: Y<br>2309802 / ASB2012-11845 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Holeckova, B. | 2006 | Evaluation of the *in vitro* effect of glyphosate-based herbicide on bovine lymphocytes using chromosome painting<br>Bulletin of the Veterinary Research Institute in Pulawy 50, 533-536<br>GLP: N, published: Y<br>2309806 / ASB2012-11847 | N | LIT |
| KIIA 5.4.4<br>(OECD) | Honarvar, N. | 2008 | Glyphosate Technical - Micronucleus Assay in Bone Marrow Cells of the Mouse<br>1158500 SYN<br>GLP: Y, published: N<br>2309339 / ASB2012-11483 | Y | SYD |
| KIIA 5.4.4<br>(OECD) | Jensen, J. C. | 1991 | Mutagenicity test: Micronucleus test with glyphosate, batch 206-JaK-25-1, Report: 12324, published: N,<br>TOX9552374 | N | CHE |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Kale, P.G., Petty, B.T., Walker, S., Ford, J.B., Dehkordi, N., Tarasia, S., Tasie, B.O., Kale, R., Sohni, Y.R. | 1995 | Mutagenicity testing of 9 herbicides and pesticides currently used in agriculture<br>Environmental and Molecular Mutagenesis 25, 148-153<br>GLP: N, published: Y<br>2309834 / Z73986, ASB2012-11860 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Kaya, B.: Creus, A.; Yanikoglu, A.; et al.; | 2000 | Use of the Drosophila wing spot test in the genotoxicity testing of different herbicides<br>ASB2013-9832 | N | --- |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.4.4 (OECD) | Kier, L. D.; Flowers, L. J.; Huffman, M. B. | 1992 | Mouse micronucleus study of Rodeo herbicide formulation<br>MSL-11772 ! EHL 91201/91205/ML-91-438<br>TOX9552376 | N | MON |
| KIIA 5.4.4 KIIIA1 7.6.3 (OECD) | Kier, L. D.; Flowers, L. J.; Huffman, M. B. | 1992 | Mouse micronucleus study of Roundup herbicide formulation<br>MSL-11771 ! EHL 91200/91204 ! ML-91-434/ML-91-437<br>TOX1999-242 | N | MON |
| KIIA 5.4 .4 (OECD) | Kier, L. D.; Flowers, L. J.; Huffman, M. B. | 1992 | Glyphosate: Mouse micronucleus study of DIRECT Herbicide formulation<br>MSL-11773 ! EHL 91202/91206 ! ML-91-436/ML-91-439<br>TOX1999-322 | N | MON |
| KIIA 5.4.4 KIIA 5.10 (OECD) | Knopper, L.D., Lean, D.R.S. | 2004 | Carcinogenic and genotoxic potential of turf pesticides commonly used on golf courses<br>Journal of Toxicology and Environmental Health-Part B-Critical Reviews 7, 267-279<br>GLP: N, published: Y<br>2309864 / ASB2012-11871 | N | LIT |
| KIIA 5.4.4 KIIA 5.10 (OECD) | Lebailly, P., Devaux, A., Pottier, D., De Meo, M., Andre, V., Baldi, I., Severin, F., Bernaud, J., Durand, B., Henry-Amar, M., Gauduchon, P. | 2003 | Urine mutagenicity and lymphocyte DNA damage in fruit growers occupationally exposed to the fungicide captan<br>Occupational & Environmental Medicine 60, 910-917<br>GLP: N, published: Y<br>2309878 / ASB2012-11878 | N | LIT |
| KIIA 5.4.4 KIIA 5.10 (OECD) | Levine, S.L., Han, Z., Liu, J., Farmer, D.R., Papadopoulos, V. | 2007 | Disrupting mitochondrial function with surfactants inhibits MA-10 Leydig cell steroidogenesis<br>Cell Biol Toxicol 23, 385-400<br>GLP: N, published: Y<br>2309890 / ASB2009-9030 | N | LIT |
| KIIA 5.4.4 (OECD) | Li, A. P. | 1983 | *In vivo* bone marrow cytogenetics study of glyphosate in Sprague-Dawley rats, Report: ML-83-236 ! 830083, published: N,<br>TOX9552375 | N | MON |
| KIIA 5.4.4 KIIA 5.10 (OECD) | Lioi, M. B.; Scarfi, M. R.; Santoro, A. | 1998 | Genotoxicity and oxidative stress induced by pesticide exposure in bovine lymphocyte cultures *in vitro*<br>Mutation Research 403 (1998) 13-20<br>ASB2013-9836 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Lioi, M. B.; Scarfi, M. R.; Santoro, A. | 1998 | Cytogenetic damage and induction of pro-oxidant state in human lymphocytes exposed *in vitro* to glyphosate, vinclozolin,aAtrazine and DPX-E9636<br>Environmental and Molecular Mutagenesis 32: 39-46 (1998)<br>ASB2013-9837 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Manas, F., Peralta, L., Raviolo, J., Ovandoa, H.G., Weyers, A., Ugnia, L., Cid, M.G., Larripa, I., Gorla, N. | 2009 | Genotoxicity of glyphosate assessed by the comet assay and cytogenetic tests<br>Environmental Toxicology and Pharmacology 28, 37-41<br>GLP: N, published: Y<br>2309908 / ASB2012-11892 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>KIIIA1 7.6.3<br>(OECD) | Martinez, T. T.; Brown, K. | 1991 | Glyphosate: Oral and pulmonary toxicology of the surfactant used in Roundup herbicide<br>Proceedings of the Western Pharmacology Society; 34 (1991), 43-46.<br>Z80636 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.11<br>(OECD) | Mensink, H.; Janssen, P.; WHO | 1994 | Environmental health criteria 159, Glyphosate<br>TOX9500301 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Mladinic, M., Berend, S., Vrdoljak, A.L., Kopjar, N., Radic, B., Zeljezic, D. | 2009 | Evaluation of genome damage and its relation to oxidative stress induced by glyphosate in human lymphocytes in vitro<br>Environmental and Molecular Mutagenesis 50, 800-807<br>GLP: N, published: Y<br>2309942 / ASB2012-11906 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Mladinic, M., Perkovic, P., Zeljezic, D. | 2009 | Characterization of chromatin instabilities induced by glyphosate, terbuthylazine and carbofuran using cytome FISH assay<br>Toxicol Lett 189, 130-137<br>GLP: N, published: Y<br>2309944 / ASB2012-11907 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Monroy, C., Cortes, A., Sicard, D., de Restrepo, H. | 2005 | Cytotoxicity and genotoxicity of human cells exposed *in vitro* to glyphosate<br>Biomedica 25, 335-345<br>GLP: N, published: Y<br>2309950 / ASB2012-11910 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Pastor, S., Creus, A., Parron, T., Cebulska-Wasilewska, A., Siffel, C., Piperakis, S., Marcos, R. | 2003 | Biomonitoring of four European populations occupationally exposed to pesticides: use of micronuclei as biomarkers<br>Mutagenesis 18, 249-258<br>GLP: N, published: Y<br>2310004 / ASB2012-11991 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Paz-Y-Mino, C., Sanchez, M.E., Arevalo, M., Munoz, M.J., Witte, T., De-La-Carrera, G.O., Leone, P.E. | 2007 | Evaluation of DNA damage in an Ecuadorian population exposed to glyphosate<br>Genetics and Molecular Biology 30, 456-460<br>GLP: N, published: Y<br>2310006 / ASB2012-11992 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>KIIIA1 7.6.3<br>(OECD) | Peluso, M., Munnia, A., Bolognesi, C., Parodi, S. | 1998 | 32P-postlabeling detection of DNA adducts in mice treated with the herbicide Roundup<br>Environmental and Molecular Mutagenesis 31, 55-59<br>GLP: N, published: Y<br>2310014 / TOX1999-318 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Piesova, E. | 2004 | The Influence Of Different Treatment Length On the Induction Of Micronuclei In Bovine Lymphocytes After Exposure To Glyphosate<br>Folia Veterinaria 48, 130-134<br>GLP: N, published: Y<br>2310026 / ASB2012-12001 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Piesova, E. | 2005 | The effect of glyphosate on the frequency of micronuclei in bovine lymphocytes *in vitro*<br>Acta Veterinaria-Beograd 55, 101-109<br>GLP: N, published: Y<br>2310024 / ASB2012-12000 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Poletta, G.L., Larriera, A., Kleinsorge, E., Mudry, M.D. | 2009 | Genotoxicity of the herbicide formulation Roundup (R) (glyphosate) in broad-snouted caiman (*Caiman latirostris*) evidenced by the Comet assay and the Micronucleus test<br>Mutation Research-Genetic Toxicology and Environmental Mutagenesis 672, 95-102<br>GLP: N, published: Y<br>2310028 / ASB2012-12002 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Prasad, S., Srivastava, S., Singh, M., Shukla, Y. | 2009 | Clastogenic effects of glyphosate in bone marrow cells of swiss albino mice<br>J Toxicol<br>GLP: N, published: Y<br>2310034 / ASB2012-12005 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Raipulis, J., Toma, M., Balode, M. | 2009 | Toxicity and genotoxicity testing of Roundup<br>Proceedings of the Latvian Academy of Sciences. Section B. Natural, Exact, and Applied Sciences. 63, 29-32<br>GLP: N, published: Y<br>2310040 / ASB2012-12008 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Rodrigues, H.G., Penha-Silva, N., Araujo, M.F.P, Nishijo, H., Aversi-Ferreira, T.A. | 2011 | Effects of Roundup Pesticide on the Stability of Human Erythrocyte Membranes and Micronuclei Frequency in Bone Marrow Cells of Swiss Mice<br>Open Biology Journal 54-59<br>GLP: N, published: Y<br>2310046 / ASB2012-12010 | N | LIT |
| KIIA 5.4.4<br>(OECD) | Roth, M. | 2012 | Glyphosate technical - Micronucleus assay in bone marrow cells of the mouse<br>1479200 ! TK0112981<br>ASB2014-9333 | N | SYD |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Salvagni, J., Ternus, R., Fuentefria, A. | 2011 | Assessment of the genotoxic impact of pesticides on farming communities in the countryside of Santa Catarina State, Brazil<br>Genetics and Molecular Biology 34, 122-126<br>GLP: N, published: Y<br>2310060 / ASB2012-12017 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.9<br>KIIIA1 7.6.3<br>(OECD) | Sawada, Y., Nagai, Y. | 1987 | Roundup® poisoning - its clinical observation possible involvement - englische Version<br>Journal of Clinical and Experimental Medicine (paper) 143, 25-27<br>GLP: N, published: Y<br>2309502 / Z35531 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Shaham, J., Kaufman, Z., Gurvich, R., Levi, Z. | 2001 | Frequency of sister-chromatid exchange among greenhouse farmers exposed to pesticides<br>Mutat Res 491-, 71-80<br>GLP: N, published: Y<br>2310076 / ASB2012-12025 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Sivikova, K., Dianovsky, J. | 2006 | Cytogenetic effect of technical glyphosate on cultivated bovine peripheral lymphocytes<br>Int J Hyg Environ Health 209, 15-20<br>GLP: N, published: Y<br>2310084 / ASB2012-12029 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.8.1<br>(OECD) | Stammberger, I.; | 1992 | Dodigen 4022: Chromosome aberrations in vitro in V79 chinese hamster cells<br>92.1024 ! 92.0337<br>TOX1999-325 | N | MON |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.4.4<br>KIIA 5.8.1<br>(OECD) | Stammberger, I.; Mayer, D. | 1992 | Dodigen 4022: Study of the mutagenic potential in strains of *Salmonella typhimurium* (ames test) and *Escherichia coli*<br>92.0487 ! 92.0336<br>TOX1999-324 | N | MON |
| KIIA 5.4.4<br>KIIA 5.10<br>KIIIA1 7.6.3<br>(OECD) | Stegeman, S. D.; Kier, L. D. | 1998 | Mouse micronucleus screening assay of MON 0818<br>ML-89-463 ! EHL 89182<br>TOX1999-240 | N | MON |
| KIIA 5.4.4<br>KIIIA1 7.6.3<br>(OECD) | Stegeman, S. D.; Li, A. P. | 1990 | Ames/salmonella mutagenicity assay of MON 0818<br>EHL 89178 ! ML-89-461 ! MSL-10625<br>TOX1999-241 | N | MON |
| KIIA 5.4.4<br>(OECD) | Suresh, T.P. | 1993 | Glyphosate technical (FSG 03090 H/05 March 1990): Mutagenicity-micronucleus test in swiss albino mice, Report: 889-MUT.MN ! TOXI-889/1993 ! ES-GPT-MUT-MN, published: N, TOX9551100 | N | ADM |
| KIIA 5.4.4<br>(OECD) | Suresh, T. P.; Ponnanna, D.; Asha, M. et al. | 1994 | Glyphosate technical (FSG 03090 H/05 March 1990): Genetic toxicology - *In vivo* mammalian bone marrow cytogenetic test, Report: 890-MUT-CH.AB ! TOXI-890/1993 ! ES-GPT-MUT-CH.AB, published: N, TOX9400323 / TOX9551101 | N | ADM |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Vigfusson, N.V.,<br>Vyse, E.R. | 1980 | The effect of the pesticides Dexon, Captan and Roundup on sister chromatid exchanges in human lymphocytes *in vitro*<br>Mutation Research 79, 53-57<br>GLP: N, published: Y<br>2310114 / TOX970056 / ASB2012-12044 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.10<br>(OECD) | Vlastos, D., Stivaktakis, P., Matthopoulos, D.P. | 2006 | Pesticide exposure and genotoxicity correlations within a Greek farmers' group<br>International Journal of Environmental Analytical Chemistry 86, 215-223<br>GLP: N, published: Y<br>2310116 / ASB2012-12045 | N | LIT |
| KIIA 5.4.4<br>KIIA 5.5.3<br>KIIA 5.10<br>KIIIA1 7.6.3<br>(OECD) | Williams, G.M., Kroes, R., Munro, I.C. | 2000 | Safety evaluation and risk assessment of the herbicide Roundup and its active ingredient, glyphosate, for humans<br>Regulatory Toxicology and Pharmacology 31, 117-165<br>GLP: N, published: Y<br>2310132 / ASB2012-12053 | N | LIT |
| KIIA 5.4.4<br>(OECD) | Zaccaria, C. B.; Vargas, A. A. T. | 1996 | A micronucleus study in mice for the product GILFOS<br>G1206096 ! G.1.2 - 60/96<br>TOX1999-253 | N | CHE |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.4.6 (OECD) | Suresh, T. P. et al. | 1992 | Glyphosate technical (FSG 03090 H/05, March 1990): Dominant lethal test in wistar rats<br>Report: 888-DLT ! TOXI-888/1992 ! ES-GPT-DLT, published: N, TOX9551102 | N | ADM |
| KIIA 5.4.6 (OECD) | Wrenn, J. M.; Rodwell, D. E.; Jessup, D. C. | 1980 | Dominant lethal mutagenicity assay with technical Glyphosate in mice, Report: 401-064 ! IR-79-014, published: N, TOX9552377 | N | MON |
| KIIA 5.5 (OECD) | Anon. | 2015 | Lesion-related incidence data.<br>RITA database<br>ASB2015-2532 | N | --- |
| KIIA 5.5 (OECD) | Eaton, G.; Johnson, F. N.; Custer, R. P.; Crane, A. R.; | 1980 | The Icr:Ha(ICR) mouse: a current account of breeding, mutations, diseases and mortality<br>Lab. Animals 14(1980)17-24<br>ASB2015-2537 | N | LIT |
| KIIA 5.5 (OECD) | Giknis, M. L. A.; Clifford, C. B.; | 2010 | Spontaneous neoplastic lesions in the Crl:CD1 (ICR) mouse in control groups from 18 month to 2 year studies<br>Selected pages<br>ASB2015-2529 | Y | EGT |
| KIIA 5.5 (OECD) | Greim, H.; Saltmiras, D.; Mostert, V.; Strupp, C.; | 2015 | Evaluation of carcinogenic potential of the herbicide glyphosate, drawing on tumor incidence data from fourteen chronic/carcinogenicity rodent studies<br>Crit Rev Toxicol, 2015; 45(3): 185–208<br>ASB2015-2287 | N | LIT |
| KIIA 5.5 (OECD) | Roe, F. J. C.; Tucker, M. J.; | 1974 | Recent developments in the design of carcinogenicity tests on laboratory animals<br>Proc. Europ. Soc. Stud. Drug Tox., 15:171-177 (1974)<br>ASB2015-2534 | N | LIT |
| KIIA 5.5 (OECD) | Sher, S. P. | 1974 | Review article - Tumors in control mice: Literature tabulation<br>Toxicol. Appl. Pharmacol. 30(1974)337-359<br>Z22020 | N | LIT |
| KIIA 5.5 (OECD) | Son, W.-C.; Gopinath, C.; | 2004 | Early occurrence of spontaneous tumors in CD-1 mice and Sprague–Dawley rats<br>Toxicologic Pathology, 32:371–374, 2004<br>ASB2015-2533 | N | LIT |
| KIIA 5.5 (OECD) | Taddesse-Heath, L.; Chattopadhyay, S. K.; Dillehay, D. L.; et al.; | 2000 | Lymphomas and high-level expression of murine leukemia viruses in CFW mice<br>J. Virol. 74(2000)15:6832-6837<br>ASB2015-2535 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.5 (OECD) | Toth, B.; Rappaport, H.; Shubik, P.; | 1963 | Influence of dose and age on the induction of malignant lymphomas and other tumors by 7,12-Dimethylbenz(α)anthracene in Swiss mice<br>J. Nat. Cancer Institute, 30(1963)4:723-732<br>ASB2015-2536 | N | LIT |
| KIIA 5.5 (OECD) | Tucker, M. J. | 1979 | The effect of long-term food restriction on tumours in rodents<br>Int. J. Cancer: 23, 803-807 (1979)<br>Z83266 | N | LIT |
| KIIA 5.5 (OECD) | Wood, E.; | 2010 | Historical Incidence of Malignant lymphoma in CD-1 Mouse<br>ASB2015-2531 | Y | EGT |
| KIIA 5.5.1<br>KIIA 5.10 (OECD) | Milburn, G.M. | 1996 | Glyphosate Acid: One Year Dietary Toxicity Study in Rats<br>CTL/P/5143 SYN<br>GLP: Y, published: N<br>2309341 / TOX2000-1998 | N | SYD |
| KIIA 5.5.2 (OECD) | Atkinson, C., Strutt, A.V., Henderson, W., Fich, J., Hudson, P. | 1993 | Glyphosate - 104 week combined chronic feeding / oncogenicity study in rats with 52 week interim kill (results after 104 weeks)<br>7867 CHE<br>GLP: Y, published: N<br>2309374 / TOX9750499 | N | CHE |
| KIIA 5.5.2<br>KIIA 5.10 (OECD) | Brammer, A. | 2001 | Glyphosate Acid: Two Year Dietary Toxicity and Oncogenicity Study in Rats<br>CTL/PR1111 SYN<br>GLP: Y, published: N<br>2309368 / ASB2012-11488 | N | SYD |
| KIIA 5.5.2 (OECD) | Calandra, J. C. | 1974 | 2-year chronic oral toxicity study with CP 67573 in albino rats<br>B564 ! BTL-71-32<br>Z35230 | N | --- |
| KIIA 5.5.2 (OECD) | Enomoto, A. | 1997 | HR-001: 24-Month Oral Chronic Toxicity and Oncogenicity Study in Rats, Vol. 1 (Seite 1-500)<br>IET 94-0150 Vol.1 ALS<br>GLP: Y, published: N<br>2309360 / ASB2012-11484 | N | ALS |
| KIIA 5.5.2 (OECD) | Enomoto, A. | 1997 | HR-001: 24-Month Oral Chronic Toxicity and Oncogenicity Study in Rats, Vol. 2 (Seite 501-1000)<br>IET 94-0150 Vol. 2 ALS<br>GLP: Y, published: N<br>2309362 / ASB2012-11485 | N | ALS |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.5.2 (OECD) | Enomoto, A. | 1997 | HR-001: 24-Month Oral Chronic Toxicity and Oncogenicity Study in Rats, Vol.3 (Seite 1001-1500)<br>IET 94-0150 Vol. 3 ALS<br>GLP: Y, published: N<br>2309364 / ASB2012-11486 | N | ALS |
| KIIA 5.5.2 (OECD) | Enomoto, A. | 1997 | HR-001: 24-Month Oral Chronic Toxicity and Oncogenicity Study in Rats, Vol. 4 (Seite 1501-2051)<br>IET 94-0150 Vol. 4 ALS<br>GLP: Y, published: N<br>2309366 / ASB2012-11487 | N | ALS |
| KIIA 5.5.2 (OECD) | Stout, L.D., Ruecker, F.A. | 1990 | Chronic study of glyphosate administered in feed to Albino rats<br>MSL-10495 MON<br>GLP: Y, published: N<br>2309384 / TOX9300244 | N | MON |
| KIIA 5.5.2 (OECD) | Suresh, T.P. | 1996 | Combined Chronic Toxicity and Carcinogenicity Study with Glyphosate Technical in Wistar Rats<br>TOXI:886.C.C-R FSG<br>GLP: Y, published: N<br>2309343 / TOX9651587 / TOX9600015 | N | ADM |
| KIIA 5.5.2 (OECD) | Wood, E., Dunster, J., Watson, P. Brooks, P. | 2009 | Glyphosate Technical: Dietary combined chronic toxicity / carcinogenicity study in the rat<br>SPL2060-0012 NUF<br>GLP: Y, published: N<br>2309391 / ASB2012-11490 | Y | NUF |
| KIIA 5.5.3 KIIA 5.10 (OECD) | Acquavella, J.F., Gustin, C., Alexander, B.H., Mandel, J.S. | 2005 | Implications for epidemiologic research on variation by pesticide in studies of farmers and their families<br>Scandinavian Journal of Work Environment & Health 31, 105-109<br>GLP: N, published: Y<br>2309540 / ASB2012-11530 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Alavanja, M.C., Samanic, C., Dosemeci, M., Lubin, J., Tarone, R., Lynch, C.F., Knott, C., Thomas, K., Hoppin, J.A., Barker, J., Coble, J., Sandler, D.P., Blair, A. | 2003 | Use of agricultural pesticides and prostate cancer risk in the Agricultural Health Study cohort<br>Am J Epidemiol 157, 800-814<br>GLP: N, published: Y<br>2309554 / ASB2012-11535 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Andreotti, G., Freeman, L.E.B., Hou, L., Coble, J., Rusiecki, J., Hoppin, J.A., Silverman, D.T., Alavanja, M.C.R. | 2009 | Agricultural pesticide use and pancreatic cancer risk in the Agricultural Health Study Cohort<br>International Journal of Cancer 124, 2495-2500<br>GLP: N, published: Y<br>2309572 / ASB2012-11544 | N | LIT |
| KIIA 5.5.3<br>(OECD) | Atkinson, C.; Martin, T.; Hudson, P.; Robb, D. | 1993 | Glyphosate: 104-week dietary carcinogenicity study in mice<br>7793 ! IRI 438618<br>TOX9552382 | N | CHE |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Band, P.R., Abanto, Z., Bert, J., Lang, B., Fang, R., Gallagher, R.P., Le, N.D. | 2011 | Prostate Cancer Risk and Exposure to Pesticides in British Columbia Farmers<br>Prostate 71, 168-183<br>GLP: N, published: Y<br>2309594 / ASB2012-11555 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Barale-Thomas, E.; | 2012 | Letter to the editor<br>Food and Chemical Toxicology 53 (2013) 473–474<br>ASB2013-10998 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Berry, C.; | 2012 | Letter to the editor<br>Food and Chemical Toxicology 53 (2013) 445–446<br>ASB2013-10988 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Blair, A., Freeman, L.B. | 2009 | Epidemiologic Studies in Agricultural Populations: Observations and Future Directions<br>Journal of Agromedicine 14, 125-131<br>GLP: N, published: Y<br>2309618 / ASB2012-11566 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Carreon, T., Butler, M.A., Ruder, A.M., Waters, M.A., Davis-King, K.E., Calvert, G.M., Schulte, P.A., Connally, B., Ward, E.M., Sanderson, W.T., Heinemann, E.F., Mandel, J.S., Morten, R.F., Reding, D.J., Rosenmann, K.D., Talaska, G. | 2005 | Gliomas and farm pesticide exposure in women: The Upper Midwest Health Study<br>Environmental Health Perspectives 113, 546-551<br>GLP: N, published: Y<br>2309660 / ASB2012-11585 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | McDuffie, H.H., Pahwa, P., McLaughlin, J.R., Spinelli, J.J., Fincham, S., Dosman, J.A., Robson, D., Skinnider, L.F., Choi, N.W. | 2001 | Non-Hodgkin's lymphoma and specific pesticide exposures in men: cross-Canada study of pesticides and health<br>Cancer Epidemiol Biomarkers Prev 10, 1155-1163<br>GLP: N, published: Y<br>2309924 / ASB2011-364 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Engel, L.S., Hill, D.A., Hoppin, J.A., Lubin, J.H., Lynch, C.F., Pierce, J., Samanic, C., Sandler, D.P., Blair, A., Alavanja, M.C. | 2005 | Pesticide use and breast cancer risk among farmers' wives in the agricultural health study<br>American Journal of Epidemiology 161, 121-135<br>GLP: N, published: Y<br>2309720 / ASB2012-11613 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Eriksson, M., Hardell, L., Carlberg, M., Akerman, M. | 2008 | Pesticide exposure as risk factor for non-Hodgkin lymphoma including histopathological subgroup analysis<br>Int J Cancer 123, 1657-1663<br>GLP: N, published: Y<br>2309722 / ASB2012-11614 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Farmer, D.R., Lash, T.L., Acquavella, J.F. | 2005 | Glyphosate Results Revisited<br>Environmental Health Perspectives 113, A365-A366<br>GLP: N, published: Y<br>2309726 / ASB2012-11616 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Flower, K.B., Hoppin, J.A., Lynch, C.F., Blair, A., Knott, C., Shore, D.L., Sandler, D.P. | 2004 | Cancer risk and parental pesticide application in children of agricultural health study participants<br>Environmental Health Perspectives 112, 361-635<br>GLP: N, published: Y<br>2309734 / ASB2012-11620 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Freeman,L.B. | 2009 | Evaluation of agricultural exposures: the agricultural health study and the agricultural cohort consortium<br>Reviews on Environmental Health 24, 311-318<br>GLP: N, published: Y<br>2309740 / ASB2012-11623 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Fritschi, L., Benke, G., Hughes, A.M., Kricker, A..,Turner, J., Vajdic, C.M., Grulich, A., Milliken, S., Kaldor, J., Armstrong, B.K. | 2005 | Occupational exposure to pesticides and risk of non-Hodgkin's lymphoma<br>American Journal of Epidemiology 162, 849-857<br>GLP: N, published: Y<br>2309746 / ASB2012-11624 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | George, J., Prasad, S., Mahmood, Z., Shukla, Y. | 2010 | Studies on glyphosate-induced carcinogenicity in mouse skin: a proteomic approach<br>J Proteomics 73, 951-964<br>GLP: N, published: Y<br>2309766 / ASB2012-11829 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Grunewald, W.; | 2012 | Letter to the editor<br>Food and Chemical Toxicology 53 (2013) 447–448<br>ASB2013-11001 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Hammond, B.; Goldstein, D. A.; Saltmiras, D.; | 2012 | Letter to the editor<br>Food and Chemical Toxicology 53 (2013) 459–464<br>ASB2013-10995 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Hardell, L., Eriksson, M. | 1999 | A case-control study of non-Hodgkin lymphoma and exposure to pesticides<br>Cancer 85, 1353-1360<br>GLP: N, published: Y<br>2309788 / ASB2012-11838 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Hardell, L., Eriksson, M., Nordstrom, M. | 2002 | Exposure to pesticides as risk factor for non-Hodgkin's lymphoma and hairy cell leukemia: Pooled analysis of two Swedish case-control studies<br>Leukemia & Lymphoma 43, 1043-1049<br>GLP: N, published: Y<br>2309790 / ASB2012-11839 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Heinemann, J. A.; | 2012 | Letter to the editor<br>Food and Chemical Toxicology 53 (2013) 442<br>ASB2013-10987 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Karunanayake, C.P., Spinelli, J.J., McLaughlin, J.R., Dosman, J.A., Pahwa, P., McDuffie, H.H. | 2011 | Hodgkin Lymphoma and Pesticides Exposure in Men: A Canadian Case-Control Study<br>Journal of Agromedicine 17, 30-39<br>GLP: N, published: Y<br>2309844 / ASB2012-11865 | N | LIT |
| KIIA 5.5.3<br>(OECD) | Knezevich, A. L.; Hogan, G. K. | 1983 | A chronic feeding study of glyphosate (Roundup technical) in mice<br>77-2061 ! (BDN-77-420)<br>TOX9552381 | N | MON |
| KIIA 5.5.3<br>(OECD) | Kumar, D.P.S. | 2001 | Carcinogenicity Study with Glyphosate Technical in Swiss Albino Mice<br>TOXI: 1559.CARCI-M FSG<br>GLP: Y, published: N<br>2309396 / ASB2012-11491 | Y | ADM |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Landgren, O., Kyle, R.A., Hoppin, J.A., Freeman, L.E.B., Cerhan, J.R., Katzmann, J.A., Rajkumar, S.V., Alavanja, M.C. | 2009 | Pesticide exposure and risk of monoclonal gammopathy of undetermined significance in the Agricultural Health Study<br>Blood 113, 6386-6391<br>GLP: N, published: Y<br>2309874 / ASB2012-11875 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Langridge, P.; | 2012 | Letter to the editor<br>Food and Chemical Toxicology 53 (2013) 441<br>ASB2013-10986 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Lash, T.L. | 2007 | Bias analysis applied to Agricultural Health Study publications to estimate non-random sources of uncertainty<br>J Occup Med Toxicol 2, 1-9<br>GLP: N, published: Y<br>2309876 / ASB2012-11877 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Lee, W.J., Lijinsky, W., Heineman, E.F., Markin, R.S., Weisenburger, D.D., Ward, M.H. | 2004 | Agricultural pesticide use and adenocarcinomas of the stomach and oesophagus<br>Occupational and Environmental Medicine 61 (9):743-749 61, 743-749<br>GLP: N, published: Y<br>2309888 / ASB2012-11883 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Lee, W.J., Colt, J.S., Heineman, E.F., McComb, R., Weisenburger, D.D., Lijinsky, W., Ward, M.H. | 2005 | Agricultural pesticide use and risk of glioma in Nebraska, United States<br>Occupational and Environmental Medicine 62, 786-792<br>GLP: N, published: Y<br>2309886 / ASB2012-11882 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Monge, P., Wesseling, C., Guardado, J., Lundberg, I., Ahlbom, A., Cantor, K.P., Weideroass, E., Partanen, T. | 2007 | Parental occupational exposure to pesticides and the risk of childhood leukemia in Costa Rica<br>Scandinavian Journal of Work Environment & Health 33, 293-303<br>GLP: N, published: Y<br>2309948 / ASB2012-11909 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Multigner, L., Ndong, J.R., Oliva, A., Blanchet, P. | 2008 | Environmental pollutants and prostate cancer: epidemiological data<br>Gynecol Obstet Fertil 36, 848-856<br>GLP: N, published: Y<br>2309964 / ASB2012-11917 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Ndong, J.R., Blanchet, P., Multigner, L. | 2009 | Pesticides and prostate cancer: epidemiological data<br>Bulletin Du Cancer 96, 171-180<br>GLP: N, published: Y<br>2309974 / ASB2012-11922 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Nordström, M.; Hardell, L.; Magnuson, A.; Hagberg, H.; Rask-Andersen, A. | 1998 | Occupational exposures, animal exposure and smoking as risk factors for hairy cell leukaemia evaluated in a case-control study<br>TOX1999-687 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Ollivier, L.; | 2012 | Letter to the editor<br>Food and Chemical Toxicology 53 (2013) 458<br>ASB2013-11000 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Pahwa, P., Karunanayake, C.P., Dosman, J.A., Spinelli, J.J., McDuffie, H.H., McLaughlin, J.R. | 2011 | Multiple Myeloma and Exposure to Pesticides: A Canadian Case-Control Study<br>Journal of Agromedicine 17, 40-50<br>GLP: N, published: Y<br>2309996 / ASB2012-11987 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Panchin, A. Y.; | 2013 | Toxicity of roundup-tolerant genetically modified maize is not supported by statistical tests<br>Food and Chemical Toxicology 53 (2013) 475<br>ASB2013-10937 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Pilu, R.; | 2012 | Letter to the editor<br>Food and Chemical Toxicology 53 (2013) 454<br>ASB2013-10992 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | De Roos, A.J., Blair, A., Rusiecki, J.A., Hoppin, J.A., Svec, M., Dosemeci, M., Sandler, D.P., Alavanja, M.C. | 2005 | Cancer incidence among glyphosate-exposed pesticide applicators in the agricultural health study<br>Environmental Health Perspectives 113, 49-54<br>GLP: N, published: Y<br>2309704 / ASB2012-11605 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | De Roos, A.J., Zahm, S.H., Cantor, K.P., Weisenburger, D.D., Holmes, F.F., Burmeister, L.F., Blair, A. | 2003 | Integrative assessment of multiple pesticides as risk factors for non-Hodgkin's lymphoma among men<br>Occupational and Environmental Medicine 60<br>GLP: N, published: Y<br>2309706 / ASB2012-11606 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Schorsch, F.; | 2012 | Letter to the editor<br>Food and Chemical Toxicology 53 (2013) 465–466<br>ASB2013-10996 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Séralini, G.-E.;<br>Clair, E.;<br>Mesnage, R.;<br>Gress, S.;<br>Defarge, N.;<br>Malatesta, M.;<br>Hennequin, D.;<br>Spiroux de Vendômois, J.; | 2012 | Long term toxicity of a Roundup herbicide and a Roundup-tolerant genetically modified maize.<br>Food and Chem Toxicol., in Press,<br>ASB2012-15514 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Séralini, G. E.;<br>Mesnage, R.;<br>Defarge, N.;<br>Gress, S.;<br>Hennequin, D.;<br>Clair, E.;<br>Malatesta, M.;<br>Spiroux de Vendômois, J.; | 2013 | Answers to critics: Why there is a long term toxicity due to a Rounduptolerant genetically modified maize and to a Roundup herbicide<br>Food and Chemical Toxicology 53 (2013) 476–483<br>ASB2013-10985 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | de Souza, L.; | 2012 | Letter to the editor<br>Food and Chemical Toxicology 53 (2013) 440<br>ASB2013-10999 | N | LIT |
| KIIA 5.5.3<br>(OECD) | Sugimoto, K. | 1997 | HR-001: 18-Month Oral Oncogenicity Study in Mice<br>IET 940151 ALS<br>GLP: Y, published: N<br>2309415 / ASB2012-11493 | Y | ALS |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Tester, M.; | 2012 | Letter to the Editor<br>Food and Chemical Toxicology 53 (2013) 457<br>ASB2013-10994 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Tien, D. L.;<br>Huy, H. L.; | 2012 | Comments on ‘‘Long term toxicity of a Roundup herbicide and a Roundup-tolerant genetically modified maize’’<br>Food and Chemical Toxicology 53 (2013) 443–444<br>ASB2013-10984 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Trewavas, A.; | 2012 | Letter to the editor<br>Food and Chemical Toxicology 53 (2013) 449<br>ASB2013-10989 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Tribe, D.; | 2012 | Letter to the editor<br>Food and Chemical Toxicology 53 (2013) 467–472<br>ASB2013-10997 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Wager, R.; | 2013 | Letter to the editor<br>Food and Chemical Toxicology 53 (2013) 455–456<br>ASB2013-10993 | N | LIT |
| KIIA 5.5.3<br>KIIA 5.10<br>(OECD) | Weichenthal, S., Moase, C., Chan, P. | 2010 | A review of pesticide exposure and cancer incidence in the Agricultural Health Study cohort<br>Environ Health Perspect 118, 1117-1125<br>GLP: N, published: Y<br>2310122 / ASB2012-12048 | N | LIT |
| KIIA 5.5.3<br>(OECD) | Wood, E., Dunster, J., Watson, P., Brooks, P. | 2009 | Glyphosate Technical: Dietary carcinogenicity study in the mouse<br>SPL 2060-0011 NUF<br>GLP: Y, published: N<br>2309412 / ASB2012-11492 | Y | NUF |
| KIIA 5.6.1<br>(OECD) | Antal, A. | 1985 | Three-generation reproduction study in rats with the oral administration of glyphosate<br>TOX9650161 | N | ALK |
| KIIA 5.6.1<br>(OECD) | Bhide, M. B. | 1988 | Report on effect of glyphosate technical of Excel Industries Ltd., Bombay, on fertility and general reproductive performance (Segment I)<br>TOX9551832 | N | LIT |
| KIIA 5.6.1<br>(OECD) | Bhide, M. B. | 1988 | Report on effect of pesticides on reproductive process - Segment IV - three generation reproduction study with albino rats using glyphosate technical of Excel Industries Ltd., Bombay<br>TOX9551965 | N | LIT |
| KIIA 5.6.1<br>(OECD) | Brooker, A. J.; Homan, B. A.; Hadley, J. C.; Offer, J. M. | 1991 | Dietary range finding study of glyphosate in pregnant rats and their juvenile offspring<br>CHV 42/90619<br>TOX9552388 | N | CHE |
| KIIA 5.6.1<br>(OECD) | Brooker, A.J., Myers, D.P., Parker, C.A., Offer, J.M., Singh, H., Anderson, A., Dawe, I.S. | 1992 | The Effect of Dietary Administration of Glyphosate on Reproductive Function of Two Generations in the Rat<br>CHV 47/911129 CHE<br>GLP: Y, published: N<br>2309436 / TOX9552389 | N | CHE |
| KIIA 5.6.1<br>(OECD) | Dhinsa, N.K., Watson, P., Brooks, P.N | 2007 | Glyphosate technical: Dietary Two Generation Reproduction Study in the Rat<br>2060/0013 NUF<br>GLP: Y, published: N<br>2309418 / ASB2012-11494 | Y | NUF |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.6.1 (OECD) | Moxon, M.E. | 2000 | Glyphosate acid: Multigeneration reproduction toxicity study in rats<br>CTL/P/6332 SYN / MON<br>GLP: Y, published: N<br>2309423 / TOX2000-2000 | Y | SYD |
| KIIA 5.6.1 (OECD) | Reyna, M.S. | 1990 | Two Generation Reproduction Feeding Study with Glyphosate in Sprague-Dawley Rats<br>MSL-10387 MON<br>GLP: Y, published: N<br>2309439 / ASB2012-11496 / TOX9552387 | N | MON |
| KIIA 5.6.1 (OECD) | Suresh, T.P. | 1993 | Two Generation Reproduction Study in Wistar Rats<br>TOXI: 885-RP-G2<br>GLP: Y, published: N<br>2309427 / TOX9300009 / TOX9551104 | N | ADM |
| KIIA 5.6.1 (OECD) | Takahashi, K. | 1997 | HR-001: A two-generation reproduction study in rats<br>IET 96-0031 ALS<br>GLP: Y, published: N<br>2309425 / ASB2012-11495 | N | ALS |
| KIIA 5.6.1 | Brooker, A. J.; Myers, D. P.; Parker, C. A.; Offer, J. M.; Singh, H.; Anderson, A.; Dawe, I. S. | 1992 | The effect of dietary administration of Glyphosate on reproductive function of two generations in the rat<br>CHV 47/911129<br>GLP: Open (14) Yes (30) Published: No (29) Open (15)<br>BVL-2328496, BVL-2328509, TOX9552389 | N | MON |
| KIIA 5.6.10 (OECD | Antoniou, M.; Habib, M.E.M; Howard, C.V.; Jennings, R.C.; Leifert, C.; Nodari, R.O.; Robinson, C.J.; Fagan, J. | 2012 | Teratogenic Effects of Glyphosate-Based Herbicides: Divergence of Regulatory Decisions from Scientific Evidence<br>J Environ Anal Toxicol 2012, S:4,<br>ASB2012-15927 | N | LIT |
| KIIA 5.6.10 (OECD) | Brooker, A. J.; John, D. M.; Anderson, A.; Dawe, I. S. | 1991 | The effect of glyphosate on pregnancy of the rat (incorporates preliminary investigation)<br>CHV 43 u. 41/90716<br>TOX9552393 | N | CHE |
| KIIA 5.6.10 (OECD) | Hatakenaka | 1995 | HR-001: Teratogenicity Study in Rats<br>IET 94-0152 ALS<br>GLP: Y, published: N<br>2309444 / ASB2012-11497 | Y | ALS |
| KIIA 5.6.10 (OECD) | Mesnage, R.; Bernay, B.; Séralini, G.-E. | 2012 | Ethoxylated adjuvants of glyphosate-based herbicides are active principles of human cell toxicity<br>Toxicology, in Press<br>ASB2012-13917 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.6.10 (OECD) | Moxon, M. E. | 2002 | Amendment 001 to glyphosate acid: Developmental toxicity study in the rat<br>CTL/P/4819 ! RR0690<br>ASB2012-10080 | N | SYD |
| KIIA 5.6.10 (OECD) | Suresh, T. P. | 1991 | Glyphosate techn. (FSG 03090 H/05 March 1990): Teratogenicity study in Wistar rats<br>ES.883.TER-R ! TOXI-883/1991 ! ES-GPT-TER-R<br>TOX9551105 | N | ADM |
| KIIA 5.6.10 (OECD) | Tasker, E. J.; Rodwell, D. E.; Jessup, D. C. | 1980 | Glyphosate: Teratology study in rats<br>401-054 ! IR-79-016<br>TOX9552392 | N | MON |
| KIIA 5.6.11 (OECD) | Bailey, J.; Hauswirth, J.; Stump, D.; | 2013 | No evidence of endocrine disruption by glyphosate in male and female pubertal assays. Abstract<br>ASB2013-3464 | N | LIT |
| KIIA 5.6.11 (OECD) | Bhide, M.B., Patil, U.M. | 1989 | Rabbit Teratology Study with Glyphosate Technical<br>IIT Project No. 1086 EXC<br>GLP: Y, published: N<br>2309462 / TOX9551960 | N | EXC |
| KIIA 5.6.11 (OECD) | Brooker, A.J., Brennan, C., John, D.M., Anderson, A., Dawe, I.S. | 1991 | The Effect of Glyphosate on Pregnancy of the Rabbit (Incorporates Preliminary Investigations)<br>CHV 45 & 39 & 40/901 CHE<br>GLP: Y, published: N<br>2309454 / TOX9552391 | N | CHE |
| KIIA 5.6.11 (OECD) | Coles, R.J., Doleman, N. | 1996 | Glyphosate technical: Oral gavage teratology study in the rabbit<br>434/020 NUF<br>GLP: Y, published: N<br>2309448 / ASB2012-11499 | Y | NUF |
| KIIA 5.6.11 (OECD) | Hojo, H. | 1995 | HR-001: A Teratogenicity Study in Rabbits<br>IET 94-0153 ALS<br>GLP: Y, published: N<br>2309446 / ASB2012-11498 | N | ALS |
| KIIA 5.6.11 (OECD) | Kimmel, G.L.; Kimmel, C.A.; Williams, A.L.; DeSesso, J.M.; | 2013 | Evaluation of developmental toxicity studies of glyphosate with attention to cardiovascular development<br>Critical Reviews in Toxicology 43(2013)2: 79-95, ASB2013-3462 | N | LIT |
| KIIA 5.6.11 (OECD) | Moxon, M.E. | 1996 | Glyphosate acid: Developmental toxicity study in the rabbit<br>CTL/P/5009 SYN<br>GLP: Y, published: N<br>2309450 / TOX2000-2002 | N | SYD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.6.11 (OECD) | Suresh, T.P. | 1993 | Teratogenicity study in rabbits - Tets compound: Glyphosate technical<br>TOXI: 884-TER-RB<br>GLP: Y, published: N<br>2309457 / TOX9551106 | N | ADM |
| KIIA 5.6.11 (OECD) | Tasker, E.J., Rodwell, D.E., Jessup, D.C. | 1980 | Technical Glyphosate: Teratology study in rabbits<br>IR-79-018 MON<br>GLP: N, published: N<br>2309452 / TOX9552390 | N | MON |
| KIIA 5.6.2 (OECD) | Moxon, M. E. | 1996 | Glyphosate acid: Developmental toxicity study in the rat<br>29.03.1996 CTL/P/4819 ! RR 0690<br>TOX2000-2001 | N | SYD |
| KIIA 5.6.2 (OECD) | Wood, E. | 2011 | Glyphosate Technical: Dietary carcinogenicity study in the mouse – Amendment<br>SPL 2060-0011<br>ASB2014-9149 | Y | NUF |
| KIIA 5.6.2 (OECD) | Wood, E. | 2011 | Assessment and further discussion on relevance of perceived elevation in testicular atrophy for SafePharm project number 2060/0011 (Glyphosate technical: mouse oncogenicity study)<br>SPL 2060-0011<br>ASB2014-9150 | Y | NUF |
| KIIA 5.7. (OECD | Johnson, A. J. | 1996 | Glyphosat Acid: Acute delayed neurotoxicity study with in the domestic hen<br>CTL/C/3122 ! C2.8/01 ! ISN 361<br>ASB2013-9828 | N | SYD |
| KIIA 5.7.1 (OECD) | Horner, S.A | 1996 | Glyphosate acid: Acute neurotoxicity study in rats<br>CTL/P/4866 SYN<br>GLP: Y, published: N<br>2309464 / ASB2012-11500 | N | SYD |
| KIIA 5.7.4<br>KIIA 5.10 (OECD) | Astiz, M., de Alaniz, M.J., Marra, C.A. | 2009 | Effect of pesticides on cell survival in liver and brain rat tissues<br>Ecotoxicol Environ Saf 72, 2025-2032<br>GLP: N, published: Y<br>2309582 / ASB2012-11549 | N | LIT |
| KIIA 5.7.4<br>KIIA 5.9<br>KIIA 5.10 (OECD) | Barbosa, E.R., da Costa, M.D.L., Bacheschi, L.A., Scaff, M., Leite, C.C. | 2001 | Parkinsonism after glycine-derivate exposure<br>Movement Disorders 16, 565-568<br>GLP: N, published: Y<br>2309598 / ASB2012-11557 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.7.4<br>KIIA 5.10<br>(OECD) | Cole, R.D., Anderson, G.L., Williams, P.L. | 2004 | The nematode Caenorhabditis elegans as a model of organophosphate-induced mammalian neurotoxicity<br>Toxicology and Applied Pharmacology 194, 248-256<br>GLP: N, published: Y<br>2309680 / ASB2012-11594 | N | LIT |
| KIIA 5.7.4<br>KIIA 5.10<br>(OECD) | da Costa, M.D.L., Goncalves, L.R., Barbosa, E.R., Bacheschi, L.A. | 2003 | Neuroimaging abnormalities in parkinsonism: study of five cases<br>Arquivos De Neuro-Psiquiatria 61, 381-386<br>GLP: N, published: Y<br>2309688 / ASB2012-11598 | N | LIT |
| KIIIA 5.7.4<br>KIIA 5.10<br>(OECD) | Engel, L.S., Checkoway, H., Keifer, M.C., Seixas, N.S., Longstreth, W.T., Jr., Scott, K.C., Hudnell, K., Anger, W.K., Camicioli, R. | 2001 | Parkinsonism and occupational exposure to pesticides<br>Occup Environ Med 28, 582-589<br>GLP: N, published: Y<br>2309718 / ASB2012-11612 | N | LIT |
| KIIA 5.7.4<br>KIIA 5.10<br>(OECD) | Gui, Y.-x., Fan, X.-n., Wang, H.-m., Wang, G., Chen, S.-d. | 2012 | Glyphosate induced cell death through apoptotic and autophagic mechanisms<br>Neurotoxicology and Teratology<br>GLP: N, published: Y<br>2309778 / ASB2012-11835 | N | LIT |
| KIIA 5.7.4<br>KIIA 5.10<br>(OECD) | Heu, C., Elie-Caille, C., Mougey, V., Launay, S., Nicod, L. | 2012 | A step further toward glyphosate-induced epidermal cell death: Involvement of mitochondrial and oxidative mechanisms<br>Environmental Toxicology and Pharmacology 34, 144-153<br>GLP: N, published: Y<br>2309800 / ASB2012-11844 | N | LIT |
| KIIA 5.7.4<br>(OECD) | Horner, S.A. | 1996 | Glyphosate Acid: Subchronic Neurotoxicity Study In Rats<br>CTL/P/4867 SYN<br>GLP: Y, published: N<br>2309466 / ASB2012-11501 | N | SYD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.7.4<br>KIIA 5.10<br>(OECD) | Kamel, F., Tanner, C.M., Umbach, D.M., Hoppin, J.A., Alavanja, M.C.R., Blair, A., Comyns, K., Goldman, S.M., Korell, M., Langston, J.W., Ross G.W., Sandler, D.P. | 2007 | Pesticide exposure and self-reported Parkinson's disease in the agricultural health study<br>American Journal of Epidemiology 165, 364-374<br>GLP: N, published: Y<br>2309838 / ASB2012-11862 | N | LIT |
| KIIA 5.7.4<br>KIIA 5.10<br>(OECD) | Mink, P.J., Mandel, J.S., Lundin, J.I., Sceurman, B.K. | 2011 | Epidemiologic studies of glyphosate and non-cancer health outcomes: A review<br>Regulatory Toxicology and Pharmacology 61, 172-184<br>GLP: N, published: Y<br>2309938 / ASB2012-11904 | N | LIT |
| KIIA 5.7.4<br>KIIA 5.10<br>(OECD) | Negga, R., Rudd, D.A., Davis, N.S., Justice, A.N., Hatfield, H.E., Valente, A.L., Fields, A.S., Fitsanakis, V.A. | 2011 | Exposure to Mn/Zn ethylene-bis-dithiocarbamate and glyphosate pesticides leads to neurodegeneration in Caenorhabditis elegans<br>NeuroToxicology 32, 331-341<br>GLP: N, published: Y<br>2309976 / ASB2012-11923 | N | LIT |
| KIIA 5.7.4<br>KIIA 5.9<br>KIIA 5.10<br>(OECD) | Wang, G., Fan, X.N., Tan, Y.Y., Cheng, Q., Chen, S.D. | 2011 | Parkinsonism after chronic occupational exposure to glyphosate<br>Parkinsonism & Related Disorders 17, 486-487<br>GLP: N, published: Y<br>2310120 / ASB2012-12047 | N | LIT |
| KIIA 5.8<br>(OECD) | Akanuma, M. | 1996 | AMPA, Reverse Mutation Test<br>IET 96-0076 ALS<br>GLP: Y, published: N<br>2309478 / ASB2012-11507 | Y | ALS |
| KCA 5.8.2 | Avigliano, L.; Alvarez, N.; Mac Loughlin, C.; Rodriguez, E. M. | 2014 | Effects of Glyphosate on egg incubation, larvae hatching, and ovarian rematuration in the estuarine carb neohelice granulata<br>10.1002/etc.2635<br>Environmental Toxicology and Chemistry, 2014, 33, 1879-1884<br>BVL-3194154, ASB2017-3434 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.9 (OECD) | Bakke, J. P. | 1991 | Evaluation of the potential of AMPA to induce unscheduled DNA synthesis in the in vitro hepatocyte DNA repair assay using the male F-344 rats<br>2495-V01-91 ! SR-91-234<br>TOX9552409 | N | MON |
| KIIA 5.8 (OECD) | Callander, R.D. | 1988 | Aminomethyl Phosphonic Acid: An Evaluation of Mutagenic Potential Using *S. typhimurium* and *E. coli*<br>CTL/P/2206 SYN<br>GLP: Y, published: N<br>2309476 / TOX9500043 | N | SYD |
| KIIA 5.8 (OECD) | Cuthbert, J. A.; Jackson, D. | 1993 | AMPA: Acute oral toxicity (limit) test in rats<br>8763 ! IRI 552409<br>TOX9552395 | N | CHE |
| KIIA 5.8 (OECD) | Cuthbert, J. A.; Jackson, D. | 1993 | AMPA: Acute dermal toxicity (limit) test in rats<br>8764 ! IRI 552409<br>TOX9552396 | N | CHE |
| KIIA 5.8 (OECD) | Cuthbert, J. A.; Jackson, D. | 1993 | AMPA: Magnusson-Kligman maximisation test in guinea pigs<br>8765 ! IRI 552409<br>TOX9300374 | N | CHE |
| KIIA 5.8 (OECD) | Estes, F. L.; Jefferson, N. D.; Blair, M.; Goldenthal, E. I. | 1979 | CP 50435: 90-day subacute rat toxicity study<br>401-050 ! IRD-78-174<br>TOX9552401 | N | MON |
| KIIA 5.8 (OECD) | Hazelden, K. P. | 1992 | AMPA: Teratogenicity study in rats<br>7891 ! IRI 490421<br>TOX9300348 | N | CHE |
| KIIA 5.8 (OECD) | Heath, J.; Strutt, A.; Iswariah, V. | 1993 | AMPA: 4 week dose range finding study in rats with administration by gavage<br>7803 ! IRI 450860<br>TOX9300349 | N | CHE |
| KIIA 5.8 (OECD) | Holson, J. F. | 1991 | A developmental toxicity study of AMPA in rats<br>WIL-50159 ! WI-90-266<br>TOX9552414 | N | MON |
| KIIA 5.8 (OECD) | Jacobsen, S. D.; Skydsgaard, K. | 1991 | Assessment of acute oral toxicity of (N-methyl-N-phosphonomethyl)glycine to rats<br>12837<br>TOX9552398 | N | CHE |
| KIIA 5.8 (OECD) | Jensen, J. C. | 1993 | Mutagenicity test: Ames salmonella test with AMPA, batch 286-JRJ-73-4,<br>13269<br>TOX9300378 | N | CHE |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.8 (OECD) | Jensen, J. C. | 1993 | AMPA, batch 286-JRJ-73-4: Mutagenicity test: *In vitro* mammalian cell gene mutation test performed with mouse lymphoma cells (L5178Y)<br>13270<br>TOX9300380 | N | CHE |
| KIIA 5.8 (OECD) | Jensen, J. C. | 1993 | Mutagenicity test: Micronucleus test with AMPA, batch 286-JRJ-73-4<br>13268<br>TOX9300379 | N | CHE |
| KIIA 5.8 (OECD) | Kier, L. D.; Stegeman, S. D. | 1993 | Mouse micronucleus study of AMPA<br>EHL-90170/ML-90-404 ! MSL 13243<br>TOX9552413 | N | MON |
| KIIA 5.8 (OECD) | Komura, H. | 1996 | AMPA: Acute Oral Toxicity Study In Mice<br>IET 96-0075 ALS<br>GLP: Y, published: N<br>2309468 / ASB2012-11502 | Y | ALS |
| KIIA 5.8 (OECD) | Leah, A.M. | 1988 | Aminomethyl Phosphonic Acid: Acute Oral Toxicity to the Rat<br>CTL/P/2266 SYN<br>GLP: Y, published: N<br>2309470 / TOX9500044 | N | SYD |
| KIIA 5.8 (OECD) | Leuschner, J. | 2002 | Acute Toxicity Study of AMPA (Aminomethyl Phosphonic Acid) in CD Rats by Dermal Administration - LIMIT TEST<br>16168/02<br>GLP: Y, published: N<br>2309472 / ASB2012-11503 | Y | ADM |
| KIIA 5.8 (OECD) | Leuschner, J. | 2002 | Examination of AMPA (Aminomethyl Phosphonic Acid) in the Skin Sensitisation Test in Guinea Pigs according to Magnusson And Kligman (Maximisation Test)<br>16169/02<br>GLP: Y, published: N<br>2309474 / ASB2012-11506 | Y | ADM |
| KIIA 5.8 (OECD) | Nesslany, F. | 2002 | Measurement of unscheduled DNA synthesis (UDS) in rat hepatocytes in vitro procedure with AMPA (Amino methyl phosphonic acid)<br>IPL-R 020625 ALS<br>GLP: Y, published: N<br>2309480 / ASB2012-11508 | Y | ALS |
| KIIA 5.8 (OECD) | Strutt, A. V.; Atkinson, C.; Hudson, P.; Snodgrass, E. | 1993 | AMPA: 13-week toxicity study in rats with administration by gavage<br>7866 ! IRI 450876<br>TOX9300377 | N | CHE |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.8 (OECD) | Tompkins, E. C. | 1991 | 90-day oral (capsule) toxicity study in dogs with AMPA<br>WIL-50173 ! WI-90-354<br>TOX9552406 | N | MON |
| KCA 5.8.2 | Perego, M. C.; Schutz, L. F.; Caloni, F.; Cortinovis, C.; Albonico, M.; Spicer, L. J. | 2016 | Evidence for direct effects of Glyphosate on ovarian function: Glyphosate influences steroidogenesis and proliferation of bovine granulosa but not theca cells in vitro<br>10.1002/jat.3417<br>J. Appl. Toxicol. 2016<br>ASB2017-3492 | N | LIT |
| KIIA 5.9 (OECD) | Acquavella, J.F., Weber, J.A., Cullen, M.R., Cruz, O.A., Martens, M.A., Holden, L.R., Riordan, S., Thompsen, M., Farmer, D. | 1999 | Human ocular effects from self-reported exposures to Round-up herbicides<br>Human & Experimental Toxicology (paper) 18, 479-486<br>GLP: N, published: Y<br>2309482 / TOX2002-699 | N | LIT |
| KIIA 5.9 (OECD) | Bando, H., Murao, Y., Aoyagi, U., Hirakawa, A., Iwase, M., Nakatani, T. | 2010 | [Extreme hyperkalemia in a patient with a new glyphosate potassium herbicide poisoning: report of a case]<br>Chudoku Kenkyu 23, 246-249<br>GLP: N, published: Y<br>2309596 / ASB2012-11556 | N | LIT |
| KIIA 5.9 (OECD) | BfR | 2011 | Frauenmilch: Dioxingehalte sinken kontinuierlich. Information Nr. 011/2011 des BfR vom 23.03.2011<br>ASB2014-8171 | N | LIT |
| KIIA 5.9<br>KIIIA1 7.6.3 (OECD) | Bradberry, S.M., Proutfoot, A.T., Vale, J.A. | 2004 | Glyphosate poisoning<br>Toxicological reviews (paper), 23, 159-167<br>GLP: N, published: Y<br>2309484 / ASB2012-11509 | N | LIT |
| KIIA 5.9 (OECD) | Bradberry, S.M., Proudfoot, A.T., Vale, J.A. | 2004 | Glyphosate poisoning<br>Toxicol Rev 23, 159-167<br>GLP: N, published: Y<br>2309642 / ASB2012-11576 | N | LIT |
| KIIA 5.9 (OECD) | Burger, R.; Begemann, K.; Meyer, H.; Hahn, A.; | 2009 | Severe dyspnoea after spraying of a pesticide containing glyphosate. Lung damage histologically confirmed<br>Clinical Toxicology (2009) 47, 506<br>ASB2013-11831 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.9 (OECD) | Chang, C.-J., Peng, Y.-C., Hung, W.-H., Yang, D.-Y., Lin, T.-J. | 1999 | Clinical impact of upper gastrointestinal tract injuries in glyphosate-surfactant oral intoxication<br>Human & Experimental Toxicology (paper), 18, 475-478<br>GLP: N, published: Y<br>2309486 / ASB2012-11510 | N | LIT |
| KIIA 5.9 (OECD) | Fromme, H.; Gruber, L.; Seckin, E.; et al.; | 2011 | Phthalates and their metabolites in breast milk — Results from the Bavarian Monitoring of Breast Milk (BAMBI)<br>Environment International 37 (2011) 715–722<br>ASB2014-8169 | N | LIT |
| KIIA 5.9 (OECD) | Fürst, P. | 2006 | Dioxins, polychlorinated biphenyls and other organohalogen compounds in human milk<br>Mol. Nutr. Food Res. 2006, 50, 922 – 933<br>ASB2014-8168 | N | LIT |
| KIIA 5.9 (OECD) | Goldstein, D.A., Johnson, G., Farmer, D.R., Martens, M.A. | 1999 | Pneumonitis and herbicide exposure<br>Chest (paper), 16, 1139-1140<br>GLP: N, published: Y<br>2309490 / ASB2012-11511 | N | LIT |
| KIIA 5.09 (OECD) | Goldstein, D.A., Acquavella, J.F., Mannion, R.M., Farmer, D.R. | 2002 | An analysis of glyphosate data from the California Environmental Protection Agency Pesticide Illness Surveillance Program<br>Journal of Toxicology-Clinical Toxicology 40, 885-892<br>GLP: N, published: Y<br>2309770 / ASB2012-11831 | N | LIT |
| KIIA 5.9 (OECD) | Kamijo, Y., Mekari, M., Yoshimura, K., Kano, T., Soma, K. | 2012 | Glyphosate-surfactant herbicide products containing glyphosate potassium salt can cause fatal hyperkalemia if ingested in massive amounts<br>Clinical Toxicology 50, 159<br>GLP: N, published: Y<br>2309840 / ASB2012-11863 | N | LIT |
| KIIA 5.9 (OECD) | Lee, H-L., Chen, K.-W., Chi, C.-H., Huang, J.-J., Tsai, L.-M. | 2000 | Clinical presentations and prognostic factors of a glyphosate-surfactant herbicide intoxication: a review of 131 cases<br>Academic Emergency Medicine (paper) 7, 906-910<br>GLP: N, published: Y<br>2309492 / ASB2012-11512 | N | LIT |
| KIIA 5.9 (OECD) | Lee, C.H., Shih, C.P., Hsu, K.H., Hung, D.Z., Lin, C.C. | 2008 | The early prognostic factors of glyphosate-surfactant intoxication<br>Am J Emerg Med 26, 275-281<br>GLP: N, published: Y<br>2309880 / ASB2012-11879 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.9<br>KIIA 5.10<br>KIIIA1 7.6.3<br>(OECD) | Mizuyama, K. | 1987 | Irritating effect of glyphosate, surfactant and roundup on stomach and small intestine in dogs<br>MON<br>GLP: N, published: N<br>2309496 / TOX9552430 | N | MON |
| KIIA 5.9<br>(OECD) | Paumgartten, F.J.R. | 2012 | ANVISA - Glyphosate Intoxications 2010 to 2012 in Brasil;<br>ASB2013-13413 | N | LIT |
| KIIA 5.9<br>(OECD) | Pushnoy, L.A., Avnon, L.S., Carel, R.S. | 1998 | Herbicide (Roundup) Pneumonitis<br>Chest (paper), 114, 1769-1771<br>GLP: N, published: Y<br>2309498 / ASB2012-11513 | N | LIT |
| KIIA 5.9<br>(OECD) | Raab, U.; Albrecht, M.; Preiss, U.; et al.; | 2013 | Organochlorine compounds, nitro musks and perfluorinated substances in breast milk – Results from Bavarian Monitoring of Breast Milk 2007/8<br>Chemosphere 93 (2013) 461–467<br>ASB2014-8170 | N | LIT |
| KIIA 5.9<br>(OECD) | Sawada, Y., Nagai, Y., Ueyama, M., Yamamoto, I. | 1988 | Probable toxicity of surface-active agent in commercial herbicide containing glyphosate<br>The Lancet (paper) 1, 299-301<br>GLP: N, published: Y<br>2309504 / Z35532 | N | LIT |
| KIIA 5.9<br>(OECD) | Tominack, R., Conner, P., Yamashita, M. | 1989 | Clinical Management of Roundup® herbicide exposure<br>The Japanese Journal of Toxicology (paper) 2, 187-192<br>GLP: N, published: Y<br>2309506 / TOX9552426 | N | LIT |
| KIIA 5.9<br>(OECD) | UBA | 2008 | Aktualisierung der Referenzwerte für HCB, β-HCH, DDT und PCB in Frauenmilch. Stellungnahme der Kommission Human-Biomonitoring des Umweltbundesamtes<br>BfR Stillkommission<br>Bundesgesundheitsbl - Gesundheitsforsch - Gesundheitsschutz 2008 · 51:1239–1242<br>ASB2014-8167 | N | LIT |
| KIIA 5.9<br>(OECD) | Verdugo-Raab, U.; | 2012 | Ergebnisse der Muttermilchuntersuchungen 1984–2010<br>Bayerisches Landesamt für Gesundheit und Lebensmittelsicherheit<br>ASB2014-8173 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | AFSSA | 2009 | Avis de l'Agence française de sécurité sanitaire des aliments relatif au glyphosate et aux préparations phytopharmaceutiques à base de cette substance active<br>GLP: N, published: Y<br>2309546 / ASB2012-11532 | N | LIT |
| KIIA 5.10 (OECD) | Allen, S.L. | 1996 | Glyphosate Acid: Comparison of Salivary Gland Effects in Three Strains of Rat<br>CTL/P/5160 SYN<br>GLP: Y, published: N<br>2309518 / ASB2012-11520 | N | SYD |
| KIIA 5.10 (OECD) | Allen, S.L. | 1996 | Glyphosate Acid: Comparison of Salivary Gland Effects in Three Strains of Rat<br>CTL/P/5160 SYN<br>GLP: Y, published: N<br>2309558 / ASB2012-11537 | Y | MOD |
| KIIA 5.10 (OECD) | Alavanja, M. C. R.; Ross, M. K.; Bonner, M. R. | 2013 | Increased cancer burden among pesticide applicators and others due to pesticide exposure<br>CA: A Cancer Journal for Clinicians, 2013;63:120–142<br>ASB2014-9174 | N | LIT |
| KIIA 5.10 (OECD) | Alavanja, M. C. R.; Bonner, M. R. | 2012 | Occupational pesticide exposures and cancer risk: a review<br>Journal of Toxicology and Environmental Health, Part B, 15:238–263, 2012<br>ASB2014-9173 | N | LIT |
| KIIA 5.10 (OECD) | Alvarez-Moya, C.; Reynoso Silva, M.; Valdez Ramírez, C.; et al.; | 2014 | Comparison of the in vivo and in vitro genotoxicity of Glyphosate Isopropylamine salt in three different organisms<br>Genetics and Molecular Biology, 37, 1, 105-110 (2014)<br>ASB2014-6902 | N | LIT |
| KIIA 5.10 (OECD) | Altenburger, R.; Scholz, S.; Schmitt-Jansen, M.; Busch, W.; Escher B. I. | 2012 | Mixture toxicity revisited from a toxicogenomic perspective<br>Environ. Sci. Technol. 2012, 46, 2508−2522<br>ASB2014-9176 | N | LIT |
| KIIA 5.10 (OECD) | Andreotti, G.; Koutros, S.; Berndt, S. I. et al. | 2012 | The Interaction between pesticide use and genetic variants involved in lipid metabolism on prostate cancer risk<br>Journal of Cancer Epidemiology<br>Volume 2012, Article ID 358076,<br>ASB2014-9198 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Anonymous | 2009 | Final List of Initial Pesticide Active Ingredients and Pesticide Inert Ingredients to be Screened Under the Federal Food, Drug, and Cosmetic Act<br>Federal Register /Vol. 74, No. 71 /Wednesday, April 15, 2009 /Notices, 17579-17585 74, 17579-17585<br>GLP: N, published: Y<br>2310108 / ASB2012-12041 | N | LIT |
| KIIA 5.10 (OECD) | Anonymous | 2012 | GM Soy linked to health damage in pigs -- a Danish Dossier<br>ASB2013-11007 | N | LIT |
| KIIA 5.10 (OECD) | Anonymous | 2013 | Effects on ruminants and other herbivores (livestock and wild life)<br>ASB2013-11007 | N | LIT |
| KIIA 5.10 (OECD) | Arbuckle, T.E., Lin, Z.Q., Mery, L.S. | 2001 | An exploratory analysis of the effect of pesticide exposure on the risk of spontaneous abortion in an Ontario farm population<br>Environmental Health Perspectives 109, 851-857<br>GLP: N, published: Y<br>2309574 / ASB2012-11545 | N | LIT |
| KIIA 5.10 (OECD) | Aris, A., Leblanc, S. | 2011 | Maternal and fetal exposure to pesticides associated to genetically modified foods in Eastern Townships of Quebec, Canada<br>Reproductive Toxicology 31, 528-533<br>GLP: N, published: Y<br>2309578 / ASB2012-11547 | N | LIT |
| KIIA 5.10 (OECD) | Astiz, M.; de Catalfo, G.; Garcia, M. | 2013 | Pesticide-induced decrease in rat testicular steroidogenesisis differentially prevented by lipoate and tocopherol<br>Ecotoxicology and Environmental Safety 91 (2013) 129–138<br>ASB2014-7493 | N | LIT |
| KIIA 5.10 (OECD) | Astiz, M.; de Alaniz, M. J. T.; Marra, C. A. | 2012 | The oxidative damage and inflammation caused by pesticides are reverted by lipoic acid in rat brain<br>Neurochemistry International 61 (2012) 1231–1241<br>ASB2014-9201 | N | LIT |
| KIIA 5.10 (OECD) | Axelrad, J.C., Howard, C.V., McLean, W.G. | 2003 | The effects of acute pesticide exposure on neuroblastoma cells chronically exposed to diazinon<br>Toxicology 185, 67-78<br>GLP: N, published: Y<br>2309590 / ASB2012-11553 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Bailey, J.; Hauswirth, J.; Stump, D.; | 2013 | No evidence of endocrine disruption by glyphosate in male and female pubertal assays. Abstract<br>SOT 2013 Annual Meeting, PS 1937: p 412<br>ASB2013-3464 | N | LIT |
| KIIA 5.10 (OECD) | Basrur, P. K.; | 2006 | Disrupted sex differentiation and feminization of man and domestic animals<br>Environmental Research 100 (2006) 18–38<br>ASB2014-7492 | N | LIT |
| KIIA 5.10 (OECD) | Bates, N.; Edwards, N. | 2013 | Letter to the editor: Glyphosate toxicity in animals<br>Clinical Toxicology (2013), 51, 1243<br>ASB2014-9249 | N | LIT |
| KIIA 5.10 | Brennan, J. C.; Bassal, A.; He, G.; Denison, M. S.; | 2016 | Development of a recombinant human ovarian (BG1) cell line containing estrogen receptor alpha and beta for improved detection of estrogenic/antiestrogenic chemicals<br>Environmental toxicology and chemistry / SETAC. Volume 35, Number 1, Pages 91–100<br>BVL-3194154, ASB2016-11621 | No | LIT |
| KIIA 5.10 (OECD) | Bell, E.M., Hertz-Picciotto, I., Beaumont, J.J. | 2001 | A case-control study of pesticides and fetal death due to congenital anomalies<br>Epidemiology 12, 148-156<br>GLP: N, published: Y<br>2309602 / ASB2012-11559 | N | LIT |
| KIIA 5.10 (OECD) | Belle, R., Le Bouffant, R., Morales, J., Cosson, B., Cormier, P., Mulner-Lorillon, O. | 2007 | Sea urchin embryo, DNA-damaged cell cycle checkpoint and the mechanisms initiating cancer development<br>J Soc Biol 201, 317-327<br>GLP: N, published: Y<br>2309604 / ASB2012-11560 | N | LIT |
| KIIA 5.10 (OECD) | Bellé, R.; Morales, J.; Cormier, P.; Mulner-Lorillon, O. | 2012 | Letter to the editor: Toxicity of Roundup and Glyphosate<br>Journal of Toxicology and Environmental Health, Part B, 15:233–237, 2012<br>ASB2014-9251 | N | LIT |
| KIIA 5.10 (OECD) | Benachour, N., Sipahutar, H., Moslerni, S., Gasnier, C., Travert, C., Seralini, G.E. | 2007 | Time- and dose-dependent effects of roundup on human embryonic and placental cells<br>Archives of Environmental Contamination and Toxicology 53, 126-133<br>GLP: N, published: Y<br>2309608 / ASB2009-9018 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Benedetti, A.L., Vituri, C.D., Trentin, A.G, Domingues, M.A.C., Alvarez-Silva, M. | 2004 | The effects of sub-chronic exposure of Wistar rats to the herbicide Glyphosate-Biocarb (R)<br>Toxicology Letters 153, 227-232<br>GLP: N, published: Y<br>2309610 / ASB2012-11562 | N | LIT |
| KIIA 5.10 (OECD) | Benitez-Leite, S., Macchi, M., Acosta, M. | 2009 | Malformaciones congénitas asociadas a agrotóxicos<br>Archives of Pediatrics 80 (3):377-378. 80, 377-378<br>GLP: N, published: Y<br>2309612 / ASB2012-11563 | N | LIT |
| KIIA 5.10 (OECD) | Barry, K.; Koutros, S.; Berndt, S. et al. | 2011 | Genetic variation in base excision repair pathway genes, pesticide exposure, and prostate cancer risk<br>Environmental Health Perspectives, 119(2011)12<br>ASB2014-9247 | N | LIT |
| KIIA 5.10 (OECD) | Benedettia, D.; Nunesa, E.; Sarmentoa, M. et al. | 2013 | Genetic damage in soybean workers exposed to pesticides: Evaluation with the comet and buccal micronucleus cytome assays<br>Mutation Research 752 (2013) 28– 33<br>ASB2014-9279 | N | LIT |
| KIIA 5.10 (OECD) | Beuret, C.J., Zirulnik, F., Gimenez, M.S. | 2005 | Effect of the herbicide glyphosate on liver lipoperoxidation in pregnant rats and their fetuses<br>Reproductive Toxicology 19, 501-504<br>GLP: N, published: Y<br>2309614 / ASB2012-11564 | N | LIT |
| KIIA 5.10 (OECD) | Beswick, E.; Millo, J. | 2011 | Fatal poisoning with Glyphosate - surfactant herbicide<br>JICS Volume 12, Number 1, January 2011<br>ASB2014-9283 | N | LIT |
| KIIA 5.10 (OECD) | BfR | 2009 | BfR-Bewertung der Studie "Glyphosate-based herbicides are toxic and endocrine disruptors in human cell lines" vom 06.08.2009<br>GLP: N, published: Y<br>2309616 / ASB2012-11565 | N | LIT |
| KIIA 5.10 (OECD) | Bhide, M. B.; Naik, P. Y. | 1987 | Synergism and potentiation in rats of Glyphosate (tech.) of Excel Industries Ltd., Bombay<br>TOX9551964 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Blair, A., Zahm, S.H. | 1993 | Patterns of pesticide use among farmers: implications for epidemiologic research<br>Epidemiology 4, 55-62<br>GLP: N, published: Y<br>2309620 / ASB2012-11567 | N | LIT |
| KIIA 5.10 (OECD) | Bleeke, M.S., Kurtzweil, M.L., Saltmiras, D.A. | 2010 | Dietary Exposure Assessment of Polyoxyethylenealkylamines (POEA) Surfactants<br>MON<br>GLP: N, published: Y<br>2309622 / ASB2010-6123 | N | LIT |
| KIIA 5.10 (OECD) | Brändli, D.; Reinacher, S. | 2011 | Herbizide im Urin<br>Ithaka Journal 1 \| 2012:1–4<br>ASB2012-804 | N | LIT |
| KIIA 5.10 (OECD) | BVL | 2010 | Glyphosate - Comments from Germany on the paper by Paganelli, A. et al. (2010): "Glyphosate-based Herbicides Produce Teratogenic Effects on Vertebrates by Impairing Retinoic Acid Signaling"<br>GLP: N, published: Y<br>2309648 / ASB2012-11579 | N | LIT |
| KIIA 5.10 (OECD) | Caglar, S., Kolankaya, D. | 2008 | The effect of sub-acute and sub-chronic exposure of rats to the glyphosate-based herbicide Roundup<br>Environmental Toxicology and Pharmacology 25 (2008) 57–62<br>ASB2012-11580 | N | LIT |
| KIIA 5.10 (OECD) | Campaña, H.; Pawluk, M. S.; López Camelo, J. S.; Grupo de Estudio del ECLAMC | 2010 | Prevalencia al nacimiento de 27 anomalías congénitas seleccionadas, en 7 regiones geográficas de la Argentina. Births prevalence of 27 selected congenital anomalies in 7 geographic regions of Argentina<br>Arch Argent Pediatr 2010;108(5):409-417<br>ASB2013-10559 | N | LIT |
| KIIA 5.10 (OECD) | Campo, N. B.-C.; Zarate, D. H. V.; Hernandez, E. D. R. | 2009 | Toxicity of the main pesticides used in Popayán Valley with Bacillus subtillis<br>Facultad de Ciencias Agropecuarias<br>16 Vol 7 No. 1 Enero - Junio 2009<br>ASB2014-9281 | N | LIT |
| KIIA 5.10 (OECD) | Carmichael, S. L.; Yang, W.; Roberts, E. M. et al. | 2013 | Hypospadias and residential proximity to pesticide applications<br>Pediatrics 2013;132(5)e1216–e1226<br>ASB2014-9307 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Carroll, R.; Metcalfe, C.; Gunnell, D. et al. | 2012 | Diurnal variation in probability of death following self-poisoning in Sri Lanka—evidence for chronotoxicity in humans<br>International Journal of Epidemiology 2012;41:1821–182<br>ASB2014-9308 | N | LIT |
| KIIA 5.10 (OECD) | Cassault-Meyer, E.; Gress, S.; Seralini, G. E.; Galeraud-Denis, I.; | 2014 | An acute exposure to glyphosate-based herbicide alters aromatase levels in testis and sperm nuclear quality<br>Environ Toxicol. Pharmacol 38 ( 2014 ) 131–140<br>ASB2014-5615 | N | LIT |
| KIIA 5.10 (OECD) | Cattani, D.; de Liz Oliveira Cavalli, V. L.; Heinz Rieg, C. E. et al. | 2014 | Mechanisms underlying the neurotoxicity induced by Glyphosate-based herbicide in immature rat hippocampus: Involvement of glutamate excitotoxicity<br>Toxicology 320 (2014) 34–45<br>ASB2014-3919 | N | LIT |
| KIIA 5.10 (OECD) | Chaufan, G.; Coalova, I.; Molina, M. | 2014 | Glyphosate commercial formulation causes cytotoxicity, oxidative effects, and apoptosis on human cells: Differences with its active ingredient<br>International Journal of Toxicology 2014, Vol. 33(1) 29-38<br>ASB2014-9314 / ASB2014-7616 | N | LIT |
| KIIA 5.10 (OECD) | Chen, Y. J.; Wu, M.-L.; Deng, J.-F.; Yang, C.-C. | 2009 | The epidemiology of Glyphosate-surfactant herbicide poisoning in Taiwan, 1986–2007: a poison center study<br>Clinical Toxicology (2009) 47, 670–677<br>ASB2014-9318 | N | LIT |
| KIIA 5.10 (OECD) | Chen, H.-H.; Lin, J.-L.; Huang, W-H. et al. | 2013 | Spectrum of corrosive esophageal injury after intentional paraquat or Glyphosate-surfactant herbicide ingestion<br>International Journal of General Medicine 2013:6 677–683<br>ASB2014-9321 | N | LIT |
| KIIA 5.10 (OECD) | Chien, W.-C.; Chung, C.-H.; Jaakkola, J. J. K. et al. | 2012 | Risk and prognostic factors of inpatient mortality associated with unintentional insecticide and herbicide poisonings: A retrospective cohort study<br>PLOS one September 2012 Volume 7 Issue 9 e45627<br>ASB2014-9326 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Chorfa, A.; Bétemps, D.; Morignat, E. et al. | 2013 | Specific pesticide-dependent increases in alpha-synuclein levels in human neuroblastoma (SH-SY5Y) and melanoma (SK-MEL-2) cell lines<br>Toxicological Sciences 133(2), 289–297 2013<br>ASB2014-9328 | N | LIT |
| KIIA 5.10 (OECD) | Clair, E., Linn, L., Travert, C., Amiel, C., Seralini, G.-E., Panoff, J.-M. | 2012 | Effects of Roundup and Glyphosate on Three Food Microorganisms: Geotrichum candidum, Lactococcus lactis subsp. cremoris and Lactobacillus delbrueckii subsp. bulgaricus<br>Current Microbiology 64, 486-491<br>GLP: N, published: Y<br>2309674 / ASB2012-11592 | N | LIT |
| KIIA 5.10 (OECD) | Clair, E., Mesnage, R., Travert, C., Séralini, G.-E. | 2012 | A glyphosate-based herbicide induces necrosis and apoptosis in mature rat testicular cells *in vitro*, and testosterone decrease at lower levels<br>Toxicology *in Vitro* 26, 269-279<br>GLP: N, published: Y<br>2309678 / ASB2012-1628 | N | LIT |
| KIIA 5.10 (OECD) | Coalova, I.; Ríos de Molina, M. C.; Chaufan, G.; | 2014 | Influence of the spray adjuvant on the toxicity effects of a Glyphosate formulation<br>Toxicology in Vitro 28 (2014) 1306–1311<br>ASB2014-7615 | N | LIT |
| KIIA 5.10 (OECD) | Cocco, P.; Satta, G.; | 2014 | Lymphoma risk and occupational exposure to pesticides: results of the Epilymph study<br>Occup Environ Med 2012;0:1–7<br>ASB2014-7523 | N | LIT |
| KIIA 5.10 (OECD) | Corsini, E.; Sokooti, M.; Galli, C. L.; Moretto, A.; Colosio, C. | 2012 | Pesticide induced immunotoxicity in humans: A comprehensive review of the existing evidence<br>Toxicology (2012)<br>ASB2014-9352 | N | LIT |
| KIIA 5.10 (OECD) | Culbreth, M. E.; Harrill, J. A.; Freudenrich, T. M. et al. | 2012 | Comparison of chemical-induced changes in proliferation and apoptosis in human and mouse neuroprogenitor cells<br>NeuroToxicology 33 (2012) 1499–1510<br>ASB2014-9355 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Curwin, B.D., Hein, M.J., Sanderson, W.T., Striley, C., Heederik, D., Kromhout, H., Reynolds, S.J., Alavanja, M.C. | 2006 | Urinary pesticide concentrations among children, mothers and fathers living in farm and non-farm households in iowa<br>Ann. Occup. Hyg. 2006, 1-33<br>ASB2012-11597 | N | LIT |
| KIIA 5.10 | Dai, P.; Hu, P.; Tang, J.; Li, Y.; Li, C.; | 2016 | Effect of glyphosate on reproductive organs in male rat<br>Acta histochemical Volume 118, Issue 5, June 2016, Pages 519–526<br>BVL-3194154, ASB2016-11622 | N | LIT |
| KIIA 5.10<br>KIIIA1 7.6.3 (OECD) | Dallegrave, E., Mantese, F.D., Coelho, R.S., Pereira, J.D., Dalsenter, P.R., Langeloh, A. | 2003 | The teratogenic potential of the herbicide glyphosate-Roundup (R) in Wistar rats<br>Toxicology Letters 142, 45-52<br>GLP: N, published: Y<br>2309692 / ASB2012-11600 | N | LIT |
| KIIA 5.10<br>KIIIA1 7.6.3 (OECD) | Dallegrave, E., Mantese, F.D., Oliveira, R.T., Andrade, A.J.M., Dalsenter, P.R., Langeloh, A. | 2007 | Pre- and postnatal toxicity of the commercial glyphosate formulation in Wistar rats<br>Archives of Toxicology 81, 665-673<br>GLP: N, published: Y<br>2309694 / ASB2012-2721 | N | LIT |
| KIIA 5.10 | Defarge, N.; Takacs, E.; Lozano, V. L. et al. | 2016 | Co-formulants in Glyphosate-based herbicides disrupt aromatase activity in human cells below toxic levels<br>10.3390/ijerph13030264<br>BVL-3194154, ASB2016-2568 | N | LIT |
| KIIA 5.6.1 | Dhinsa, N.K., Watson, P., Brooks, P.N | 2007 | Glyphosate technical: Dietary Two Generation Reproduction Study in the Rat<br>2060/0013<br>GLP: Yes Published: No<br>BVL-2309418, ASB2012-11494 | Y | NUF |
| KIIA 5.10 (OECD) | de Liz Oliveira Cavalli, V. L.; Cattani, D.; Rieg, C. E. H. et al. | 2013 | Roundup disrupts male reproductive functions by triggering calcium-mediated cell death in rat testis and Sertoli cells<br>FreeRadicalBiologyandMedicine65(2013)335–346<br>ASB2014-7495 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Daruich, J., Zirulnik, F., Gimenez, M.S. | 2001 | Effect of the herbicide glyphosate on enzymatic activity in pregnant rats and their fetuses<br>Environmental Research 85, 226-231<br>GLP: N, published: Y<br>2309696 / ASB2012-11601 | N | LIT |
| KIIA 5.10 (OECD) | Da Silva, F. R.; Kvitko, K.; Rohr, P. et al. | 2014 | Genotoxic assessment in tobacco farmers at different crop times<br>Science of the Total Environment 490 (2014) 334–341<br>ASB2014-9358 | N | LIT |
| KIIA 5.10 (OECD) | DeSesso, J. M.; Williams, A. | 2012 | Comment on ‘‘Glyphosate impairs male offspring reproductive development by disrupting gonadotropin expression" by Romano et al. 2012<br>Arch Toxicol (2012) 86:1791–1793<br>ASB2014-9369 | N | LIT |
| KIIA 5.10 (OECD) | De Souza Filho, J.; Neves Sousa, C. C.; Da Silva, C. C. et al. | 2013 | Mutagenicity and genotoxicity in gill erythrocyte cells of Poecilia reticulata exposed to a Glyphosate formulation<br>Bull Environ Contam Toxicol (2013) 91:583–587<br>ASB2014-7617 | N | LIT |
| KIIA 5.10 (OECD) | El-Shenawy, N.S. | 2009 | Oxidative stress responses of rats exposed to Roundup and its active ingredient glyphosate<br>Environmental Toxicology and Pharmacology 28 (2009) 379–385<br>ASB2012-11611 | N | LIT |
| KIIA 5.10 (OECD) | El-Zaemey, S.; Heyworth, J. | 2013 | Noticing pesticide spray drift from agricultural pesticide application areas and breast cancer: a case-control study<br>Aust NZ J Public Health. 2013; Online<br>ASB2014-9473 | N | LIT |
| KIIA 5.10 (OECD) | European Commission | 2011 | Standing Committee on the Food Chain and Animal Health, Section Phytopharmaceuticals - Plant Protection Products - Legislation - 22-23 November 2010<br>GLP: N, published: Y<br>2309724 / ASB2012-11615 | N | LIT |
| KIIA 5.10 (OECD) | Faria, N. M. X.; Fassa, A. G.; Meucci, R. D. et al. | 2014 | Occupational exposure to pesticides, nicotine and minor psychiatric disorders among tobacco farmers in southern Brazil<br>NeuroToxicology (2014) in Press<br>ASB2014-9477 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Folta, K. | 2014 | Letter to the editor<br>Food and Chemical Toxicology: 65 (2014) 392<br>ASB2014-9478 | N | LIT |
| KIIA 5.10 (OECD) | Forgacs, A.L., Ding, Q., Jaremba, R.G., Huhtaniemi, I.T., Rahman, N.A., Zacharewski, T.R. | 2012 | BLTK1 Murine Leydig Cells: A Novel Steroidogenic Model for Evaluating the Effects of Reproductive and Developmental Toxicants<br>Toxicological Sciences<br>GLP: N, published: Y<br>2309736 / ASB2012-11621 | N | LIT |
| KIIA 5.10 (OECD) | Freire, C.; Koifman, S. | 2012 | Pesticide exposure and Parkinson's disease: Epidemiological evidence of association<br>NeuroToxicology 33 (2012) 947–971<br>ASB2014-9479 | N | LIT |
| KIIA 5.10 (OECD) | French Committee for the Study of Toxicity | 2005 | Enquiry into the referral of the Committee for the Study of Toxicity by the DGAL regarding the article "Differential effects of glyphosate and Roundup on human placental cells and aromatase." Richard S., Moslemi S., Sipahutar H., Benachour<br>GLP: N, published: Y<br>2309742 / ASB2009-9025 | N | LIT |
| KIIA 5.10 (OECD) | Garlich, F. M.; Goldman, M.; Pepe, J. et al. | 2014 | Hemodialysis clearance of glyphosate following a life-threatening ingestion of glyphosate-surfactant herbicide<br>Clinical Toxicology (2014), 52, 66–71<br>ASB2014-9480 | N | LIT |
| KIIA 5.10 (OECD) | Garry, V.F., Harkins, M.E., Erickson, L.L., Long-Simpson, L.K., Holland, S.E., Burroughs, B.L. | 2002 | Birth defects, season of conception, and sex of children born to pesticide applicators living in the Red River Valley of Minnesota, USA<br>Environmental Health Perspectives 110:441-449 110, 441-449<br>GLP: N, published: Y<br>2309750 / ASB2012-11626 | N | LIT |
| KIIA 5.10 (OECD) | Garry, V.F., Holland, S.E., Erickson, L.L., Burroughs, B.L. | 2003 | Male reproductive hormones and thyroid function in pesticide applicators in the Red River Valley of Minnesota<br>Journal of Toxicology and Environmental Health-Part A 66, 965-986<br>GLP: N, published: Y<br>2309752 / ASB2012-11627 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Gasnier, C., Benachour, N., Clair, E., Travert, C., Langlois, F., Laurant, C., Decroix-Laporte, C., Seralini, G.E. | 2010 | Dig1 protects against cell death provoked by glyphosate-based herbicides in human liver cell lines<br>J Occup Med Toxicol 5<br>GLP: N, published: Y<br>2309754 / ASB2012-11628 | N | LIT |
| KIIA 5.10 (OECD) | Gasnier, C., Dumont, C., Benachour, N., Clair, E., Chagnon, M.C., Seralini, G.E. | 2009 | Glyphosate-based herbicides are toxic and endocrine disruptors in human cell lines<br>Toxicology. 21;262(3):184-91<br>GLP: N, published: Y<br>BVL-2716328, ASB2009-7384 | N | LIT |
| KIIA 5.10 (OECD) | Gasnier, C., Laurant, C., Decroix-Laporte, C., Mesnage, R., Clair, E., Travert, C., Seralini, G.E. | 2011 | Defined plant extracts can protect human cells against combined xenobiotic effects<br>J Occup Med Toxicol 6, 3<br>GLP: N, published: Y<br>2309758 / ASB2012-11630 | N | LIT |
| KIIA 5.10 (OECD) | Gencer, N.; Ergün, A.; Demir, D. | 2012 | In vitro effects of some herbicides and fungicides on human erythrocyte carbonic anhydrase activity<br>Fresenius Environmental Bulletin, Volume 21 - No 3. 2012<br>ASB2014-9481 | N | LIT |
| KIIA 5.10 (OECD) | Gentile, N.; Manas, F.; Bosch, B.; Peralta, L.; Gorla, N.; Aiassa, D. | 2012 | Micronucleus assay as a biomarker of genotoxicity in the occupational exposure to agrochemicals in rural workers<br>Bull Environ Contam Toxicol (2012) 88:816–822<br>ASB2014-9482 | N | LIT |
| KIIA 5.10 (OECD) | George, J.; Shukla, Y.; | 2013 | Emptying of intracellular calcium pool and oxidative stress imbalance are associated with the Glyphosate-induced proliferation in human skin keratinocytes HaCaT cells<br>ISRN Dermatology, Volume 2013, Article ID 825180<br>ASB2014-8034 | N | LIT |
| KIIA 5.10 (OECD) | Gil, H. W.; Park, J. S.; Hong; S. Y. | 2013 | Effect of intravenous lipid emulsion in patients with acute Glyphosate intoxication<br>Clinical Toxicology (2013), 51, 767–771<br>ASB2014-9488 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Glyphosat task force | 2014 | Response to EFSA non-confidential comment 48 (EFSA non-confidential letter page 9, in reference to public comment 2(78<br>ASB2014-9624 | N | LIT |
| KIIA 5.10 (OECD) | Goldner, W. S.; Sandler, D. P.; Yu, F. et al. | 2013 | Hypothyroidism and pesticide use among male private pesticide applicators in the agricultural health study<br>JOEM Volume 55, Number 10, October 2013<br>ASB2014-9492 | N | LIT |
| KIIA 5.10 (OECD) | Goldstein, D. A.; Saltmiras, D. A | 2014 | Neurodevelopmental toxicity: still more questions than answers<br>neurology Vol 13 July 2014<br>ASB2014-9493 | N | LIT |
| KIIA 5.10 (OECD) | Grandjean, P.; Landrigan, P. J. | 2014 | Neurobehavioural effects of developmental toxicity<br>Lancet Neurol 2014; 13: 330–38<br>ASB2014-9494 | N | LIT |
| KIIA 5.10 (OECD) | Greenpeace | 2011 | Herbicide tolerance and GM cropsfedd - Why the world should be ready to round up Glyphosate<br>ASB2012-810 | N | --- |
| KIIA 5.10 (OECD) | Gress, S.; Lemoine, S.; Puddu, P.-E.; Seralini, G.-E.; Rouet, R.; | 2014 | Cardiotoxic electrophysiological effects of the herbicide Roundup in rat and rabbit ventricular myocardium in vitro<br>Cardiovasc Toxicol<br>ASB2014-12161 | N | LIT |
| KIIA 5.10 (OECD) | Guilherme, S.; Santos, M. A.; Barroso, C.; et al.; | 2012 | Differential genotoxicity of Roundupformulation and its constituents in blood cells of fish (Anguilla anguilla): considerations on chemical interactions and DNA damaging mechanisms<br>Ecotoxicology (2012) 21:1381–1390<br>ASB2014-7619 | N | LIT |
| KIIA 5.10 (OECD) | Haas, M.C. | 2010 | An 8-Week Oral (Diet and Gavage) Toxicity Study of Citric Acid in Male Rats<br>WIL-50361 GTF<br>GLP: Y, published: N<br>2309782 / ASB2012-11519 | Y | MOD |
| KIIA 5.10 (OECD) | Haas, M.C. | 2012 | Glyphosate - A 28-Day Oral (Dietary) Immunotoxicity Study in Female B6C3F1 Mice<br>WIL-50393 MON<br>GLP: Y, published: N<br>2309522 / ASB2012-11521 | Y | EGT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Harrill, J. A.; Freudenich, T. M.; Robinette, B. L.; Mundy, W. R. | 2011 | Comparative sensitivity of human and rat neural cultures to chemical-induced inhibition of neurite outgrowth<br>Toxicology and Applied Pharmacology 256 (2011) 268–280<br>ASB2014-9558 | N | LIT |
| KIIA 5.10 (OECD) | Hayes; A. W. | 2014 | Reply to letter to the editor<br>Food and Chemical Toxicology: 65 (2014) 394–395<br>ASB2014-9559 | N | LIT |
| KIIA 5.10 (OECD) | Hecker, M., Hollert, H., Cooper, R., Vinggaard, A.M., Akahori, Y., Murphy, M., Nellemann, C., Higley, E., Newsted, J., Laskey, J., Buckalew, A. | 2011 | The OECD validation program of the H295R steroidogenesis assay: Phase 3. Final inter-laboratory validation study<br>Environmental Science and Pollution Research 18, 503-515<br>GLP: N, published: Y<br>2309792 / ASB2012-11840 | N | LIT |
| KIIA 5.10 (OECD) | Hedberg, D.; Wallin, M.; | 2010 | Effects of Roundup and glyphosate formulations on intracellular transport, microtubules and actin filaments in Xenopus laevis melanophores<br>Toxicology in Vitro 24 (2010) 795–802<br>ASB2014-7494 | N | LIT |
| KIIA 5.10 (OECD) | Heu, C., Berquand, A., Elie-Caille, C., Nicod, L. | 2012 | Glyphosate-induced stiffening of HaCaT keratinocytes, a Peak Force Tapping study on living cells<br>Journal of structural biology 178, 1-7<br>GLP: N, published: Y<br>2309798 / ASB2012-11843 | N | LIT |
| KIIA 5.10 (OECD) | Hinojosa, R.; Baud, F.; Marque, S.; Barreteau, H. | 2013 | Severe poisonings in intensive care unit: Study of announced substances in 2011<br>Annales Pharmaceutiques Françaises (2013) 71, 174—185<br>ASB2014-9566 | N | LIT |
| KIIA 5.10 (OECD) | Hoare, A. | 2014 | QSAR assessment on the toxicological properties of Glyphosate and its impurities<br>Report EE/14/002, Battelle UK Limited<br>ASB2014-9157 | Y | ALB |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Hokanson, R., Fudge, R., Chowdhary, R., Busbee, D. | 2007 | Alteration of estrogen-regulated gene expression in human cells induced by the agricultural and horticultural herbicide glyphosate<br>Hum Exp Toxicol 26, 747-752<br>GLP: N, published: Y<br>2309804 / ASB2012-11846 | N | LIT |
| KIIA 5.10 (OECD) | Honeycutt, Z.; Rowlands, H.; | 2014 | Glyphosate Testing Report: Findings in American Mothers' Breast Milk, Urine and Water.<br>"Moms Across America" and "Sustainable Pulse"<br>ASB2014-6793 | N | LIT |
| KIIA 5.10 (OECD) | Horiuchi, N.; Oguchi, S.; Nagami, H. et al. | 2007 | Pesticide-related dermatitis in Saku District, Japan, 1975-2000<br>Int. J Occup. Environ Health 2007;14:25-34<br>ASB2014-9570 | N | LIT |
| KIIA 5.10 (OECD) | Hour, B. T.; Belen, C.; Zar, T. et al. | 2012 | Herbicide Roundup intoxication: Successful treatment with continuous renal replacement therapy<br>The American Journal of Medicine, Vol 125, No 8, August 2012<br>ASB2014-9571 | N | LIT |
| KIIA 5.10 (OECD) | Jamkhande, P. G.; Chintawar, K. D.; Chandak, P. G. | 2014 | Teratogenicity: A mechanism based short review on common teratogenic agents<br>Asian Pac J Trop Dis 2014; 4(6): 421-432<br>ASB2014-9573 | N | LIT |
| KIIA 5.10 (OECD) | Jany, K.-D. | 2013 | Die Langzeitfütterungsstudie von Seralini et al. (2012) - eine kritische Replik<br>Ernährungs Umschau 8/2013<br>ASB2014-9580 | N | LIT |
| KIIA 5.10 (OECD) | Jasper, R.; Locatelli, G. O.; Pilati, C. et al. | 2012 | Evaluation of biochemical, hematological and oxidative parameters in mice exposed to the herbicide Glyphosate-Roundup<br>Interdiscip Toxicol. 2012; Vol. 5(3): 133–140.<br>ASB2014-9583 | N | LIT |
| KIIA 5.10 (OECD) | Jayasumana, C.; Gunatilake, S.; Senanayake, P.; | 2014 | Glyphosate, hard water and nephrotoxic metals: Are they the culprits behind the epidemic of chronic kidney disease of unknown etiology in Sri Lanka?<br>*Int. J. Environ. Res. Public Health* **2014**, *11*, 2125-2147<br>ASB2014-3085 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | John, B. | 2014 | Letter to the editor<br>Food and Chemical Toxicology:65 (2014) 391<br>ASB2014-9584 | N | LIT |
| KIIA 5.10 (OECD) | Kachuri, L.; Demers, P. A.; Blair, A. et al. | 2013 | Multiple pesticide exposures and the risk of multiple myeloma in Canadian men<br>Int. J. Cancer: 133, 1846–1858 (2013)<br>ASB2014-8030 | N | LIT |
| KIIA 5.10 (OECD) | Kamel, F.; Umbach, D. M.; Bedlack, R. S. et al. | 2012 | Pesticide exposure and amyotrophic lateral sclerosis<br>NeuroToxicology 33 (2012) 457–462<br>ASB2014-9586 | N | LIT |
| KIIA 5.10 (OECD) | Kelce, W.R., Lamb, J.C., DeSesso, J.M. | 2010 | A Critique of prepubertal exposur eto commercial formulation of the herbicide glyphosate<br><br>GLP: N, published: Y<br>2309848 / ASB2012-11867 | N | LIT |
| KIIA 5.10 (OECD) | Kier, L. D.; Kirkland, D. J. | 2013 | Review of genotoxicity studies of Glyphosate and Glyphosate-based formulations<br>Crit Rev Toxicol, 2013; 43(4): 283–315<br>ASB2014-9587 | N | LIT |
| KIIA 5.10 (OECD) | Kilinc, N.; Isgör, M. M.; Sengül, B. et al. | 2013 | Influence of pesticide exposure on carbonic anhydrase II from sheep stomach<br>Toxicology and Industrial Health 1–8<br>ASB2014-9588 | N | LIT |
| KIIA 5.10 (OECD) | Kim, J.; Ko, W.; Lee, W. J. | 2013 | Depressive symptoms and severity of acute occupational pesticide poisoning among male farmers<br>Occup Environ Med 2013;0:1–7<br>ASB2014-9592 | N | LIT |
| KIIA 5.10 (OECD) | Kim, Y.; Hong, J.; Gil, H. et al. | 2013 | Mixtures of Glyphosate and surfactant TN20 accelerate cell death via mitochondrial damage-induced apoptosis and necrosis<br>Toxicology in Vitro 27 (2013) 191–197<br>ASB2014-9591 | N | LIT |
| KIIA 5.10 (OECD) | Kitazawa, T. | 2013 | IET historical control data on malignant lymphoma incidence in control ICR (Crj:CD-1) mice HR-001: Carcinogenicity study in mice (IET 94-0151)<br>13-C015<br>ASB2014-9146 | Y | ALS |
| KIIA 5.10 (OECD) | Knezevic, V.; Bozic, D.; Budosan, I. et al. | 2012 | Early continuous dialysis in acute Glyphosate-surfactant poisoning<br>Srp Arh Celok Lek. 2012 Sep-Oct;140(9-10):648-652<br>ASB2014-9593 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Koller, V. J.; Fürhacker, M.; Nersesyan, A. et al. | 2012 | Cytotoxic and DNA-damaging properties of Glyphosate and Roundup in human-derived buccal epithelial cells<br>Arch Toxicol (2012) 86:805–813<br>ASB2014-7618 | N | LIT |
| KIIA 5.10 (OECD) | Koureas, M.; Tsezou, A.; Tsakalof, A. et al. | 2014 | Increased levels of oxidxative DNA damage in pesticide sprayers in Thessaly Region (Greece). Implications of pesticide exposure<br>Science of the Total Environment 496 (2014) 358–364<br>ASB2014-9724 | N | LIT |
| KIIA 5.10 (OECD) | Koutros, S.; Andreotti, G.; Berndt, S. I. et al. | 2011 | Xenobiotic-metabolizing gene variants, pesticide use, and the risk of prostate cancer<br>Pharmacogenetics and Genomics 2011, Vol 21 No 10<br>ASB2014-9594 | N | LIT |
| KIIA 5.10 (OECD) | Krüger, M.; Schrödl, W.; Neuhaus, J.; Shehata, A. A.; | 2013 | Field investigations of glyphosate in urine of Danish dairy cows<br>J Environ Anal Toxicol, 3:5<br>ASB2013-11599 | N | LIT |
| KIIA 5.10 (OECD) | Krüger, M.; Shehata, A. A.; Schrödl, W.; Rodloff, A.; | 2013 | Glyphosate suppresses the antagonistic effect of Enterococcus spp. on Clostridium botulinum<br>in Press, Anaerobe 20: 74-78 (2013)<br>ASB2013-8527 | N | LIT |
| KIIA 5.10 (OECD) | Krüger, M.; Schledorn, P.; Schrödl, W.; Hoppe, H. W.; Lutz, W.; Shehata, A. A.; | 2014 | Detection of Glyphosate residues in animals and humans<br>J Environ Anal Toxicol 2014, 4:2<br>ASB2014-5024 | N | LIT |
| KIIA 5.10 (OECD) | Krüger, M.;Große-Herrenthey, A.; Schrödl, W.; Gerlach, A.; Rodloff, A.; | 2012 | Visceral botulism at dairy farms in Schleswig Holstein, Germany - Prevalence of Clostridium botulinum in feces of cows, in animal feeds, in feces of the farmers, and in house dust<br>Anaerobe 18 (2012) 221-223<br>ASB2013-13312 | N | LIT |
| KIIA 5.10 (OECD) | Krüger, M.; Schrödl, W.; Pedersen, I; Shehata, A. A. | 2014 | Detection of Glyphosate in malformed piglets<br>J Environ Anal Toxicol 2014, 4:5<br>ASB2014-8935 | N | LIT |
| KIIA 5.10 (OECD) | Kumar, S. | 2011 | Occupational, environmental and lifestyle factors associated with spontaneous abortion<br>Reproductive Sciences 18(10) 915-930<br>ASB2014-9725 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Kwiatkowska, M.; Huras, B.; Bukowska, B. | 2014 | The effect of metabolites and impurities of Glyphosate on human erythrocytes (in vitro)<br>Pesticide Biochemistry and Physiology 109 (2014) 34–43<br>ASB2014-9603 | N | LIT |
| KIIA 5.10 (OECD) | Kwiatkowska, M.; Nowacka-Krukowska, H.; Bukowska, B. | 2014 | The effect of Glyphosate, its metabolites and impurities on erythrocyte acetylcholinesterase activity<br>Environ. Toxicol. Pharmacol. 37 (2014) 1101–1108<br>ASB2014-8085 | N | LIT |
| KIIA 5.10 (OECD) | Labite, H.; Cummins, E. | 2012 | A quantitative approach for ranking human health risks from pesticides in Irish groundwater<br>Human and Ecological Risk Assessment, 18: 1156–1185, 2012<br>ASB2014-9604 | N | LIT |
| KIIA 5.10 (OECD) | Lamb, J. C.; Bofetta, P.; Foster, W. G. et al. | 2014 | Critical comments on the WHO-UNEP state of the science of endocrine disrupting chemicals – 2012<br>Regulatory Toxicology and Pharmacology 69 (2014) 22–40<br>ASB2014-9605 | N | LIT |
| KIIA 5.10 | Lanctot, C.; Navarro-Martin, L.; Robertson, C.; Park, B.; Jackman, P.; Pauli, B. D.; Trudeau, V. L. | 2014 | Effects of glyphosate-based herbicides on survival, development, growth and sex ratios of wood frog (Lithobates sylvaticus) tadpoles. II: agriculturally relevant exposures to Roundup WeatherMax(R) and Vision(R) under laboratory conditions<br><br>Aquatic toxicology (Amsterdam, Netherlands). Volume 154, September 2014, Pages 291–303<br>BVL-3194154, ASB2016-11623 | N | LIT |
| KIIA 5.10 (OECD) | Larsen, K.; Najle, R.; Lifschitz, A.; Virkel, G. | 2012 | Effects of sub-lethal exposure of rats to the herbicide Glyphosate in drinking water: Glutathione transferase enzyme activities, levels of reduced Glutathione and lipid peroxidation in liver, kidneys and small intestine<br>Environ. Toxicol. Pharmacol. 34(2012)811-818<br>ASB2014-6905 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Larsen, K.; Najle, R.; Lifschitz, A. et al. | 2014 | Effects of sublethal exposure to a Glyphosate-based herbicide formulation on metabolic activities of different xenobiotic-metabolizing enzymes in rats<br>International Journal of Toxicology 2014, Vol. 33(4) 307-318<br>ASB2014-9606 | N | LIT |
| KIIA 5.10 (OECD) | Lee, B. K.; Lee, H. K.; Ryu, H. H. et al. | 2012 | Continuous renal replacement therapy in a patient with cardiac arrest after Glyphosate-surfactant herbicide poisoning<br>Hong Kong Journal of Emergency Medicine<br>ASB2014-9607 | N | LIT |
| KIIA 5.10 (OECD) | LeFew, W. R.; McConnell, E. R.; Crooks, J. L. et al. | 2013 | Evaluation of microelectrode array data using Bayesian modeling as an approach to screening and prioritization for neurotoxicity testing<br>NeuroToxicology 36 (2013) 34–41<br>ASB2014-9608 | N | LIT |
| KIIA 5 | Le Mer, C.; Roy, R. L.; Pellerin, J.; Couillard, C. M.; Maltais, D. | 2012 | Effects of chronic exposures to the herbicides Atrazine and Glyphosate to larvae of the threespine stickleback (Gasterosteus aculeatus)<br>pp 174-181 !<br>dx.doi.org/10.1016/j.ecoenv.2012.11.027<br>Ecotoxicology and Environmental Safety (2013) 174-181<br>BVL-3194154, ASB2015-7350 | N | LIT |
| KIIA 5.10 (OECD) | Lesmes-Fabian, C.; García-Santos, G.; Leuenberger, F. et al. | 2012 | Dermal exposure assessment of pesticide use: The case of sprayers in potato farms in the Colombian highlands<br>Science of the Total Environment 430 (2012) 202–208<br>ASB2014-9726 | N | LIT |
| KIIA 5.10 (OECD) | Levine, S. | 2012 | EDSP assays and regulatory safety studies provide a weight of evidence that Glyphosate is not an endocrine disruptor<br>SETAC North America 33rd Annual Meeting<br>ASB2014-9609 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Lopez, S. L.; Aiassa, D.; Benitez-Leite, S.; Lajmanovich, R.; Manas, F.; Poletta, G.; Sanchez, N.; Simoniello, M. F.; Carrasco, A. E.; | 2012 | Pesticides used in South American GMO-based agriculture: A review of their effects on humans and animal models<br>Advances in Molecular Toxicology, Volume 6, 41-75<br>doi.org/10.1016/B978-0-444-59389-4.00002-1<br>ASB2013-10534 | N | LIT |
| KIIA 5.10 (OECD) | Malhotra, R.C., Ghia, D.K., Cordato, D.J., Beran, R.G. | 2010 | Glyphosate-surfactant herbicide-induced reversible encephalopathy<br>Case Reports / Journal of Clinical Neuroscience 17 (2010) 1472–1473<br>ASB2012-11890 | N | LIT |
| KIIA 5.10 (OECD) | Manas, F., Peralta, L., Raviolo, J., Ovando, H.G., Weyers, A., Ugnia, L., Cid, M.G., Larripa, I., Gorla, N. | 2009 | Genotoxicity of AMPA, the environmental metabolite of glyphosate, assessed by the Comet assay and cytogenetic tests<br>Ecotoxicology and Environmental Safety 72, 834-837<br>GLP: N, published: Y<br>2309906 / ASB2012-11891 | N | LIT |
| KIIA 5.10 (OECD) | Mandel, J.S., Alexander, B.H., Baker, B.A., Acquavella, J.F., Chapman, P., Honeycutt, R. | 2005 | Biomonitoring for farm families in the farm family exposure study<br>Scand J Work Environ Health 31, 98-104<br>GLP: N, published: Y<br>2309910 / ASB2012-11893 | N | LIT |
| KIIA 5.10 (OECD) | Mañas, F.; Peralta, L.; Ugnia, L. et al. | 2013 | Oxidative stress and comet assay in tissues of mice administered Glyphosate and Ampa in drinking water for 14 days<br>Journal of Basic & Applied Genetics \| 2013 \| Volume 24 \| Issue 2 \| Article 7<br>ASB2014-6909 | N | LIT |
| KIIA 5.10 (OECD) | Manfo, F. P. T.; Moundipa, P. F.; Déchaud, H. et al. | 2010 | Effect of agropesticides use on male reproductive function: A study on farmers in Djutitsa (Cameroon)<br>Environ Toxicol 27: 423–432, 2012<br>ASB2014-9611 | N | LIT |
| KIIA 5.10 (OECD) | Markard, C.; | 2014 | Umweltprobenbank des Bundes. Ergebnisse der Vorstudie "HBM von Glyphosat"<br>II 1.2-93404/21<br>ASB2014-2057 | N | --- |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Marc, J., Mulner-Lorillon, O., Durand, G., Belle, R. | 2003 | Embryonic cell cycle for risk assessment of pesticides at the molecular level<br>Environmental Chemistry Letters 1, 8-12<br>GLP: N, published: Y<br>2309916 / ASB2009-9013 | N | LIT |
| KIIA 5.10 (OECD) | Marc, J., Belle, R., Morales, J., Cormier, P., Mulner-Lorillon, O. | 2004 | Formulated glyphosate activates the DNA-response checkpoint of the cell cycle leading to the prevention of G2/M transition<br>Toxicological Sciences 82, 436-442<br>GLP: N, published: Y<br>2309912 / ASB2012-11894 | N | LIT |
| KIIA 5.10 (OECD) | Marc, J., Mulner-Lorillon, O., Belle, R. | 2004 | Glyphosate-based pesticides affect cell cycle regulation<br>Biology of the Cell 96, 245-249<br>GLP: N, published: Y<br>2309914 / ASB2009-9014 | N | LIT |
| KIIA 5.10 (OECD) | Marc, J., Mulner-Lorillon, O., Durand, G., Belle, R. | 2003 | Embryonic cell cycle for risk assessment of pesticides at the molecular level<br>Environmental Chemistry Letters 1, 8-12<br>GLP: N, published: Y<br>2309916 / ASB2009-9013 | N | LIT |
| KIIA 5.10 (OECD) | Mariager, T. P.; Madsen, P. V.; Ebbehoj, N. E. et al. | 2013 | Severe adverse effects related to dermal exposure to a Glyphosate-surfactant herbicide<br>Clinical Toxicology (2013), 51, 111–113<br>ASB2014-9612 | N | LIT |
| KIIA 5.10 (OECD) | Martini, C. M.; Gabrielli, M. | 2012 | A commercial formulation of Glyphosate inhibits proliferation and differentiation to adipocytes and induces apoptosis in 3T3-L1 fibroblasts<br>Toxicology in Vitro 26 (2012) 1007–1013<br>ASB2014-9613 | N | LIT |
| KIIA 5.10 (OECD) | McConnell, E. R.; McClain, M. A.; Ross, J. et al. | 2012 | Evaluation of multi-well microelectrode arrays for neurotoxicity screening using a chemical training set<br>NeuroToxicology 33 (2012) 1048–1057<br>ASB2014-9615 | N | LIT |
| KIIA 5.10 (OECD) | McQueen, H., Callan, A.C., Hinwood, A.L. | 2012 | Estimating maternal and prenatal exposure to glyphosate in the community setting.<br>International Journal of Hygiene and Environmental Health<br>GLP: N, published: Y<br>2309926 / ASB2012-11898 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Mesnage, R., Clair, E., Gress, S., Then, C., Székács, A., Séralini, G.E. | 2012 | Cytotoxicity on human cells of Cry1Ab and Cry1Ac Bt insecticidal toxins alone or with a glyphosate-based herbicide<br>Journal of Applied Toxicology:n/a-n/a<br>GLP: N, published: Y<br>2309930 / ASB2012-11900 | N | LIT |
| KIIA 5.10 (OECD) | Mesnage, R.; Moesch, C.; Le Grand, R. et al. | 2012 | Glyphosate exposure in a farmer's family<br>Journal of Environmental Protection, 2012, 3, 1001-1003<br>ASB2014-3846 | N | LIT |
| KIIA 5.10 (OECD) | Mesnage R.; Defarge N.; Spiroux de Vendômois et al. | 2014 | Major pesticides are more toxic to human cells than their declared active principles<br>Hindawi Publishing Corporation, BioMed Reserch International Vol 2014<br>ASB2014-1755 | N | LIT |
| KIIA 5.10 (OECD) | Mesnage, R.; Séralini, G.-E. | 2014 | The need for a closer look at pesticide toxicity during GMO assessment<br>Practical Food Safety: Contemporary Issues and Future Directions, First Edition.<br>Edited by Rajeev Bhat and Vicente M. Gómez-López.<br>ASB2014-9616 | N | LIT |
| KIIA 5.10 (OECD) | Mink, P. J.; Mandel, J. S.; Sceurman, B. K. et al. | 2012 | Epidemiologic studies of Gyphosate and cancer: A review<br>Regulatory Toxicology and Pharmacology 63 (2012) 440–452<br>ASB2014-9617 | N | LIT |
| KIIA 5.10 (OECD) | Modesto, K. A.; Martinez, C. B. R. | 2010 | Effects of roundup transorb on fish: Hematology, antioxidant defenses and acetylcholinesterase activity<br>Chemosphere 81 (2010) 781–787<br>ASB2012-811 | N | LIT |
| KIIA 5.10 (OECD) | Moreno, N. C.; Sofia, S. H.; Martinez, C. B. R.; | 2014 | Genotoxic effects of the herbicide RoundupTransorb®and its active ingredient glyphosate onthe fish Prochilodus lineatus<br>Environ. Toxicol. Pharmacol. 37 (2014 ) 448–454<br>ASB2014-7522 | N | LIT |
| KIIA 5.10 (OECD) | Mose, T., Kjaerstad, M.B., Mathiesen, L., Nielsen, J.B., Edelfors, Sn., Knudsen L.E. | 2008 | Placental passage of benzoic acid, caffeine, and glyphosate in an ex vivo human perfusion system<br>Journal of Toxicology and Environmental Health-Part a-Current Issues 71, 984-991<br>GLP: N, published: Y<br>2309958 / ASB2012-11914 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Mostafalou, S.; Abdollahi, M. | 2013 | Pesticides and human chronic diseases: Evidences, mechanisms, and perspectives<br>Toxicology and Applied Pharmacology 268 (2013) 157–177<br>ASB2014-9618 | N | LIT |
| KIIA 5.10 (OECD) | Mulet, J.M. | 2011 | Letter to the Editor Regarding the Article by Paganelli et al.<br>Chemical Research in Toxicology 24, 609<br>GLP: N, published: Y<br>2309962 / ASB2012-11916 | N | MOD |
| KIIA 5.10 (OECD) | NABU | 2011 | Glyphosat & Ag rogentechnik - Risiken des Anbaus herbizidresistenter Pflanzen für Mensch und Umwelt<br>Ausgabe: 04/2011<br>ASB2012-8016 | N | LIT |
| KIIA 5.10 (OECD) | Narayan, S.; Liew, Z.; Paul, K. et al. | 2013 | Household organophosphorus pesticide use and Parkinson's disease<br>International Journal of Epidemiology 2013;1–10<br>ASB2014-9620 | N | LIT |
| KIIA 5.10 (OECD) | Niemann, L.; Sieke, C.; Pfeil, R.; Solecki, R.; | 2014 | A critical review of glyphosate findings in human urine samples and comparison with the exposure of operators and consumers<br>J. Verbr. Lebensm., (2015) 10:3-12<br>ASB2014-11029 | N | LIT |
| KIIA 5.10 (OECD) | Omran, N. E.; Salama, W. M.; | 2013 | The endocrine disrupter effect of atrazine and glyphosate on Biomphalaria alexandrina snails<br>Toxicology and Industrial Health 1–10<br>ASB2014-7614 | N | LIT |
| KIIA 5.10 (OECD) | Paumgartten, F.J.R. Cremonese, C. Freiere, C. Meyer, A. Koiman, S. | 2012 | Pesticide exposure and poor pregnancy outcomes: weaknesses of the evidence // Exposição a agrotóxicos e resultados adversos da gravidez: a fragilidade da evidência<br>Cad. Saúde Pública, Rio de Janeiro, 28(10):2009-2012, out, 2012<br>ASB2013-10538 | N | LIT |
| KIIA 5.10 (OECD) | Paganelli, A., Gnazzo, V., Acosta, H., Lopez, S.L., Carrasco, A.E. | 2010 | Glyphosate-Based Herbicides Produce Teratogenic Effects on Vertebrates by Impairing Retinoic Acid Signaling<br>Chem Res Toxicol 23, 1586-1595<br>GLP: N, published: Y<br>2309994 / ASB2012-11986, ASB2010-11410 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Pahwa, P. P.; Karunanayak, C. P.; Dosman, J. A. et al. | 2011 | Soft-tissue sarcoma and pesticides exposure in men results of a canadian case-control study<br>JOEM _ Volume 53, Number 11, November 2011<br>ASB2014-9625 | N | LIT |
| KIIA 5.10 (OECD) | Palma, G. | 2011 | Letter to the Editor Regarding the Article by Paganelli et al.<br>Chemical Research in Toxicology 24, 775-776<br>GLP: N, published: Y<br>2310000 / ASB2012-11989 | N | LIT |
| KIIA 5.10 (OECD) | PANAP | 2009 | Glyphosate - Summary<br>ASB2012-8017 | N | LIT |
| KIIA 5.10 (OECD) | Perry, L.; Adams, R. D.; Benett, A. R. et al. | 2014 | National toxicovigilance for pesticide exposures resulting in health care contact – An example from the UK's National poisons information service<br>Clinical Toxicology (2014), 52, 549–555<br>ASB2014-9626 | N | LIT |
| KIIA 5.10 (OECD) | Quassinti, L., Maccari, E., Murri, O., Bramucci, M. | 2009 | Effects of paraquat and glyphosate on steroidogenesis in gonads of the frog Rana esculenta *in vitro*<br>Pesticide Biochemistry and Physiology 93, 91-95<br>GLP: N, published: Y<br>2310038 / ASB2012-12007 | N | LIT |
| KIIA 5.10 (OECD) | Razi, M.; Najaft, G.; Feyzi, S. et al. | 2012 | Histological and histochemical effects of Glyphosate on testicular tissue and function<br>Iran J Reprod Med Vol. 10. No. 3. pp: 181-192, May 2012<br>ASB2014-9390 | N | LIT |
| KIIA 5.10 (OECD) | Relyea, A.R. | 2005 | The impact of insecticides and herbicides on the biodiversity and productivity of aquatic communities<br>Ecological Applications, 15(2), 2005, pp. 618–627<br>ASB2012-204 | N | LIT |
| KIIA 5.10 (OECD) | Relyea, A.R. | 2012 | New effects of Roundup on amphibians: Predators reduce herbicide mortality; herbicides induce antipredator morphology<br>Ecological Applications, 22(2), 2012, pp. 634–647<br>ASB2012-2791 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Rhomberg, L. R.; Goodman, J. E. | 2012 | Low-dose effects and nonmonotonic dose–responses of endocrine disrupting chemicals: Has the case been made?<br>Regulatory Toxicology and Pharmacology 64 (2012) 130–133<br>ASB2014-9391 | N | LIT |
| KIIA 5.10 (OECD) | Richard, S., Moslemi, S., Sipahutar, H., Benachour, N., Seralini, G.E. | 2005 | Differential effects of glyphosate and roundup on human placental cells and aromatase<br>Environmental Health Perspectives 113, 716-720<br>GLP: N, published: Y<br>2310042 / ASB2009-9024 / TOX2005-1743 | N | LIT |
| KIIA 5.10 (OECD) | Riede, S.; Schafft, H.; Lahrssen-Wiederholt, M.; Breves, G.; | 2014 | Effects of a glyphosate-based herbicide on in vitro ruminal fermentation and microbial community with special attention to clostridia.<br>Proc. Soc. Nutr. Physiol. ; VOL 23 2014; 23; 34<br>Gesellschaft fur Ernahrungsphysiologie Conference; 68th, Gesellschaft fur Ernahrungsphysiologie<br>ASB2013-14684 | N | LIT |
| KIIA 5.10 (OECD) | Roberts, J. R.; Karr, C. J. | 2012 | Pesticide exposure in children<br>PEDIATRICS Volume 130, Number 6, December 2012<br>ASB2014-9394 | N | LIT |
| KIIA 5.10 (OECD) | Rodloff, A. C.; Krüger, M.; | 2012 | Chronic *Clostridium botulinum* infections in farmers<br>Anaerobe 18 (2012) 226-228<br>ASB2013-13311 | N | LIT |
| KIIA 5.10 (OECD) | Romano, M., Romano, R., Santos, L., Wisniewski, P., Campos, D., de Souza, P., Viau, P., Bernardi, M., Nunes, M., de Oliveira, C. | 2012 | Glyphosate impairs male offspring reproductive development by disrupting gonadotropin expression<br>Archives of Toxicology 86, 663-673<br>GLP: N, published: Y<br>2310048 / ASB2012-12011 | N | LIT |
| KIIA 5.10 (OECD) | Romano, R.M., Romano, M.A., Bernardi, M.M., Furtado, P.V., Oliveira, C.A. | 2010 | Prepubertal exposure to commercial formulation of the herbicide glyphosate alters testosterone levels and testicular morphology<br>Arch Toxicol 84, 309317<br>GLP: N, published: Y<br>2310050 / ASB2012-12012 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Romano, M. A.; Romano, R. M. | 2012 | Reply to comment of John M. DeSesso and Amy L. Williams regarding "Glyphosate impairs male offspring reproductive development by disrupting gonadotropin expression" by Romano et al. 2012<br>Arch Toxicol (2012) 86:1795–1797<br>ASB2014-9396 | N | LIT |
| KIIA 5.10 (OECD) | Rosanoff, A. | 2014 | Letter to the editor<br>Food and Chemical Toxicology: 65 (2014) 389<br>ASB2014-9397 | N | LIT |
| KIIA 5.10 (OECD) | Roberfroid, M. | 2014 | Letter to the editor<br>Food and Chemical Toxicology: 65 (2014) 390<br>ASB2014-9393 | N | LIT |
| KIIA 5.10 (OECD) | Roberfroid, M. | 2014 | Letter to the editor<br>Food and Chemical Toxicology: 66 (2014) 385<br>ASB2014-9392 | N | LIT |
| KIIA 5.10 (OECD) | Roustan, A.; Aye, M.; De Meo, M.; Di Giorgio, C.; | 2014 | Genotoxicity of mixtures of glyphosate and atrazine and their environmental transformation products before and after photoactivation<br>Chemosphere 108 (2014) 93–100<br>ASB2014-8086 | N | LIT |
| KIIA 5.10 (OECD) | Rowe, L. D.; Lovering, S. L.; Martin, B. W.; Harvey, R. B.; Peterson, H. D.; Farr, F. M.; Moore, E. G.; Long, T. J. | 1987 | The subacute oral toxicity of the isopropylamine salt of glyphosate (MON 0139) in female cattle<br>82002 ! VT-82-003<br>TOX9552424 | N | MON |
| KIIA 5.10 (OECD) | Rowe, L. D.; Lovering, S. L.; Martin, B. W.; Harvey, R. B.; Peterson, H. D.; Farr, F. M.; Moore, E. G.; Long, T. J. | 1987 | The subacute toxicity of Roundup herbicide (MON-2139) in female cattle<br>82001 ! VT-82-002<br>ASB2010-8131 | N | MON |
| KIIA 5.10 (OECD) | Rowe, L. D.; Lovering, S. L.; Martin, B. W.; Wilson, R. D.; Peterson, H. D.; Farr, F. M.; Moore, E. G. | 1987 | The acute toxicity of glyphosate in female goats<br>80006 ! VT-80-450<br>TOX9552422 | N | MON |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Rowe, L. D.; Lovering, S. L.; Martin, B. W.; Wilson, R. D.; Peterson, H. D.; Farr, F. M.; Moore, E. G. | 1987 | The acute oral toxicity of the isopropylamine salt of glyphosate (MON 0139) in female goats<br>80007 ! VT-80-451<br>TOX9552423 | N | MON |
| KIIA 5.10 (OECD) | Saltmiras, D., Bus, J.S., Spanogle, T., Hauswirth, J., Tobia, A., Hill, S. | 2011 | Letter to the Editor Regarding the Article by Paganelli et al.<br>Chemical Research in Toxicology 24, 607-608<br>GLP: N, published: Y<br>2310056 / ASB2012-12015 | N | LIT |
| KIIA 5.10 (OECD) | Saltmiras, D.A., Tobia, A. | 2012 | No Evlidence of Endocrine Disruption by Glyphosate in Hershberger and Uterotrophic Assays. Abstract PS 2198<br>The Toxicologist (supplement to Toxicological Sciences) 126, 474<br>GLP: N, published: Y<br>2310058 / ASB2012-12016 | N | LIT |
| KIIA 5.10 (OECD) | Samsel, A.; Seneff, S. | 2013 | Glyphosate's suppression of Cytochrome P450 enzymes and amino acid biosynthesis by the Gut Microbiome: Pathways to modern diseases<br>Entropy 2013, 15, 1416-1463<br>ASB2013-8535 | N | LIT |
| KIIA 5.10 (OECD) | Savitz, D.A., Arbuckle, T., Kaczor, D., Curtis, K.M. | 1997 | Male pesticide exposure and pregnancy outcome<br>American Journal of Epidemiology 146, 1025-1036<br>GLP: N, published: Y<br>2310070 / ASB2012-12022 | N | LIT |
| KIIA 5.10 (OECD) | Schinasi, L.; Leon, M. E.; | 2014 | Non-Hodgkin lymphoma and occupational exposure to agricultural pesticide chemical groups and active ingredients: A systematic review and meta-analysis<br>Int. J. Environ. Res. Public Health 2014, 11, 4449-4527<br>ASB2014-4819 | N | LIT |
| KIIA 5.10 (OECD) | Seneff, S.; Lauritzen, A.; Davidson, R. M. et al. | 2013 | Is encephalopathy a mechanism to renew sulfate in autism?<br>Entropy 2013, 15, 372-406<br>ASB2014-9729 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Sengupta, P.; Banerjee, R. | 2013 | Environmental toxins: Alarming impacts of pesticides on male fertility<br>Human and Experimental Toxicology 1-23<br>ASB2014-9730 | N | LIT |
| KIIA 5.10 (OECD) | Séralini, G. E. | 2014 | Conclusiveness of toxicity data and double standards<br>Food and Chemical Toxicology 69 (2014) 357–359<br>ASB2014-9632 | N | LIT |
| KIIA 5.10 (OECD) | Seyboldt, C.; Hoedemaker, M.; | 2014 | Bedeutung von Clostridium botulinum bei chronischem Krankheitsgeschehen und Teilprojekt: Mikrobiologisches Risikopotenzial von Biogasanlagen unter besonderer Berücksichtigung von Hühnertrockenkot als Gärsubstrat. Abschlussbericht<br>Projekt: 2810HS005<br>Tierärztliche Hochschule Hannover<br>ASB2014-10736 | N | --- |
| KIIA 5.10 (OECD) | Shehata, A. A.; Schrödl, W.; Aldin, A. A.; Hafez, H. M.; Krüger, M.; | 2012 | The effect of glyphosate on potential pathogens and beneficial members of poultry microbiota in vitro<br>Curr Microbiol, published online 09.12.2012<br>ASB2012-16301 | N | LIT |
| KIIA 5.10 (OECD) | Shehata, A.; Schrödl, W.; Neuhaus, J.; Krüger, M.; | 2012 | Antagonistic effect of different bacteria on *Clostridium botulinum* types A, B, D and E *in vitro*<br>Downloaded from veterinaryrecord.bmj.com on December 19, 2012<br>ASB2013-8529 | N | LIT |
| KIIA 5.10 (OECD) | Sirinathsinghji, E.; | 2014 | Sri Lanka Partially Bans Glyphosate for Deadly Kidney Disease Epidemic<br>ISIS Report 09/04/14<br>ASB2014-10742 | N | LIT |
| KIIA 5.10 (OECD) | Sørensen, M. T.; Damgaard Poulsen, H.; Højberg, O. | 2014 | Memorandum on "The feeding of genetically modified Glyphosate resistant soy products to livestock"<br>ASB2014-5761 | N | LIT |
| KIIA 5.10 (OECD) | Song, H. Y.; Kim, J. H.; Seok, S. J.; Gil, H. W.; Hong, S, Y.; | 2012 | *In vitro* cytotoxic effect of glyphosate mixture containing surfactants<br>J Korean Med Sci 2012; 27: 711-715<br>ASB2013-10531 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Sribanditmongkol, P.; Jutavijittum, P.; Pongraveevongsa, P.; Wunnapuk, K.; Durongkadech, P. | 2012 | Pathological and toxicological findings in Glyphosate-surfactant herbicide fatality<br>Am J Forensic Med Pathol & Volume 33, Number 3, September 2012<br>ASB2014-9731 | N | LIT |
| KIIA 5.10 | Stump, D. G. | 2012 | A Uterotrophic Assay of Glyphosate Administrered Orally in Ovariectomized Rats - FINAL REPORT -<br>WIL-843002 ! WI-2011-0272<br>GLP: Yes Published: No<br>BVL-3189488, ASB2016-11605 | Y | EGT |
| KIIA 5.10 | Stump, D. G. | 2012 | A Hershberger assay of Glyphosate administered orally in peripupertal - Volume 1 of 2 -<br>WIL-843003<br>GLP: Yes Published: No<br>BVL-3189496, ASB2016-11606 | Y | EGT |
| KIIA 5.10 | Stump, D. G. | 2012 | A pubertal development and thyroid function assay of Glyphosate administered orally in intact juvenile/peripubertal male rats - Volume 1 of 2 -<br>WIL-843005 ! WI-2011-0302<br>GLP: Yes Published: No<br>BVL-3189507, ASB2016-11608 | Y | EGT |
| KIIA 5.10 | Stump, D. G. | 2012 | A Pubertal Development and Thyroid Function Assay of Glyphosate Administered Orally in Intact Juvenile/Peripubertal Female Rats - Volume 1 of 2 -<br>WIL-843007 ! WI-2011-0303<br>GLP: Yes Published: No<br>BVL-3189502, ASB2016-11607 | Y | EGT |
| KIIA 5.10 (OECD) | Sugeng, A. J.; Beamer, P. I.; Lutz, E. A. et al. | 2013 | Hazard-ranking of agricultural pesticides for chronic health effects in Yuma County, Arizona<br>Science of the Total Environment 463-464 (2013) 35–41<br>ASB2014-9733 | N | LIT |
| KIIA 5.10 (OECD) | Takahashi, H.; Kakinuma, Y. | 1992 | Ammonium salt of glyphosate (MON 8750) general pharmacology study<br>IET 90-0149/ET-92-15<br>The Institute of Environmental Toxicology<br>TOX9552421 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Thongprakaisang, S.; Thiantanawat, A.; Rangkadilok, N.; Suriyo, T.; Satayavivad, J.; | 2013 | Glyphosate induces human breast cancer cells growth via estrogen receptors<br>Food and Chemical Toxicology, 59(2013)129–136<br>ASB2013-11991 | N | LIT |
| KIIA 5.10 (OECD) | Tizhe, E. V.; Ibrahim, N. D. G.; Fatihu, M. Y. et al. | 2013 | Haematogical changes induced by subchronic Glyphosate exposure: Ameliorative effect of zinc in Wistar rats<br>Sokoto Journal of Veterinary Sciences, Volume 11 (Number 2). December, 2013<br>ASB2014-6963 | N | LIT |
| KIIA 5.10 (OECD) | Tizhe, E. V.; Ibrahim, N. D. G.; Fatihu, M. Y. et al. | 2013 | Influence of zinc supplementation on histopathological changes in the stomach, liver, kidney, brain, pancreas and spleen during subchronic exposure of Wistar rats to Glyphosate<br>Comp Clin Pathol (2013)<br>ASB2014-6965 | N | LIT |
| KIIA 5.10 (OECD) | Tizhe, E. V.; Ibrahim, N. D. G.; Fatihu, M. Y. et al. | 2013 | Serum biochemical assessment of hepatic and renal functions of rats during oral exposure to Glyphosate with zinc<br>Comp Clin Pathol (2014) 23:1043–1050<br>ASB2014-6964 | N | LIT |
| KIIA 5.10 | Uren Webster, T. M.; Laing, L. V.; Florance, H.; Santos, E. M. | 2014 | Effects of Glyphosate and its formulation, Roundup, on reproduction in zebrafish (Danio rerio)<br><br>Environmental science & technology. Volume 48, Number 2, Pages 1271–1279<br>BVL-3194154, ASB2016-11624 | N | LIT |
| KIIA 5.10 | Uren Webster, T.M.; Laing, L.V.; Florance, H.; Santos, E.M. | 2013 | Effects of Glyphosate and its formulation, Roundup, on reproduction in Zebrafish (Danio rerio)<br>dx.doi.org/10.1021/es404258h<br>Environ. Sci. Technol. 2014, 48, 1271−1279<br>BVL-3194154, ASB2015-8040 | N | LIT |
| KIIA 5.10 (OECD) | Vandenberg, L. N.; Colborn, T.; Hayer, T. B. et al. | 2012 | Hormones and endocrine-disrupting chemicals: Low-dose effects and nonmonotonic dose responses<br>Endocrine Reviews, June 2012, 33(3):378–455<br>ASB2014-9635 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Walsh, L.P., McCormick, C., Martin, C., Stocco, D.M. | 2000 | Roundup inhibits steroidogenesis by disrupting steroidogenic acute regulatory (StAR) protein expression<br>Environmental Health Perspectives 108, 769-776<br>GLP: N, published: Y<br>2310118 / ASB2012-12046 | N | LIT |
| KIIA 5.10 (OECD) | Wigle, D. T.; Arbuckle, T. E.; Turner, M. C.; Bérube, A.; Yang, Q.; Liu, S.; Krewski, D. | 2008 | Epidemiologic evidence of relationships between reproductive and child health outcomes and environmental chemical contaminants<br>Journal of Toxicology and Environmental Health, Part B, 11:373–517, 2008<br>ASB2014-9637 | N | LIT |
| KIIA 5.10 | Wilga, P. C. | 2012 | Glyphosate: Human recombinant aromatase assay<br>6500V-100334AROM ! CTX-11-027<br>GLP: Yes Published: No<br>BVL-3189592, ASB2016-11612 | Y | EGT |
| KIIA 5.10 (OECD) | Williams, A.L., Watson, R.E., DeSesso, J.M. | 2012 | Developmental and Reproductive Outcomes in Humans and Animals After Glyphosate Exposure: A Critical Analysis<br>Journal of Toxicology and Environmental Health, Part B 15, 39-96<br>GLP: N, published: Y<br>2310130 / ASB2012-12052 | N | LIT |
| KIIA 5.10 | Willoughby, J. A. | 2012 | Glyphosate: Androgen receptor binding (rat prostate Cytosol) Screening assay<br>6500V-100334ARB ! CTX-11-026<br>GLP: Yes Published: No<br>BVL-3189603, ASB2016-11611 | Y | EGT |
| KIIA 5.10 | Willoughby, J. A. | 2012 | Glyphosate: Estrogen receptor binding (rat uterine Cytosol) Screening assay<br>6500V-100334ERB ! CTX-11-029<br>GLP: Yes Published: No<br>BVL-3189569, ASB2016-11610 | Y | EGT |
| KIIA 5.10 | Willoughby, J. A. | 2012 | Estrogen receptor transcriptional activation (Human Cell Line (HeLa-9903)) Screening assay with Glyphosate<br>6500V-100334ERTA ! CTX-11-028<br>GLP: Yes Published: No<br>BVL-3189551, ASB2016-11609 | Y | EGT |
| KIIA 5.10 (OECD) | Wood, E. | 1996 | Glyphosate Technical: Pharmacology Screening Study in the Rat<br>434/021 NUF<br>GLP: Y, published: N<br>2310134 / ASB2012-12054 | Y | NUF |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 5.10 (OECD) | Xia, S.; Zhao, Y.-B.; Yang, M.-Q. et al. | 2013 | Induction of vitellogenin gene expression in medaka exposed to Glyphosate and potential molecular mechanism<br>China Environmental Science 2013, 33(9): 1656-1663<br>ASB2014-9642 | N | LIT |
| KIIA 5.10 | Xie, L.; Thrippleton, K.; Irwin, M. A.; Siemering, G. S.; Mekebri, A.; Crane, D.; Berry, B.; Schlenk, D. | 2005 | Evaluation of estrogenic activities of aquatic herbicides and surfactants using an rainbow trout vitellogenin assay<br>10.1093/toxsci/kfi249<br>TOXICOLOGICAL SCIENCES 87(2), 391–398 (2005)<br>GLP: No Published: Yes<br>BVL-2310138, ASB2012-12056 | N | LIT |
| KIIA 5.10 (OECD) | Yang, W.; Carmichael, S. L.; Roberts, E. M. et al. | 2013 | Residential agricultural pesticide exposures and risk of neural tube defects and orofacial clefts among offspring in the San Joaquin Valley of California<br>American Journal of Epidemiology<br>ASB2014-9644 | N | LIT |
| KIIA 5.10 (OECD) | Yousef, M.I., Salem, M.H., Ibrahim, H.Z., Helmi, S., Seehy, M.A., Bertheussen, K. | 1995 | Toxic effects of carbofuran and glyphosate on semen characteristics in rabbits<br>Journal of Environmental Science and Health Part B-Pesticides Food Contaminants and Agricultural Wastes 30, 513-534<br>GLP: N, published: Y<br>2310142 / ASB2012-12058 | N | LIT |
| KIIA 5.10 (OECD) | Zhang, Z.-L.; Yang, Z.-F. | 2013 | Research Progress on Rep roductive and Developmental Toxicity of Glyphosate<br>J Environ o.:.:up Med. reb.2013 Vol.30 "",,.2<br>ASB2014-9643 | N | LIT |
| KIIA 5.10 (OECD) | Zhao, W.; Yu, H.; Zhang, J. et al. | 2013 | Effects of Glyphosate on apoptosis and expressions of androgen-binding protein and vimentin mRNA in mouse Sertoli cells<br>J South Med Univ, 2013, 33(11): 1709-1712<br>ASB2014-9645 | N | LIT |
| KIIA 5.10 (OECD) | Zouaoui, K.; Dulaurent, S.; Gaulier, J. M. et al. | 2012 | Determination of Glyphosate and AMPA in blood and urine from humans: About 13 cases of acute intoxication<br>Forensic Science International (2012)<br>ASB2014-9734 | N | LIT |
| KIIIA1 7.1.1 (OECD) | Blaszcak, D.L. & Auletta, C.S | 1991 | Acute Oral Toxicity Study In Rats<br>BD-91-261 MON<br>GLP: Y, published: N<br>2315976 / TOX9552438 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIIA1 7.1.2 (OECD) | Blaszcak, D.L. & Auletta, C.S | 1991 | Acute Dermal Toxicity Study In Rats<br>BD-91-262 MON<br>GLP: Y, published: N<br>2315978 / TOX9552439 | N | MOD |
| KIIIA1 7.1.3 (OECD) | Polveche, V . Rombaut, M. Bonicelli, B. | 1999 | Measurements of granulometry and distribution of a spray nozzle - Comparison of different glyphosate formulations<br>106/Pulv MON<br>GLP: N, published: N<br>2315980 / ASB2012-12069 | N | MOD |
| KIIIA1 7.1.3 (OECD) | Velasquez, D. J. | 1982 | Acute inhalation toxicity of Roundup formulation to male and female Sprague-Dawley rats - incl. Amendment No. 1, Date: 15.12.1982<br>810093 ! ML-81-201<br>TOX2002-693 | N | MOD |
| KIIIA1 7.1.4 (OECD) | Blaszcak, D.L. Auletta, C.S | 1991 | Primary dermal irritation study in rabbits<br>BD-91-263 MON<br>GLP: Y, published: N<br>2315983 / TOX9552440 | N | MOD |
| KIIIA1 7.1.5 (OECD) | Blaszcak, D.L. Auletta, C.S | 1991 | Primary eye irritation study in rabbits<br>BD-91-60 MON<br>GLP: Y, published: N<br>2315985 / TOX9552441 | N | MOD |
| KIIIA1 7.1.6 (OECD) | Blaszcak, D. L.; Levitz, E. C.; | 1987 | Genamin T-200 BM: A closed-patch repeated insult dermal sensitization study in guinea pigs - (Buehler method)<br>6816-86 ! BD-86-290<br>ASB2010-366 | N | MOD |
| KIIIA1 7.1.6 (OECD) | Griffon, B. | 2001 | Skin sensitization test in guinea pigs (Modified Buehler test: 9 applications)<br>CI-2001-153 MON<br>GLP: Y, published: N<br>2315987 / TOX2005-1135 | N | MOD |
| KIIIA1 7.4 (OECD) | Martin, S.; Westphal, D.; Erdtmann-Vourliotis, M.; Dechet, F.; Schulze-Rosario, C.; Stauber, F.; Wicke, H.; Chester, G. | 2008 | Guidance for exposure and risk evaluation for bystanders and residents exposed to plant protection products during and after application<br>2008/1070089 ! 1661-5751/00/000001-10 ! DOI 10.1007/s00003-008-0361-5<br>ASB2009-450 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIIA1 7.5 (OECD) | Krebs. B.; Maasfeld, W.; Schrader, J.; Wolf, R.; Hoernicke, E.; Nolting, H. G.; Backhaus, G. F.; Westphal, D. | 2000 | Uniform Principles for safeguarding the health of workers re-entering crop-growing areas after application of plant protection product<br>TOX2004-1971 | N | LIT |
| KIIIA1 7.6.2 (OECD) | Davies, D.J. | 2003 | Glyphosate SL (360 g/L) Formulation (A12798Q): in vitro absorption through human epidermis<br>CTL JV1732 SYN<br>GLP: Y, published: N<br>2309514 / ASB2012-11518 | Y | SYD |
| KIIIA1 7.6.2 (OECD) | Hadfield, N. | 2011 | Glyphosate 360 IPA Salt (CA2273): *In Vitro* Absorption through Human Epidermis using [$^{14}$C]-glyphosate<br>JV2147-REG NUF<br>GLP: Y, published: N<br>2309512 / ASB2012-11517 | Y | NUF |
| KIIIA1 7.6.2 (OECD) | EFSA | 2012 | Panel on Plant Protection Products and their Residues (PPR). Guidance on Dermal Absorption. EFSA Journal (2012), 10(4), 2665-2695, ASB2012-6959 | N | LIT |
| KIIIA1 7.6.2 (OECD) | Franz, T.J. | 1983 | Evaluation of the percutaneous absorption of Roundup formulations in man using an *in-vitro* technique<br>MON<br>GLP: N, published: N<br>2309488 / TOX9552417 | N | MON |
| KIIIA1 7.6.2 (OECD) | OECD | 2011 | Guidance notes on dermal absorption. Adopted 18 August 2011. Series on Testing and Assessment, No. 156. ENV/JM/MONO(2011)36, JT03305971.<br>ASB2013-2<br>http://www.oecd.org/dataoecd/63/12/48532204.pdf. | N | LIT |
| KIIIA1 7.6.2 (OECD) | Ward, R.J. | 2010 | 360 g/L Glyphosate SL Formulation (MON 52276) - *In vitro* absorption of glyphosate through human epidermis<br>JV2084-REG MON<br>GLP: Y, published: N<br>2315989 / ASB2012-5383 | Y | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIIA1 7.6.2 (OECD) | Ward, R.J. | 2010 | 450 g/L Glyphosate SL Formulation (MON 79545) - *In vitro* absorption of glyphosate through human epidermis<br>JV2083-REG MON<br>GLP: Y, published: N<br>2309508 / ASB2012-11515 | Y | MON |
| KIIIA1 7.6.2 (OECD) | Ward, R.J. | 2010 | 480 g/L Glyphosate SL Formulation (MON 79351) - *In vitro* absorption of glyphosate through human epidermis<br>JV2085-REG MON<br>GLP: Y, published: N<br>2309510 / ASB2012-11516 | Y | MON |
| KIIIA1 7.6.2 (OECD) | Wester, R. C.; Melendres, J.; Sarason, R.; McMaster, J.; Maibach, H. I. | 1991 | Glyphosate skin binding, absorption, residual tissue distribution and skin decontamination<br>Fundamental and Applied Toxicology, 1991; 16: 725-732<br>TOX9552418 | N | LIT |
| KIIIA1 7.6.2 (OECD) | Wester, R.C., Quan, D., Maibach, H.I., Wester, R.M. | 2005 | Percutaneous Absorption of Hazardous Chemicals from Fabric into and Through Human Skin. In Percutaneous Absorption: Drugs, Cosmetics, Mechanisms, Methods Boca Raton, FL. Taylor and Francis Group, LLC. 22, 303-310<br>GLP: N, published: Y<br>2310126 / ASB2012-12050 | N | LIT |
| KIIIA1 7.6.3 (OECD) | EPA | 2009 | Alkyl Amine Polyalkoxylates; Exemption from the requirement of a tolerance<br>Fed. Reg. 74(2009)115:28616<br>ASB2009-9022 | N | LIT |
| KIIIA1 7.6.3 (OECD) | Fillmore, G. E. | 1973 | G-3780: 14-week oral subacute study in dogs<br>33372 ! MRD-165 ! XX-95-336 ! MON 0818<br>ASB2009-9026 | N | --- |
| KIIIA1 7.6.3 (OECD) | Hahn, A.; Begemann, K.; Burger, R. Hillebrand, J, Meyer, H. Preußner, K. Gessener, M | 2007 | Ärztliche Mitteilungen bei Vergiftungen 2007, BfR<br>ASB2013-4034 | N | LIT |
| KIIIA1 7.6.3 (OECD) | Holson, J.F. | 1989 | A dose range-finding developmental toxicity study of MON 0818 in rats.<br>WIL Research Labs., Ashland, Ohio, USA, on behalf of Monsanto.<br>Project no. WIL-50042, Sponsor no. WI-88-304, unpublished;<br>ASB2009-9028 | N | MON |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIIA1 7.6.3 (OECD) | Holson, J. F. | 1990 | A develomental toxicity study of MON 0818 in rats, Final report: WI-89-388<br>GLP: N, published: Y<br>2309808 / ASB2009-9029 | N | LIT |
| KIIIA1 7.6.3 (OECD) | Jauhiainen, A.; Räsänen, K.; Sarantila, R.; Nuutinen, J.; Kangas, J. | 1991 | Occupational exposure of forest workers to glyphosate during brush saw spraying work<br>American Industrial Hygiene Association Journal, 52(1991)2:61-64<br>MET9600092 | N | LIT |
| KIIIA1 7.6.3 (OECD) | Knapp, J.F. | 2007 | A ReproductionDevelopmental Toxicity Screening Study of MON 0818 in Rats<br>WIL-50282<br>GLP: Y, published: N<br>2309858 / ASB2010-365 | Y | MOD |
| KIIIA1 7.6.3 (OECD) | Knapp, J.F. | 2008 | A Combined 28-Day Repeated Dose Oral (Dietary) Toxicity Study with the Reproduction/Developmental Toxicity Screening Test of MON 8109 and MON 0818 in Rats<br>WIL-50337 MON<br>GLP: N, published: N<br>2309861 / ASB2010-364 | N | MOD |
| KIIIA1 7.6.3 (OECD) | Martinez, T. T.; Long, W. C.; Hiller, R. | 1990 | Comparison of the toxicology of the herbicide Roundup by oral and pulmonary routes of exposure<br>Z44833 | N | LIT |
| KIIIA1 7.6.3 (OECD) | Stella, J., Ryan, M. | 2004 | Glyphosate herbicide formulation: a potentially lethal ingestion<br>Emerg Med Australas 16, 235-239<br>GLP: N, published: Y<br>2310102 / ASB2012-12038 | N | LIT |
| KIIIA1 7.6.3 (OECD) | Stout, L. D | 1990 | Ninety-day study of MON 0818 administered in feed to albino rats<br>MSL-10468 ! ML-89-359/EHL 89161<br>ASB2009-9027 | N | MON |
| KIIIA1 7.6.3 (OECD) | Tai, T.; Yamashita, M.; Wakimori, H. | 1990 | Hemodynamic effects of Roundup, glyphosate and surfactant in dogs<br>The Japanese Journal of Toxicology, 3, 63-68.<br>TOX9552419 | N | LIT |
| KIIIA1 7.6.3 (OECD) | Zoetis, T | 1991 | Subchronic toxicity study in rats with Atmer 163. Hazleton Washington, Inc., Vienna, Virginia, USA, on behalf of ICI Americas, submitted by Monsanto.<br>HWA 564-162<br>ASB2009-10488 | N | MON |

**Codes of owner**

| | |
|---|---|
| ADM | ADAMA AGAN Ltd |
| ALB | Albaugh UK Limited |
| ALK | Alkaloida Europe |
| ALS | Arysta LifeScience S.A.S |
| AGC | AgriChem B.V. |
| BCL | Barclay Chemicals (R&D) Ltd |
| CHE | Cheminova A/S |
| EGT | European Glyphosate Task Force AIR 2 |
| EXC | Excel Industries Ltd. |
| HAG | Helm AG |
| HBX | Herbex Produtos Quimicos Ltd |
| ICP | I. Pi. Ci.Industrias Prodotti Chimici |
| INA | Industrias Afrasa |
| LUX | B. V. Luxan |
| MOD | Monsanto Europe S.A./N.V. |
| MON | Monsanto Europe S.A./N.V. |
| NUF | Nufarm GmbH & Co KG |
| SIN | Sinon Corporation |
| SLE | Sanachem |
| SYD | Syngenta Agro GmbH |
| LIT | Published literature |

**B.7 Residues**

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| | EFSA | 2009 | Reasoned opinion: Modification of the residue definition of Glyphosate in genetically modified maize grain and soybeans, and in products of animal origin<br>EFSA Journal 2009; 7(9):1310 ! EFSA-Q-2009-00372<br>ASB2012-3480 | N | LIT |
| | EFSA | 2012 | Reasoned Opinion - Modification of the existing MRL for Glyphosate in lentils<br>EFSA Journal 2012;10(1):2550 ! EFSA-Q-2011-00926<br>ASB2012-3184 | N | LIT |
| OECD: KIIA 6.1.1 | Hubbart, N. S. | 1993 | Determination of Glyphosate in soybean raw agricultural commodities (RAC) - Stability report<br>Report No.: 91210<br>GLP: yes<br>not published<br>ASB2010-14765 | Y | CHE |
| OECD: KIIA 6.1.1 | Hubbart, N. S. | 1993 | Determination of Glyphosate in pasture grasses - Stability report<br>Report No.: 91212<br>GLP: yes<br>not published<br>ASB2010-14766 | Y | CHE |
| OECD: KIIA 6.1.1 | Manning, M. J.; Mueth, M. G. | 1988 | Storage stability of Glyphosate and AMPA in swine tissues, dairy cow tissues and milk laying hen tissues and eggs<br>Report No.: MSL-7515<br>GLP: yes<br>not published<br>RIP9501253 | N | MOD |
| OECD: KIIA 6.1.1 | McKay, J. C. | 1989 | Storage stability validation for ICIA0224 in raw agricultural commodities<br>Report No.: WRC 89-22<br>GLP: yes<br>not published<br>RIP9500028 | N | SYD |
| OECD: KIIA 6.1.1 | Morgenroth, U. | 1995 | Storage stability of Glyphosate and AMPA in wheat grain and straw and in rye grain and straw<br>Report No.: 303614<br>GLP: yes<br>not published<br>ASB2010-14764 | N | CHE |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.1.1 | Mueth, M. G. | 1991 | Storage stability of Glyphosate residues in crop commodities<br>Report No.: MSL-10843<br>GLP. yes<br>not published<br>RIP9501332 | N | MOD (owned by Glyphosate Task Force) |
| OECD: KIIA 6.1.1 | Mueth, M. G.; Allan, J. M. | 2012 | Storage stability of Glyphosate and AMPA on citrus fruit<br>Report No.: MSL0023608<br>GLP: yes<br>not published<br>ASB2012-12452 | Y | MOD |
| OECD: KIIA 6.1.1 | Schulz, H. | 1997 | Determination of the storage stability of Glyphosate in beans, oilseed rape and linseed<br>Report No.: IF-94/13882-00<br>GLP: yes<br>not published<br>ASB2010-14803 | N | CHE |
| OECD: KIIA 6.1.1 | Schwartz, N. L. | 2007 | Stability of Glyphosate, N-Acetylglyphosate and Aminomethyl phosphonic acid in GAT corn forage, grain, and stover, stored frozen<br>Report No.: DuPont-17379<br>GLP: yes<br>not published<br>ASB2008-2655 | Y | DPB |
| OECD: KIIA 6.1.1 | Schwartz, N. L. | 2007 | Stability of Glyphosate and metabolites in corn green plant, forage, grain, and stover containing the GAT and ZM-HRA genes during frozen storage: Interim report<br>Report No.: DuPont-20094<br>GLP: yes<br>not published<br>ASB2008-2656 | Y | DPB |
| OECD: KIIA 6.1.1 | Schwartz, N. L. | 2007 | Stability of Glyphosate, N-Acetylglyphosate, Aminomethyl phosphonic acid and N-Acetyl AMPA in GAT soybean forage, seed, and hay stored frozen: Second interim report<br>Report No.: DuPont-17573<br>GLP: yes<br>not published<br>ASB2008-2654 | Y | DPB |
| OECD: KIIA 6.1.1 | Weber, H. | 2010 | Storage stability of residues of Glyphosate and AMPA in various plant materials<br>Report No.: FSG-0707<br>GLP: yes<br>not published<br>ASB2012-12488 | Y | ADM |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.2.1 | Anonymous | 1976 | Glyphosate residue and metabolism studies in sugarcane and soils<br>Report No. RD93<br>GLP: no<br>not published<br>RIP9501198 | N | MOD |
| OECD: KIIA 6.2.1 | Bleeke, M. S. | 1997 | Nature of Glyphosate residues in cotton plants tolerant to Roundup herbicide.<br>Report MSL-14113<br>GLP: yes<br>not published<br>RIP9700619 | N | MOD |
| OECD: KIIA 6.2.1 | Bohm, G. M. B.; Genovese, M. I.; Pigosso, G. et al. | 2008 | Residues of Glyphosate and Aminomethylphosphonic acid and levels of Isoflavones in BRS 244 RR and BRS 154 soybean<br>GLP: no<br>published: Ciéncia e Tecnologia de Alimentos, ISSN 0101-2061<br>ASB2012-12366 | N | LIT |
| OECD: KIIA 6.2.1 | Bresnahan, G. A.; Manthey, F. A.; Howatt, K. A. et al. | 2003 | Glyphosate applied preharvest induces shikimic acid accumulation in hard red spring wheat (Triticum aestivum)<br>GLP: no<br>published: Journal of Agricultural and Food Chemistry 2003, 51, 4004-4007<br>ASB2012-12365 | N | LIT |
| OECD: KIIA 6.2.1 | Cataneo, A. C.; Déstro, G. F. G.; Ferreira, L. C. et al. | 2003 | Glutathione S-transferase activity on the degradation of the herbicide Glyphosate in maize (Zea mays) plants<br>GLP: no<br>published: Planta Daninha, Vicosa-MG, v.21, n.2, p.307-312, 2003<br>ASB2012-12384 | N | LIT |
| OECD: KIIA 6.2.1 | Chapleo, S.; McLachlan, T. | 2010 | The metabolism of [14C]Glyphosate in 0827 canola<br>DuPont-26109<br>GLP: yes<br>not published<br>ASB2011-13744 | Y | DPB |
| OECD: KIIA 6.2.1 | Duke, S. O. | 2011 | Glyphosate degradation in Glyphosate-resistant and -Susceptible crops and weeds<br>GLP: no<br>published: Journal of Agricultural and Food Chemistry 2011, 59, 5823-5841<br>ASB2012-12401 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.2.1 | Duke, S. O.; Rimando, A. M.; Pace, P. F. et al. | 2003 | Isoflavone, Glyphosate, and Aminomethylphosphonic acid levels in seeds of Glyphosate-treated, Glyphosate-resistant soybean<br>GLP: no<br>published: Journal of Agricultural and Food Chemistry 2003, 51, 340-344<br>ASB2012-12400 | N | LIT |
| OECD: KIIA 6.2.1 | George, Ch. | 1995 | Nature of Glyphosate residues in corn plants which are tolerant to Roundup herbicide<br>Report MSL-14018<br>GLP: yes<br>not published<br>RIP9700618 | N | MOD |
| OECD: KIIA 6.2.1 | Goure, W. F. | 1994 | Nature of Glyphosate residues in soybeans tolerant to Roundup herbicide<br>MSL-13520<br>GLP: yes<br>not published<br>RIP9800117 | N | MOD |
| OECD: KIIA 6.2.1 | Green, M. A. | 2007 | The metabolism of [14C]Glyphosate in Optimum GAT (Event DP-Ø9814Ø-6) field corn<br>DuPont-19529<br>GLP: yes<br>not published<br>ASB2008-2657 | Y | DPB |
| OECD: KIIA 6.2.1 | Hasegawa, L. S.; Kumamoto, J.; Jordan, L. S. | 1995 | Degradation of Glyphosate in avocado fruit<br>10.04.1995, L365,<br>ASB2011-13642 | N | LIT |
| OECD: KIIA 6.2.1 | MacDonald, A. M. G. | 2007 | The metabolism of [14C]Glyphosate in GAT/GM-HRA (DP-356Ø43-5, PHP20163a) soybeans<br>DuPont-19530<br>GLP: yes<br>not published<br>ASB2008-2658 | Y | DPB |
| OECD: KIIA 6.2.1 | Malik, J. M. | 1975 | CP 67573 residue and metabolism Part 24: The metabolism of CP 67573 in coffee plants<br>Report No. 344<br>GLP: no<br>not published<br>RIP9501192 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.2.1 | Malik, J. M.; Brightwell, B. B. | 1976 | CP 67573 residue and metabolism Part 29: The metabolism of CP 67573 in sugar beets<br>Report No. 394<br>GLP: no<br>not published<br>RIP9501195 | N | MOD |
| OECD: KIIA 6.2.1 | Mehrsheikh, A. | 1999 | Protocol - Metabolism of Glyphosate in Roundup Ready(R) sugarbeet<br>99-63-M-7<br>GLP: yes<br>not published<br>RIP2003-1134 | N | MOD |
| OECD: KIIA 6.2.1 | Mehrsheikh, A. | 2000 | Metabolism of Glyphosate in Roundup Ready Sugarbeet<br>MSL-16247<br>GLP: yes<br>not published<br>RIP2001-906 | N | MOD |
| OECD: KIIA 6.2.1 | Michaux, M. | 1976 | CP 67573 : Determination of crop residues in kale, serradella, turnips<br>Report A10<br>GLP: no<br>not published<br>RIP9501212 | N | MOD |
| OECD: KIIA 6.2.1 | Michaux, M. | 1976 | CP 67573: Determination of crop residues in grass<br>Report A11<br>GLP: no<br>not published<br>RIP9501213 | N | MOD |
| OECD: KIIA 6.2.1 | Nadeau, R. G. | 1975 | CP 67573 residue and metabolism Part 26: The metabolism of CP 67573 in potato plants<br>Report No. 376<br>GLP. no<br>not published<br>RIP9501193 | N | MOD |
| OECD: KIIA 6.2.1 | Nadeau, R. G.; Cozad, S. J. | 1976 | Absorption, translocation and metabolism of Roundup herbicide in walnut, almond and pecan trees<br>Report No. 403<br>GLP: no<br>not published<br>RIP9501196 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.2.1 | Parker, S.; Harris, M. | 1991 | Glyphosate-trimesium: Uptake and metabolism in USA grape vines<br>RJ 1002B<br>GLP: yes<br>not published<br>RIP9500012 | N | SYD |
| OECD: KIIA 6.2.1 | Reddy, K. N.; Rimando, A. M.; Duke, S. O.; Nandula, V. K. | 2008 | Aminomethylphosphonic acid accumulation in plant species treated with glyphosate<br>GLP: no<br>published: Journal of Agricultural and Food Chemistry, 2008, 56, 2125-2130<br>ASB2012-12463 | N | LIT |
| OECD: KIIA 6.2.1 | Rogers, M. D.; Saeman Bleeke, M.; Goure, W. F.; George, C.; Nadeau, R. G. | 1994 | Nature of Glyphosate residues in Roundup herbicide tolerant canola<br>MSL-13318<br>GLP: yes<br>not published<br>RIP9800118 | N | MOD |
| OECD: KIIA 6.2.1 | Rojano-Delgado, A. M.; Cruz-Hipolito, H.; De Prado, R. et al. | 2012 | Limited uptake, translocation and enhanced metabolic degradation contribute to Glyphosate tolerance in Mucuna pruriens var. utilis plants<br>GLP: no<br>published: Phytochemistry 73 (2012) 34-41<br>ASB2012-12462 | N | LIT |
| OECD: KIIA 6.2.1 | Rueppel, M. L.; Moran, S. J. | 1974 | CP 67573 residue and metabolism Part 23: The metabolism of CP 67573 in apple trees<br>Report No. 342<br>GLP: no<br>not published<br>RIP9501190 | N | MOD |
| OECD: KIIA 6.2.1 | Rueppel, M. L.; Suba, L. A. | 1973 | CP 67573, Residue and Metabolism Part 10: The Metabolism of CP 67573 in soybeans, cotton, wheat, and corn<br>Report No. 304<br>GLP: no<br>not published<br>RIP9600099 | N | MOD |
| OECD: KIIA 6.2.1 | Rueppel, M. L.; Suba, L. A.; Moran, S. J. | 1974 | CP 67573 residue and metabolism Part 20: The metabolism of CP 67573 in grape plants<br>Report No. 335<br>GLP: no<br>not published<br>RIP9501191 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.2.1 | Stuart, C.; Parker, S.; Joseph, R. S. I. | 1989 | ICIA0224: Metabolism on wheat following a preharvest foliar spray<br>RJ 0778B<br>GLP: yes<br>not published<br>RIP9500014 | N | SYD |
| OECD: KIIA 6.2.1 | Suba, L. A.; Georgieff, M. K. | 1974 | CP 67573 residue and metabolism Part 22: The metabolism of N-phosphonomethylglycine in barley, oats, rice and sorghum<br>Report No. 341<br>GLP: no<br>not published<br>RIP9501189 | N | MOD |
| OECD: KIIA 6.2.1 | Sutherland, M. L. | 1975 | The metabolism of CP 67573 by citrus - February 1973 - October 1974<br>Report No. 328<br>GLP: no<br>not published<br>RIP9501194 | N | MOD |
| OECD: KIIA 6.2.1 | Sutherland, M. L.; Banduhn, M. C. | 1976 | The metabolism of Glyphosate in pasture crops<br>Report No. 404<br>GLP: no<br>not published<br>RIP9501197 | N | MOD |
| OECD: KIIA 6.2.1 | Tambling, D. R. | 1992 | [$^{14}$C-Anion] ICIA0224: Nature of the residue: Soybeans<br>RR 91-092B<br>GLP: yes<br>not published<br>RIP9500015 | N | SYD |
| OECD: KIIA 6.2.1 | Wagner, R.; Kogan, M.; Parada, A. M. | 2003 | Phytotoxic activity of root absorbed Glyphosate in corn seedlings (Zea mays L.)<br>GLP: no<br>published: Weed Biology and Management 3, 228-232 (2003)<br>ASB2012-12484 | N | LIT |
| OECD: KIIA 6.2.1 | Wilkinson, M. J.; Joseph, R. S. I. | 1990 | ICIA0224: Uptake and metabolism in grape-vines<br>RJ 0815B<br>GLP: yes<br>not published<br>RIP9500017 | N | SYD |
| OECD: KIIA 6.2.1 | Bohn, T.; Cuhra, M.; Traavik, T.; Sanden, M.; Fagan, J.; Primicerio, R.; | 2013 | Compositional differences in soybeans on the market: Glyphosate accumulates in Roundup Ready GM soybean, Food Chemistry 153 (2014) 207–215, ASB2014-6353 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.2.2 | Bodden, R. M. | 1988 | Metabolism study of synthetic $^{13}C/^{14}C$-labeled Glyphosate and Aminomethylphosphonic acid in laying hens. Part I<br>Report No: MSL-7591<br>GLP: yes<br>not published<br>RIP9501205 | N | MOD |
| OECD: KIIA 6.2.2 | Bowler, D. T. | 1994 | [$^{14}C$-PMG] Glyphosate-trimesium: Nature of the residue in tissues and eggs of laying hens<br>Report No: RR-93-064B<br>GLP: yes<br>not published<br>RIP9500020 | N | SYD |
| OECD: KIIA 6.2.2 | Lowrie, Ch. | 2007 | The metabolism of [$^{14}C$]-N-Acetylglyphosate (IN-MCX20) in laying hens<br>Report No.: DuPont-19795<br>GLP: yes<br>not published<br>ASB2008-2659 | Y | DPB |
| OECD: KIIA 6.2.2 | Patanella, J. E.; Feng, P. | 1988 | Metabolism study of synthetic $^{13}C/^{14}C$-labeled Glyphosate and Aminomethylphosphonic acid in laying hens. Part II<br>Report No: MSL-7420<br>GLP: yes<br>not published<br>RIP9501206 | N | MOD |
| OECD: KIIA 6.2.2 | Powles, P. | 1994 | ($^{14}C$-Glyphosate): Absorption, distribution, metabolism and excretion following repeated oral administration to the laying hen<br>Report No. 676/8-1011<br>GLP: yes<br>not published<br>RIP9501208 | N | MOD |
| OECD: KIIA 6.2.3 | Bodden, R. M. | 1988 | Metabolism study of synthetic $^{13}C/^{14}C$-labeled Glyphosate and Aminomethylphosphonic acid in lactating goats. Part I<br>Report: MSL 7586<br>GLP: yes<br>not published<br>RIP9501203 | N | MOD |
| OECD: KIIA 6.2.3 | Ericson, J. L. | 1994 | The nature of residues of orally administered [Phosphonomethylene-$^{14}C$] glyphosate-trimesium in goat tissues and milk<br>Report No: RR 93-062B<br>GLP: yes<br>not published<br>RIP9500022 | N | SYD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.2.3 | Lowrie, Ch. | 2007 | Metabolism of [$^{14}$C]-N-Acetylglyphosate (IN-MCX20) in the lactating goat<br>Report No.: DuPont-19796<br>GLP: yes<br>not published<br>ASB2008-2660 | Y | DPB |
| OECD: KIIA 6.2.3 | Patanella, J. E.; Feng, P. | 1988 | Metabolism study of synthetic $^{13}$C/$^{14}$C-labeled Glyphosate and Aminomethylphosphonic acid in lactating goats. Part II<br>Report: MSL-7458<br>GLP: yes<br>not published<br>RIP9501204 | N | MOD |
| OECD: KIIA 6.2.3 | Powles, P. | 1994 | ($^{14}$C-Glyphosate): Absorption, distribution, metabolism and excretion following repeated oral administration to the dairy goat<br>Report No. 676/9-1011<br>GLP: yes<br>not published<br>RIP9501207 | N | MOD |
| OECD: KIIA 6.3 | Anderson, L.; Butters, C. | 2000 | Glyphosate / Glyphosate-trimesium; Residue levels in barley from trials carried out in Nothern Europe during 1999<br>Report No.: RJ2907B<br>GLP: yes<br>not published<br>RIP2000-2131 | N | SYD |
| OECD: KIIA 6.3 | Anderson, L.; Butters, C. | 2000 | Glyphosate / Glyphosate-trimesium; Residue levels in wheat from trials carried out in Nothern Europe during 1999<br>Report No.: RJ2910B<br>GLP: yes<br>not published<br>RIP2000-2130 | N | SYD |
| OECD: KIIA 6.3 | Ando, C.; Segawa, R.; Gana, C. et al. | 2003 | Dissipation and offsite movement of forestry herbicides in plants of importance to native Americans in California National Forests<br>GLP: no<br>published: Bulletin of Environmental Contamination and Toxicology (2003) 71:354-361<br>ASB2012-12350 | N | LIT |
| OECD: KIIA 6.3 | Anon. | 1975 | Glyphosat - Pflanzenschutzmittel-Rückstände in Wein<br>Report No.: BBA II-08<br>GLP: no<br>not published<br>ASB2009-5293 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Anon. | 1977 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenschutzmitteln - Versuchsanstellung (Weintrauben)<br>Report No.: 12703<br>GLP: no<br>not published<br>ASB2009-5277 | N | MOD |
| OECD: KIIA 6.3 | Anon. | 1977 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenschutzmitteln - Versuchsanstellung (Weintrauben)<br>Report No.: 12703<br>GLP: no<br>not published<br>ASB2009-5279 | N | MOD |
| OECD: KIIA 6.3 | Anon. | 1977 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenschutzmitteln - Versuchsanstellung (Weintrauben)<br>Report No.: 12703<br>GLP: no<br>not published<br>ASB2009-5278 | N | MOD |
| OECD: KIIA 6.3 | Anon. | 1980 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenbehandlungsmitteln - Hafer<br>Report No.: MOD 80-D/15<br>GLP: no<br>not published<br>ASB2009-5341 | N | MOD |
| OECD: KIIA 6.3 | Anon. | 1980 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenbehandlungsmitteln - Lagergetreide (Hafer)<br>Report No.: CM 80-D-63<br>GLP: no<br>not published<br>ASB2009-5340 | N | MOD |
| OECD: KIIA 6.3 | Anon. | 1986 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenbehandlungsmitteln - Zuckerrüben<br>Report No.: 002999<br>GLP: no<br>not published<br>ASB2009-2244 | N | MOD |
| OECD: KIIA 6.3 | Anon. | 1988 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenbehandlungsmitteln - Weinrebe<br>Report No.:003118<br>GLP: yes<br>not published<br>ASB2009-2247 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Anon. | 1988 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenbehandlungsmitteln - Weinrebe<br>Report No.:003119<br>GLP: yes<br>not published<br>ASB2009-2248 | N | MOD |
| OECD: KIIA 6.3 | Anon. | 1988 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenbehandlungsmitteln - Weinrebe<br>Report No.:005723<br>GLP: yes<br>not published<br>ASB2009-2255 | N | MOD |
| OECD: KIIA 6.3 | Anon. | 1988 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenbehandlungsmitteln - Weinrebe<br>Report No.:005724<br>GLP: yes<br>not published<br>ASB2009-2258 | N | MOD |
| OECD: KIIA 6.3 | Anon. | 1988 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenbehandlungsmitteln - Weinrebe<br>Report No.:01879<br>GLP: yes<br>not published<br>ASB2009-2249 | N | MOD |
| OECD: KIIA 6.3 | Anon. | 1988 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenbehandlungsmitteln - Weinrebe<br>Report No.:005725<br>GLP: yes<br>not published<br>ASB2009-2265 | N | MOD |
| OECD: KIIA 6.3 | Anon. | 1991 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenschutzmitteln - Wintergerste<br>Report No.: 16227<br>GLP: no<br>not published<br>ASB2009-4415 | N | MOD |
| OECD: KIIA 6.3 | Anon. | 1991 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenschutzmitteln - Wintergerste<br>Report No.: 16229<br>GLP: no<br>not published<br>ASB2009-4420 | N | MOD |
| OECD: KIIA 6.3 | Anon. | 1991 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenschutzmitteln - Wintergerste<br>Report No.: 16246<br>GLP: no<br>not published<br>ASB2009-4421 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Anon. | 1991 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenschutzmitteln - Wintergerste<br>Report No.: 11724<br>GLP: no<br>not published<br>ASB2009-4413 | N | MOD |
| OECD: KIIA 6.3 | Anon. | 1991 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenschutzmitteln - Wintergerste<br>Report No.: 16240<br>GLP: no<br>not published<br>ASB2009-4419 | N | MOD |
| OECD: KIIA 6.3 | Anon. | 1991 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenschutzmitteln - Wintergerste<br>Report No.: 16242<br>GLP: no<br>not published<br>ASB2009-4422 | N | MOD |
| OECD: KIIA 6.3 | Anon. | 1992 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenschutzmitteln - Weizen<br>Report No.: 12536<br>GLP: yes<br>not published<br>ASB2009-6583 | N | CHE |
| OECD: KIIA 6.3 | Anon. | 1992 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenschutzmitteln - Weizen<br>Report No.: 12492<br>GLP: yes<br>not published<br>ASB2009-6581 | N | CHE |
| OECD: KIIA 6.3 | Anon. | 1992 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenschutzmitteln - Weizen<br>Report No.: 12535<br>GLP: yes<br>not published<br>ASB2009-6582 | N | CHE |
| OECD: KIIA 6.3 | Anon. | 1992 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenschutzmitteln - Weizen<br>Report No.: 12491<br>GLP: yes<br>not published<br>ASB2009-6580 | N | CHE |
| OECD: KIIA 6.3 | Arregui, M. C.; Lenardon, A.; Sanchez, D. et al. | 2004 | Monitoring Glyphosate residues in transgenic Glyphosate-resistant soybean<br>GLP: no<br>published: Pest Management Science 60:163-166 (online 2003)<br>ASB2012-12351 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Balluff, M. | 1995 | Determination of residues of Glistar in apples under field conditions at four locations in Germany<br>Report No.: 94035<br>GLP: yes<br>not published<br>RIP9501344 | N | ALK |
| OECD: KIIA 6.3 | Balluff, M. | 1995 | Determination of residues of Glistar in winter wheat under field conditions at four locations in Germany<br>Report No.: 94035/01-FPWW<br>GLP: yes<br>not published<br>RIP9501341 | N | ALK |
| OECD: KIIA 6.3 | Block H. | 2012 | Determination of residues of Glyphosate and AMPA after one application of MON 52276 in sugar beet (outdoor) at 2 sites in Spain and Italy 2011<br>Report No.: S11-00266<br>GLP: yes<br>not published<br>ASB2012-12376 | Y | MOD (owned by Glyphosate Task Force) |
| OECD: KIIA 6.3 | Block, H. | 2012 | Determination of residues of Glyphosate and AMPA after one application of MON 52276 in carrots (outdoor) at 4 sites in France, Spain and Poland 2011<br>Report No.: S11-00259<br>GLP: yes<br>not published<br>ASB2012-12369 | Y | MOD (owned by Glyphosate Task Force) |
| OECD: KIIA 6.3 | Block, H. | 2012 | Determination of residues of Glyphosate and AMPA after one application of MON 52276 in potatoes (outdoor) at 4 sites in France, Germany and Italy 2011<br>Report No.: S11-00258<br>GLP: yes<br>not published<br>ASB2012-12368 | Y | MOD (owned by Glyphosate Task Force) |
| OECD: KIIA 6.3 | Block, H. | 2012 | Determination of residues of Glyphosate and AMPA after one application of MON 52276 in bulb onions (outdoor) at 4 sites in France, Spain and Bulgaria 2011<br>Report No.: S11-00260<br>GLP: yes<br>not published<br>ASB2012-12370 | Y | MOD (owned by Glyphosate Task Force) |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Block, H. | 2012 | Determination of residues of Glyphosate and AMPA after one application of MON 52276 in tomato (outdoor) at 2 sites in Hungary and Germany 2011<br>Report No.: S11-00267<br>GLP: yes<br>not published<br>ASB2012-12377 | Y | MOD (owned by Glyphosate Task Force) |
| OECD: KIIA 6.3 | Block, H. | 2012 | Determination of residues of Glyphosate and AMPA after one application of MON 52276 in cucumber and zucchini (outdoor) at 3 sites in Italy, France and Germany 2011<br>Report No.: S11-00261<br>GLP: yes<br>not published<br>ASB2012-12371 | Y | MOD (owned by Glyphosate Task Force) |
| OECD: KIIA 6.3 | Block, H. | 2012 | Determination of residues of Glyphosate and AMPA after one application of MON 52276 in cauliflower (outdoor) at 4 sites in France, Hungary, Bulgaria and Italy 2011<br>Report No.: S11-00263<br>GLP: yes<br>not published<br>ASB2012-12373 | Y | MOD (owned by Glyphosate Task Force) |
| OECD: KIIA 6.3 | Block, H. | 2012 | Determination of residues of Glyphosate and AMPA after one application of MON 52276 in head cabbage (outdoor) at 4 sites in Hungary, France (North), Spain and Bulgaria 2011<br>Report No.: S11-00262<br>GLP: yes<br>not published<br>ASB2012-12372 | Y | MOD (owned by Glyphosate Task Force) |
| OECD: KIIA 6.3 | Block, H. | 2012 | Determination of residues of Glyphosate and AMPA after one application of MON 52276 in leaf and head lettuce (outdoor) at 4 sites in France, Spain, UK and Germany 2011<br>Report No.: S11-00264<br>GLP: yes<br>not published<br>ASB2012-12374 | Y | MOD (owned by Glyphosate Task Force) |
| OECD: KIIA 6.3 | Block, H. | 2012 | Determination of residues of Glyphosate and AMPA after one application of MON 52276 in leek (outdoor) at 4 sites in France, United Kingdom, Bulgaria and Italy 2011<br>Report No.: S11-00265<br>GLP: yes<br>not published<br>ASB2012-12375 | Y | MOD (owned by Glyphosate Task Force) |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Bonin, J. | 1982 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenbehandlungsmitteln - Hafer<br>Report No.: 003149<br>GLP: no<br>not published<br>ASB2009-5712 | N | MOD |
| OECD: KIIA 6.3 | Bonin, J. | 1982 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenbehandlungsmitteln - Hafer<br>Report No.: 003150<br>GLP: no<br>not published<br>ASB2009-5711 | N | MOD |
| OECD: KIIA 6.3 | C. Harrison | 2007 | Final Report on Project AF/10436/AV; to determine the magnitude of Glyphosate and Diquat residues at harvest in the agricultural oilseed rape resulting from one application of Glyphosate or Reglone, with or without the adjuvant Companion Gold, in the UK, 2006<br>Report No.: AF/10436/AV<br>GLP: yes<br>not published<br>ASB2008-7571 | Y | MOD |
| OECD: KIIA 6.3 | Dittrich, R.; Thomas, U. | 1992 | Prüfung des Rückstandsverhaltens von CHE 3607 in Winterweizen unter Freilandbedingungen<br>Report No.: RP-H 92<br>GLP: yes<br>not published<br>ASB2009-6573 | N | CHE |
| OECD: KIIA 6.3 | Euler | 1986 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenschutzmitteln - Winterraps (Jet Neuf)<br>Report No.: 008369<br>GLP: no<br>not published<br>ASB2009-4823 | N | MOD |
| OECD: KIIA 6.3 | Euler | 1986 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenschutzmitteln - Winterraps (Jet Neuf)<br>Report No.: 008370<br>GLP: no<br>not published<br>ASB2009-4824 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Euler | 1986 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenschutzmitteln - Winterraps (Jet Neuf)<br>Report No.: 008371<br>GLP: no<br>not published<br>ASB2009-4821 | N | MOD |
| OECD: KIIA 6.3 | Euler | 1986 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenschutzmitteln - Winterraps (Jet Neuf)<br>Report No.: 008380<br>GLP: no<br>not published<br>ASB2009-4822 | N | MOD |
| OECD: KIIA 6.3 | Euler | 1986 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenschutzmitteln - Winterraps (Jet Neuf)<br>Report No.: 06851<br>GLP: no<br>not published<br>ASB2009-4831 | N | MOD |
| OECD: KIIA 6.3 | Euler | 1986 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenschutzmitteln - Winterraps (Jet Neuf)<br>Report No.: 06852<br>GLP: no<br>not published<br>ASB2009-4832 | N | MOD |
| OECD: KIIA 6.3 | Granby, K.; Vahl, M. | 2001 | Investigation of the herbicide Glyphosate and the plant growth regulators Chlormequat and mepiquat in cereals produced in Denmark<br>GLP: no<br>published: Food Additives and Contaminants, 2001, Vol. 18, No. 10, 898-905<br>ASB2012-12423 | N | LIT |
| OECD: KIIA 6.3 | Grolleau, G. | 2001 | Magnitude of the Residue of Glyphosate in Cherry raw agricultural commodity; Germany - 2000; incl. Amendment<br>Report No.: EA000181<br>GLP: yes<br>not published<br>RIP2001-558 | Y | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Grolleau, G. | 2001 | Magnitude of the Residue of Glyphosate in Peach raw agricultural commodity; Spain - 2000<br>Report No.: EA000182<br>GLP: yes<br>not published<br>RIP2001-557 | Y | MOD |
| OECD: KIIA 6.3 | Gustin, C. | 1999 | Glyphosate and AMPA residues in wheat and barley treated pre-harvest with Roundup herbicide and MON 14420. 1998 Field trials in Belgium and France<br>Report No.: MLL 30815<br>GLP: yes<br>not published<br>RIP2000-1243 | Y | MOD |
| OECD: KIIA 6.3 | Gustin, C. | 2000 | Glyphosate and AMPA residues in oil seed rape treated pre-harvest with Roundup (MON 2139) and MON 78294. 1999 Field trials in Belgium and France<br>Report No.: MLL 31336<br>GLP: yes<br>not published<br>RIP2002-651 | Y | MOD |
| OECD: KIIA 6.3 | Hontis, A. M. | 1989 | Glyphosate and AMPA residues in oilseed rape following preharvest application of MON 14478 with Ammoniumsulfate and of Roundup herbicide. 1989 UK field trials<br>Report No.: MLL 30235<br>GLP: no<br>not published<br>RIP9501286 | N | MOD |
| OECD: KIIA 6.3 | Hontis, A. M. | 1991 | Glyphosate and AMPA residues in wheat and barley following application of MON 52276, MON 44068 and Roundup herbicide, one week before crop harvest. French trials 1991<br>Report No.: MLL 30281<br>GLP: yes<br>not published<br>RIP9501287 | N | MOD |
| OECD: KIIA 6.3 | Hontis, A. M. | 1992 | Residues of Glyphosate/AMPA in olives and olive oil following use of Sting SE - Spanish field trials 1990/1992<br>Report No.: MLL 30297<br>GLP: yes<br>not published<br>RIP9501289 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Hontis, A. M. | 1992 | Glyphosate and AMPA residues in barley following preharvest application of MON 44068 and Roundup herbicide. German field trials 1991<br>Report No.: MLL 30286<br>GLP: yes<br>not published<br>RIP9500162 | N | MOD |
| OECD: KIIA 6.3 | Hontis, A. M. | 1992 | Glyphosate and AMPA residues in barley following preharvest application of MON 44068 and Roundup herbicide. German field trials 1991<br>Report No.: MLL 30286<br>GLP: yes<br>not published<br>RIP9501288 | N | MOD |
| OECD: KIIA 6.3 | Hontis, A. M. | 1993 | Residues of Glyphosate/AMPA in olives and olive oil following a soil treatment with MON 65040 herbicide. Italian field trials 1993<br>Report No.: MLL 30319<br>GLP: yes<br>not published<br>RIP9501290 | N | MOD |
| OECD: KIIA 6.3 | Hontis, A. M. | 1993 | Residues of Glyphosate/AMPA in winter oilseed rape following an application of MON 52276, MON 44068 and Roundup herbicide, two weeks before harvest. UK field trials 1992<br>Report No.: MLL 30321<br>GLP: yes<br>not published<br>RIP9501292 | N | MOD |
| OECD: KIIA 6.3 | Hontis, A. M. | 1993 | Residues of Glyphosate/AMPA in winter wheat following an application of MON 52276, MON 44068 and Roundup herbicide, one week before harvest. - U.K. field trials 1992.<br>Report No.: MLL 30320<br>GLP: yes<br>not published<br>RIP9501291 | N | MOD |
| OECD: KIIA 6.3 | Hontis, A. M. | 1996 | Residues of Glyphosate and AMPA in peas treated pre-harvest with MON 52776 herbicide. U.K. and Belgian field trials, 1995<br>Report No.: MLL 30464<br>GLP: yes<br>not published<br>RIP9501283 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Hontis, A. M. | 1996 | Residues of glyphosate and AMPA in olives and olive oil, following a soil treatment with Roundup herbicide. Spanish field trials, 1995<br>Report No.: MLL 30469<br>GLP: yes<br>not published<br>RIP9700184 | N | MOD |
| OECD: KIIA 6.3 | Klimmek, S.; Weber, H. | 2007 | Decline and magnitude of residues of Glyphosate in lodged grain following application of Taifun Forte - Germany, season 2006<br>Report No.: FSG-0606<br>GLP: yes<br>not published<br>ASB2008-5610 | N | ADM |
| OECD: KIIA 6.3 | Klimmek, S.; Weber, H. | 2007 | Decline and magnitude of residues of Glyphosate in sugar beet following application of Taifun Forte - Germany, season 2006<br>Report No.: FSG-0608<br>GLP: yes<br>not published<br>ASB2008-5609 | N | ADM |
| OECD: KIIA 6.3 | Leak, S. | 1994 | Final report on project AS/2208/CN - Programme to generate crop samples for residue analysis following application of glyfos for pre-harvest desiccation of winter sown oilseed rape<br>Report No.: AS/2208/CN<br>GLP: yes<br>not published<br>ASB2010-14768 | N | CHE |
| OECD: KIIA 6.3 | Leak, S.; Tarpey, G. | 1993 | Report on the field phase of a study to generate crop samples for residue analysis following the application of CHE 3607 on linseed<br>Report No.: AS/1902/CN<br>GLP: yes<br>not published<br>RIP9501325 | N | CHE |
| OECD: KIIA 6.3 | Leak, S.; Tarpey, G. | 1993 | Report on the field phase of a study to generate crop samples for residue analysis to monitor the dissipation of Glyphosate following the application of CHE 3607 on winter wheat<br>Report No.: AS/1906/CN<br>GLP: yes<br>not published<br>RIP9501303 | N | CHE |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Leak, S.; Webb R. | 1993 | Report on the field phase of the study to generate crop samples for residue analysis following the application of CHE 3607 on winter barley<br>Report No.: AS/1896/CN<br>GLP: yes<br>not published<br>RIP9501293 | N | CHE |
| OECD: KIIA 6.3 | Leak, S.; Webb, R. | 1993 | Report on the field phase of a study to generate crop samples for residue analysis to monitor the dissipation of Glyphosate following the application of CHE 3607 on winter barley<br>Report No.: AS/1905/CN<br>GLP: yes<br>not published<br>RIP9501295 | N | CHE |
| OECD: KIIA 6.3 | Leak, S.; Webb, R. | 1993 | Report on the field phase of a study to generate crop samples for residue analysis to monitor the dissipation of Glyphosate following the application of CHE 3607 on oats<br>Report No.: AS/1907/CN<br>GLP: yes<br>not published<br>RIP9501299 | N | CHE |
| OECD: KIIA 6.3 | Leak, S.; Webb, R. | 1993 | Report on the field phase of a study to generate crop samples for residue analysis following the application of CHE 3607 with and without the adjuvant Frigate for preharvest desiccation of oats<br>Report No.: AS/1897/CN<br>GLP: yes<br>not published<br>RIP9501297 | N | CHE |
| OECD: KIIA 6.3 | Leak, S.; Webb, R. | 1993 | Report on the field phase of a study to generate crop samples for residue analysis following the application of CHE 3607 on winter wheat<br>Report No.: AS/1898/CN<br>GLP: yes<br>not published<br>RIP9501301 | N | CHE |
| OECD: KIIA 6.3 | Lemaire, P. | 1999 | Glyphosate and AMPA residues in oilseed rape treated pre-harvest with Roundup herbicide and MON 14420. 1998 Field trials in Belgium and France<br>Report No.: MLL 30817<br>GLP: yes<br>not published<br>RIP2000-1244 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Lorenzatti, E.; Maitre, M.I.; Argelia, L. et al. | 2004 | Pesticide residues in immature soybeans of Argentina croplands<br>GLP: no<br>published: Fresenius Environmental Bulletin, Vol. 13 (7), 2004, 675-678<br>ASB2012-12448 | N | LIT |
| OECD: KIIA 6.3 | Losseau, F. | 1988 | Glyphosate residues in cereals following preharvest applications of MON 14478, with and without Ammoniumsulfate (AS), in comparison to Roundup herbicide - 1987 France - Field trials<br>Report No.: MLL 30205<br>GLP: no<br>not published<br>RIP9501280 | N | MOD |
| OECD: KIIA 6.3 | Losseau, F. | 1988 | Glyphosate residues in cereals following preharvest applications of MON 14474, MON 8791, MON 8755, MON 14456, in comparison to Roundup herbicide - 1987 Fed. Rep. Germany - Field trials.<br>Report No.: MLL 30209<br>GLP: no<br>not published<br>RIP9501282 | N | MOD |
| OECD: KIIA 6.3 | Losseau, F. | 1989 | Glyphosate and AMPA residues in grapes following MON 8755 (Arcade) herbicide applications in vineyards. German field trials 1988<br>Report No.: MLL 30227<br>GLP: yes<br>not published<br>RIP9501285 | N | MOD |
| OECD: KIIA 6.3 | Losseau, F. | 1989 | Glyphosate and AMPA residues in oilseedrape (OSR), peas and beans following preharvest applications of MON 14478 with Ammoniumsulfate (AS) in comparison to Roundup or Roundup 480 herbicide applications. 1988 UK fieldtrials<br>Report No.: MLL 30223<br>GLP: yes<br>not published<br>RIP9501284 | N | MOD |
| OECD: KIIA 6.3 | Mastdagh, P. | 1985 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenbehandlungsmitteln - Hafer<br>Report No.: 003188<br>GLP: no<br>not published<br>ASB2009-5710 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Mellet, M.; Wasser, Ch. | 1994 | Determination of the residues of Glyphosate and AMPA in wheat treated with Glifogarde in France in 1994<br>Report No.: RF 4061-2<br>GLP: yes<br>not published<br>ASB2009-3523 | N | INV |
| OECD: KIIA 6.3 | Mestdagh, M. | 1986 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenbehandlungsmitteln - Zuckerrüben<br>Report No.: 008905<br>GLP: no<br>not published<br>ASB2009-2210 | N | MOD |
| OECD: KIIA 6.3 | Mestdagh, M. | 1986 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenbehandlungsmitteln - Zuckerrüben<br>Report No.: 01811<br>GLP: no<br>not published<br>ASB2009-2242 | N | MOD |
| OECD: KIIA 6.3 | Mestdagh, P. | 1979 | Glyphosate residues in cereals following preharvest application of Roundup in the United Kingdom<br>Report No.: MLL 30037<br>GLP: no<br>not published<br>RIP9501230 | N | MOD |
| OECD: KIIA 6.3 | Mestdagh, P. | 1980 | Glyphosate residues in apples following Roundup application in Denmark<br>Report No.: MLL 30053<br>GLP: no<br>not published<br>RIP9501235 | N | MOD |
| OECD: KIIA 6.3 | Mestdagh, P. | 1980 | Glyphosate residues in cereals following preharvest application of Roundup in France<br>Report No.: MLL 30046<br>GLP: no<br>not published<br>RIP9501231 | N | MOD |
| OECD: KIIA 6.3 | Mestdagh, P. | 1982 | Glyphosate residues in cereal grain and straw following preharvest treatment with Roundup herbicide in the United Kingdom - 1982 trials - Part I.<br>Report No.: MLL 30087<br>GLP: no<br>not published<br>RIP9501249 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Mestdagh, P. | 1983 | Residue analysis for Glyphosate and AMPA in flax and processed fractions following preharvest Roundup herbicide treatments. UK and Ireland 1982 trials<br>Report No.: MLL 30106<br>GLP: no<br>not published<br>RIP9501266 | N | MOD |
| OECD: KIIA 6.3 | Mestdagh, P. | 1983 | Residue analysis for Glyphosate and AMPA in brassica seedcrops and processed fractions following preharvest Roundup herbicide treatments. UK and Scandinavian trials 1980-1982<br>Report No.: MLL 30104<br>GLP: no<br>not published<br>RIP9501265 | N | MOD |
| OECD: KIIA 6.3 | Mestdagh, P. | 1983 | Glyphosate residues in cereals following Roundup herbicide preharvest applications using low spray water volumes and/or additional surfactant/active ingredient ratios. UK 1982 trails<br>Report No.: ML 30112<br>GLP: no<br>not published<br>RIP9501269 | N | MOD |
| OECD: KIIA 6.3 | Mestdagh, P. | 1985 | Glyphosate residues in rye and oat following Roundup herbicide preharvest applications. Denmark 1984 trials<br>Report No.: MLL 30150<br>GLP: no<br>not published<br>RIP9501275 | N | MOD |
| OECD: KIIA 6.3 | Mestdagh, P. | 1988 | Glyphosate and AMPA residues in oilseed rape and peas following preharvest Roundup herbicide applications. 1986-1987 field trials Fed. Rep. of Germany<br>Report No.: MLL 30204<br>GLP: no<br>not published<br>RIP9501279 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Mestdagh, P. | 1988 | Glyphosate residues in cereals following preharvest applications of MON 14478, with and without Ammoniumsulfate (AS), in comparison to Roundup (MON 2139) and/or Roundup 480 (MON 8762) herbicide - 1987 UK field trials<br>Report No.: MLL 30200<br>GLP: no<br>not published<br>RIP9501278 | N | MOD |
| OECD: KIIA 6.3 | Michaux, M. | 1975 | CP 67573: Determination of crop residues in grapes - Final Report<br>Report No.: A2<br>GLP: no<br>not published<br>ASB2009-5294 | N | MOD |
| OECD: KIIA 6.3 | Michaux, M. | 1975 | CP 67573 : Determination of crop residues in sugar beets tops and roots<br>Report No.: A3<br>GLP:no<br>not published<br>RIP9501210 | N | MOD |
| OECD: KIIA 6.3 | Michaux, M. | 1976 | CP 67573 : Determination of crop residues in apples and pears - Final report<br>Report No.: A9<br>GLP: no<br>not published<br>RIP9501211 | N | MOD |
| OECD: KIIA 6.3 | Michaux, M. | 1977 | CP 67573: Determination of crop residues in grapes and apples<br>Report No.: MON 2139<br>GLP: no<br>not published<br>ASB2009-5276 | N | MOD |
| OECD: KIIA 6.3 | Michaux, M. | 1977 | CP 67573 : Determination of crop residues in salads, onions, carrots, peas and beans<br>Report No.: A16<br>GLP: no<br>not published<br>RIP9501216 | N | MOD |
| OECD: KIIA 6.3 | Nassoy, G. | 1994 | Gilfogarde (Glyphosat): Residus de glyphosate sur cultures de ble tendre d`hiver traitees avec le Glifogarde<br>Report No.: 94 H CP HX<br>GLP: yes<br>not published<br>RIP2002-1448 | N | INV |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Nassoy, G. | 2000 | Determination des residus a la recolte sur ble tendre d' hiver apres application avant recolte de l'herbicide Madrigal (Glyphosate) Dans le nord et le sud de la France<br>Report No.: 97 H CP HX P/A<br>GLP: yes<br>not published<br>ASB2009-3524 | N | INV |
| OECD: KIIA 6.3 | Nassoy, G. | 2000 | Determination of Glyphosate and its main metabolite AMPA residues in wheat (grains and straw) after applications of the formulation HERBEX<br>Report No.: 15920 ADR<br>GLP: yes<br>not published<br>ASB2009-3522 | N | INV |
| OECD: KIIA 6.3 | Perny, A. | 2002 | Glyphosate and AMPA residues in wheat and barley treated pre-harvest with Roundup(r) (MON 2139), MON 78273 and MON 78568. 2001 Field Trials in France, Germany and Italy.<br>Report No.: RA1157<br>GLP: yes<br>not published<br>RIP2005-200 | N | MOD |
| OECD: KIIA 6.3 | Puy, E. | 1993 | Détermination des résidus de glyphosate et de son métabolite l'AMPA dans des échantillons de pailles et de grains de céréales traitées avec Glistar en France en 1992<br>Report No.: RF 2052<br>GLP: yes<br>not published<br>RIP9501345 | N | ALK |
| OECD: KIIA 6.3 | Reding, M. A. | 1978 | Determination of crop residues in apples<br>Report No.: A22<br>GLP: no<br>not published<br>RIP9501218 | N | MOD |
| OECD: KIIA 6.3 | Reding, M. A. | 1978 | Final report on CP 67573: Determination of crop residues in olives and olive oil<br>Report No.: A20-II<br>GLP: no<br>not published<br>RIP9501217 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Reding, M. A. | 1986 | Glyphosate and Aminomethylphosphonic acid residues in cereal grain and straw following preharvest treatment with Roundup herbicide in Europe<br>Report No.: MLL 30177<br>GLP: no<br>not published<br>RIP9501276 | N | MOD |
| OECD: KIIA 6.3 | Reding, M. A. | 1987 | Residual Glyphosate and AMPA in oilseed rape, beans and peas following application of MON 8762 - MON 8795 and Roundup herbicide. UK 1986 field trials<br>Report No.: MLL 30180<br>GLP: no<br>not published<br>RIP9501277 | N | MOD |
| OECD: KIIA 6.3 | Reding, M. A. | 1988 | Residue determination of Glyphosate and Aminomethylphosphonic acid in various crops following different Roundup, or Glyphosate based formulation, applications. 1978-1987 trial period<br>Report No.: MLL 30206<br>GLP: no<br>not published<br>RIP9501281 | N | MOD |
| OECD: KIIA 6.3 | Riffart, K. | 1981 | Berichtsbogen für Rückstandsuntersuchungen mit Pflanzenbehandlungsmitteln - Hafer<br>Report No.: 001639<br>GLP: no<br>not published<br>ASB2009-5713 | N | MOD |
| OECD: KIIA 6.3 | Schulz, H. | 1992 | Determination of the residues of Glyphosate and AMPA in cereals (SAG 539 00)<br>Report No.: 275837<br>GLP: yes<br>not published<br>RIP9501328 | N | CHE |
| OECD: KIIA 6.3 | Schulz, H. | 1994 | Determination of the dissipation of Glyphosate in apples following treatment with Glifos under field conditions in Portugal 1993<br>Report No.: IF-93/04768-01<br>GLP: yes<br>not published<br>RIP9501330 | N | CHE |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Schulz, H. | 1997 | Glyphosate residues in barley and wheat following preharvest application of Roundup and Glyfos in France 1996<br>Report No.: IF-96/07067-00<br>GLP: yes<br>not published<br>ASB2010-14804 | N | CHE |
| OECD: KIIA 6.3 | Schulz, H.; Mirbach, M. J. | 1994 | Determination of residues of Glyphosate in linseed - Treatment with CHE 3607 - UK, season 1992, Agrisearch UK Ltd., Study Plan AS/1902/CN<br>Report No.: IF-93/13836-01<br>GLP: yes<br>not published<br>RIP9501326 | N | CHE |
| OECD: KIIA 6.3 | Schulz, H.; Mirbach, M. J. | 1994 | Determination of residues of Glyphosate in winter sown oilseed rape (seed and pods) - Treatment with CHE 3607 - UK Season 1992 - Agrisearch UK Ltd. Study Plan AS/1908/CN<br>Report No.: IF-93/13839-01<br>GLP: yes<br>not published<br>RIP9501324 | N | CHE |
| OECD: KIIA 6.3 | Schulz, H.; Mirbach, M. J. | 1994 | Determination of residues of Glyphosate in winter sown oilseed rape - Treatment with CHE 3607 - UK Season 1992, Agrisearch UK Ltd. Study Plan AS/1899/CN<br>Report No.: IF-93/13831-01<br>GLP: yes<br>not published<br>RIP9501322 | N | CHE |
| OECD: KIIA 6.3 | Schulz, H.; Mirbach, M. J. | 1994 | Determination of residues of Glyphosate in winter barley (whole plant, grains and straws - Treatment with CHE 3607/Frigate - UK, Season 1992, Agrisearch UK Ltd, Study Plan AS/1905/CN<br>Report No.: IF-93/04573-01<br>GLP: yes<br>not published<br>RIP9501296 | N | CHE |
| OECD: KIIA 6.3 | Schulz, H.; Mirbach, M. J. | 1994 | Determination of residues of Glyphosate in winter barley (grains and straws) - Treatment with CHE 3607/Frigate - UK, Season 1992, Agrisearch UK Ltd, Study Plan AS/1896/CN<br>Report No.: IF-93/04568-01<br>GLP: yes<br>not published<br>RIP9501294 | N | CHE |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Schulz, H.; Mirbach, M. J. | 1994 | Determination of residues of Glyphosate in winter oats (whole plant, grains and straw - Treatment with CHE 3607/Frigate - UK, Season 1992, Agrisearch UK Ltd, Study Plan AS/1907/CN<br>Report No.: IF-93/04575-01<br>GLP: yes<br>not published<br>RIP9501300 | N | CHE |
| OECD: KIIA 6.3 | Schulz, H.; Mirbach, M. J. | 1994 | Determination of residues of Glyphosate in winter oats (grains and straw) - Treatment with CHE 3607/Frigate - UK, Season 1992, Agrisearch UK Ltd, Study Plan AS/1897/CN<br>Report No.: IF-93/04569-01<br>GLP: yes<br>not published<br>RIP9501298 | N | CHE |
| OECD: KIIA 6.3 | Schulz, H.; Mirbach, M. J. | 1994 | Determination of residues of Glyphosate in winter wheat (grain and straw) - Treatment with CHE 3607/Frigate - UK, Season 1992, Agrisearch UK Ltd, Study Plan AS/1898/CN<br>Report No.: IF-93/04570-01<br>GLP: yes<br>not published<br>RIP9501302 | N | CHE |
| OECD: KIIA 6.3 | Schulz, H.; Mirbach, M. J. | 1994 | Determination of residues of Glyphosate in winter wheat (whole plant, grains and straw - Treatment with CHE 3607/Frigate - UK, Season 1992, Agrisearch UK Ltd, Study Plan AS/1906/CN<br>Report No.: IF-93/04574-01<br>GLP: yes<br>not published<br>RIP9501304 | N | CHE |
| OECD: KIIA 6.3 | Vanbellinghen, C. | 2000 | Glyphosate and AMPA residues in wheat and barley treated pre-harvest with Roundup herbicide (MON 2139) and MON 78294. 1999 Field trials in Belgium and France<br>Report No.: MLL 31337<br>GLP: yes<br>not published<br>RIP2002-650 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.3 | Zietz, E. | 1993 | Determination of residues of Glyphosate in cereals and processing products - Treatment with GLYFOS - Germany season 1992<br>Report No.: IF-92/11567-01<br>GLP: yes<br>not published<br>RIP9501329, RIP9500134 & ASB2011-9181 | N | CHE |
| OECD: KIIA 6.3 & 6.5.3 | Mestdagh, P. | 1981 | Residual Glyphosate in processed barley grains following a preharvest application of Roundup herbicide in the United Kingdom<br>Report No: MLL.30.070<br>GLP: no<br>not published<br>RIP9501238 | N | MOD |
| OECD: KIIA 6.3 & 6.5.3 | Schulz, H. | 1992 | Determination of residues of Glyphosate and AMPA in cereals - (CHE 03690H)<br>Report No.: 275848<br>GLP: yes<br>not published<br>RIP9501327 | N | CHE |
| OECD: KIIA 6.3 & 6.5.3 | Schulz, H. | 1992 | Determination of residues of Glyphosate and AMPA in cereals - (SAG 539 00)<br>Report No.: 275837<br>GLP: yes<br>not published<br>RIP9501328 | N | CHE |
| OECD: KIIA 6.3 & 6.5.3 | Steinmetz, J. R. | 1984 | Glyphosate residues in wheat and wheat grain milling/fractionation products following preharvest applications with Roundup herbicide<br>Report No.: MSL-3677<br>GLP: no<br>not published<br>RIP9501254 | N | MOD |
| OECD: KIIA 6.3 & 6.5.3 | Steinmetz, J. R.; Cowell, J. E. | 1984 | Addendum to MSL-3612: Glyphosate residues in wheat grain milling/fractionation products.<br>Report No.: MSL-4005<br>GLP: no<br>not published<br>RIP9501255 | N | MOD |
| OECD: KIIA 6.4.1 | Dibb-Fuller, M.; Bramble, F. Q. | 2007 | Magnitude of residues of N-Acetylglyphosate and degradates in laying hen tissues and eggs<br>Report No.: DuPont-20088<br>GLP: yes<br>not published<br>ASB2008-2652 | Y | DPB |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.4.1 | Graham, D. G. | 1987 | Magnitude of SC-0224 residues in eggs and poultry<br>Report No.: RRC 87-43<br>GLP: yes<br>not published<br>RIP9500025 | N | SYD |
| OECD: KIIA 6.4.1 | Manning, M. J.; Wilson, G. R. | 1987 | Residue determination of Glyphosate and AMPA in laying hen tissues and eggs following a 28 day feeding study<br>Report No.: MSL-6676<br>GLP: yes<br>not published<br>RIP9501252 | N | MOD |
| OECD: KIIA 6.4.2 | Cowell, J. E. | 1987 | Residue determination of Glyphosate and AMPA in dairy cow tissues and milk following a 28 day feeding study<br>Report No.: MSL-6729<br>GLP: yes<br>not published<br>RIP9501250 | N | MOD |
| OECD: KIIA 6.4.2 | Graham, D. G. | 1987 | Magnitude of SC-0224 residues in meat and milk<br>Report No.: RRC 87-44<br>GLP: yes<br>not published<br>RIP9500024 | N | SYD |
| OECD: KIIA 6.4.2 | McLellan, G.; Bramble, F. Q. | 2007 | Magnitude of residues of N-Acetylglyphosate and degradates in dairy cow tissues and milk<br>Report No.: DuPont-20087<br>GLP: yes<br>not published<br>ASB2008-2653 | Y | DPB |
| OECD: KIIA 6.4.2 | Krüger, M. et al | 2014 | Detection of Glyphosate Residues in Animals and Humans<br>J. Environ. Anal. Toxicol. 4:210 doi: 10.4172/2161-0525.1000210<br>ISSN: 2161-0525<br>GLP: no<br>Published<br>ASB2014-5024 | N | LIT |
| OECD: KIIA 6.4.3 | Manning, M. J.; Wilson, G. R. | 1987 | Residue determination of Glyphosate and AMPA in swine tissues following a 28-day feeding study<br>Report-No.: MSL-6627<br>GLP: yes<br>not published<br>RIP9501251 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.5.1 | Hiler, T. | 2010 | Nature of [$^{14}$C]Glyphosate residues in processed commodities - High temperature hydrolysis<br>Report No.: MSL0023072<br>GLP: yes<br>not published<br>ASB2012-12432 | Y | MOD (owned by Glyphosate Task Force) |
| OECD: KIIA 6.5.1 | Umstätter, S.; Peterson, B. | 2006 | High temperature hydrolysis of [$^{14}$C]IN-MCX20 in buffered aqueous solution at pH 4, 5, and 6<br>Report No.: DuPont-19797<br>GLP: yes<br>not published<br>ASB2008-2675 | Y | DPB |
| OECD: KIIA 6.5.3 | Beasley, R. K. | 1975 | CP 57573, Residue and metabolism part 27: Determination of CP 67573 and CP 50435 residues in citrus process fractions<br>Report No.: 377<br>GLP: no<br>not published<br>RIP9501260 | N | MOD |
| OECD: KIIA 6.5.3 | Caierao, E.; Acosta, A. D. S. | 2007 | Industrial suitability for malting of grains from desiccated pre-harvest barley<br>GLP: no<br>published: Pesq. agropec. bras., Brasilia, v.42, p.1277-1282, set. 2007<br>ASB2012-12382 | N | LIT |
| OECD: KIIA 6.5.3 | Cowell, J. E. | 1986 | Determination of Glyphosate and Aminomethylphosphonic acid residues in citrus fruit and process fractions following post-directed treatment with Roundup herbicide<br>Report No.: MSL-6194<br>GLP: no<br>not published<br>RIP9501261 | N | MOD |
| OECD: KIIA 6.5.3 | Kunda, U. S. | 1990 | Glyphosate residues in or on corn grits and flour following preharvest applications of Roundup herbicide to corn<br>Report No.: MSL-9797<br>GLP: yes<br>not published<br>RIP9501258 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.5.3 | Kunstman, J. L. | 1987 | Glyphosate residues in corn grain fractions following preharvest applications to corn with Roundup herbicide<br>Report No.: MSL-6917<br>GLP: yes<br>not published<br>RIP9501257 | N | MOD |
| OECD: KIIA 6.5.3 | Kunstman, J. L.; Steinmetz, J. R.; Farmer, P. S.; Blount, L. M. | 1983 | Glyphosate residues in soybeans and soybean fractions following recirculating sprayer and preharvest topical treatment with Roundup herbicide<br>Report No.: MSL-3259<br>GLP: no<br>not published<br>RIP9501259 | N | MOD |
| OECD: KIIA 6.5.3 | Low, F.; Shaw, I.; Gerrard, J. | 2005 | The effect of Saccharomyces cerevisiae on the stability of the herbicide Glyphosate during bread leavening<br>GLP: no<br>published: Letters in Applied Microbiology 2005, 40, 133-137<br>ASB2012-12449 | N | LIT |
| OECD: KIIA 6.5.3 | Mueth, M. G. | 1988 | Glyphosate residues in potatoes and processed fractions of potatoes after treatment with Roundup herbicide<br>Report No.: MSL-7877<br>GLP: yes<br>not published<br>RIP9501263 | N | MOD |
| OECD: KIIA 6.5.3 | Oppenhuizen, M. E. | 1995 | Magnitude of Glyphosate residues in corn processed commodities following preharvest application of Roundup herbicide<br>Report No.: MSL-13655<br>GLP: yes<br>not published<br>RIP9800120 | N | MOD |
| OECD: KIIA 6.6.2 | Brightwell, B.; Cooper, B. J. | 1978 | Uptake and metabolism of Glyphosate in root, leaf and cereal type rotation crops<br>Report No.: MSL 0882<br>GLP: no<br>not published<br>RIP9501200 | N | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.6.2 | Hatterman, D. R. | 1998 | LX1146-02 (Glyphosate technical) confined rotational crop study on lettuce, radish, and wheat in California<br>Report No.: 1651-91-146-01-09B-17<br>GLP: yes<br>not published<br>RIP2003-1112 | N | MOD |
| OECD: KIIA 6.6.2 | McMullan, P. C.; Honegger, J. L.; Logusch, E. W. | 1990 | Confined rotational crops study of Glyphosate - Part II: Quantitation, characterization and identification of Glyphosate and its metabolites in rotational crops<br>Report No.: MSL 9811<br>GLP: yes<br>not published<br>RIP9501202 | N | MOD |
| OECD: KIIA 6.6.2 | Nicholls, R. G. | 1990 | Confined rotational crops study of Glyphosate - Part I: In-field portion<br>Report No.: MSL 9810<br>GLP: yes<br>not published<br>RIP9501201 | N | MOD |
| OECD: KIIA 6.6.2 | Spillner, C. J.; Bowler, D. T. | 1993 | [$^{14}$C-Anion] Glyphosate-trimesium: Confined accumulation studies on rotational crops<br>Report No.:RR92-096B<br>GLP: yes<br>not published<br>RIP9500018 | N | SYD |
| OECD: KIIA 6.6.2 | Suba, L. A. | 1976 | Metabolism of CP 67573 in representative vegetables and rotation crops<br>Report No.: 406<br>GLP: no<br>not published<br>RIP9501199 | N | MOD |
| OECD: KIIA 6.9 | Gimou, M. M.; Charrondiere, U. R.; Leblanc, J. C. et al. | 2008 | Dietary exposure to pesticide residues in Yaounde: the Cameroonian total diet study<br>GLP: no<br>published: Food Additives and Contaminants, April 2008, 25(4): 458-471<br>ASB2012-12422 | N | LIT |
| OECD: KIIA 6.9 | Harris, C. A.; Gaston, C. P. | 2004 | Effects of refining predicted chronic dietary intakes of pesticide residues: A case study using Glyphosate<br>GLP: no<br>published: Food Additives and Contaminants, 2004, Vol. 21, No. 9, 857-864<br>ASB2012-12428 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| OECD: KIIA 6.9 | Nougadère, A., Reninger, J.-C., Volatier, J.-L., Leblanc, J.-C. | 2011 | Chronic dietary risk characterization for pesticide residues: A ranking and scoring method integrating agricultural uses and food contamination data<br>GLP: no<br>published: Food and Chemical Toxicology 49 (2011) 1484-1510<br>ASB2012-11982 | N | LIT |

**Codes of owner**

| | |
|---|---|
| ADM | ADAMA AGAN Ltd |
| ALK | Alkaloida |
| CHE | Cheminova A/S |
| DPB | DuPont de Nemours |
| EGT | European Glyphosate Task Force AIR 2 |
| MOD | Monsanto Europe S.A./N.V. |
| SYD | Syngenta Agro GmbH |
| LIT | Published literature |

**B.8 Environmental fate and behaviour**

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 2.10 | Hayes, S.E. | 2000 | Glyphosate Acid: Calculation of Half- Life by Reaction with Atmospheric Hydroxyl Radicals<br>46852/01<br>Date: 2000<br>GLP: yes<br>Not published<br>2154359 | N | SYD |
| KIIA 2.10 | De Vries | 1995 | Estimation of the photochemical-oxidative degradation of Glyphosate in the atmosphere<br>NOTOX<br>Project 136384<br>1995-03-28<br>GLP not applicable<br>Not published<br>2006983 | N | AGC |
| IIA 7.1.1/01 - *newly submitted with renewal dossier* | Ponte, M. | 2010 | Rate and route of degradation of [$^{14}$C]-glyphosate in one soil incubated under aerobic conditions<br>Report No.: PTRL1923W-1 (study)<br>MSL0023070 (sponsor)<br>Date: October 6, 2010<br>GLP: yes<br>Not published<br>2310242 | Y | EGT |
| IIA 7.1.1/02 - *newly submitted with renewal dossier* | Goodyear, A. | 1996 | ($^{14}$C)-glyphosate: Aerobic Soil Metabolism<br>Report No.: 1413/1-1015 (study)<br>Date: July 11, 1996<br>GLP: yes<br>Not published<br>2310246 | Y | NUF |
| IIA 7.1.1/03 - *newly submitted with renewal dossier* | McLaughlin, S., Schanné, C. | 1996 | [$^{14}$C]-Glyphosate: determination of soil degradation, bio-transformation and metabolism under aerobic conditions<br>Report No.: 96-120-1020 (study)<br>Date: June 14, 1996<br>GLP: yes<br>Not published<br>2310250 | N | SIN |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| IIA 7.1.1/04 *- newly submitted with renewal dossier* | Esser, T. | 1996 | [P-Methylene-$^{14}$C]glyphosate acid: aerobic soil metabolism<br>Report No.: PTRL548W-1 (study)<br>RR 96-027B (sponsor)<br>Date: July 11, 1996<br>GLP: yes<br>Not published<br>2310248 | N | SYD |
| IIA 7.1.1/05 *- newly submitted with renewal dossier* | Dean, G. M. | 1995 | Rate and route of degradation of [$^{14}$C]glyphosate in one soil incubated under aerobic conditions<br>Report. No.: SNY 333/951445 (study)<br>Date: December 1, 1995<br>GLP: yes<br>Not published<br>2310244 | Y | ALS |
| IIA 7.1.1 | Galicia, H.<br>Morgenroth, U. | 1993 | Degradation and metabolism of 14C-Glyphosate in soil incubated under aerobic conditions<br>RCC project No: 246486<br>Date: April 6, 1993<br>GLP: .Yes.<br>Not published<br>1932059 | N | MON |
| IIA 7.1.1<br>IIA 7.2.1 | Matla, Y.A.<br>Vonk, J.W. | 1993 | Rate of degradation and metabolism of [14C]-glyphosate in soil under aerobic conditions<br>Report No: IMW-92-0022-01<br>IMW-R 93/047<br>Date: April 13, 1994<br>GLP: Yes<br>Not published<br>2151389 | N | MON<br>ADM |
| IIA 7.1.1 | Honegger, J.L. | 1992 | Review of the aerobic metabolism of [14C]-Glyphosate in soil. Addendum to Monsanto Report No PTRL 368<br>Date: January 1992<br>GLP: No<br>Not published<br>2325652 | N | MON |
| IIA 7.1.1 | Kesterson, A.L.<br>Atkins, R.H. | 1991 | Aerobic metabolitsm of [14C]-Glyphosate in sandy loam and silt loam soils with biometer flask<br>Report No. MSL-10578<br>Date: January 1, 1991<br>GLP: Yes<br>Not published<br>1932061 | N | MON |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| IIA 7.1.1 | McBain, J.B. | 1985 | Metabolism of SC-0224 in soil: Fate of the anion moiety<br>Report no PSM 186<br>DOC 100465 MRC 85-11<br>Date: 1985<br>GLP: No<br>Not published<br>1052660 | N | SYD |
| IIA 7.1.1 | McBain, J.B.<br>Benedikt, S.K.<br>Dennison, J.E.<br>Ichien, J.A. | 1985 | Metabolism of SC-0224 in soil: Fate of the cation moiety<br>Report no PSM 179<br>DOC 100464 MRC 85-10<br>Date: 1985<br>GLP: No<br>Not published<br>1052661 | N | SYD |
| IIA 7.1.2 – *new study (not submitted)* | McEwen, A. | 2004* | [14C]-Glyphosate: Anaerobic soil metabolism (rate and route of degradation in a sandy loam soil)<br>Report No.: SNN/05<br>Date: July 19, 2004<br>GLP: yes<br>Not published | N | SIN |
| IIA 7.1.2/01 - *newly submitted with renewal dossier* | Lowrie, C.,<br>Clayton, M.A.,<br>Paterson, K. | 2003 | The degradation of [14C]-glyphosate in soil under anaerobic conditions<br>Report No.: 22581 (study);<br>MSL-18018 (sponsor)<br>Date: July 08, 2003<br>GLP: yes<br>Not published<br>2310253 | N | MON |
| IIA 7.1.2 – *new study (not submitted)* | Knoch, E. | 2003* | Route and rate of anaerobic soil degradation of glyphosate according to SETAC, Part 1, 1.2 (March 1995)<br>Report No.: IF-02/00005224<br>Date: February 7, 2003<br>GLP: yes<br>Not published | N | ALS |
| IIA 7.1.2 | Keirs, D.C.<br>Mackie, J.A. | 2000 | The degradation of [14C]-Glyphosate in soil under anaerobic conditions, 25 July 2000<br>Inveresk no. 395941<br>BOD2000-1308<br>Date: February 7, 2003<br>GLP: Yes<br>Not published<br>1939595 | N | MON |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| IIA 7.1.2 | McBain, J.B. | 1987 | SC-0224: Anaerobic soil metabolism study: Fate of the Carboxymethylaminomethyl-phosphonic acid moiety<br>Report No: PSM 217<br>Date: 1987<br>GLP: No<br>Not published<br>1031560 | N | SYD |
| IIA 7.1.3 | Rueppel, M.L.<br>Brightwell, B.B. | 1972 | The degradation and metabolism of MON-0573 in soil<br>Report No AgRR269<br>Date: October 26, 1972<br>GLP: N<br>Not published<br>1932065 | N | MON |
| IIA 7.1.3 – *new study (not submitted)* | Esser | 1996* | P-Methylene-14C] Glyphosate Acid: Photo-degradation in-on Soil by Natural Sunlight (WRC-96-066)<br>ASF71/0159 ! RR 96-046B<br>GLP: Yes<br>not published<br>2154348 | N | SYD |
| IIA 7.1.3 | Van Dijk, A.<br>Burri, R. | 1993 | Photodegradation study of 14C-Glyphosate on soil<br>Report No RCC 315764<br>Date: 1993<br>GLP: Yes<br>Not published<br>1932050 | N | MON |
| IIA 7.1.3 | Shepler, K.<br>McGovern, P.A. | 1989 | Photodegradation of [$^{14}$C]-Glyohosate in/ on soil by natural sunlight<br>MSL-9271 ! No. 972<br>Date: 1989<br>GLP: Yes<br>Not published<br>1932096 | N | MON |
| IIA 7.1.3 | McGahen, L. | 1983 | The photodegradation of SC-0224 applied to soil<br>PSM 137<br>BOD95-00420<br>Date: 1983<br>GLP: No<br>Not published<br>1052662 | N | SYD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| IIA 7.1.3 | Brightwell, B.B. | 1978 | Photodegradation an anaerobic aquatic metabolism of Glyphosate, N-phosphonomethylglycine<br>Report No MSL-0598<br>Date: 1978<br>GLP: No<br>Not published<br>1932052 | N | MON |
| IIA 7.2.1/01 *- newly submitted with renewal dossier* | Ponte, M. | 2010 | Rate of degradation of [$^{14}$C]glyphosate in three soils incubated under aerobic conditions<br>Report No.: PTRL1946W-1 (study); MSL0023071 (sponsor)<br>Date: October 6, 2010<br>GLP: yes<br>Not published<br>2310255 | Y | EGT |
| IIA 7.2.1/02 *- newly submitted with renewal dossier* | Mamouni, A. | 2002 | First amendment (addendum) to report - Degradation of $^{14}$C-glyphosate in three soils incubated under aerobic conditions<br>RCC Study No. : 271618<br>Date: June 3, 2002<br>GLP: No<br>Not published<br>2437068 | Y | CHE |
| IIA 7.2.1/03 *- newly submitted with renewal dossier* | Dorn, S. | 2012 | Kinetic modelling analysis of the degradation behaviour of glyphosate and its metabolite AMPA from aerobic laboratory soil degradation studies<br>Report No.: 303604-1<br>Date: May 3, 2012<br>GLP: no (kinetic evaluation: does not contain laboratory work)<br>Not published<br>2315991 | Y | EGT |
| IIA 7.2.1 | Galicia, H.<br>Flückiger, J. | 1993 | Degradation of 14C-glyphosate in three soils incubated under aerobic conditions<br>Report NO RC 271618<br>Date: April 7, 1993<br>GLP: yes<br>Not published<br>1932046 | N | MON<br>CHE |
| IIA 7.2.1 | Schneider, E. | 1991 | Behaviour of Glyphosate in water and soil, Part 5 Degradation in soil<br>Report no: PR93/009<br>Date: 1991<br>GLP: yes<br>Not published<br>1062355 | N | ADM |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| IIA 7.2.1 | Lewis, C.J.<br>Turnbull, G. | 1992 | Glyphosate-Trimesium: Soil dissipation study and Glyphosate-Trimesium: Soil dissipation study (inkl. Addendum to final report)<br>Study No: 7043-38/165<br>Date: April 1992<br>GLP: No<br>Not published<br>1052659 | N | SYD |
| IIA 7.2.1 | Runnalls, J.K. | 1991 | Glyphosate-Trimesium: Laboratory degradation in four soils<br>Report no: RJ1064B<br>Date: 1991<br>GLP: No<br>Not published<br>2154349 | N | SYD |
| IIA 7.3.1/01 - *newly submitted with renewal dossier* | Kreschnak, C | 2012 | Kinetic modelling analysis of the degradation behaviour of glyphosate and its metabolite AMPA in field soil dissipation studies<br>Report No.: 303604-2<br>Date: April 27, 2012<br>GLP: no (kinetic evaluation: does not contain laboratory work)<br>Not published<br>2315993 | Y | EGT |
| IIA 7.3.1 | Schulz, H. | 1992 | Field soil dissipation rate determination of Glyphosate 360 (Diegten, Switzerland)<br>RCC 273565<br>BOD95-00515<br>GLP: yes<br>Not published<br>1932128 | Y | MON CHE |
| IIA 7.3.1 | Schulz, H | 1992 | Field soil dissipation rate determination of Glyphosate 360 (Ekergingen, Switzerland<br>RCC 280416<br>BOD95-00514<br>GLP: yes<br>Not published<br>1932131 | N | MON CHE |
| IIA 7.3.1 | Schulz, H | 1992 | Field soil dissipation rate determination of Glyphosate 360 (Bad Krozingen, Germany)<br>RCC 280427<br>BOD95-00512<br>GLP: yes<br>Not published<br>1932073 | N | MON CHE |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| IIA 7.3.1 | Schulz, H | 1992 | Field soil dissipation rate determination of Glyphosate 360 (Menslage, Germany)<br>RCC 280438<br>BOD95-00513<br>GLP: yes<br>Not published<br>1932133 | N | MON CHE |
| IIA 7.3.1 | Hill, S.E. | 1992 | Glyphosate-Trimesium: Soil dissipation study (Germany 1990 – 1992)<br>RJ1294B<br>BOD95-00424<br>GLP: yes<br>Not published<br>2154352 | N | SYD |
| IIA 7.4.1/01 *- newly submitted with renewal dossier* | van Noorloos, B.,<br>Slangen, P.J. | 2001 | Adsorption/desorption of glyphosate on soil<br>Report No.: 320164 (study)<br>Date: December 10, 2001<br>GLP: yes<br>Not published<br>2310257 | Y | AGC |
| IIA 7.4.1/02 *- newly submitted with renewal dossier* | Thomas, P.K., Lane M.C.G.6 | 1996 | Glyphosate acid: adsorption and desorption properties in 5 soils<br>Report No: RJ2152B<br>Date: September 12, 1996<br>GLP: yes<br>Not published<br>2310260 | N | SYD |
| IIA 7.4.1/03 *- newly submitted with renewal dossier* | van der Kolk, J. | 1996 | Glyphosate: determination of adsorption and desorption properties based on the OECD method 106<br>Report No.: 95-111-1020 (study)<br>Date: April 26, 1996<br>GLP: yes<br>Not published<br>2310258 | Y | SNN |
| IIA 7.4.1/04 *- additionally included to the assess-ment by the RMS* | Schneider, E. | 1993 | Glyphosate isopropylamine salt adsorption/desorption<br>PR93/017<br>Date: June 17, 1993<br>GLP: yes<br>Not published<br>1027844 | N | ADM |
| IIA 7.4.1 | Waring, D.M. | 1992 | 14C-Glyphosate : Adsorption/desorption in soil<br>Report 7180<br>GLP: Yes<br>Not published<br>1932008 | N | MON CHE |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| IIA 7.4.1 | Livingston, C.L.<br>Chott, K.H.<br>Schafer, T.R. | 1986 | Australian notification base testing requirements for N- (Phosphonomethyl) Iniodiacetic Acid (Glaphosate Intermediate), Part II: Adsoption/Desoption Data.<br>MSL-5393 ! Report 7863<br>GLP: N<br>Not published<br>2325589 | N | MON |
| IIA 7.4.2/01 - *newly submitted with renewal dossier* | Knoch, E. | 2003 | Aminomethylphosphonic acid: adsorption-desorption<br>Report No.: IF-02/00005220 (study)<br>Date: February 07, 2003<br>GLP: yes<br>Not published<br>2310262 | N | ALS |
| IIA 7.4.2/02 - *newly submitted with renewal dossier* | Wittig, A. | 2002 | Adsorption/desorption behaviour of AMPA on soil according OECD 106 (adopted January 2000)<br>Report No.: PR02/007 (study)<br>Date: June 24, 2002<br>GLP: yes<br>Not published<br>2310264 | N | ADM |
| IIA 7.4.2/03 - *newly submitted with renewal dossier* | Muller, K.,<br>Lane, M.C.G. | 1996 | Glyphosate acid: adsorption and desorption properties of the major metabolite, AMPA, in soil<br>Report No: RJ2129B<br>Date: August 27, 1996<br>GLP: yes<br>Not published<br>2310266 | N | SYD |
| IIA 7.4.2 | Weeden, D.M. | 1993 | Aminomethylphosphonic acid – Determination of the sorption and desorption properties.<br>MSL-12703<br>Date: 1992<br>GLP: Yes<br>Not published<br>2325586 | N | MON |
| IIA 7.4.3 | Burgener, A. | 1992 | Leaching characteristics of formulated 14C-Glyphosate in three soils<br>RCC 281430<br>Date: 1992<br>GLP: Yes<br>Not published<br>1932122 | N | MON<br>CHE |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| IIA 7.4.3 | McGinley, A.M. | 1992 | Glyphosate-Trimesium: Leaching of material in soil columns.<br>RJ247B, BOD95-00422<br>Date: 1992<br>GLP: Yes<br>Not published<br>1052676 | N | SYD |
| IIA 7.4.3 | Schneider, E. | 1991 | Behaviour of Glyphosate in water and soil, Part 4 Leaching behaviour, second performance<br>PR90/002<br>Date: 1991<br>GLP: Yes<br>Not published<br>1062361 | N | ADM |
| IIA 7.4.3 | Brightwell, B.B.<br>Malik, J.M. | 1978 | Solubility, volatility, adsorption and partition coefficients, leaching and aquatic metabolism of MON 0573 and MON 0101<br>MSL-0207<br>Date: 1978<br>GLP: Yes<br>Not published<br>1932009 | N | MON |
| IIA 7.4.5/01 - *newly submitted with renewal dossier* | McLaughlin, S. | 1996 | Determination of the mobility of aged[$^{14}$C]-glyphosate residues in one soil<br>Springborn Laboratories, Horn, Switzerland<br>Report No.: 96-121-1020 (study)<br>Date: June 14, 1996<br>GLP: yes<br>Not published<br>2310268 | N | SIN |
| IIA 7.4.5 | Waring, A.R.<br>Purser, D. | 1992 | (14C)-Glphoysate-Trimesium: Aged soil leaching<br>7113-38/172<br>Datw: 1992<br>GLP: No<br>Not published<br>1052677 | N | SYD |
| IIA 7.4.9 *new study (not submitted)* | De Vries, R. | 1997* | Determination of the rate of volatilization of glyphosate from soil and plant surface (french beans)<br>Report No.: 191071<br>Date: 1997<br>GLP: yes<br>Not published | Y | AGC |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| IIA 7.4.9 *new study (not submitted)* | Schneider, E. | 1996* | Glyphosate: Determination of volatilisation - Field study<br>Report No.: PR94/032 (study);<br>Date: 1996<br>GLP: yes<br>Not published | N | ADM |
| IIA 7.4.9 | Guth, S., Knack-er, Th., Schall-naß, H., Steiper, M | 1993 | Determination of the volatilization of Glyphosate 360 SL from soil and plants<br>Study no. BE_EA-49-92-01-Vol-1<br>Date: 1993<br>GLP: No<br>Not published<br>1939443 | N | MON |
| IIA 7.4.9 | Schulz, J | 1995 | Final report - About testing volatilization behavior of TAIFUN forte in bush beans under field conditions<br>Report No.: AGR/RV-95/ FSG<br>Date: 1995<br>GLP: Yes<br>Not published<br>1552734 | N | ADM |
| IIA 7.5 | Burgener, A. | 1990 | Hydrolysis determination of $^{14}$C-glyphosate (PMG) at different pH values<br>RCC 238500<br>Date: 1990<br>GLP: Yes<br>Not published<br>2442046 | N | MON |
| IIA 7.5 | Myers, H.W. Lee, K.S. Patchett, G.G Katague, D.B. | 1983 | Hydrolysis and photolysis degradation studies of SC-0224<br>WRC 83-53<br>Date: 1983<br>GLP: No<br>Not published<br>1031582 | N | SYD |
| IIA 7.6 | Van Dijk, A. | 1992 | Photodegradation study of 14C-Glyphosate in wate rat pH 5, 7 and 9<br>RCC 250751<br>Date: 1992<br>GLP: Yes<br>Not published<br>2252558 | N | MON |
| IIA 7.6 | Ericson, L.J. | 1992 | Glyphosate-Trimesium- Aquous photolysis.<br>RR91-065B<br>Date: 1992<br>GLP: No<br>Not published<br>1052518 | N | SYD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| IIA 7.7/ 01 *new study (not submitted)* | Feil, J. | 2009* | Ready biodegradability of glyphosate in a manometric respirometry test<br>Report No.: 53981163<br>Date: December 10, 2009<br>GLP: yes<br>Not published | Y | NUF |
| IIA 7.7 | Carrick, T.R. | 1991 | A study to evaluate ready biodegradability of Glyohosate technical<br>FH-OECD-09RB<br>Date. 1991<br>GLP: Yes<br>Not published<br>2325628 | N | MON |
| IIA 7.7 | Wüthrich, V. | 1990 | Glyphosate technical: Inherent biodegradability, “Modified Zahn-Wellens test”<br>RCC 271653<br>Date: 1990<br>GLP: Yes<br>Not published<br>1934369 | N | MON |
| IIA 7.7 | Anonymous | 1990 | Glyphosate COD and biodegradability<br>Report No.: n.a.<br>Date: 1990<br>GLP: No<br>Not published<br>1934372 | N | MON |
| IIA 7.7 | Brightwell, B.B., Malik, J.M. | 1978 | Solubility, volatility, adsorption and partition coefficients, leaching and aquatic metabolism of MON 0573 and Mon 0101<br>Report No: MSL-0207<br>Date: 1978<br>GLP: No<br>Not published<br>1932009 | N | MON |
| IIA 7.7 | Henshall, A., Brightwell, B.B | 1972 | The degradation and metabolism of MON 0573 in river and lake bottom sediments and surface water<br>Report No. 276<br>Date: 1972<br>GLP: No<br>Not published<br>1934355 | N | MON |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| IIA 7.8.3/01 - *newly submitted with renewal dossier* | Feser-Zügner, W. | 2002 | Aminomethylphosphonic acid: fate and behaviour in water-sediment<br>A&M Labor für Analytik und Metabolismusforschung Service GmbH, Bergheim, Germany<br>Report No.: A &M 01-106 (study)<br>Date: November 12, 2002<br>GLP: yes<br>Not published<br>2310270 | N | FSG |
| IIA 7.8.3/02 - *newly submitted with renewal dossier* | Knoch, E. | 2003c | Aerobic aquatic degradation of aminomethylphosphonic acid according to SETAC, part 1.8.2 (March 1995)<br>CALLIOPE S.A.S. (sponsor)<br>Institut Fresenius Chemische und Biologische Laboratorien AG , Herten, Germany<br>Report No.: IF-02/00005222 (study)<br>Date: February 07, 2003<br>GLP: yes<br>Not published<br>2310273 | N | ALS |
| IIA 7.8.3/03- *newly submitted with renewal dossier* | McEwen, A. | 2004b | [$^{14}$C]-AMPA: Degradation and fate in water/sediment systems<br>BioDynamics Research Limited, Northhamptonshire, UK<br>Report No.: SNN/03 (study)<br>Date: June 7, 2004<br>GLP: yes<br>Not published<br>2310275 | Y | SIN |
| IIA 7.8.3/04- | Heintze, A. | 1996* | Degradation and metabolism of glyphosate in two water/sediment systems under aerobic conditions - Laboratory test<br>Report No.: 96138/01-CUWS (study)<br>Date: December 16, 1996<br>GLP: yes<br>Not published<br>1939626 | Y | MON |
| IIA 7.8.3/05 | Partsch, S. | 2012 | Kinetic modelling analysis of the disappearance behaviour of glyphosate and its metabolite AMPA in water-sediment studies<br>Report No.: 303604-3<br>Date: April 30, 2012<br>GLP: no (kinetic evaluation: does not contain laboratory work)<br>Not published<br>2316005 | Y | EGT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| IIA 7.8.3 | Bowler, D.T. and Johnson, J. A. | 1999 | Glyphosate-trimesium: Degradation of 14C-PMG labelled compound in nautral water-sediment systems under laboratory conditions<br>Report No.: RR99-039B (study)<br>Date: November 4, 1999<br>GLP: yes<br>Not published<br>2154357 | N | SYN |
| IIA 7.8.3 | Knoch, E. and Spirlet, M. | 1999 | Aminomethylphosphonic acid: Water/sediment Metabolism<br>Report No.: IF-98114727 -00 (study)<br>Date: September 20,1999<br>GLP: yes<br>Not published<br>1934122 | N | MON |
| IIA 7.8.3 | Steginsky, C.A. and Powell, J.M. | 1995 | Determination of the degradability and persistence of 14C-Glyphosate in the water/sediment-system (Amendment)<br>Report No.: ET01SE01 (study)<br>Date: August 1, 1995<br>GLP: yes<br>Not published<br>1934389 | N | MON |
| IIA 7.8.3 | Möllerfeld, J. and Römbke, J. | 1993 | Determination of the degradability and persistence of $^{14}$C-Glyphosate in the water/sediment-system<br>Report No.: ET01SE01 (study)<br>Date: May 17, 1993<br>GLP: yes<br>Not published<br>193,4113 | N | MON |
| IIA 7.8.3 | Muttzall, P.I. | 1993 | Water/sediment biodegradation of [14C]-glyphosate<br>Report No.: IMW-92-0022-02<br>Date: March 18, 1993<br>GLP: yes<br>Not published<br>1982136 | N | ADM<br>AGC<br>LUX |
| KIIIA1 9.6.4/01 - *newly submitted with renewal dossier* | Jönsson, J. | 2012 | Review of sustainable water treatment<br>UC8408v2 MON<br>GLP: N, published: N<br>2316001 / | Y | EGT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIIA1 9.6.4/ 02 - *newly submitted with renewal dossier* | Jönsson, J., Camm, R. | 2010 | Removal of Glyphosate and AMPA by water treatment<br>UC8164v2 MON<br>GLP: N, published: N<br>2316003 / | Y | EGT |
| IIIA 9.4/01<br>IIIA 9.5/01 - *newly submitted with renewal dossier* | Anyusheva, M. | 2012 | Predicted environmental concentrations of glyphosate and its metabolite AMPA in soil ($PEC_s$) following application to various crops in the EU<br>Report No.: 303605-1<br>Date: April 25, 2012<br>GLP: no (modelling study: does not contain laboratory work)<br>Not published<br>2315997 | Y | EGT |
| IIIA 9.6/01 - *newly submitted with renewal dossier* | Anyusheva, M. | 2012 | Predicted environmental concentrations of glyphosate and its metabolite AMPA in groundwater ($PEC_{gw}$) using FOCUS PEARL 4.4.4 and FOCUS PELMO 4.4.3 following application to various crops in the EU<br>Report No.: 303605-2<br>Date: April 25, 2012<br>GLP: no (modelling study: does not contain laboratory work)<br>Not published<br>231599 | Y | EGT |
| IIIA 9.7/01<br>IIIA 9.8/01 - *newly submitted with renewal dossier* | Anyusheva, M. | 2012 | Predicted environmental concentrations of glyphosate and its metabolites AMPA and HMPA in surface water (PECsw) and sediment (PECsed) following application to various crops in the EU<br>Report No.: 303605-3<br>Date: April 27, 2012<br>GLP: no (modelling study: does not contain laboratory work)<br>Not published<br>2316007 | Y | EGT |
| IIA 7.12/01 - *newly submitted with renewal dossier* | Calliera, M., Ferrari, F., Lamastra, L. | 2011 | Investigation of the potential glyphosate groundwater contamination in Lombardia region (North Italy)<br>Aeiforia Srl, Fidenza, Italy<br>Report No.: -<br>Date:20 October 2011<br>GLP: no (literature study: does not contain laboratory work)<br>Published<br>2310280 | N | LIT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| IIA 7.12/02 - *newly submitted with renewal dossier* | Schmidt, B., Reichert, N. | 2006 | Clarification of well-related findings of glyphosate and AMPA in groundwater<br>SGS Institut Fresenius GmbH, Taunusstein, Germany<br>Report No.: IF-06/00603024 (study)<br>Date: 14 December 2006<br>GLP: no (literature study: does not contain laboratory work)<br>Not Published<br>2310282 | N | MON |
| IIA 7.12/03 - *newly submitted with renewal dossier* | Franke, A.C., Groeneveld, R.M.W., Kempenaar, C. | 2010 | Evaluatie van metingen van glyfosaat en AMPA in grondwater in Nederland (Evaluation of glyphosate and AMPA measurements in groundwater in The Netherlands)<br>Plant Research International, Wageningen UR, The Netherlands<br>Report No.: 354<br>Date: October 2010<br>GLP: no (literature study: does not contain laboratory work)<br>Not Published<br>2310284 | N | LIT |
| IIA 7.12/04 - *newly submitted with renewal dossier* | Carter, A., Pepper, T. | 2005 | An investigation of reported borehole contamination in the Vemmenhög Catchment, Sweden<br>ADAS UK Ltd, Nottinghamshire, England<br>Report No.: -<br>Date: December 2005<br>GLP: no (literature study: does not contain laboratory work)<br>Not Published<br>2310285 | N | MON |
| IIA 7.12/05 - *newly submitted with renewal dossier* | Anonymous | 2012 | Analysis of groundwater contamination with glyphosate/AMPA<br>SCE Aménagement et Énvironnement, Nantes, France<br>Report No.: -<br>Date: February 2012<br>GLP: no (desk study: does not contain laboratory work)<br>Not published<br>2310289 | N | EGT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| IIA 7.12/06 - *newly submitted with renewal dossier* | Horth, H. | 2012 | Survey of glyphosate and AMPA in groundwaters and surface waters in Europe<br>HoHQ, UK<br>Report No.: -<br>GLP: no (desk study: does not contain laboratory work)<br>Not published<br>2310291 | N | EGT |
| IIA 7.12/ - *additionally included to the assess-ment by the RMS* | Sanchís, J., Kantiani, L., Rubio, M.L.F., Ginebreda, A., Fraile, J., Garrido, T., Farré, M.** | 2012 | Erratum to:Determination of glyphosate in groundwater samples using an ultrasensitive immunoassay and confirmation by on-line solid-phase extraction followed by liquid chromatography coupled to tandem mass spectrometry<br>Anal Bioanal Chem 404, 617<br>GLP: N, published: Y<br>2537361 | N | LIT |
| IIA 7.12 - *additionally included to the assess-ment by the RMS* | Anonymous** | 2011 | Berichte zu Pflanzenschutzmitteln 2009 - Jahresbericht Pflanzenschutz-Kontrollprogramm<br>BVL-Reporte 5, 1-33<br>GLP: N, published: Y<br>2537364 | N | LIT |
| IIA 7.12 - *additionally included to the assess-ment by the RMS* | Anonymous** | 2012 | Berichte zu Pflanzenschutzmitteln 2010 - Jahresbericht Pflanzenschutz-Kontrollprogramm<br>BVL-Reporte 6, 1-37<br>GLP: N, published: Y<br>2537365 | N | LIT |
| IIA 7.12/07 - *newly sub-mitted with renewal dossier* | Horth, H., Gendebien A. | 2008 | Review of glyphosate and AMPA in drinking water in selected European countries<br>WRc Swindon, Wiltshire, UK<br>Report No.: UC7729.04<br>Date: September 2008<br>GLP: no (literature review: does not contain laboratory work)<br>Published<br>2310278 | N | EGT |

* not submitted by the applicant
** open literature

The open literature is listed in B.8.11.

**Codes of owner**

ADM ADAMA AGAN Ltd
AGC AgriChem B.V.

| | |
|---|---|
| ALS | Arysta LifeScience S.A.S |
| CHE | Cheminova A/S |
| EGT | European Glyphosate Task Force AIR 2 |
| FSG | Feinchemie Schwebda GmbH |
| LUX | LUXAN B.V. |
| MON | Monsanto Europe S.A./N.V |
| NUF | Nufarm GmbH & Co KG |
| SIN | Sinon Corporation |
| SYD | Syngenta Agro GmbH |
| LIT | Published literature |

**B.9 Ecotoxicology**

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 8.1.1 (OECD) | Johnson, A. J. | 1997 | Glyphosate acid. Acute oral toxicity (LD50) to Bobwhite quail<br>ISN 400/963858 SYN<br>GLP: Y, published: N<br>2310906 / | N | SYD |
| KIIA 8.1.1 (OECD) | Nolan-Smith, S. | 1996 | Glyphosate: Acute oral toxicity to Japanese Quail<br>1413/4-1011 NUF<br>GLP: Y, published: N<br>2310909 / | N | NUF |
| KIIA 8.1.1 (OECD) | Mello dos Santos, A. E. | 1999 | Avian single-dose acute oral toxicity test in Japanese Quail with the chemical product Glifosate Técnico Nufarm<br>D.8.1 - 382/99 NUF<br>GLP: N, published: N<br>2310910 / | N | NUF |
| KIIA 8.1.1 (OECD) | Nolan-Smith, S. | 1996 | Glyphosate: Acute oral toxicity to Mallard Duck<br>1413/5-1011 NUF<br>GLP: Y, published: N<br>2310912 / | N | NUF |
| KIIA 8.1.1 (OECD) | Gallagher, S.P., Grimes, J. L., Beavers, J. B. | 2003 | MON 78623: An acute oral toxicity study with the Northern Bobwhite<br>WL-2002-151 MON<br>GLP: N, published: N<br>2310915 / | Y | MOD |
| KIIA 8.1.4 (OECD) | Frey, L.T., Martin, K.H.Beavers, J.B., Jaber, M. | 1999 | Glyphosate Acid: A reproduction study with the Northern Bobwhite (Colinus virginianus)<br>123-186 SYN<br>GLP: Y, published: N<br>2310916 / | N | SYD |
| KIIA 8.1.4 (OECD) | Frey, L.T., Martin, K.H., Beavers, J.B., Jaber, M. | 1999 | Glyphosate Acid: A reproduction Study with the Mallard (Anas platyrhynchos)<br>123-187 SYN<br>GLP: Y, published: N<br>2310918 / | N | SYD |
| KIIA 8.1.4 (OECD) | Beavers, J.B., Fink. R. | 1978 | One-Generation Reproduction Study - Bobwhite Quail; Glyphosate Technical.<br>139-141 MON<br>GLP: N, published: N<br>2310921 / | N | MOD |
| KIIA 8.1.4 (OECD) | Beavers, J.B., Fink. R. | 1978 | One-Generation Reproduction Study - Mallard Duck; Glyphosate technical.<br>139-143 MON<br>GLP: N, published: N<br>2310923 / | N | MOD |
| KIIA 8.10.1 (OECD) | Franco Perina, V.C. | 2000 | Side-Effects of Glifosate Técnico Nufarm on soil microflora: Carbon and Nitrogen Cycles<br>RF-D1. 113/99 NUF<br>GLP: Y, published: N<br>2311047 / | N | NUF |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 8.10.1 (OECD) | Schulz, L. | 2010 | AMPA - Effects on the Activity of Soil Microflora (Nitrogen and Carbon Transformation Tests)<br>10 10 48 010 C/N GTF<br>GLP: Y, published: N<br>2311050 / | Y | EGT |
| KIIA 8.10.1 (OECD) | Hutcheson, K. | 2014 | Glyphosate technical (MON 77973): Effect on Soil Microbial Nitrogen Transformations<br>CMS-6237<br>GLP: Y, published: N<br>2716673 / | Y | MOD |
| KIIA 8.12 (OECD) | Harnish, W.N. | 1994 | LX1146-02 (Glyphosate techn.) Tier II Non-target plant hazard evaluation - Terrestrial vegetative vigor<br>236 GLY CHE<br>GLP: Y, published: N<br>2311051 / | N | CHE |
| KIIA 8.12 (OECD) | Chetram,R.S., Lucash, K.J. | 1994 | Tier 2 Vegetative vigor nontarget phytotoxicity study using Glyphosate<br>MSL-13320 MON<br>GLP: Y, published: N<br>2311054 / | N | MOD |
| KIIA 8.12 (OECD) | Everett, C.J., Fleming,T.M., Cole , J.F.H. | 1996 | Glyphosate acid: A Tier 2 greenhouse study to athe effects on vegetative vigour of terrestrial n-target plants.<br>RJ2009B SYN<br>GLP: Y, published: N<br>2311055 / | N | SYD |
| KIIA 8.12 (OECD) | Everett, C.J., Fleming , T.M., Cole , J.F.H. | 1996 | Glyphosate acid: A Tier 2 greenhouse study to assess the effects on seedling emergence of terrestrial non-target plants<br>RJ2008B SYN<br>GLP: Y, published: N<br>2311057 / | N | SYD |
| KIIA 8.12 (OECD) | Collings, L., Blake, N. | 2005 | Evaluation of the toxicity of Glyphosate and Paraquat to terrestrial non-target plants<br>CEA.104 ! BX-0928 MON<br>GLP: N, published: N<br>2311060 / | Y | MOD |
| KIIA 8.15 (OECD) | Magor S.E., Daniel, M., Shillabeer, N. | 2000 | Glyphosate technical: Determination of toxicity to Pseudomonas putida<br>BL6889/B SYN<br>GLP: Y, published: N<br>2311061 / | N | SYD |
| KIIA 8.15 (OECD) | Wüthrich, V. | 1990 | Assessment of the acute toxicity of glyphosate technical on aerobic waste-water bacteria<br>277830 CHE<br>GLP: Y, published: N<br>2311064 / | N | CHE |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 8.16.1 (OECD) | Levine, S.L., Orr, T.B. | 2012 | Comparative post-emergence phytotoxicity of AMPA and Glyphosate to crop and annual weed species<br>MSL0024009 MON<br>GLP: N, published: N<br>2312026 / | Y | MOD |
| KIIA 8.16.2 (OECD) | Schneider, K., Staedtler, T. | 2010 | Residues of glyphosate in arthropods after spray application in an arable field - magnitude and time course of residue decline<br>10153 GTF<br>GLP: Y, published: N<br>2312028 / | Y | EGT |
| KIIA 8.2.1 (OECD) | Kent, S.J., Morris, D.S., Caunter, J.E., Cornish, S.K. | 1995 | Glyphosate acid: Acute toxicity to rainbow trout (Oncorhynchus mykiss)<br>BL5552/B SYN<br>GLP: Y, published: N<br>2310924 / | N | SYD |
| KIIA 8.2.1 (OECD) | Kent, S.J.,Caunter, J.E., Morris, D.S., Johnson, P.A. | 1995 | Glyphosate acid: Acute toxicity to Bluegill Sunfish (Lepomis macrochirus)<br>BL5553/B SYN<br>GLP: Y, published: N<br>2310926 / | N | SYD |
| KIIA 8.2.1 (OECD) | Dias Correa Tavares, C.M. | 2000 | Acute Toxicity of Glifosate Técnico Nurfarm to Zebrafish (Brachydanio rerio)<br>RF-D61.47/99 NUF<br>GLP: Y, published: N<br>2310928 / | Y | NUF |
| KIIA 8.2.1 (OECD) | Wetton, P.M., McKenzie, J. | 2006 | Glyphosate Technical: Acute Toxicity to Common Carp (Cyprinus carpio)<br>2060/015 NUF<br>GLP: Y, published: N<br>2310930 / | Y | NUF |
| KIIA 8.2.1 (OECD) | Bogers, M. | 1998 | 96-Hour Acute Toxicity Study in Rainbow trout with (Aminomethyl)Phosphonic Acid (Static).<br>232469 AGC<br>GLP: Y, published: N<br>2310933 / | N | AGC |
| KIIA 8.2.1 (OECD) | Kent, S.J., Sankey, S.A., Shearing, J.M., Caunter, J.E. | 1993 | AMPA: Acute toxicity to rainbow trout (Oncorhynchus mykiss)<br>BL5070/B SYN<br>GLP: Y, published: N<br>2310934 / | N | SYD |
| KIIA 8.2.1 (OECD) | Palmer, S.J., Kendall, T.Z., Krueger, H.O. | 2003 | MON 78623: A 96-hour Static Acute Toxicity Test with the Rainbow Trout (Oncorhynchus mykiss)<br>WL-2002-149 MON<br>GLP: Y, published: N<br>2310937 / | Y | MOD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA-8.2.2 | Schneider, S.Z., Martin, K.H., Kendall, T.Z., Krueger, H.O | 2012 | Glyphosate: Fish Short-Term Reproduction Assay with the Fathead Minnow (Pimephales promelas)<br>707A-102A<br>GLP<br>not published | Y | EGT |
| KIIA 8.2.3 (OECD) | Dias Correa Tavares, C.M. | 2000 | Chronic Toxicity of Glifosate Técnico Nufarm to Zebrafish larvae (Brachydanio rerio)<br>RF-D62.16/99 NUF<br>GLP: Y, published: N<br>2310938 / | Y | NUF |
| KIIA 8.2.4 (OECD) | Hamitou, M. | 2010 | Glyphosate acid: Early life-stage toxicity test with rainbow trout (Oncorhynchus mykiss) under flow-through conditions<br>1005.029.321 CHE<br>GLP: Y, published: N<br>2310941 / | Y | CHE |
| KIIA 8.2.4 (OECD) | Minderhout, T., Kendall, T.Z., Krueger, H.O. | 2011 | AMPA (Aminomethylphosphonic acid): An early life-stage toxicity test with the fathead minnow (Pimephales promelas)<br>WL-2010-328 GTF<br>GLP: Y, published: N<br>2310943 / | Y | EGT |
| KIIA 8.3.1.1 (OECD) | McAllister, W.A., Forbis, A.D. | 1978 | Acute Toxicity of Technical Glyphosate (AB-78-201) to Daphnia magna<br>AB 78-201 MON<br>GLP: N, published: N<br>2310945 / | N | MOD |
| KIIA 8.3.1.1 (OECD) | Wüthrich, V. | 1990 | 48-Hour Acute toxicity of Glyphosate techn. to Daphnia magna (OECD-Immobilization Test)<br>272968 CHE<br>GLP: Y, published: N<br>2310947 / | N | CHE |
| KIIA 8.3.1.1 (OECD) | Franco Perina, V. C. | 2000 | Acute toxicity of glifosate tecnico Nufarm to Daphnia magna<br>RF-D51.39/99 NUF<br>GLP: Y, published: N<br>2310948 / | Y | NUF |
| KIIA 8.3.1.1 (OECD) | Morris, D.S., Kent S.J., Banner, A.J., Wallace, S.J. | 1996 | Glyphosate acid: Acute toxicity to Daphnia magna<br>BL5551/B SYN<br>GLP: Y, published: N<br>2310950 / | N | SYD |
| KIIA 8.3.1.1 (OECD) | Jahnke, M. | 1994 | Acute Toxicity in Daphnia magna; Test Article: 'Glyphosate isopropylamine salt'<br>83-91-0737-00-93 FSG<br>GLP: Y, published: N<br>2310952 / | N | ADM |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 8.3.1.1 (OECD) | Franco Perina, V. C. | 2000 | Acute toxicity of glifosato IPA tecnico Nufarm to Daphnia magna<br>RF-D51.017/00 NUF<br>GLP: Y, published: N<br>2310954 / | Y | NUF |
| KIIA 8.3.1.1 (OECD) | Palmer, S.J., Kendall, T.Z., Krueger, H.O. | 2003 | MON 78623: A 48-Hour Static Acute Toxicity Test with the Cladoceran (Daphnia magna)<br>WL-2002-150 MON<br>GLP: Y, published: N<br>2310957 / | Y | MOD |
| KIIA 8.3.1.1 (OECD) | Bogers, M. | 1998 | Acute Toxicity Study in Daphnia magna with (Aminomethyl)Phosphonic Acid (Static).<br>232471 AGC<br>GLP: Y, published: N<br>2310959 / | N | AGC |
| KIIA 8.3.1.1 (OECD) | Palmer, S.J., Kendall, T.Z., Krueger, H.O. | 2011 | HMPA (Hydroxymethylphosphonic acid): A 48-hour static acute toxicity test with the cladoceran (Daphnia magna)<br>WL-2010-329 GTF<br>GLP: Y, published: N<br>2310961 / | Y | EGT |
| KIIA 8.3.2.1 (OECD) | Magor, S.E., Shillabeer, N. | 1999 | Glyphosate acid: Chronic toxicity to Daphnia magna<br>BL6535/B SYN<br>GLP: Y, published: N<br>2310962 / | N | SYD |
| KIIA 8.3.2.1 (OECD) | Minderhout, T., Kendall, T.Z., Krueger, H.O | 2011 | AMPA (Aminomethylphosphonic acid): A semi-static life cycle toxicity test with the Cladoceran (Daphnia magna)<br>WL-2010-327 GTF<br>GLP: Y, published: N<br>2310965 / | Y | EGT |
| KIIA 8.4 (OECD) | Dias Correa Tavares, C.M | 2000 | Acute toxicity of glifosate tecnico NUFARM to Selenastrum capricornutum<br>RF-D2.44/99 NUF<br>GLP: Y, published: N<br>2310966 / | N | NUF |
| KIIA 8.4 (OECD) | Smyth, D.V., Kent, S.J., Morris, D.S., Morgan, D.J., Magor, S.E. | 1995 | Glyphosate acid: Toxicity to the green alga Selenastrum capricornutum<br>BL5550/B SYN<br>GLP: Y, published: N<br>2310968 / | N | SYD |
| KIIA 8.4 (OECD) | Smyth, D.V., Shillabeer, N., Morris, D.S., Wallace, S.J. | 1996 | Glyphosate acid: Toxicity to blue-green alga Anabaena flos-aquae<br>BL5698/B SYN<br>GLP: Y, published: N<br>2310970 / | N | SYD |
| KIIA 8.4 (OECD) | Smyth, D.V., Kent, S.J., Morris, D.S., Shearing, J.M., Shillabeer, N. | 1996 | Glyphosate acid: Toxicity to the marine alga Skeletonema costatum<br>BL5684/B SYN<br>GLP: Y, published: N<br>2310972 / | N | SYD |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 8.4 (OECD) | Hughes, J. S. | 1987 | The toxicity of Glyphosate technical to Skeletonema costatum<br>1092-02-1100-3 MON<br>GLP: N, published: N<br>2310975 / | N | MOD |
| KIIA 8.4 (OECD) | Smyth, D.V., Kent, S.J., Morris, D.S., Johnson, P.A., Shillabeer, N | 1996 | Glyphosate acid: Toxicity to freshwater diatom Navicula pelliculosa<br>BL5673/B SYN<br>GLP: Y, published: N<br>2310976 / | N | SYD |
| KIIA 8.4 (OECD) | Egeler, P., Baumann, J. | 2002 | A study on the Toxicity of Glyphosate isopropylamine salt 62.5% to Algae (Pseudokirchneriella subcapitata)<br>A-99-02-04 ALS<br>GLP: Y, published: N<br>2310979 / | Y | ALS |
| KIIA 8.4 (OECD) | Desjardins, D., Kendall, T. Z., Krueger, H.O. | 2003 | MON 78623: A 72-hour toxicity test with the freshwater alga (Selenastrum capricornutum)<br>WL-2002-148 MON<br>GLP: Y, published: N<br>2310983 / | Y | MOD |
| KIIA 8.4 (OECD) | Bogers, M. | 1998 | Fresh Water Algal Growth Inhibition Test with (Aminomethyl)Phosphonic Acid<br>232458 AGC<br>GLP: Y, published: N<br>2310985 / | N | AGC |
| KIIA 8.4 (OECD) | Porch, J.R. Kendall, T.Z., Krueger, H.O. | 2011 | HMPA (hydroxymethylphosphonic acid): A 72-hour toxicity test with the freshwater alga (Pseudokirchneriella subcapitata)<br>WL-2010-330 ! 139A-396A GTF<br>GLP: Y, published: N<br>2310987 / | Y | EGT |
| KIIA 8.6 (OECD) | Smyth, D.V., Kent, S.J., Morris, D.S., Cornish, S.K., Shillabeer, N | 1996 | GLYPHOSATE ACID: Toxicity to duckweed (Lemna gibba)<br>BL5662/B SYN<br>GLP: Y, published: N<br>2310988 / | Y | SYD |
| KIIA 8.6 (OECD) | Scheerbaum, D. | 1999 | Glyphosate 62% IPA-Salt, aquatic plant toxicity test using Lemna gibba<br>980909FH FSG<br>GLP: Y, published: N<br>2310990 / | N | ADM |
| KIIA 8.6 (OECD) | Mallett, M.J., Turnbull, G. | 2002 | IPA Salt of Glyphosate: Effects on Lemna minor<br>CEMR-1873 SIN<br>GLP: Y, published: N<br>2310992 / | Y | SIN |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 8.6 (OECD) | Wenzel, A | 2012 | Effect of MON77973 (Glyphosate acid) on the Growth of Myriophyllum aquaticum in the Presence of Sediment. Test with a subsequent Recovery Period<br>CHE-015/4-80/A GTF<br>GLP: Y, published: N<br>2310995 / | Y | EGT |
| KIIA 8.6 (OECD) | Wenzel, A. | 2012 | Effect of AMPA (Aminomethylphosphonic acid) on the Growth of Myriophyllum aquaticum in the Presence of Sediment, with a subsequent Recovery Period<br>CHE-022/4-80/A GTF<br>GLP: Y, published: N<br>2310997 / | Y | EGT |
| KIIA 8.6 (OECD) | Porch, J.R., Kendall, T.Z., Krueger, H.O. | 2011 | HMPA (hydroxymethylphosphonic acid): A 7-day static-renewal toxicity test with Duckweed (Lemna gibba G3)<br>139A-397 GTF<br>GLP: Y, published: N<br>2310999 / | Y | EGT |
| KIIA 8.7.1 (OECD) | Kleiner, R. | 1995 | Testing Toxicity to Honeybee - Apis mellifera L. (laboratory) according to EPPO Guideline No 170. Glyphosate (tec.)<br>95 10 48 065 FSG<br>GLP: Y, published: N<br>2311000 / | N | ADM |
| KIIA 8.7.1 (OECD) | Weyman, G. S. | 1996 | Glyphosate: Acute contact and oral toxicity to honeybees<br>1413/3-1018 NUF, CHE<br>GLP: Y, published: N<br>2311002 / | N | NUF CHE |
| KIIA 8.7.1 (OECD) | Thompson, H.M. | 1998 | Glyphosate Acid: Acute Contact and Oral Toxicity to Honey Bees (Apis mellifera)<br>FN9700 SYN<br>GLP: Y, published: N<br>2311004 / | N | SYD |
| KIIA 8.7.1 (OECD) | van der Steen, J.J.M. | 1995 | Honey Bees (Apis mellifera L.), oral toxicity study in the laboratory with Glyphosate<br>141907 AGC<br>GLP: Y, published: N<br>2311007 / | N | AGC |
| KIIA 8.7.1 (OECD) | Halsall, N. | 2003 | Laboratory bioassays to determine acute oral and contact toxicity of MON 78623 to the honeybee, Apis mellifera<br>MON-02-10 ! MT-2002-108 MON<br>GLP: Y, published: N<br>2311012 / | Y | MOD |
| KIIA 8.7.2 (OECD) | van der Steen, J.J.M. | 1995 | Honey Bees (Apis mellifera L.), contact toxicity study in the laboratory with Glyphosate<br>142335 AGC<br>GLP: Y, published: N<br>2311009 / | N | AGC |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 8.7.2 (OECD) | Franco Perina, V.C. | 2000 | Acute Contact Toxicity of GLIFOSATO IPA TECHNICO NUFARM to Honey Bees (Apis mellifera L.)<br>RF-D4.017/00 NUF<br>GLP: Y, published: N<br>2311010 / | N | NUF |
| KIIA 8.7.2 (OECD) | Kleiner, R. | 1995 | Testing Toxicity to Honeybee - Apis mellifera L. (laboratory) according to EPPO Guideline No 170. Glyphosate (tec.)<br>95 10 48 065 FSG<br>GLP: Y, published: N<br>2311014 / | N | ADM |
| KIIA 8.7.2 (OECD) | Weyman, G.S. | 1996 | Glyphosate: Acute contact and oral toxicity to honeybees<br>1413/3-1018 NUF, CHE<br>GLP: Y, published: N<br>2320519 / | N | NUF CHE |
| KIIA 8.7.2 (OECD) | Thompson, H.M. | 1998 | Glyphosate Acid: Acute Contact and Oral Toxicity to Honey Bees (Apis mellifera)<br>FN9700 SYN<br>GLP: Y, published: N<br>2320520 / | N | SYD |
| KIIA 8.7.2 (OECD) | Halsall, N. | 2003 | Laboratory bioassays to determine acute oral and contact toxicity of MON 78623 to the honeybee, Apis mellifera<br>MON-02-10 ! MT-2002-108 MON<br>GLP: Y, published: N<br>2320521 / | Y | MOD |
| KIIA 8.7.3 (OECD) | Thompson, H.M. | 2011 | Glyphosate: Study to determine potential exposure of honeybee colonies to residues under semi-field conditions<br>V7YH1002 GTF<br>GLP: Y, published: N<br>2311016 / | Y | EGT |
| KIIA 8.7.4 (OECD) | Thompson, H.M. | 2012 | Glyphosate: Evaluating potential effects on honeybee brood (Apis mellifera) development<br>V7YH1001 GTF<br>GLP: Y, published: N<br>2311020 / | Y | EGT |
| KIIA 8.8.2.1 (OECD) | Stevens, J. | 2011 | A rate-response extended laboratory test to determine the effects of MON 52276 on the parasitic wasp, Aphidius rhopalosiphi (Hymenoptera, Braconidae)<br>MON-09-2 ! MT-2009-405 MON<br>GLP: Y, published: N<br>2311022 / | Y | MOD |
| KIIA 8.8.2.2 (OECD) | Fallowfield, L. | 2010 | An extended laboratory bioassay of the effects of MON 52276 on the predatory mite, Typhlodromus pyri (Acari: Phytoseiidae)<br>MON-09-3 ! MT-2009-404 GTF<br>GLP: Y, published: N<br>2311024 / | Y | EGT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 8.8.2.3 (OECD) | Spincer, D. | 2010 | An extended laboratory test to determine the effects of MON 52276 on the ground-active beetle, Aleochara bilineata (Coleoptera, Staphylinidae)<br>MON-09-4 ! MT-2009-403 MON<br>GLP: Y, published: N<br>2311026 / | Y | MOD |
| KIIA 8.9.1 (OECD) | Mallett, M.J. | 2002 | Sinon Glyphosate Technical: The Acute Toxicity to the Earthworm Eisenia foetida<br>CEMR-1875 SIN<br>GLP: Y, published: N<br>2311027 / | Y | SIN |
| KIIA 8.9.1 (OECD) | Moser, T., Römbke, J. | 2000 | AMPA: Acute toxicity of AMPA technical material to the earthworm Eisenia andrei in an artificial soil test<br>F13RA SYN<br>GLP: Y, published: N<br>2311029 / | Y | SYD |
| KIIA 8.9.2 (OECD) | Friedrich, S. | 2009 | MON0139 - Sublethal toxicity to the earthworm Eisenia fetida<br>09 10 48 056 S GTF<br>GLP: Y, published: N<br>2311032 / | Y | EGT |
| KIIA 8.9.2 (OECD) | Heyward, J.C., Mallett, M.J. | 2000 | A laboratory investigation of the effects of Glyphosate and its breakdown product AMPA on reproduction in the earthworm Eisenia fetida<br>CEMR-1173 MON<br>GLP: Y, published: N<br>2311034 / | Y | MOD |
| KIIA 8.9.2 (OECD) | Noack, M. | 2002 | AMPA - Earthworm (Eisenia fetida), effects on eproduction<br>011120FB FSG<br>GLP: Y, published: N<br>2311035 / | Y | ADM |
| KIIA 8.9.2 (OECD) | Servajean, E. | 2003 | Laboratory determination of the side-effects of aminomethyl phosphonic acid (AMPA) on the reproductive performance of earthworms (Eisenia fetida) using artificial soil substrate<br>01-64-077-ES ALS<br>GLP: Y, published: N<br>2311037 / | Y | ALS |
| KIIA 8.9.2 (OECD) | Schulz, L. | 2009 | MON0139 - Effects on the reproduction of the predatory mite Hypoaspis aculeifer<br>09 10 48 058 S GTF<br>GLP: Y, published: N<br>2311040 / | Y | EGT |
| KIIA 8.9.2 (OECD) | Friedrich, S. | 2010 | MON0139 - Effects on the reproduction of the collembolans Folsomia candida<br>09 10 48 057 S GTF<br>GLP: Y, published: N<br>2311042 / | Y | EGT |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIA 8.9.2 (OECD) | Schulz, L. | 2010 | AMPA - Effects on the Reproduction of the Predatory Mite Hypoaspis aculeifer<br>10 10 48 053 S GTF<br>GLP: Y, published: N<br>2311044 / | Y | EGT |
| KIIA 8.9.2 (OECD) | Friedrich, S. | 2010 | AMPA - Effects on the Reproduction of the collembolans Folsomia candida<br>10 10 48 045 S GTF<br>GLP: Y, published: N<br>2311046 / | Y | EGT |
| KIIA-8.16.1 | Schneider, S.Z., Kendall, T.Z., Krueger, H.O. | 2012 | Glyphosate: Amphibian Metamorphosis Assay for the Detection of Thyroid Active Substances<br>707A-103<br>GLP<br>not published | Y | EGT |
| KIIIA1 10.2.2.1 (OECD) | Lintott, D.R. | 1992 | MON 52276: Acute toxicity to rainbow trout, Oncorhynchus mykiss, under Flow-through test conditions<br>TO-91-296<br>GLP: Y, published: N<br>237591 / | Y | MOD |
| KIIIA1 10.2.2.1 (OECD) | Lintott, D.R. | 1992 | MON 52276: Acute toxicity to common carp, Cyprinus carpio, under flow- through test conditions<br>TO-91-298<br>GLP: Y, published: N<br>2317595 / | Y | MOD |
| KIIIA1 10.2.2.2 (OECD) | Lintott, D.R. | 1992 | MON 52276: Acute toxicity to the water flea, Daphnia magna, under flow- through test conditions<br>TO-91-295<br>GLP: Y, published: N<br>2317596 / | Y | MOD |
| KIIIA1 10.2.2.3 (OECD) | Neven, B. | 1992 | Alga, Growth Inhibition Test. Effect of MON 52276 on the Growth of Selenastrum capricornutum<br>LI-91-389<br>GLP: Y, published: N<br>2317597 / | Y | MOD |
| KIIIA1 10.4.2 (OECD) | Baxter, I. | 2001 | Laboratory bioassays to determine acute oral and contact toxicity of MON 52276 to the honeybee, Apis mellifera<br>MON-00-2 version 2 MON<br>GLP: Y, published: N<br>2316011 / | N | EGT |
| KIIIA1 10.6.2 (OECD) | Hoxter, K. A., Smith, G. J. | 1992 | MON 52276: An acute toxicity study with the earthworm in an artificial soil substrate<br>139-306 ! WL-91-272<br>GLP: Y, published: N<br>2317598 / | Y | MON |

| Annex point/ reference number | Author(s) | Year | Title<br>Source (where different from company)<br>Report no.<br>GLP or GEP status (where relevant)<br>Published or not<br>BVL registration number | Data protection claimed<br><br><br>Y/N | Owner |
|---|---|---|---|---|---|
| KIIIA1 10.7.1 (OECD) | Hutcheson, K. | 2012 | MON 52276: Effect on soil microbial activity, Carbon and Nitrogen transformations<br>CEMR-5259 GTF<br>GLP: Y, published: N<br>2316013 / | Y | EGT |
| KIIIA1 10.8.2.1 (OECD) | Dengler, D. | 2002 | Assessment of toxic effects of MON 52276 on aquatic plants using the duckweed Lemna gibba<br>GA-2002-051 MON<br>GLP: Y, published: N<br>2316015 / | Y | EGT |
| KIIIA1 10.8.2.1 (OECD) | Wenzel, A. | 2012 | Effect of MON52276 (Glyphosate formulation) on the growth of Myriophyllum aquaticum in the presence of sediment, with a subsequent recovery period<br>CHE-016/4-80/A GTF<br>GLP: Y, published: N<br>2316017 / | Y | EGT |
| KIIIA1 10.8(OECD) | Bergfield, A. | 2014 | MON 52276: Effects on the Vegetative Vigor of Non-Target Terrestrial Plants (Tier II)<br>80477<br>GLP: Y, published: N<br>2716933 | Y | MOD |

The open literature is listed in B.9.13.

**Codes of owner**

| | |
|---|---|
| ADM | ADAMA AGAN Ltd |
| ALS | Arysta LifeScience S.A.S |
| AGC | AgriChem B.V. |
| CHE | Cheminova A/S |
| EGT | European Glyphosate Task Force AIR 2 |
| NUF | Nufarm GmbH & Co KG |
| MOD | Monsanto Europe S.A./N.V. |
| SIN | Sinon Corporation |
| SYD | Syngenta Agro GmbH |
| LIT | Published Literature |