

SENTINAL SECURITY AUDIT REPORT

Target Scope: None | Scan Mode: STANDARD | Auth: DEV_MODE | Date: September 04, 2026 at 09:36 UTC

Security Score	DAST Coverage	Critical Flaws	High Flaws	Total Findings
95.0/100	100.0% (NOT_APPLICABLE)	32	54	112

2. Executive Summary

****Security Assessment Executive Summary****

****Overall Posture:**** CRITICAL POSTURE

The automated assessment of None identified immediate critical exposures requiring urgent remediation. A total of 112 findings were recorded, including 32 Critical and 54 High severity vulnerabilities.

****Key Risk Highlights:****

- Total Discovered Findings: 112 (Critical: 32, High: 54, Medium: 26, Low: 0)
- Correlated Exploit Chains: 0
- Primary Concern Areas: Cryptographic Failures, Insecure Deserialization, Container Security

Leadership is advised to authorize immediate sprint allocation for remediation of critical issues and enforce automated security gating in CI/CD pipelines.

4. Prioritized Vulnerability & Threat Inventory

Severity & Risk	Engine	Vulnerability & Threat Scenario	Location & Remediation
MEDIUM Risk: 42.1/100 Blast: Information Disclosure &	SAST sentinal-sast	Dockerfile Container Running as Root Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/Dockerfile Fix: Add `USER nonroot` or a dedicated unprivileged user before the ENTRYPOINT/CMD...
MEDIUM Risk: 49.5/100 Blast: Information Disclosure &	SAST sentinal-sast	Use of Broken/Weak Cryptographic Hash (MD5 / SHA-1) Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/aiohttp/client.py Fix: Use SHA-256 / SHA-3 for hashing or Argon2 / bcrypt / PBKDF2 for password storage...
CRITICAL Risk: 99.0/100 Blast: Information Disclosure &	SAST sentinal-sast	Insecure Deserialization via Pickle / Unsafe YAML Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/aiohttp/cookiejar.py Fix: Use `yaml.safe_load()` or JSON for data serialization instead of pickle...
MEDIUM Risk: 49.5/100 Blast: Information Disclosure &	SAST sentinal-sast	Use of Broken/Weak Cryptographic Hash (MD5 / SHA-1) Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/aiohttp/web_ws.py Fix: Use SHA-256 / SHA-3 for hashing or Argon2 / bcrypt / PBKDF2 for password storage...
CRITICAL Risk: 99.0/100 Blast: Information Disclosure &	SAST sentinal-sast	Insecure Deserialization via Pickle / Unsafe YAML Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/anyio/to_process.py Fix: Use `yaml.safe_load()` or JSON for data serialization instead of pickle...

CRITICAL Risk: 99.0/100 Blast: Information Disclosure &	SAST sentinal-sast	Insecure Deserialization via Pickle / Unsafe YAML Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/apscheduler/jobstores/mongodb.py Fix: Use `yaml.safe_load()` or JSON for data serialization instead of pickle...
CRITICAL Risk: 99.0/100 Blast: Information Disclosure &	SAST sentinal-sast	Insecure Deserialization via Pickle / Unsafe YAML Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/apscheduler/jobstores/redis.py Fix: Use `yaml.safe_load()` or JSON for data serialization instead of pickle...
CRITICAL Risk: 99.0/100 Blast: Information Disclosure &	SAST sentinal-sast	Insecure Deserialization via Pickle / Unsafe YAML Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/apscheduler/jobstores/rethinkdb.py Fix: Use `yaml.safe_load()` or JSON for data serialization instead of pickle...
HIGH Risk: 94.3/100 Blast: Database Takeover & Sens	SAST sentinal-sast	Potential SQL Injection via Unsanitized Query Execution Threat: An attacker can supply crafted SQL payloads to bypass authentication barriers, extract proprietary customer PII and database tables, modify financial or user records, or execute ad..	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/apscheduler/jobstores/sqlalchemy.py Fix: Use parameterized queries (e.g. `cursor.execute('SELECT * FROM users WHERE id = %s', (user_id,))`) or an ORM with parameter binding...
CRITICAL Risk: 99.0/100 Blast: Information Disclosure &	SAST sentinal-sast	Insecure Deserialization via Pickle / Unsafe YAML Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/apscheduler/jobstores/sqlalchemy.py Fix: Use `yaml.safe_load()` or JSON for data serialization instead of pickle...
CRITICAL Risk: 99.0/100 Blast: Information Disclosure &	SAST sentinal-sast	Insecure Deserialization via Pickle / Unsafe YAML Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/apscheduler/jobstores/zookeeper.py Fix: Use `yaml.safe_load()` or JSON for data serialization instead of pickle...
MEDIUM Risk: 49.5/100 Blast: Information Disclosure &	SAST sentinal-sast	Use of Broken/Weak Cryptographic Hash (MD5 / SHA-1) Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/cryptography/x509/extensions.py Fix: Use SHA-256 / SHA-3 for hashing or Argon2 / bcrypt / PBKDF2 for password storage...
MEDIUM Risk: 49.5/100 Blast: Information Disclosure &	SAST sentinal-sast	Use of Broken/Weak Cryptographic Hash (MD5 / SHA-1) Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/dns/dnssec.py Fix: Use SHA-256 / SHA-3 for hashing or Argon2 / bcrypt / PBKDF2 for password storage...
MEDIUM Risk: 49.5/100 Blast: Information Disclosure &	SAST sentinal-sast	Use of Broken/Weak Cryptographic Hash (MD5 / SHA-1) Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/dns/entropy.py Fix: Use SHA-256 / SHA-3 for hashing or Argon2 / bcrypt / PBKDF2 for password storage...
CRITICAL Risk: 99.0/100 Blast: Information Disclosure &	SAST sentinal-sast	Insecure Deserialization via Pickle / Unsafe YAML Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/ecdsa/test_eddsa.py Fix: Use `yaml.safe_load()` or JSON for data serialization instead of pickle...
CRITICAL Risk: 99.0/100 Blast: Information Disclosure &	SAST sentinal-sast	Insecure Deserialization via Pickle / Unsafe YAML Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/ecdsa/test_jacobi.py Fix: Use `yaml.safe_load()` or JSON for data serialization instead of pickle...

MEDIUM Risk: 49.5/100 Blast: Information Disclosure &	SAST sentinal-sast	Use of Broken/Weak Cryptographic Hash (MD5 / SHA-1) Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/ecdsa/test_key.s.py Fix: Use SHA-256 / SHA-3 for hashing or Argon2 / bcrypt / PBKDF2 for password storage...
MEDIUM Risk: 49.5/100 Blast: Information Disclosure &	SAST sentinal-sast	Use of Broken/Weak Cryptographic Hash (MD5 / SHA-1) Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/ecdsa/test_pye.cdsa.py Fix: Use SHA-256 / SHA-3 for hashing or Argon2 / bcrypt / PBKDF2 for password storage...
MEDIUM Risk: 49.5/100 Blast: Information Disclosure &	SAST sentinal-sast	Use of Broken/Weak Cryptographic Hash (MD5 / SHA-1) Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/google/protobuf/proto_builder.py Fix: Use SHA-256 / SHA-3 for hashing or Argon2 / bcrypt / PBKDF2 for password storage...
MEDIUM Risk: 49.5/100 Blast: Information Disclosure &	SAST sentinal-sast	Use of Broken/Weak Cryptographic Hash (MD5 / SHA-1) Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/httpx/_auth.py Fix: Use SHA-256 / SHA-3 for hashing or Argon2 / bcrypt / PBKDF2 for password storage...
CRITICAL Risk: 99.0/100 Blast: Information Disclosure &	SAST sentinal-sast	Insecure Deserialization via Pickle / Unsafe YAML Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/packaging/_structures.py Fix: Use `yaml.safe_load()` or JSON for data serialization instead of pickle...
MEDIUM Risk: 49.5/100 Blast: Information Disclosure &	SAST sentinal-sast	Use of Broken/Weak Cryptographic Hash (MD5 / SHA-1) Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/passlib/handlers/digests.py Fix: Use SHA-256 / SHA-3 for hashing or Argon2 / bcrypt / PBKDF2 for password storage...
MEDIUM Risk: 49.5/100 Blast: Information Disclosure &	SAST sentinal-sast	Use of Broken/Weak Cryptographic Hash (MD5 / SHA-1) Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/passlib/tests/test_context.py Fix: Use SHA-256 / SHA-3 for hashing or Argon2 / bcrypt / PBKDF2 for password storage...
MEDIUM Risk: 49.5/100 Blast: Information Disclosure &	SAST sentinal-sast	Use of Broken/Weak Cryptographic Hash (MD5 / SHA-1) Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/passlib/tests/test_utils_handlers.py Fix: Use SHA-256 / SHA-3 for hashing or Argon2 / bcrypt / PBKDF2 for password storage...
MEDIUM Risk: 49.5/100 Blast: Information Disclosure &	SAST sentinal-sast	Use of Broken/Weak Cryptographic Hash (MD5 / SHA-1) Threat: The vulnerability exposes implementation details, internal software versions, or unhardened endpoints that assist attackers in reconnaissance and multi-stage attack chaining...	rutu4669-hue-vajra-c6d6652/backend/venv/lib/python3.11/site-packages/passlib/tests/test_utils_pbkdf2.py Fix: Use SHA-256 / SHA-3 for hashing or Argon2 / bcrypt / PBKDF2 for password storage...

5. Strategic Remediation Playbook

****Step-by-Step Remediation Actions:****

- ****Insecure Deserialization:**** Use `yaml.safe\_load()` or JSON for data serialization instead of pickle.