

Extended User Scenarios

US-01: Login / Logout

Scenario ID	US-01
Related Use Case	UC1
Primary Actor	All Users
Preconditions	User has valid credentials. System is accessible via web browser.
Main Flow	User navigates to login page → enters credentials → system validates → redirects to role-based dashboard → user performs tasks → user logs out → session terminated.
Alternative Flow	Invalid credentials: system shows error, user retries. Account locked: system prompts to contact Admin. Citizen unverified: system notifies to complete registration.
Postconditions	User is authenticated and session is active. On logout, session is terminated and no sensitive data remains accessible.
Non-Functional Requirements	Login completes within 3 seconds. Passwords are hashed. Session times out after inactivity.
↓	

US-02: View Dashboard

Scenario ID	US-02
Related Use Case	UC2
Primary Actor	All Users
Preconditions	User is authenticated and logged in. Role-specific dashboard is configured.
Main Flow	After login, system retrieves relevant statistics from the database and displays a role-specific dashboard tailored to the user's role (Admin, Officer, Detective, Forensic Expert, Traffic Officer, Citizen).
Alternative Flow	No data available: system shows informational message. Data loading error: system displays error with refresh option.
Postconditions	Dashboard is displayed with up-to-date, role-specific statistics. User can navigate to specific sections.
Non-Functional Requirements	Dashboard loads within 5 seconds. Statistics reflect real-time data. Layout is responsive.

US-03: Change Own Password

Scenario ID	US-03
-------------	-------

Related Use Case	UC3
Primary Actor	All Users
Preconditions	User is authenticated and logged in. User knows their current password.
Main Flow	User navigates to Account Settings → selects Change Password → enters current and new passwords → system validates → system updates password → success message displayed.
Alternative Flow	Incorrect current password: system shows error, does not update. Weak new password: system prompts for stronger password. Passwords don't match: system highlights mismatch.
Postconditions	Password is updated securely. Session remains active or user is prompted to log in again.
Non-Functional Requirements	Passwords must meet security requirements (length, complexity). New password must differ from current. Change is logged in audit trail.
↓	

US-04: Create Incident Report

Scenario ID	US-04
Related Use Case	UC4
Primary Actor	Police Officer
Preconditions	Officer is logged in and has permission to create incident reports. System is operational.
Main Flow	Officer navigates to Reports → clicks Create New Incident Report → fills form (location, crime type, description, date/time) → submits → system validates → saves report → auto-generates linked Case ID → confirmation shown.
Alternative Flow	Missing required fields: system highlights empty fields, officer must complete before submitting. System error: officer is prompted to retry.
Postconditions	Incident report saved. New case created and linked with status 'Open'. Case appears in Cases list.
Non-Functional Requirements	Form completable in under 5 minutes. Data formats validated. Data stored securely with role-restricted access.

US-05: Update Case Status

Scenario ID	US-05
Related Use Case	UC5
Primary Actor	Police Officer
Preconditions	Officer is logged in. Case exists and is assigned to the officer.
Main Flow	Officer navigates to Cases → selects case → views details → selects new status from dropdown → saves → system validates and logs change with timestamp → success message shown.
Alternative Flow	Unauthorized access: system denies action if case not assigned to officer. Same status selected: system notifies user that status is unchanged.
Postconditions	Case status updated in database. Change reflected immediately in case list and dashboard.
Non-Functional Requirements	Status update saved within 2 seconds. Status change history logged for audit. Access control enforced.

US-06: Upload Evidence

Scenario ID	US-06
Related Use Case	UC6
Primary Actor	Police Officer / Detective
Preconditions	User is logged in with permission to upload evidence. A case exists in the system.
Main Flow	User navigates to the case → clicks Upload Evidence → selects files and enters description → submits → system validates format/size → stores evidence linked to case → success message.
Alternative Flow	Invalid file format or size exceeded: error shown, user resubmits with valid file. Upload failure: system allows retry.
Postconditions	Evidence stored securely and linked to the correct case. Evidence visible in case details.
Non-Functional Requirements	Supported formats: PDF, JPG, PNG, MP4, AVI. Maximum file size enforced. Evidence stored securely with restricted access.

US-07: Record Arrest Information

Scenario ID	US-07
Related Use Case	UC7
Primary Actor	Police Officer
Preconditions	Officer is logged in. A case exists. An arrest has been made related to the case.

Main Flow	Officer navigates to relevant case → selects Add Arrest Record → fills form (arrested person name, date, location, charges) → submits → system validates → saves and links arrest to case → confirmation.
Alternative Flow	Incomplete information: system highlights missing required fields. Case not found: error displayed, submission prevented.
Postconditions	Arrest record saved and linked to case. Case details updated to reflect the arrest.
Non-Functional Requirements	Arrest records are immutable once submitted. Data complies with law enforcement regulations. Records are audit-logged.

US-08: Manage Patrols

Scenario ID	US-08
Related Use Case	UC8
Primary Actor	Police Officer
Preconditions	Officer is logged in. Patrol data exists or officer has permission to create new patrols.
Main Flow	Officer navigates to Patrols section → views current patrols → clicks New Patrol → enters route, time slot, area → submits → system saves. To update: officer selects patrol, modifies details, saves.
Alternative Flow	Incomplete patrol data: system highlights missing fields. Patrol time conflict: system warns officer of scheduling conflict.
Postconditions	Patrol record saved and linked to officer. Patrol schedule visible on officer dashboard. Changes reflected for administrators.
Non-Functional Requirements	Patrol data saved within 2 seconds. Schedules visible to all relevant officers and administrators. All changes audit-logged.

US-09: Register Complaint

Scenario ID	US-09
Related Use Case	UC9
Primary Actor	Police Officer
Preconditions	Officer is logged in. A complaint has been received or reported in person.
Main Flow	Officer navigates to Complaints → clicks Register Complaint → enters complainant details, description, category, date → submits → system validates → saves and links to person/case → success.
Alternative Flow	Missing required fields: system highlights empty fields. Case not found when linking: system shows error.
Postconditions	Complaint saved and accessible in Complaints section. Linked to citizen or case record where applicable.
Non-Functional Requirements	Complaint records are immutable once submitted. Data stored securely. Complaints audit-logged with timestamp and officer identity.

US-10: Search and Filter Cases

Scenario ID	US-10
Related Use Case	UC10
Primary Actor	Police Officer
Preconditions	Officer is logged in. One or more cases exist in the system.
Main Flow	Officer navigates to Cases → enters search criteria (case ID, crime type, status, date range) → clicks Search/Filter → system queries database → displays matching cases → officer selects a case.
Alternative Flow	No cases match: system displays 'No results found'. Invalid input: system highlights invalid field and requests correction.
Postconditions	Filtered list of cases matching criteria is displayed. Officer can select and open any case from results.
Non-Functional Requirements	Search results returned within 2 seconds. Filters combinable. Only cases accessible to officer's role shown.
↓	

US-11: Open Criminal Case

Scenario ID	US-11
Related Use Case	UC11
Primary Actor	Detective
Preconditions	Detective is logged in. An incident report has been submitted. The case is assigned to the detective.
Main Flow	Detective navigates to Cases → selects existing case or opens new one linked to incident report → reviews incident details → enters investigation details → sets status (Open/Under Investigation) → submits → system saves.
Alternative Flow	Case already open: system notifies detective and prevents duplication. Linked incident report not found: system shows error.
Postconditions	Criminal case opened and saved. Visible in detective's case list. Linked to originating incident report.
Non-Functional Requirements	Case creation completes within 3 seconds. Cases must be linked to an incident report. All actions audit-logged.

US-12: Assign Suspect to Case

Scenario ID	US-12
Related Use Case	UC12
Primary Actor	Detective
Preconditions	Detective is logged in. A case exists and is assigned to the detective. There is a potential suspect.

Main Flow	Detective navigates to relevant case → selects Add Suspect → enters name, age, physical description, associated evidence → submits → system validates and saves suspect linked to case.
Alternative Flow	Case does not exist: system error, submission prevented. Missing required fields: system highlights empty fields.
Postconditions	Suspect information saved and linked to case. Suspect appears under Suspects section of the case.
Non-Functional Requirements	Suspect data stored securely with restricted access. Records clearly linked to correct case. Input validation enforced.

US-13: Manage Witnesses

Scenario ID	US-13
Related Use Case	UC13
Primary Actor	Detective
Preconditions	Detective is logged in. A case is assigned to the detective.
Main Flow	Detective navigates to case → opens Witnesses section → clicks Add Witness → enters witness name, contact, testimony, confidentiality status → submits → system saves and links to case.
Alternative Flow	Missing required fields: system prevents submission. Witness already exists: system alerts detective.
Postconditions	Witness record saved and linked to case. Confidentiality status determines visibility to other roles.
Non-Functional Requirements	Witness data stored securely. Confidentiality status enforced on visibility. All actions audit-logged.

US-14: Track Investigation Status

Scenario ID	US-14
Related Use Case	UC14
Primary Actor	Detective
Preconditions	Detective is logged in. A case is assigned to the detective.
Main Flow	Detective navigates to Cases → selects case → views current status and timeline → selects new status → adds status note → saves → system logs change with timestamp → notifies Administrator.
Alternative Flow	Attempt to close case without Admin authorization: system blocks action. Same status selected: system notifies status unchanged.
Postconditions	Case status updated. Status change visible in case timeline and dashboard. Administrator notified.
Non-Functional Requirements	Status transitions logged with timestamp and detective identity. Closed cases require Admin authorization to reopen. Updates reflected in real time.

US-15: Write Investigation Report

Scenario ID	US-15
Related Use Case	UC15
Primary Actor	Detective
Preconditions	Detective is logged in. A case is assigned with sufficient data for reporting.
Main Flow	Detective navigates to case → selects Write Investigation Report → enters summary, evidence analysis, suspect assessment, conclusions, next steps → submits → system validates and saves → notifies Administrator.
Alternative Flow	Missing required fields: system highlights empty fields. Report already exists: system asks detective to confirm new version.
Postconditions	Investigation report saved and linked to case. Visible to Administrator and authorized parties. Logged in audit trail.
Non-Functional Requirements	Reports immutable once formally submitted. Linked to correct case. Submissions audit-logged with timestamp and detective identity.

US-16: View and Analyze Case Details

Scenario ID	US-16
Related Use Case	UC16
Primary Actor	Detective
Preconditions	Detective is logged in. One or more cases are assigned to the detective.
Main Flow	Detective navigates to Cases → selects an assigned case → system retrieves all details (crime type, status, officer, suspects, evidence, witnesses, incident reports) → detective reviews → initiates follow-up actions.
Alternative Flow	Case has no data: system displays case with empty sections. Unauthorized access: system denies access.
Postconditions	Detective has full visibility into all case data. Detective can proceed with further investigative actions.
Non-Functional Requirements	Case details load within 3 seconds. Sensitive data restricted to authorized roles. All sections displayed clearly.

US-17: Perform DNA Analysis

Scenario ID	US-17
Related Use Case	UC17
Primary Actor	Forensic Expert
Preconditions	Forensic Expert is logged in. A DNA sample has been submitted and linked to an active case.
Main Flow	Expert navigates to Laboratory → selects pending DNA analysis request → views sample details → performs physical analysis → returns to system → enters methodology, findings, conclusions → submits → system notifies Detective and Admin.

Alternative Flow	Sample not yet received: system shows pending status, prevents analysis entry. Missing required fields: system highlights.
Postconditions	DNA results saved and linked to case. Visible to authorized parties. Audit-logged.
Non-Functional Requirements	DNA analysis records immutable once submitted. All data stored securely. Results audit-logged with timestamp and expert identity.

US-18: Perform Fingerprint Analysis

Scenario ID	US-18
Related Use Case	UC18
Primary Actor	Forensic Expert
Preconditions	Forensic Expert is logged in. Fingerprint samples submitted and linked to an active case.
Main Flow	Expert navigates to Laboratory → selects fingerprint analysis request → views sample details → performs physical analysis → enters print quality, comparison results, identification status, conclusions → submits → system saves and notifies.
Alternative Flow	Sample too degraded: expert enters 'Non-identifiable' result with notes. Missing required fields: system highlights.
Postconditions	Fingerprint analysis results saved and linked to case. Visible to authorized parties.
Non-Functional Requirements	Records immutable once submitted. Comparison results indicate match/no match. All submissions audit-logged.

US-19: Perform Weapon Analysis

Scenario ID	US-19
Related Use Case	UC19
Primary Actor	Forensic Expert
Preconditions	Forensic Expert is logged in. A weapon has been submitted and linked to an active case.
Main Flow	Expert navigates to Laboratory → selects weapon analysis request → performs physical analysis (ballistics, tool marks, trace evidence) → enters weapon type, condition, results, conclusions → submits → system saves and notifies.
Alternative Flow	Weapon not yet received: system shows pending status. Missing required fields: system highlights.
Postconditions	Weapon analysis results saved and linked to case. Visible to authorized parties.
Non-Functional Requirements	Records immutable once submitted. All data linked to correct case. Submissions audit-logged.

US-20: Analyze Photos and Videos

Scenario ID	US-20
Related Use Case	UC20
Primary Actor	Forensic Expert
Preconditions	Forensic Expert is logged in. Photos or videos uploaded and linked to an active case.
Main Flow	Expert opens multimedia evidence section → selects photo/video analysis request → performs forensic analysis (metadata extraction, image enhancement, authenticity verification) → annotates frames → enters findings → submits.
Alternative Flow	Unsupported file format: expert notified, prompted to re-upload. File too large: error with suggestion to split file.
Postconditions	Photo/video analysis results saved with annotations linked to case. Visible to authorized parties.
Non-Functional Requirements	Results stored alongside original media. Metadata extraction performed automatically where possible. Submissions audit-logged.

US-21: Manage Laboratory Evidence

Scenario ID	US-21
Related Use Case	UC21
Primary Actor	Forensic Expert
Preconditions	Forensic Expert is logged in. Physical evidence has been received by the laboratory.
Main Flow	Expert navigates to Lab Evidence Management → clicks Register Evidence Intake → enters evidence ID, case reference, type, condition, date, analyst → submits → system creates chain of custody → expert updates status as processing progresses.
Alternative Flow	Evidence ID already exists: system warns of potential duplicate. Case reference not found: error, submission prevented.
Postconditions	Evidence intake recorded and linked to case. Chain of custody established and traceable. All status transitions logged.
Non-Functional Requirements	Chain of custody records immutable and fully traceable. All status changes logged. Evidence records comply with regulations.

US-22: Write Forensic Report

Scenario ID	US-22
Related Use Case	UC22
Primary Actor	Forensic Expert
Preconditions	Forensic Expert is logged in. At least one analysis has been completed and linked to the case.

Main Flow	Expert navigates to case → selects Write Forensic Report → system pre-populates form with linked analyses → expert enters summary, methodology, findings, conclusions, case implications → submits → system notifies Detective and Admin.
Alternative Flow	No completed analyses linked: system warns expert that at least one must be complete. Missing required fields: system highlights.
Postconditions	Forensic report saved and linked to case. Visible to Detective and Administrator. Logged in audit trail.
Non-Functional Requirements	Reports immutable once formally submitted. Linked to all related analyses. Submissions audit-logged.

US-23: Register Traffic Accident

Scenario ID	US-23
Related Use Case	UC23
Primary Actor	Traffic Officer
Preconditions	Traffic Officer is logged in. A traffic accident has occurred and been reported.
Main Flow	Officer navigates to Traffic Accidents → clicks Register Accident → enters date, time, location, vehicle details, injuries, witnesses, description → submits → system validates → saves → generates accident ID → confirmation.
Alternative Flow	Missing required fields: system highlights empty fields. System save error: officer prompted to retry.
Postconditions	Accident record saved and assigned unique ID. Visible in Traffic Accidents list. Accessible for reporting and statistics.
Non-Functional Requirements	Records immutable once submitted. Complies with traffic law and data protection regulations. Audit-logged.

US-24: Issue Traffic Fine

Scenario ID	US-24
Related Use Case	UC24
Primary Actor	Traffic Officer
Preconditions	Traffic Officer is logged in. A traffic violation has been observed or reported.
Main Flow	Officer navigates to Fines → clicks Issue Fine → enters violation type, fine amount, date, time, location, citizen ID or vehicle registration → submits → system validates → saves fine → links to citizen → visible in citizen portal.
Alternative Flow	Citizen/vehicle not found: officer manually enters details. Missing required fields: system highlights.
Postconditions	Fine saved and linked to citizen or vehicle. Immediately visible in citizen portal. Fine issuance audit-logged.
Non-Functional Requirements	Fine records immutable once issued. Immediately visible to citizen. All issuances audit-logged.

US-25: Manage Road Violations

Scenario ID	US-25
Related Use Case	UC25
Primary Actor	Traffic Officer
Preconditions	Traffic Officer is logged in. A road violation has been observed or reported.
Main Flow	Officer navigates to Violations → registers violation (type, location, date, vehicle details) → submits. To view: filters violations list. To update: selects violation, modifies status (Open/Resolved), saves.
Alternative Flow	Missing required fields: system highlights. Violation already closed: system prevents re-opening without authorization.
Postconditions	Violation record saved and accessible. Status updates reflected immediately. All changes audit-logged.
Non-Functional Requirements	Violation records saved within 2 seconds. Closed violations audit-logged before status change. Access control enforced.
↓	
Violation accessible in Violations list. Audit log created.	
↓	
⏮ END	

US-26: Perform Vehicle Control

Scenario ID	US-26
Related Use Case	UC26
Primary Actor	Traffic Officer
Preconditions	Traffic Officer is logged in. A vehicle has been stopped for a control check.
Main Flow	Officer navigates to Vehicle Control → clicks New Vehicle Control → enters registration, make, model, year, owner details, date/time → checks registration, insurance, inspection status → enters results → submits → system saves.
Alternative Flow	Vehicle registration not found: officer manually enters details. Missing required fields: system highlights.
Postconditions	Vehicle control record saved and linked to vehicle. Accessible in Vehicle Controls list. Audit-logged.
Non-Functional Requirements	Records immutable once submitted. Clearly linked to vehicle and date of control. All records audit-logged.

US-27: Manage Driving Licenses

Scenario ID	US-27
Related Use Case	UC27
Primary Actor	Traffic Officer
Preconditions	Traffic Officer is logged in.
Main Flow	Officer navigates to Licenses → searches by citizen ID, license number, or name → system retrieves license record → officer reviews validity → to flag/suspend: selects action, enters reason, confirms → system updates status and notifies citizen.
Alternative Flow	License not found: system displays 'No license record found'. License already suspended: system notifies officer.
Postconditions	License status updated and visible. Citizen notified of flag/suspension. Status change audit-logged.
Non-Functional Requirements	Status changes audit-logged with timestamp and officer identity. Citizens notified of any flag or suspension. Data stored securely.

US-28: Generate Traffic Report

Scenario ID	US-28
Related Use Case	UC28
Primary Actor	Traffic Officer
Preconditions	Traffic Officer is logged in. Traffic data (accidents, violations, fines) exists in the system.
Main Flow	Officer navigates to Traffic Reports → selects report type → specifies date range and filters → clicks Generate Report → system processes data → displays report with statistics and visualizations → officer optionally exports as PDF or CSV.
Alternative Flow	No data for selected period: system displays 'No data found'. Export failure: error shown with retry option.
Postconditions	Traffic report generated and displayed. Can be exported. Report generation logged in audit trail.
Non-Functional Requirements	Reports generate within 10 seconds. Accurate and sourced from live database. Exported files formatted clearly.

US-29: Self-Register as Citizen

Scenario ID	US-29
Related Use Case	UC29
Primary Actor	Citizen
Preconditions	Citizen portal is publicly accessible. Person does not already have a citizen account.
Main Flow	Citizen navigates to public PMS portal → clicks Register → enters full name, national ID, DOB, email, phone, password → submits → system validates and checks for duplicates → creates account → sends confirmation → success.
Alternative Flow	Duplicate account (same national ID or email): system notifies and prevents duplicate. Missing fields: system highlights. Weak password: system requires stronger.
Postconditions	Citizen account created and active. Citizen can log in and access the citizen portal. Registration recorded.
Non-Functional Requirements	Registration completes within 5 seconds. Data stored securely and complies with GDPR. Citizens access only their own data.

US-30: Report an Incident

Scenario ID	US-30
Related Use Case	UC30
Primary Actor	Citizen
Preconditions	Citizen is logged in to their portal account. The incident has occurred.
Main Flow	Citizen navigates to Report Incident → clicks Submit Report → enters description, location, date/time → optionally uploads photo → submits → system saves → assigns to police department → citizen receives reference number.
Alternative Flow	Missing required fields: system highlights. File upload failure: system retains form data and prompts retry for file.
Postconditions	Incident report submitted to police department. Citizen receives reference number for tracking. Report accessible in citizen portal.
Non-Functional Requirements	Incident reports saved within 3 seconds. Citizens receive reference number. Report data stored securely.

US-31: Submit a Complaint

Scenario ID	US-31
Related Use Case	UC31
Primary Actor	Citizen
Preconditions	Citizen is logged in. The citizen has a complaint to submit.
Main Flow	Citizen navigates to Submit Complaint → clicks New Complaint → enters category, description, date of incident, optionally relevant officer/department → submits → system saves and routes to Administrator → citizen receives reference number.
Alternative Flow	Missing required fields: system highlights. System save error: system retains form and prompts retry.
Postconditions	Complaint saved and routed to Administrator. Citizen receives reference number. Accessible in citizen portal.
Non-Functional Requirements	Complaints saved within 3 seconds. Citizens receive reference number. All complaints routed to Administrator for review.

US-32: Report a Missing Person

Scenario ID	US-32
Related Use Case	UC32
Primary Actor	Citizen
Preconditions	Citizen is logged in. A person has gone missing.
Main Flow	Citizen navigates to Report Missing Person → clicks File Report → enters missing person details (name, DOB, description, last location, date last seen, contact info) → optionally uploads photo → submits → system saves → assigns to police department → citizen receives reference number.
Alternative Flow	Missing required fields: system highlights. Photo upload failure: system retains form and prompts retry.
Postconditions	Missing person report saved and submitted to police department. Citizen receives reference number. Immediately accessible to assigned department.
Non-Functional Requirements	Reports saved within 3 seconds. Citizen receives reference number. Reports immediately accessible to assigned department.

US-33: Check Case Status

Scenario ID	US-33
Related Use Case	UC33
Primary Actor	Citizen
Preconditions	Citizen is logged in. The citizen has at least one submitted report.
Main Flow	Citizen navigates to My Reports → system retrieves all citizen's reports → displays list (type, reference, date, status) → citizen selects specific report → system displays full details and current status.
Alternative Flow	No reports found: system displays 'You have not submitted any reports'. Status not yet updated: system shows last known status with 'Pending Review' label.
Postconditions	Citizen can view current status of all submitted reports. Citizen is informed of any updates or next steps.
Non-Functional Requirements	Report list loads within 2 seconds. Citizens can only view their own reports. Status reflects most recent update.

US-34: View Traffic Fines

Scenario ID	US-34
Related Use Case	UC34
Primary Actor	Citizen
Preconditions	Citizen is logged in. At least one fine has been issued to the citizen.
Main Flow	Citizen navigates to My Fines → system retrieves all fines linked to citizen account → displays list (reference, violation type, amount, date, payment status) → citizen selects fine → system displays full details.
Alternative Flow	No fines found: system displays 'No fines have been issued to your account'. Data loading error: error shown with refresh option.
Postconditions	Citizen can view all traffic fines. Citizen is informed of violation type, amount, and payment status.
Non-Functional Requirements	Fine list loads within 2 seconds. Citizens can only view their own fines. Fine data accurate and up-to-date.

US-35: Manage Users and Roles

Scenario ID	US-35
Related Use Case	UC35
Primary Actor	Administrator
Preconditions	Administrator is logged in. System is operational.
Main Flow	Admin navigates to User Management → adds user (name, username, password, role, department) → OR edits existing user → OR deactivates user. System validates each action and confirms with success message.
Alternative Flow	Duplicate username: system prevents creation with error. Missing fields: system highlights. Deactivating user with active cases: system warns and requests confirmation.
Postconditions	New account created with correct role and department. Updated info reflected in system. Deactivated user can no longer log in.
Non-Functional Requirements	User management operations complete within 3 seconds. Passwords hashed before storage. All actions audit-logged.

US-36: Manage Departments

Scenario ID	US-36
Related Use Case	UC36
Primary Actor	Administrator
Preconditions	Administrator is logged in. System is operational.
Main Flow	Admin navigates to Departments → adds department (name) → OR edits existing department → OR deletes (if no staff assigned). System validates and confirms each action.
Alternative Flow	Duplicate department name: system shows error. Attempt to delete department with assigned staff: system warns and prevents until staff reassigned.
Postconditions	New department saved and available for staff assignment. Updated info reflected in system. Deleted department removed from all dropdowns.
Non-Functional Requirements	Department operations complete within 2 seconds. Department names must be unique. Changes immediately visible to all relevant users.

US-37: Assign Officer to Case

Scenario ID	US-37
Related Use Case	UC37
Primary Actor	Administrator
Preconditions	Administrator is logged in. An active case exists. One or more Police Officers are registered.

Main Flow	Admin navigates to active case → selects Assign Officer → system displays available officers → Admin selects officer → confirms → system saves and notifies assigned officer → case details updated.
Alternative Flow	No available officers: system displays message. Case already has assigned officer: system asks Admin to confirm reassignment.
Postconditions	Selected officer assigned to case. Case details updated with officer info. Officer can now access and manage the case.
Non-Functional Requirements	Assignment saved and reflected within 2 seconds. Assigned officer receives notification. Officer assignment history logged.

US-38: Monitor System Statistics

Scenario ID	US-38
Related Use Case	UC38
Primary Actor	Administrator
Preconditions	Administrator is logged in. Data has been entered by users across all roles.
Main Flow	Admin navigates to Dashboard → system retrieves all platform-wide statistics → displays: departments, users per role, open cases, cases under investigation, incidents, forensic analyses, violations, fines → Admin reviews and navigates for detailed info.
Alternative Flow	No data: system displays zero values with informational note. Data loading failure: error with refresh option.
Postconditions	Admin has comprehensive real-time overview of all system operations. Admin can take corrective action.
Non-Functional Requirements	Dashboard statistics reflect real-time data updated within 1 minute. Statistics page loads within 5 seconds. Data accurate and from live database.

US-39: Reset User Password

Scenario ID	US-39
Related Use Case	UC39
Primary Actor	Administrator
Preconditions	Administrator is logged in. The target user account exists.
Main Flow	Admin navigates to Users → selects target user → clicks Reset Password → system prompts for confirmation → Admin confirms → system generates temporary password → notifies user with credentials → user logs in and changes password.
Alternative Flow	User account not found: system displays error. Notification delivery failure: system logs failure and alerts Admin.
Postconditions	User's password reset to temporary value. User notified. Reset action recorded in audit log. User required to change password on next login.

Non-Functional Requirements	Temporary password must meet minimum security requirements. Password reset logged in audit trail. User must change password on next login.
------------------------------------	--

US-40: View System Audit Log

Scenario ID	US-40
Related Use Case	UC40
Primary Actor	Administrator
Preconditions	Administrator is logged in. The system has recorded at least one auditable action.
Main Flow	Admin navigates to Audit Log → system retrieves all logged actions → displays: action type, user role, username, timestamp, affected record → Admin filters by user, date, role, or action type → reviews entries.
Alternative Flow	No logs: system displays 'No audit records found'. Filter returns no results: system displays 'No results match the selected filters'.
Postconditions	Admin has visibility into all audited actions. Admin can identify unauthorized or suspicious activity.
Non-Functional Requirements	Audit log read-only — no entries can be edited or deleted. Entries include user identity, timestamp, and action description. Loads within 3 seconds.

US-41: Search Officers by Department

Scenario ID	US-41
Related Use Case	UC41
Primary Actor	Administrator
Preconditions	Administrator is logged in. At least one department and one staff member exist.
Main Flow	Admin navigates to Users → selects department filter or role filter → system queries database → displays filtered staff list (ID, name, role, department) → Admin selects staff member to view or edit profile.
Alternative Flow	No staff in selected department: system displays 'No staff found in this department'. Invalid filter: system resets to show all staff.
Postconditions	Filtered list of staff matching criteria displayed. Admin can take action on any staff member from results.
Non-Functional Requirements	Search results returned within 2 seconds. Results reflect current database state. Only authorized admins can access staff data.

US-42: Deactivate User Account

Scenario ID	US-42
Related Use Case	UC42
Primary Actor	Administrator
Preconditions	Administrator is logged in. The target user account exists and is currently active.
Main Flow	Admin navigates to Users → selects target user → clicks Deactivate Account → system prompts for reason and confirmation → Admin enters reason and confirms → system sets account to Inactive → terminates active session → logs deactivation.
Alternative Flow	User has ongoing open cases: system warns Admin and requests confirmation before proceeding. Admin cancels: account remains active.
Postconditions	Account set to Inactive; user cannot log in. All account data preserved. Deactivation recorded in audit log with reason and timestamp.
Non-Functional Requirements	Deactivation takes effect immediately. Terminates active session. Reason stored in audit log. All data preserved for historical integrity.