Octave

File Edit Debug Tools Window Help News

Current Directory: C:\WINDOWS\system32

File Browser

C:/WINDOWS/system32

Name

- 0409
- AdvancedInstallers
- AppLocker
- appraiser
- ar-SA
- bg-BG
- Boot

Workspace

Filter

Name	Class	Dimension	Value
Eb_N0_dB	double	1x14	[-3, -2, -1, 0, 1, ...
N	double	1x1	1000000
ii	double	1x1	14
ip	logical	1x1000000	[0, 0, 1, 1, 1, 0, 1...

Command History

Filter

Editor

File Edit View Debug Run Help

EXP4 MC (1).m

```
N = 10^6 % number of bits or symbols
rand('state',100); % initializing the rand() function
randn('state',200); % initializing the randn() function
% Transmitter
ip = rand(1,N)>0.5; % generating 0,1 with equal probability
s = 2*ip-1; % BPSK modulation 0 -> -1; 1 -> 1
n = 1/sqrt(2)*[randn(1,N) + j*randn(1,N)]; % white gaussian noise, 0dB variance
Eb_N0_dB = [-3:10]; % multiple Eb/N0 values
for ii = 1:length(Eb_N0_dB)
% Noise addition
y = s + 10^(-Eb_N0_dB(ii)/20)*n; % additive white gaussian noise
% receiver - hard decision decoding
ipHat = real(y)>0;
% counting the errors
nErr(ii) = size(find([ip- ipHat]),2);
end
simBer = nErr/N; % simulated ber
theoryBer = 0.5*erfc(sqrt(10.^(Eb_N0_dB/10))); % theoretical ber
% plot
close all
figure
semilogy(Eb_N0_dB,theoryBer,'b.-');
hold on
semilogy(Eb_N0_dB,simBer,'mx-');
axis([-3 10 10^-5 0.5])
grid on
legend('theory', 'simulation');
xlabel('Eb/No, dB');
ylabel('Bit Error Rate');
title('Bit error probability curve for BPSK modulation');
```

line: 1 col: 1 encoding: UTF-8 eol: CRLF

Command Window Documentation Variable Editor Editor

Profiler

33°C Sunny

Search

ENG IN 11:56 19-05-2023

Figure 1

File Edit Tools



(6.2917, 0.45487)

33°C Sunny

Search

ENG IN 11:56 19-05-2023