

Will Chicago Midway's high land at 76–77°F?

Expected Parrot

Open-source research tools

Vorhersage | Forecast research report

2026-09-16T15:20:34.447901Z

Assessment

Our sealed forecast is 24.4%. Kalshi's opening midpoint was 36.5%, a 12.1-point disagreement. A predeclared 60-day reference class raised our initial estimate by 2.1 points but did not explain the market's greater concentration in this narrow temperature band. The event remained unresolved at the forecast cutoff.


The event and the forecast

Will Chicago Midway's maximum temperature for September 17, 2026 be 76°F or 77°F? Our sealed estimate is 24.4%, or roughly one chance in four. The Weather Company's final CLIMDW report determines settlement for Kalshi contract KXHIGCHI-26SEP17-B76.5. Midway is the relevant station; this is not an O'Hare forecast.

The event was still in the future when we sealed the estimate on September 16. A final daily maximum outside the two-degree band means No. Exceptional last-fair-price settlement or unavailable final data is outside this binary comparison. Forecast products and station observations are evidence, not the contractual settlement authority.

Methodology at a glance

We saved the market quote first, then fixed the estimator before downloading historical outcomes. Evidence is shown in blue, assumptions in amber, and calculated results in green. The final quote comparison took place only after sealing the estimate.



The executed sequence. Sample dates, forecast horizon, Gaussian estimator and extra uncertainty allowance were declared before collecting the historical sample.

How the prediction changed

Both probabilities were recorded before the opening quote was revealed. The smaller empirical error spread raised the probability of the narrow band; the estimated bias was close to zero. Kalshi was more confident that the high would land inside this particular band.

Stage	Probability	Gap below opening midpoint
Initial NBS model	22.3%	14.2 percentage points
After declared reference-class research	24.4%	12.1 percentage points
Opening Kalshi midpoint	36.5%	Target, not an outcome
Later Kalshi midpoint	35.0%	Market movement reported separately

Selection, timing and what was hidden

This is a one-question process-development exercise. We selected the next-day Chicago market to change both city and forecast horizon from the earlier NYC case. Selection was opportunistic, not a random sample of Kalshi contracts. The first bracket, 78–79°F, failed the ten-contract depth requirement. The adjacent 76–77°F bracket passed the same requirements; they were not relaxed.

The opening quote was captured at 14:59:25 UTC on September 16, before weather research. The initial probability and research plan were recorded at 15:01 UTC. The final checkpoint and seal were recorded at 15:04 UTC. The quote was revealed at 15:17:29 UTC. The initial forecast used the current NBS product, so it is not a completely uninformed prior.

The same assistant context handled the NYC and Chicago cases. The evaluator’s store was not inspected during research, but no separate context or enforced access barrier was used. No target probability was observed before sealing; contract thresholds were visible. Costs and model usage were not separately metered.

The opening order book had a 35-cent Yes bid and 38-cent Yes ask, with 24.02 and 20 contracts at those best quotes. About 92 bid-side and 101 ask-side contracts were within two cents of the best quotes. These figures establish that this snapshot passed the declared screen. They do not establish sustained depth, trading volume, or probability calibration.

The reference class: matching the forecast we actually made

We paired every completed target day from July 18 through September 15 with its previous-day 06 UTC NBS forecast for KMDW. NOAA defines the daytime maximum TXN as covering 12 UTC through the following 06 UTC, reported at the following 00 UTC. For this next-day exercise, that is a 42-hour forecast lead. Matching the lead matters: same-day forecast errors would answer a different question.

IEM supplied both archived forecasts and MDW station daily maxima. All 60 dates were present; none were removed for unusually large errors. The average observation minus forecast was

+0.083°F, with a sample standard deviation of 2.513°F. This sample shows almost no overall bias, but individual-day errors remain large compared with a two-degree contract band.

These are 60 consecutive late-summer days, not 60 independent weather experiments. Seasonal changes and persistent weather patterns limit transfer to tomorrow. IEM's daily summaries and TWC's final settlement values have not been shown to be identical. The live archive also does not certify exactly what data was available at each historical forecast time.

Source: IEM NBS forecast archive for Midway

Source: IEM Midway station daily maxima

Source: IEM daily-summary definitions

Source: NOAA NBM station card definitions

Source: The Weather Company climate data portal

The calculation, including the subjective choices

The current 06 UTC NBS run predicts 78°F for September 17. Add the sample mean residual to obtain a predictive center of 78.083°F. Use residual variance multiplied by $(1 + 1/60)$ to allow for uncertainty in the estimated mean, then add 1°F squared for a separately assumed source and reporting-window discrepancy. The resulting standard deviation is 2.724°F.

Assuming a normal distribution and nearest-integer reporting, a final report of 76°F or 77°F corresponds approximately to an underlying value from 75.5°F to 77.5°F. The area under this distribution over that interval is 24.3743%. Decimal places make the computation reproducible; they do not indicate corresponding forecasting precision.

The model distribution, constant bias, 1°F allowance and rounding rule were all fixed before historical retrieval. They remain assumptions. The extra allowance is not estimated from a matched sample of TWC versus IEM reports. The simpler unsmoothed residual calculation puts 13 of 60 translated observations in the band, or 21.7%.

Quantity	Value	Status
Current NBS point forecast	78°F	Observed forecast input
Historical mean residual	+0.083°F	Estimated from 60 proxy pairs
Historical residual spread	2.513°F	Estimated sample standard deviation
Additional source/window spread	1°F	Declared subjective assumption
Final distribution	Mean 78.083°F; SD 2.724°F	Gaussian model
Probability of 76–77°F	24.4%	Calculated under those assumptions

Source: IEM NBS forecast archive for Midway

Source: IEM Midway station daily maxima

Source: NOAA NBM station card definitions

Source: IEM daily-summary definitions

Source: The Weather Company climate data portal

Checks that challenge the model

A chronological diagnostic fitted the first 40 days and checked the final 20. Uncorrected forecast RMSE was 2.559°F; applying the earlier sample's bias made it slightly worse, at 2.596°F. Nineteen of the 20 observations fell within the model's nominal 90% interval. That is a small check, and does not demonstrate improved bias correction or reliable probability calibration. The final model still uses all 60 days because that choice was declared in advance.

The NWS Midway point forecast, updated at 10:45 UTC before the quote capture, predicts 76°F rather than NBS's 78°F. The Chicago discussion describes showers and storms potentially lasting into Thursday morning, followed by drier conditions. Clouds, rain placement and wind direction create a plausible reason for forecast disagreement. We did not convert that narrative into an arbitrary numerical adjustment.

Using the NWS raw center of 76°F with the final model's spread gives 28.2%. We do not transfer the NBS bias correction to NWS, a different forecast product. Shifting our own final center by $\pm 1^\circ\text{F}$ yields 18.6–28.0%; the full declared combination of mean shifts and 0–2°F extra spread yields 17.8–29.9%. These are assumption sensitivities, not confidence intervals.

The TWC portal loaded, but its retrieved page shell and one inspected script did not provide an exact historical settlement series or establish rounding conventions. That check was limited. The report retains the provider mismatch rather than claiming the station archive resolved it.

Source: IEM NBS forecast archive for Midway

Source: IEM Midway station daily maxima

Source: NWS Midway point forecast

Source: NWS Chicago forecast discussion

Source: IEM daily-summary definitions

Source: NOAA NBM station card definitions

Source: The Weather Company climate data portal

What comparison with Kalshi tells us

The opening midpoint was 36.5%, making the final estimate 12.1 percentage points lower and 10.6 points below the opening bid. Research reduced squared distance from the opening midpoint from 0.02028 to 0.01470. This describes closer agreement on one selected case; it is not a Brier score and does not establish accuracy or a causal benefit from research.

The later quote was 34–36%, midpoint 35%, a decline of 1.5 points. The best later ask had only four contracts, below the ten-contract opening requirement. We preserve that later snapshot with this qualification and continue to use the opening target. The contract terms did not change.

A post-reveal diagnostic pinpoints a limitation: with standard deviation 2.724°F, the highest possible Gaussian probability in any two-degree interval is 28.65%, achieved when centered exactly on that interval. Changing the point forecast alone therefore cannot reproduce the opening midpoint.

An optimally centered Gaussian would require a standard deviation near 2.11°F to reach 36.5%. That is a diagnosis of the disagreement, not a fitted replacement forecast or evidence that the market is right.

The next process experiment

The main research opportunity is conditional uncertainty: does a model's current dispersion, forecast lead and weather regime identify days with a narrower or wider error distribution? On a fresh hidden target, specify that conditioning method and a chronological validation procedure before inspecting outcomes. Use enough data to avoid carving a tiny, favorable reference class out of the history.

Also specify the latest available forecast cycle and obtain observations from the exact settlement source where possible. The 06 UTC run here was convenient for matching history, but was already several hours old when the target was captured. Retain this sealed 24.4% forecast unchanged; evaluate the improved process on a new case.

About this report

This explanation was written at report generation from the recorded research. It does not change the sealed predictions. The complete evidence and calculation records are in the technical appendix.

A Technical appendix

Complete records follow. These do not change the assessment above.

Summary

Workbench workbench_99b666aae9114c089f49: latest estimate 24.4%; revealed.

Question and resolution

Created at: 2026-09-16T14:59:21.853423Z

Specification:

Domain: weather

Event deadline: 2026-09-18T06:00:00Z

Event group: KXHIGHCHI-26SEP17

Id: chicago_high_76_77_20260917

Kind: real

No: The final qualifying maximum is outside the inclusive 76–77°F bracket.

Profile: general

Resolution source: The Weather Company final CLIMDW daily maximum, per frozen Kalshi KXHIGHCHI rules and weather.com/kalshi. Forecasts and IEM station observations are research proxies.

Resolve after: 2026-09-19T06:00:00Z

Text: Will the maximum temperature reported for Chicago Midway (CLIMDW) on September 17, 2026 be 76–77°F?

Void: Last-fair-price settlement, unresolved material data errors, or unavailable final source data fall outside this binary comparison.

Yes: The Weather Company final maximum for Chicago CLIMDW for September 17, 2026 is in the inclusive 76–77°F bracket.

Version: 1

Workbench overview

Case id: workbench_99b666aae9114c089f49

State: revealed

Question version: 1

Method: Predeclared next-day weather residual model; hidden market comparison

Mode: prospective

Latest estimate: 24.4%

Sealed at: 2026-09-16T15:04:10.490117Z

Market status: Revealed

Opening target captured at: 2026-09-16T14:59:25.889771Z

Frozen contract and case selection

Question:

Created at: 2026-09-16T14:59:21.853423Z

Specification:

Domain: weather

Event deadline: 2026-09-18T06:00:00Z

Event group: KXHIGHCCHI-26SEP17

Id: chicago_high_76_77_20260917

Kind: real

No: The final qualifying maximum is outside the inclusive 76–77°F bracket.

Profile: general

Resolution source: The Weather Company final CLIMDW daily maximum, per frozen Kalshi KXHIGHCCHI rules and weather.com/kalshi. Forecasts and IEM station observations are research proxies.

Resolve after: 2026-09-19T06:00:00Z

Text: Will the maximum temperature reported for Chicago Midway (CLIMDW) on September 17, 2026 be 76–77°F?

Void: Last-fair-price settlement, unresolved material data errors, or unavailable final source data fall outside this binary comparison.

Yes: The Weather Company final maximum for Chicago CLIMDW for September 17, 2026 is in the inclusive 76–77°F bracket.

Version: 1

Contract:

Event group: KXHIGHCCHI-26SEP17

Market id: KXHIGHCCHI-26SEP17-B76.5

Resolution source: See frozen Kalshi rules and series contract.

Rules: If the maximum temperature recorded at Chicago (CLIMDW) for Sep 17, 2026, is between 76–77° fahrenheit according to The Weather Company, then the market resolves to Yes.

Not all weather data is the same. While checking a source like AccuWeather or Google Weather may help guide your decision, the official and final value used to determine this market is the maximum/minimum temperature as reported by the Weather Company.

Reading weather data Preliminary Weather Company data may be subject to rounding and conversion differences from the final reported value. Use caution when interpreting preliminary Weather

Company readings.

If it is determined in the sole discretion of the Exchange that there is a material error in the initial non-preliminary publication, Expiration may be held until the publication of a non-materially-erroneous data revision or until the Expiration Date, whichever comes first. If no data is available at the end of this period, all markets will resolve to the last fair price determined by Kalshi. Please note, a status of "Final" on weather.com/kalshi is provided for convenience only, and does not guarantee data to be error-free and thus exempt from the above.

Scheduled close: 2026-09-18T06:00:00Z

Title: Will the maximum temperature be 76-77° on Sep 17, 2026?

Venue: kalshi

Yes description: 76° to 77°

Selection:

Contract match rationale: 76–77°F inclusive for CLIMDW, with TWC final reporting and error/last-fair-price exceptions. Daily date and trading close are recorded separately; cutoff uses end of local standard-time day.

Eligibility rationale: Tomorrow's September 17 daily high is unobserved. The 78–79°F bracket failed the ten-contract depth requirement. This adjacent bracket is the second candidate, selected before weather research with the same thresholds.

Market id: KXHIGCHI-26SEP17-B76.5

Max spread: 0.05

Method: Predeclared next-day weather residual model; hidden market comparison

Min contracts each side: 10

Mode: prospective

Question:

Question id: chicago_high_76_77_20260917

Version: 1

Venue: kalshi

Prediction history

Checkpoints are recorded judgments, not necessarily issued forecasts. All timestamps retain their recorded time zones.

Stage	Initial
Probability	22.3%
Recorded at	2026-09-16T15:01:06.843363Z
Gap to opening market (pp)	-14.24
Squared market error	0.020282
Step improvement	Not applicable

Stage	Research 1: How much do KMDW next-day NBS forecasts miss actual station daily maxima, and do current conditions make those residuals misleading?
Probability	24.4%
Recorded at	2026-09-16T15:04:10.381702Z
Gap to opening market (pp)	-12.13
Squared market error	0.014703
Step improvement	+0.005579

Market comparison

Frozen opening midpoint: 36.5%; bid-ask 35.0%–38.0%. Captured 2026-09-16T14:59:25.889771Z.

Later midpoint: 35.0%; bid-ask 34.0%–36.0%. Captured 2026-09-16T15:17:29.303904Z.

Squared market error = (estimate – opening midpoint)². Positive step improvement means closer agreement.

Market agreement is not an outcome score. The later quote is separate from the frozen opening target.

Target:

Ask: 0.38

Ask contracts within 2c: 101.28999999999999

Ask size: 20.0

Bid: 0.35

Bid contracts within 2c: 92.02

Bid size: 24.02

Midpoint: 0.365

Spread: 0.03

Target captured at: 2026-09-16T14:59:25.889771Z

Target method: Opening order-book midpoint, frozen before initial assessment.

Net squared error improvement: 0.0055785531995272575

Followup quote:

Ask: 0.36

Ask contracts within 2c: 52.6

Ask size: 4.0

Bid: 0.34

Bid contracts within 2c: 203.01

Bid size: 50.0

Midpoint: 0.35

Spread: 0.02

Followup captured at: 2026-09-16T15:17:29.303904Z

Market movement pp: -1.50000000000000013

Followup error: Not recorded

Contract changed: No

Eligible for blind comparison: Yes

Qualification reasons:

None recorded.

Limitations:

Item 1.

Market agreement is not an outcome score or proof of forecast accuracy.

Item 2.

Step improvements are descriptive; sequential research does not identify causal effects.

Item 3.

Research may include information arriving after the opening target. Inspect market movement and timestamps.

Item 4.

No exposure reported is an agent declaration, not independently verified isolation.

Item 5.

Bid-ask spread is not a confidence interval. Missing follow-up data does not replace the opening target.

Research journal 1: Initial

Recorded 2026-09-16T15:01:06.843363Z · pre_reveal

Entry workbench_entry_4bbbd8eb8a82494384a9

Assumptions:

Item 1.

Gaussian error with zero bias initially

Item 2.

Model XND can serve as an initial spread proxy

Item 3.

Nearest-integer reporting approximation

Item 4.

Independent 1°F provider/window SD, selected before historical data

Evidence refs:

Packet id	Record id
pkt_c687fdc6b2c6bac6de66623b	forecast78

Probability: 22.3%

Rationale: Frozen next-day NBS forecast is 78°F and model XND is 3°F. A declared Gaussian distribution with mean 78 and SD $\sqrt{3^2+1^2}$ incorporates a subjective independent 1°F settlement/provider allowance. Integrate over [75.5,77.5) for integer 76–77°F. This is model-based, not empirical calibration.

Research status: in_progress

Uncertainties:

Item 1.

Local next-day forecast bias and dispersion

Item 2.

TWC versus station reporting

Item 3.

Current synoptic conditions and alternative NWS forecast

Research journal 2: Plan

Recorded 2026-09-16T15:01:06.951119Z · pre_reveal

Entry workbench_entry_af319cebbd5d4b228423

Higher if: Historical errors shift probability into 76–77°F or concentrate mass around that band; weather checks corroborate cooler conditions.

Lower if: Errors shift the center away from the band or increase dispersion; conditions show the next-day forecast is not a usable center.

Search plan: Primary estimator fixed now: include every target day July 18–September 15, 2026 (60 days). Pair IEM IL_ASOS MDW daily max_temp_f with KMDW NBS previous-day 06 UTC TXN reported at target-day+1 00 UTC (42-hour lead). No outcome-based filtering; exclude only missing/non-numeric pairs and list them. Current center is fixed September 16 06 UTC TXN for September 17. Set mean = current TXN + sample mean residual (observed minus forecast); SD = $\sqrt{\text{sample residual variance} \cdot (1+1/n) + 1^2}$. Use Gaussian mass over [75.5,77.5). The 1°F provider/window SD and normality are declared assumptions. Do not choose a different estimator after observing market prices. Report unsmoothed empirical frequency and sensitivities to mean $\pm 1^\circ\text{F}$ and extra SD 0,1,2°F. As a diagnostic only, fit bias and SD on first 40 complete chronological target days and report next 20 residual RMSE and interval coverage alongside unbiased raw forecasts. Minimum 30 valid pairs for revised estimator; otherwise retain initial and flag failure. Check TWC page for final-report conventions; check NOAA product definition, IEM daily definitions, current NWS point forecast and Chicago discussion. Preserve failed access and contradictions. NWS may motivate a labeled alternative-center sensitivity, not replace the fixed primary estimator.

Stopping rule: Stop after those defined sources and one complete 60-day extraction/calculation. No search for market odds. If definitions prevent a defensible mapping, report a qualified estimate

or abort; do not silently change station, horizon, historical window, or liquidity requirements.

Uncertainty: How much do KMDW next-day NBS forecasts miss actual station daily maxima, and do current conditions make those residuals misleading?

Why it matters: This two-degree bracket is below the 78°F point forecast; small bias and spread changes can change its probability substantially.

Research journal 3: Checkpoint

Recorded 2026-09-16T15:04:10.381702Z · pre_reveal

Entry workbench_entry_c5369e4ce2114ee0b856 · Research plan workbench_entry_af319ceb
bd5d4b228423

Changed assumptions:

Item 1.

Empirical local next-day residual SD replaces model XND for primary spread.

Item 2.

Estimated mean residual+0.0833°F replaces initial zero-bias assumption.

Item 3.

Normality,1°F extra SD,and forecast product remain as declared before historical retrieval.

Evidence refs:

Packet id	Record id
pkt_0f9495b8202397b68c559849	residuals
pkt_0f9495b8202397b68c559849	holdout
pkt_0f9495b8202397b68c559849	weather_disagreement
pkt_0f9495b8202397b68c559849	settlement_gap
pkt_0f9495b8202397b68c559849	calculation

Findings: All60 matched days available. Bias+0.0833°F; residual SD2.5130°F. Holdout RMSE worsened slightly after bias correction. NWS76°F vs NBS78°F; cloudy/showery regime raises transfer uncertainty. TWC daily history and rounding remain unverified.

Limitations:

Item 1.

IEM daily maxima are not exact TWC settlements.

Item 2.

NBS daytime maximum and full daily-report time windows differ.

Item 3.

Gaussian errors, constant bias, nearest-integer rounding and independent 1°F extra SD are assumptions.

Item 4.

60 adjacent summer days may be correlated and may not match the current rainy autumn regime.

Item 5.

Forecast archive is retrieved now, not immutable original publication vintages.

Item 6.

Same assistant context as NYC; price separation is procedural, not enforced isolation.

Item 7.

Opening thresholds screen best quotes only, not trading volume or market calibration.

Item 8.

Usage and monetary costs are unmetered.

Item 9.

TWC portal check stopped at the public HTML and one script; no authenticated or comprehensive archive search was performed.

Probability: 24.4%

Rationale: Apply the estimator fixed in the plan without changing its historical window, horizon, Gaussian assumption or 1°F extra spread. With mean 78.0833°F and SD 2.7240°F, the 76–77°F band has probability 24.3743%. Relative to the 22.2586% initial, lower estimated dispersion raises band mass; near-zero warm correction offsets a little. NWS disagrees on center, so report its 28.19% alternative without silently changing the declared model. The holdout does not support claiming the bias correction improves skill.

Remaining uncertainties:

Item 1.

Whether summer pooled residuals transfer to tomorrow's cloudy/rainy conditions

Item 2.

Which point forecast center is better for Midway

Item 3.

Exact TWC settlement versus IEM daily reporting

Item 4.

Serial dependence and small holdout sample

Sources checked:

Item 1.

<https://mesonet.agron.iastate.edu/cgi-bin/request/mos.py?station=KMDW&model=NBS&sts=2026-07-17T00%3A00Z&ets=2026-09-15T00%3A00Z&format=csv>

Item 2.

https://mesonet.agron.iastate.edu/cgi-bin/request/daily.py?sts=2026-07-18&ets=2026-09-15&network=IL_ASOS&stations=MDW&var=max__temp_f&format=csv

Item 3.

<https://api.weather.gov/gridpoints/LOT/72,69/forecast>

Item 4.

<https://forecast.weather.gov/product.php?site=LOT&issuedby=LOT&product=A&format=TEXT&version=1&glossary=0>

Item 5.

<https://mesonet.agron.iastate.edu/cgi-bin/request/daily.py?help=>

Item 6.

<https://vlab.noaa.gov/web/mdl/nbm-textcard-v5.0>

Item 7.

<https://weather.com/kalshi>

Research journal 4: Finish

Recorded 2026-09-16T15:04:10.490117Z · pre_reveal

Entry workbench_entry_c7aba215be6b41879b2c

Exposure notes: No opening or outside probability for this event was seen or sought. Contract thresholds were visible. Same assistant context as NYC; evaluator storage was separate but accessible, with no enforced isolation. Market quote remains uninspected.

Market exposure: none

Outcome status: unresolved

Stopping reason: Completed the predeclared 60-day extraction, chronological check, weather-source comparison and provider-definition checks. Remaining precision requires matched TWC settlement history or a separately validated regime model; do not tune further on this case.

Research journal 5: Reflection

Recorded 2026-09-16T15:18:19.576095Z · post_reveal

Entry workbench_entry_f95519e1d8a8418c8ce0

Next method change: On a new hidden-price case, predeclare a latest-available forecast cycle and a calibration method that conditions on forecast horizon and model dispersion or weather regime, using sufficiently many historical examples and a chronological holdout. Obtain exact settlement observations before fitting if possible. A centered Gaussian would need SD about 2.11°F to match this opening midpoint; that is a post-reveal diagnostic, not permission to select that SD or rewrite this forecast. Treat the unresolved market as a development target, not proof of truth.

What did not: The final 24.37% remains below the 35–38% opening spread. With SD 2.724°F , even a Gaussian centered optimally in the bracket has at most 28.65% probability, so merely substituting the cooler NWS center cannot close the gap. The later midpoint was 35% with only 4 contracts at the best ask, failing our opening depth threshold. We lack exact TWC settlements and conditional forecast-error calibration.

What helped: Predeclaring the window, horizon and estimator made the calculation reproducible. All 60 pairs were retained. Residual calibration reduced the opening-midpoint gap from 14.24 to 12.13 points; this is a descriptive change on one case. The chronological check surfaced that bias correction did not improve held-out RMSE.

Model and calculation

No structured model artifact was attached to this case. The recorded rationales and assumptions above are the available model description. Supplemental files, if supplied, are identified separately below.

Limitations and research cost

Case limitations:

Item 1.

Prices are separated from this project, not protected by an operating-system sandbox.

Item 2.

Selection checks spread and top-of-book size only; neither establishes market accuracy.

Item 3.

The agent must verify the event is still unknown; an open market alone cannot establish this.

Reported usage:

None recorded.

Usage note: Usage is agent-reported. Missing usage is unmetered, not zero; partial records are not a total.

Supplemental model or research file: calculation.json

Supplied at report generation. This is not automatically part of the sealed research record; its hash can be compared with a previously recorded commitment. No code in this file was executed.

Name: calculation.json

Sha256: c9be200514ec50e354c2149caa3e3a45cfd1ac00a852fafa3908ff01fd09b7ae

Provenance: report_time_attachment

Content:

Selection: All 60 target dates July 18–September 15, 2026; previous-day KMDW NBS 06 UTC; TXN at following-day 00 UTC (42-hour lead).

Pairs:

Item 1.

Date: 2026-07-18

Forecast: 91.0

Runtime: 2026-07-17 06:00:00

Forecast valid: 2026-07-19 00:00:00

Xnd: 2.0

Observed: 91.0

Error: 0.0

Item 2.

Date: 2026-07-19

Forecast: 82.0

Runtime: 2026-07-18 06:00:00

Forecast valid: 2026-07-20 00:00:00

Xnd: 2.0

Observed: 79.0

Error: -3.0

Item 3.

Date: 2026-07-20

Forecast: 87.0

Runtime: 2026-07-19 06:00:00

Forecast valid: 2026-07-21 00:00:00

Xnd: 3.0

Observed: 82.0

Error: -5.0

Item 4.

Date: 2026-07-21

Forecast: 87.0

Runtime: 2026-07-20 06:00:00

Forecast valid: 2026-07-22 00:00:00

Xnd: 3.0

Observed: 86.0

Error: -1.0

Item 5.

Date: 2026-07-22

Forecast: 75.0

Runtime: 2026-07-21 06:00:00

Forecast valid: 2026-07-23 00:00:00

Xnd: 2.0

Observed: 73.0

Error: -2.0

Item 6.

Date: 2026-07-23

Forecast: 80.0

Runtime: 2026-07-22 06:00:00

Forecast valid: 2026-07-24 00:00:00

Xnd: 2.0

Observed: 77.0

Error: -3.0

Item 7.

Date: 2026-07-24

Forecast: 81.0

Runtime: 2026-07-23 06:00:00

Forecast valid: 2026-07-25 00:00:00

Xnd: 2.0

Observed: 79.0

Error: -2.0

Item 8.

Date: 2026-07-25

Forecast: 85.0

Runtime: 2026-07-24 06:00:00

Forecast valid: 2026-07-26 00:00:00

Xnd: 3.0

Observed: 79.0

Error: -6.0

Item 9.

Date: 2026-07-26

Forecast: 92.0

Runtime: 2026-07-25 06:00:00

Forecast valid: 2026-07-27 00:00:00

Xnd: 2.0

Observed: 91.0

Error: -1.0

Item 10.

Date: 2026-07-27

Forecast: 92.0

Runtime: 2026-07-26 06:00:00

Forecast valid: 2026-07-28 00:00:00

Xnd: 4.0

Observed: 88.0

Error: -4.0

Item 11.

Date: 2026-07-28

Forecast: 80.0

Runtime: 2026-07-27 06:00:00

Forecast valid: 2026-07-29 00:00:00

Xnd: 3.0

Observed: 79.0

Error: -1.0

Item 12.

Date: 2026-07-29

Forecast: 82.0

Runtime: 2026-07-28 06:00:00

Forecast valid: 2026-07-30 00:00:00

Xnd: 3.0

Observed: 80.0

Error: -2.0

Item 13.

Date: 2026-07-30

Forecast: 85.0

Runtime: 2026-07-29 06:00:00

Forecast valid: 2026-07-31 00:00:00

Xnd: 2.0

Observed: 86.0

Error: 1.0

Item 14.

Date: 2026-07-31

Forecast: 82.0

Runtime: 2026-07-30 06:00:00

Forecast valid: 2026-08-01 00:00:00

Xnd: 3.0

Observed: 82.0

Error: 0.0

Item 15.

Date: 2026-08-01

Forecast: 73.0

Runtime: 2026-07-31 06:00:00

Forecast valid: 2026-08-02 00:00:00

Xnd: 3.0

Observed: 76.0

Error: 3.0

Item 16.

Date: 2026-08-02

Forecast: 74.0

Runtime: 2026-08-01 06:00:00

Forecast valid: 2026-08-03 00:00:00

Xnd: 2.0

Observed: 76.0

Error: 2.0

Item 17.

Date: 2026-08-03

Forecast: 78.0

Runtime: 2026-08-02 06:00:00

Forecast valid: 2026-08-04 00:00:00

Xnd: 2.0

Observed: 82.0

Error: 4.0

Item 18.

Date: 2026-08-04

Forecast: 83.0

Runtime: 2026-08-03 06:00:00

Forecast valid: 2026-08-05 00:00:00

Xnd: 2.0

Observed: 86.0

Error: 3.0

Item 19.

Date: 2026-08-05

Forecast: 82.0

Runtime: 2026-08-04 06:00:00
Forecast valid: 2026-08-06 00:00:00
Xnd: 3.0
Observed: 83.0
Error: 1.0
Item 20.
Date: 2026-08-06
Forecast: 78.0
Runtime: 2026-08-05 06:00:00
Forecast valid: 2026-08-07 00:00:00
Xnd: 3.0
Observed: 80.0
Error: 2.0
Item 21.
Date: 2026-08-07
Forecast: 84.0
Runtime: 2026-08-06 06:00:00
Forecast valid: 2026-08-08 00:00:00
Xnd: 2.0
Observed: 86.0
Error: 2.0
Item 22.
Date: 2026-08-08
Forecast: 83.0
Runtime: 2026-08-07 06:00:00
Forecast valid: 2026-08-09 00:00:00
Xnd: 2.0
Observed: 84.0
Error: 1.0
Item 23.
Date: 2026-08-09
Forecast: 85.0
Runtime: 2026-08-08 06:00:00
Forecast valid: 2026-08-10 00:00:00
Xnd: 3.0

Observed: 86.0

Error: 1.0

Item 24.

Date: 2026-08-10

Forecast: 83.0

Runtime: 2026-08-09 06:00:00

Forecast valid: 2026-08-11 00:00:00

Xnd: 3.0

Observed: 88.0

Error: 5.0

Item 25.

Date: 2026-08-11

Forecast: 82.0

Runtime: 2026-08-10 06:00:00

Forecast valid: 2026-08-12 00:00:00

Xnd: 4.0

Observed: 80.0

Error: -2.0

Item 26.

Date: 2026-08-12

Forecast: 82.0

Runtime: 2026-08-11 06:00:00

Forecast valid: 2026-08-13 00:00:00

Xnd: 2.0

Observed: 83.0

Error: 1.0

Item 27.

Date: 2026-08-13

Forecast: 79.0

Runtime: 2026-08-12 06:00:00

Forecast valid: 2026-08-14 00:00:00

Xnd: 3.0

Observed: 77.0

Error: -2.0

Item 28.

Date: 2026-08-14

Forecast: 79.0

Runtime: 2026-08-13 06:00:00

Forecast valid: 2026-08-15 00:00:00

Xnd: 2.0

Observed: 80.0

Error: 1.0

Item 29.

Date: 2026-08-15

Forecast: 84.0

Runtime: 2026-08-14 06:00:00

Forecast valid: 2026-08-16 00:00:00

Xnd: 3.0

Observed: 81.0

Error: -3.0

Item 30.

Date: 2026-08-16

Forecast: 84.0

Runtime: 2026-08-15 06:00:00

Forecast valid: 2026-08-17 00:00:00

Xnd: 2.0

Observed: 86.0

Error: 2.0

Item 31.

Date: 2026-08-17

Forecast: 81.0

Runtime: 2026-08-16 06:00:00

Forecast valid: 2026-08-18 00:00:00

Xnd: 2.0

Observed: 78.0

Error: -3.0

Item 32.

Date: 2026-08-18

Forecast: 81.0

Runtime: 2026-08-17 06:00:00

Forecast valid: 2026-08-19 00:00:00

Xnd: 2.0

Observed: 81.0

Error: 0.0

Item 33.

Date: 2026-08-19

Forecast: 79.0

Runtime: 2026-08-18 06:00:00

Forecast valid: 2026-08-20 00:00:00

Xnd: 2.0

Observed: 80.0

Error: 1.0

Item 34.

Date: 2026-08-20

Forecast: 80.0

Runtime: 2026-08-19 06:00:00

Forecast valid: 2026-08-21 00:00:00

Xnd: 2.0

Observed: 78.0

Error: -2.0

Item 35.

Date: 2026-08-21

Forecast: 81.0

Runtime: 2026-08-20 06:00:00

Forecast valid: 2026-08-22 00:00:00

Xnd: 2.0

Observed: 80.0

Error: -1.0

Item 36.

Date: 2026-08-22

Forecast: 79.0

Runtime: 2026-08-21 06:00:00

Forecast valid: 2026-08-23 00:00:00

Xnd: 2.0

Observed: 82.0

Error: 3.0

Item 37.

Date: 2026-08-23

Forecast: 77.0

Runtime: 2026-08-22 06:00:00

Forecast valid: 2026-08-24 00:00:00

Xnd: 2.0

Observed: 76.0

Error: -1.0

Item 38.

Date: 2026-08-24

Forecast: 77.0

Runtime: 2026-08-23 06:00:00

Forecast valid: 2026-08-25 00:00:00

Xnd: 2.0

Observed: 79.0

Error: 2.0

Item 39.

Date: 2026-08-25

Forecast: 80.0

Runtime: 2026-08-24 06:00:00

Forecast valid: 2026-08-26 00:00:00

Xnd: 2.0

Observed: 81.0

Error: 1.0

Item 40.

Date: 2026-08-26

Forecast: 83.0

Runtime: 2026-08-25 06:00:00

Forecast valid: 2026-08-27 00:00:00

Xnd: 2.0

Observed: 85.0

Error: 2.0

Item 41.

Date: 2026-08-27

Forecast: 81.0
Runtime: 2026-08-26 06:00:00
Forecast valid: 2026-08-28 00:00:00
Xnd: 2.0
Observed: 81.0
Error: 0.0

Item 42.

Date: 2026-08-28
Forecast: 82.0
Runtime: 2026-08-27 06:00:00
Forecast valid: 2026-08-29 00:00:00
Xnd: 2.0
Observed: 84.0
Error: 2.0

Item 43.

Date: 2026-08-29
Forecast: 81.0
Runtime: 2026-08-28 06:00:00
Forecast valid: 2026-08-30 00:00:00
Xnd: 3.0
Observed: 82.0
Error: 1.0

Item 44.

Date: 2026-08-30
Forecast: 86.0
Runtime: 2026-08-29 06:00:00
Forecast valid: 2026-08-31 00:00:00
Xnd: 3.0
Observed: 81.0
Error: -5.0

Item 45.

Date: 2026-08-31
Forecast: 89.0
Runtime: 2026-08-30 06:00:00
Forecast valid: 2026-09-01 00:00:00

Xnd: 3.0

Observed: 91.0

Error: 2.0

Item 46.

Date: 2026-09-01

Forecast: 90.0

Runtime: 2026-08-31 06:00:00

Forecast valid: 2026-09-02 00:00:00

Xnd: 3.0

Observed: 94.0

Error: 4.0

Item 47.

Date: 2026-09-02

Forecast: 93.0

Runtime: 2026-09-01 06:00:00

Forecast valid: 2026-09-03 00:00:00

Xnd: 2.0

Observed: 96.0

Error: 3.0

Item 48.

Date: 2026-09-03

Forecast: 90.0

Runtime: 2026-09-02 06:00:00

Forecast valid: 2026-09-04 00:00:00

Xnd: 3.0

Observed: 92.0

Error: 2.0

Item 49.

Date: 2026-09-04

Forecast: 89.0

Runtime: 2026-09-03 06:00:00

Forecast valid: 2026-09-05 00:00:00

Xnd: 3.0

Observed: 93.0

Error: 4.0

Item 50.

Date: 2026-09-05

Forecast: 85.0

Runtime: 2026-09-04 06:00:00

Forecast valid: 2026-09-06 00:00:00

Xnd: 4.0

Observed: 83.0

Error: -2.0

Item 51.

Date: 2026-09-06

Forecast: 77.0

Runtime: 2026-09-05 06:00:00

Forecast valid: 2026-09-07 00:00:00

Xnd: 2.0

Observed: 79.0

Error: 2.0

Item 52.

Date: 2026-09-07

Forecast: 79.0

Runtime: 2026-09-06 06:00:00

Forecast valid: 2026-09-08 00:00:00

Xnd: 2.0

Observed: 80.0

Error: 1.0

Item 53.

Date: 2026-09-08

Forecast: 87.0

Runtime: 2026-09-07 06:00:00

Forecast valid: 2026-09-09 00:00:00

Xnd: 2.0

Observed: 87.0

Error: 0.0

Item 54.

Date: 2026-09-09

Forecast: 83.0

Runtime: 2026-09-08 06:00:00
Forecast valid: 2026-09-10 00:00:00
Xnd: 3.0
Observed: 80.0
Error: -3.0
Item 55.
Date: 2026-09-10
Forecast: 78.0
Runtime: 2026-09-09 06:00:00
Forecast valid: 2026-09-11 00:00:00
Xnd: 2.0
Observed: 76.0
Error: -2.0
Item 56.
Date: 2026-09-11
Forecast: 79.0
Runtime: 2026-09-10 06:00:00
Forecast valid: 2026-09-12 00:00:00
Xnd: 2.0
Observed: 81.0
Error: 2.0
Item 57.
Date: 2026-09-12
Forecast: 85.0
Runtime: 2026-09-11 06:00:00
Forecast valid: 2026-09-13 00:00:00
Xnd: 2.0
Observed: 88.0
Error: 3.0
Item 58.
Date: 2026-09-13
Forecast: 75.0
Runtime: 2026-09-12 06:00:00
Forecast valid: 2026-09-14 00:00:00
Xnd: 3.0

Observed: 75.0
Error: 0.0
Item 59.
Date: 2026-09-14
Forecast: 75.0
Runtime: 2026-09-13 06:00:00
Forecast valid: 2026-09-15 00:00:00
Xnd: 3.0
Observed: 71.0
Error: -4.0
Item 60.
Date: 2026-09-15
Forecast: 84.0
Runtime: 2026-09-14 06:00:00
Forecast valid: 2026-09-16 00:00:00
Xnd: 4.0
Observed: 85.0
Error: 1.0
Excluded dates:
None recorded.
N: 60
Current nbs high f: 78.0
Current nbs xnd f: 3.0
Initial probability: 0.22258588036127136
Bias observed minus forecast f: 0.08333333333333333
Residual sample sd f: 2.5129607540533594
Final mean f: 78.08333333333333
Final sd f: 2.724008311404838
Assumed extra provider window sd f: 1
Final probability: 0.243743131027777
Empirical residual probability: 0.21666666666666667
Holdout diagnostic:
Train n: 40
Test n: 20
Train bias f: -0.15

Train sd f: 2.4863731180277995

Raw rmse f: 2.5592967784139455

Bias corrected rmse f: 2.595669470483482

Nominal 90pct interval coverage: 0.95

Interval halfwidth f: 4.45527743722064

Qualification: One small chronological check on proxy observations; not validation against TWC settlements.

Nws alternative:

High f: 76

Issued at: 2026-09-16T10:45:49+00:00

Probability with nws center and same sd: 0.28188425711116283

Qualification: Alternative raw NWS center; NBS bias is not transferred to a different forecast product. This is sensitivity, not the selected forecast.

Sensitivity:

Extra sd f	Mean shift f	Probability
0	-1	0.2992839849741104
0	0	0.2549879895849905
0	1	0.18737362900274696
1	-1	0.2802498776230036
1	0	0.243743131027777
1	1	0.18635845463066886
2	-1	0.23945969355425462
2	0	0.2165239485849555
2	1	0.17840678562263984

Limitations:

Item 1.

IEM daily maxima are not exact TWC settlements.

Item 2.

NBS daytime maximum and full daily-report time windows differ.

Item 3.

Gaussian errors, constant bias, nearest-integer rounding and independent 1°F extra SD are assumptions.

Item 4.

60 adjacent summer days may be correlated and may not match the current rainy autumn regime.

Item 5.

Forecast archive is retrieved now, not immutable original publication vintages.

Item 6.

Same assistant context as NYC; price separation is procedural, not enforced isolation.

Item 7.

Opening thresholds screen best quotes only, not trading volume or market calibration.

Raw sha256:

Daily definitions.html: 618a63cf7860efde3a6620864351d293e3dec75dfb0729fab344c20c22d357b9

Nbm definitions.html: 5115c4313054bce18faa03b49b98b7f38512ed35e56dacf0319006286bcb0079

Nbs current.json: 7ba9e336d42d64a8fd049bdf4574bd399c07c16f779d20751697a831ad30f141

Nbs history.csv: 71ac8307e2f7e098fcd7f7875f920af7d59083352f68e2094dc9319cf8bb8c70

Nws discussion.html: 89ba7c14d8ac7ee72f001ceb27880739830852f04242aa67f045ccee9b56e9d

Nws forecast.json: 9e71052ea0bf5a780777597df45ecf29eab72c83cbcd3a6d91b0d90d00c4f24d

Nws points.json: b75739325a7d1daff7eb9aebd6a7c9d50fa7832b5cddc1468f7889496ae44b8a

Observed history.csv: 67f8ea837fad85346b0b4d62da6a945bc61eb7a98a7540c38b81abd5e62a1eb5

Twc.html: 8687c886fda487d41824a69586c280d7aebd7e2988f4db33d608b1490f8fee8b

Finding: pkt_c687fdc6b2c6bac6de66623b:forecast78

Sources: [1], [2]

Claim: At the next-day horizon the frozen NBS forecast is 78°F with a 3°F reported model standard deviation. XND is model uncertainty, not independently demonstrated error calibration.

Claim type: observation

Entity ids:

None recorded.

Id: forecast78

Observed at: 2026-09-16T15:00:28.336555+00:00

Provenance:

Adapter: vorhersage.research_bundle.v1

Value: Not recorded

Finding: pkt_0f9495b8202397b68c559849:residuals

Sources: [3], [4]

Claim: All 60 predefined days were matched without exclusions. Mean observed-minus-NBS error is 0.083333°F; sample SD is 2.512961°F.

Claim type: inference

Entity ids:

None recorded.

Id: residuals

Observed at: 2026-09-16T15:01:23.357979+00:00

Provenance:

Adapter: vorhersage.research_bundle.v1

Value: Not recorded

Finding: pkt_0f9495b8202397b68c559849:holdout

Sources: [3], [4]

Claim: Fitting on the first 40 days and checking the last 20: raw forecast RMSE 2.5593°F, bias-corrected RMSE 2.5957°F; 19/20 observations lie in the declared nominal 90% interval. This small check does not demonstrate improved bias correction or calibration.

Claim type: inference

Entity ids:

None recorded.

Id: holdout

Observed at: 2026-09-16T15:01:23.357979+00:00

Provenance:

Adapter: vorhersage.research_bundle.v1

Value: Not recorded

Finding: pkt_0f9495b8202397b68c559849:weather_disagreement

Sources: [5], [6]

Claim: NWS Thursday point forecast is 76°F versus NBS 78°F; rain timing, cloud cover and wind direction remain uncertain. With the same final spread, using the raw NWS center gives 28.19%. This is an alternative assumption, not an independent probability vote.

Claim type: inference

Entity ids:

None recorded.

Id: weather_disagreement

Observed at: 2026-09-16T15:01:20.887929+00:00

Provenance:

Adapter: vorhersage.research_bundle.v1

Value: Not recorded

Finding: pkt_0f9495b8202397b68c559849:settlement_gap

Sources: [7], [8], [9]

Claim: No matched TWC settlement history or exact rounding convention was extracted. Station and NBS windows differ; the 1°F extra spread is an explicit assumption, not an empirically measured settlement correction.

Claim type: inference

Entity ids:

None recorded.

Id: settlement_gap

Observed at: 2026-09-16T15:01:21.139491+00:00

Provenance:

Adapter: vorhersage.research_bundle.v1

Value: Not recorded

Finding: pkt_0f9495b8202397b68c559849:calculation

Sources: [3], [4], [8]

Claim: The predeclared estimator gives mean 78.083333°F, SD 2.724008°F and probability 0.243743131. Empirical unsmoothed estimate is 13/60=21.67%. Mean shifts +/-1°F give 18.64–28.02%. Calculation SHA256: c9be200514ec50e354c2149caa3e3a45cfd1ac00a852fafa3908ff01fd09b7ae

Claim type: inference

Entity ids:

None recorded.

Id: calculation

Observed at: 2026-09-16T15:01:23.357979+00:00

Provenance:

Adapter: vorhersage.research_bundle.v1

Value: Not recorded

Source [1]: IEM archived NBS 06 UTC forecast for Midway

Excerpt: September 16 06 UTC run gives September 17 daytime maximum TXN 78°F and XND 3°F, reported at September 18 00 UTC.

Excerpt kind: paraphrase

Id: current

Retrieved at: 2026-09-16T15:00:28.336555+00:00

Title: IEM archived NBS 06 UTC forecast for Midway

Url: <https://mesonet.agron.iastate.edu/api/1/mos.json?station=KMDW&model=NBS&run-time=2026-09-16T06%3A00Z>

Source [2]: NOAA NBM station card definitions

Excerpt: NBS maximum TXN spans 12 UTC through following-day 06 UTC and is reported at following-day 00 UTC. XND is the maximum/minimum temperature standard deviation in Fahrenheit.

Excerpt kind: paraphrase

Id: definitions

Retrieved at: 2026-09-16T15:00:28.336555+00:00

Title: NOAA NBM station card definitions

Url: <https://vlab.noaa.gov/web/mdl/nbm-textcard-v5.0>

Source [3]: IEM NBS forecast archive for Midway

Excerpt: All 60 target dates have a previous-day 06 UTC KMDW NBS forecast with 42-hour TXN. Forecast dates run July 17 through September 14.

Excerpt kind: paraphrase

Id: history

Retrieved at: 2026-09-16T15:01:23.357979+00:00

Title: IEM NBS forecast archive for Midway

Url: <https://mesonet.agron.iastate.edu/cgi-bin/request/mos.py?station=KMDW&model=NBS&sts=2026-07-17T00%3A00Z&ets=2026-09-15T00%3A00Z&format=csv>

Source [4]: IEM Midway station daily maxima

Excerpt: All 60 predetermined target dates July 18 through September 15 have a station daily high. These are proxy observations, not verified TWC settlements.

Excerpt kind: paraphrase

Id: observed

Retrieved at: 2026-09-16T15:01:20.766125+00:00

Title: IEM Midway station daily maxima

Url: https://mesonet.agron.iastate.edu/cgi-bin/request/daily.py?sts=2026-07-18&ets=2026-09-15&network=IL_ASOS&stations=MDW&var=max_temp_f&format=csv

Source [5]: NWS Midway point forecast

Excerpt: NWS forecasts September 17 high near 76°F, mostly cloudy, with possible showers and thunderstorms before 1pm. This is 2°F below the frozen NBS point forecast.

Excerpt kind: paraphrase

Id: nws

Published at: 2026-09-16T10:45:49Z

Retrieved at: 2026-09-16T15:01:20.583547+00:00

Title: NWS Midway point forecast

Url: <https://api.weather.gov/gridpoints/LOT/72,69/forecast>

Source [6]: NWS Chicago forecast discussion

Excerpt: Rain and storms may affect Thursday morning; drier conditions are expected later. The location of heavier overnight rain is uncertain. Clouds, wind direction and precipitation create regime uncertainty in daily highs.

Excerpt kind: paraphrase

Id: discussion

Published at: 2026-09-16T12:00:00Z

Retrieved at: 2026-09-16T15:01:20.887929+00:00

Title: NWS Chicago forecast discussion

Url: <https://forecast.weather.gov/product.php?site=LOT&issuedby=LOT&product=AFD&format=TXT&version=1&glossary=0>

Source [7]: IEM daily-summary definitions

Excerpt: The archive mixes computed calendar-day summaries and explicit official totals. Airport daily windows typically follow standard time, or 1am to 1am daylight time.

Excerpt kind: paraphrase

Id: daily_definition

Retrieved at: 2026-09-16T15:01:21.139491+00:00

Title: IEM daily-summary definitions

Url: <https://mesonet.agron.iastate.edu/cgi-bin/request/daily.py?help=>

Source [8]: NOAA NBM station card definitions

Excerpt: NBS maximum TXN spans 12 UTC through next-day 06 UTC and appears at next-day 00 UTC. XND measures model maximum/minimum temperature standard deviation.

Excerpt kind: paraphrase

Id: nbm_definition

Retrieved at: 2026-09-16T14:59:41.593273+00:00

Title: NOAA NBM station card definitions

Url: <https://vlab.noaa.gov/web/mdl/nbm-textcard-v5.0>

Source [9]: The Weather Company climate data portal

Excerpt: The public HTML presents a climate portal with daily and hourly views. The retrieved shell and one script did not establish a historical TWC settlement series, exact rounding, or full daily-window conventions.

Excerpt kind: paraphrase

Id: twc

Retrieved at: 2026-09-16T15:01:20.649853+00:00

Title: The Weather Company climate data portal

Url: <https://weather.com/kalshi>

Report provenance

This report renders stored records without new research, model calls, or probability revisions. Missing work remains missing. The JSON export preserves the complete report input.

Schema version: vorhersage.report.v1

Generated at: 2026-09-16T15:20:34.447901Z

Record sha256: 7d5815bd1c540e5f1b8c296b1905028a7710190563285610fd19b8d39356123f

Format: latex

Latex engine: XeLaTeX or LuaLaTeX

Narrative sha256: 2b4a1f2755a1e08684db331f4bfb89510e3e4618c63f4d1d965f127c4c1c5e9d