

**Building the Futuristic Blockchain Ecosystem** 

## SECURITY AUDIT REPORT

VaultChain



### **TOKEN OVERVIEW**

### **Risk Findings**

Severity	Found	
High	1	
Medium	0	
Low	0	
Informational	0	

### **Centralization Risks**

Owner Privileges	Description
Can Owner Set Taxes >25%?	Not Detected
Owner needs to enable trading?	Yes, owner needs to enable trades
Can Owner Disable Trades ?	Not Detected
Can Owner Mint ?	Not Detected
Can Owner Blacklist ?	Not Detected
Can Owner set Max Wallet amount?	Not Detected
Can Owner Set Max TX amount?	Not Detected



# TABLE OF CONTENTS

02	Token Overview
03	Table of Contents
04	Overview
05	Contract Details ————————————————————————————————————
06	Audit Methodology
07	Vulnerabilities Checklist ————————————————————————————————————
08	Risk Classification
09	Inheritence Trees ———————————————————————————————————
10	Function Details ————————————————————————————————————
14	Testnet Version
16	Manual Review ————————————————————————————————————
18	About Expelee
40	



## **OVERVIEW**

The Expelee team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analysed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit:

Audit Result	Passed with high risk
KYC Verification	-
Audit Date	14 October 2023



### **CONTRACT DETAILS**

Token Address: ---

Name: VaultChain

Symbol: VaultChain

Decimals: 18

Network: ---

Token Type: ---

Owner: ---

Deployer: ---

**Token Supply:** 1,000,000,000

#### Checksum:

cb2134035a08d9a9f0030b2f1bc77b3adcf0973d

#### **Testnet version:**

The tests conducted were performed on the contract deployed on the Binance Smart Chain (BSC) Testnet.

https://testnet.bscscan.com/token/0x2233FFCFc3CBBe5979c2dC4955E66B509Ac882F9



### AUDIT METHODOLOGY

#### **Audit Details**

Our comprehensive audit report provides a full overview of the audited system's architecture, smart contract codebase, and details on any vulnerabilities found within the system.

#### **Audit Goals**

The audit goal is to ensure that the project is built to protect investors and users, preventing potentially catastrophic vulnerabilities after launch, that lead to scams and rugpulls.

### **Code Quality**

Our analysis includes both automatic tests and manual code analysis for the following aspects:

- Exploits
- Back-doors
- Vulnerability
- Accuracy
- Readability

#### **Tools**

- DE
- Open Zeppelin
- Code Analyzer
- Solidity Code
- Compiler
- Hardhat



### VULNERABILITY CHECKS

Design Logic	Passed
Compiler warnings	Passed
Private user data leaks	Passed
Timestamps dependence	Passed
Integer overflow and underflow	Passed
Race conditions & reentrancy. Cross-function race conditions	Passed
Possible delays in data delivery	Passed
Oracle calls	Passed
Front Running	Passed
DoS with Revert	Passed
DoS with block gas limit	Passed
Methods execution permissions	Passed
Economy model	Passed
Impact of the exchange rate on the logic	Passed
Malicious event log	Passed
Scoping and declarations	Passed
Uninitialized storage pointers	Passed
Arithmetic accuracy	Passed
Cross-function race conditions	Passed
Safe Zepplin module	Passed



### RISK CLASSIFICATION

When performing smart contract audits, our specialists look for known vulnerabilities as well as logical and acces control issues within the code. The exploitation of these issues by malicious actors may cause serious financial damage to projects that failed to get an audit in time. We categorize these vulnerabilities by the following levels:

### **High Risk**

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

#### **Medium Risk**

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

#### **Low Risk**

Issues on this level are minor details and warning that can remain unfixed.

#### **Informational**

Issues on this level are minor details and warning that can remain unfixed.



### **INHERITANCE TREES**





```
|Contract |
        Type
             |Bases |
          ----:|:---
| **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
ШШ
| **SafeMathInt** | Library | |||
| └ | toUint256Safe | Internal 🔒 | ||
| - | tolnt256Safe | Internal - | | |
ШШ
| **IterableMapping** | Library | ||| | | |
| └ | getIndexOfKey | Internal 🔒 | | |
| - | set | Internal | - | | | | |
| **IUniswapV2Factory** | Interface | |||
| - | feeToSetter | External | | | NO | |
│ └│createPair│External │ │ ● |NO │ │
| └|setFeeTo|External | | ● |NO | |
│ └│setFeeToSetter │External │ │ ● │NO │ │
| **IUniswapV2Pair** | Interface | ||| | |
| - | name | External | | | NO | |
| decimals | External | | NO | |
| allowance | External | | NO | |
```



```
└ | approve | External ᆝ | 🌑 |NO 🕺 |
 └ | transferFrom | External | | ● |NO | |
 | DOMAIN_SEPARATOR | External | | NO | |
 | PERMIT_TYPEHASH | External | | NO | |
 └ | nonces | External ! | |NO! |
 └ | permit | External | | ● |NO | |
 | MINIMUM_LIQUIDITY | External | | NO | | | | |
| factory | External | | NO | |
 | token1 | External | | NO | |
 | price0CumulativeLast | External | | NO | |
 | price1CumulativeLast | External | | NO | |
| - | initialize | External | | | | NO | |
ШШ
| **IUniswapV2Router01** | Interface | |||
- | addLiquidity | External | | | | NO | |
 └ | removeLiquidity | External 📗 | 🌑 |NO 📗 |
 └ | removeLiquidityETH | External ! | ● |NO! |
 └ | removeLiquidityWithPermit | External ! | ● |NO! |
 | removeLiquidityETHWithPermit | External | | | | NO | |
 └ | swapExactTokensForTokens | External ! | ● |NO! |
 | swapTokensForExactTokens | External | | | | NO | |
 | swapExactETHForTokens | External | | I NO | |
 └ | swapTokensForExactETH | External | | ● |NO | |
 └ | swapExactTokensForETH | External 📗 | 🌑 |NO 📗 |
 | swapETHForExactTokens | External | | 1 NO | | | |
 | quote | External | | NO | |
| - | getAmountsIn | External | | | NO | |
| **IUniswapV2Router02** | Interface | IUniswapV2Router01 |||
```



```
└ removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External ! | ● |NO! |
| - | swapExactTokensForETHSupportingFeeOnTransferTokens | External | | • | NO | |
| **DividendPayingTokenInterface** | Interface | |||
| Lack | dividendOf | External | | NO | |
| | withdrawDividend | External | | | NO | |
| **DividendPayingTokenOptionalInterface** | Interface | |||
| | withdrawableDividendOf | External | | NO | |
| | withdrawnDividendOf | External | | NO | |
| | accumulativeDividendOf | External | | NO | |
| **DividendPayingToken** | Implementation | ERC20, Ownable, DividendPayingTokenInterface,
DividendPayingTokenOptionalInterface |||
| - | distributeDividends | External | | | | onlyOwner |
   | withdrawDividend | External | | | NO | |
| Lagrangian | Lag
  | dividendOf | Public | | |NO | | | |
| | withdrawableDividendOf | Public | | NO | |
| | withdrawnDividendOf | Public | | NO | |
   | accumulativeDividendOf | Public | | NO | |
| - | _transfer | Internal | - | | | | |
| - | _mint | Internal | - | | - | |
| - | _burn | Internal | - | | - | |
| └ | _setBalance | Internal | ● | ● | |
| **DividendTracker** | Implementation | Ownable, DividendPayingToken
| - | Constructor | Public | | | DividendPayingToken |
| Lactransfer | Internal April 1
| | withdrawDividend | External | | NO | | |
  | updateMinimumTokenBalanceForDividends | External | | | | onlyOwner |
| - | excludeFromDividends | External | | • | onlyOwner |
   | updateClaimWait | External | | | | onlyOwner |
  | setLastProcessedIndex | External | | | onlyOwner |
  | getLastProcessedIndex | External | | NO | |
  | getNumberOfTokenHolders | External | | NO | |
| LgetAccount | Public | | NO | |
| | getAccountAtIndex | External | | NO | |
| - | canAutoClaim | Private | | | |
| - | setBalance | External | | • | onlyOwner |
| └ | process | External | | ● |NO | |
| - | processAccount | Public | | | | onlyOwner |
```



```
| **VaultChain** | Implementation | ERC20, Ownable ||| | |
| - | Constructor> | Public | | | ERC20 |
| - | <Receive Ether> | External | | 1 | NO | |
| - | claimStuckTokens | External | | | onlyOwner |
 └ | isContract | Internal | | | |
 └ | _setAutomatedMarketMakerPair | Private 🔐 | 🌑 | |
 | setWhitelistStatus | Public | | | | onlyOwner | | |
| | iswhitelisted | External | | NO | |
 | updateBuyFees | Public | | | | onlyOwner |
 | updateSellFees | Public | | | | onlyOwner |
| - | changeMarketingWallet | External | | | | onlyOwner |
 | changeDevelopmentWallet | External | | | | onlyOwner |
 | setMaxWalletPercentage | Public | | | | onlyOwner |
| - | enableTrading | External | | | | onlyOwner |
| - | _transfer | Internal - | | | | |
| - | swapAndLiquify | Private | | | | | |
| - | Burn | Private 🔐 | 🌑 | |
| - | swapAndSendDividends | Private if | • | |
 | setSwapTokensAtAmount | External | | | | onlyOwner |
 | updateGasForProcessing | External | | | | onlyOwner |
 | updateMinimumBalanceForDividends | External | | | | onlyOwner |
| - | updateClaimWait | Public | | | onlyOwner |
 | getClaimWait | External | | NO | |
| | getTotalDividendsDistributed | External | | NO | |
| | withdrawableDividendOf | External | | NO | |
 | dividendTokenBalanceOf | External | | | NO | |
 | totalRewardsEarned | External | | NO | |
 | excludeFromDividends | External | | | | onlyOwner |
| | getAccountDividendsInfo | External | | NO | |
| | getAccountDividendsInfoAtIndex | External | | NO | |
| | processDividendTracker | External | | | NO | |
 | LaimAddress | External | | language | onlyOwner |
 | getLastProcessedIndex | External | | NO | |
 | setLastProcessedIndex | External | | | | onlyOwner |
| | getNumberOfDividendTokenHolders | External | | NO | |
### Legend
|Symbol | Meaning|
|:-----|
| • | Function can modify state |
| 💵 | Function is payable |
```



### **TESTNET VERSION**

#### Adding Liquidity <

Tx:

https://testnet.bscscan.com/tx/0x6f8d02d3142f3465108fd89d5e97b280a0e7b8e85bee0fb5fe50646c3073851a

#### Buying when excluded from fees <a></a>

Tx (0% tax):

https://testnet.bscscan.com/tx/0xd627fa781cd3a917b458affbc695bce1d3dc9d6beb3e883fe6ad0bdb0e9b8e94

\_\_\_\_\_\_

#### Selling when excluded from fees <a></a>

Tx (0% tax):

https://testnet.bscscan.com/tx/0x54e487920d6d2bcf1de4bfadb711a7b99d1057409636f5359e619bf81a1784a9

\_\_\_\_\_\_

#### Transferring when excluded from fees ✓

Tx (0% tax):

https://testnet.bscscan.com/tx/0xc6bbbfba86fd216e18fb82c7af36cea656d7d11390ccec0731bb91866f4051ab

#### Buying <a></a>

Tx (0-10% tax):

https://testnet.bscscan.com/tx/0x3f3753127af00510f9a39fe918fa3062920d179166f240 2bae5e3f60a7ef9a8a



### **TESTNET VERSION**

Sel	ling	<b>/</b>
	3	_

Tx (0-10% tax):

https://testnet.bscscan.com/tx/0x9f53f58d9a1e2a10d3143c72f6031c9ee7e7a924ad3216f986b8bf59af9ebabd

\_\_\_\_\_\_

### Transferring <a></a>

Tx (0-10% tax):

https://testnet.bscscan.com/tx/0x7ba3d1d5f6910ad423461dde3a6529d17f7bfceced8dfc8955ee30d951d16cc2

\_\_\_\_\_

#### Internal swap 🗸

Tx:

https://testnet.bscscan.com/tx/0x9f53f58d9a1e2a10d3143c72f6031c9ee7e7a924ad3216f986b8bf59af9ebabd



### MANUAL REVIEW

### **Severity Criteria**

Expelee assesses the severity of disclosed vulnerabilities according to methodology based on OWASP standarts.

Vulnerabilities are dividend into three primary risk categroies:

High

Medium

Low

High-level considerations for vulnerabilities span the following key areas when conducting assessments:

- Malicious input handling
- Escalation of privileges
- Arithmetic
- Gas use

Overall Risk Severity					
Impact	HIGH	Medium	High	Critical	
	MEDIUM	Low	Medium	High	
	LOW	Note	Low	Medium	
		LOW	MEDIUM	HIGH	
	Likelihood				



### **HIGH RISK FINDING**

**Category: Centralization** 

Subject: Trades are disabled by default

**Status: Open** 

**Impact: High** 

#### **Overview:**

The contract has been structured such that all trading is disabled by default, necessitating the contract owner's manual intervention to enable trading. This can lead to a situation where, if trades remain disabled, token holders won't be able to buy, sell, or trade their tokens, causing a severe impact on the token's usability and market liquidity.

```
function enableTrading() external onlyOwner {
require(!tradingEnabled, "Trading is already enabled");
  tradingEnabled = true;
  startTradingBlock = block.number;
}
```

#### **Suggestion:**

To mitigate this risk, it is recommended that trading be enabled before the token presale. This can be achieved by invoking the "enableTrading" function or by transferring ownership of the contract to a third-party that has established trust with the community, such as a Certified SAFU developer. This reduces the concentration of power and the potential for malicious actions, thereby promoting a more decentralized and fair environment for all participants.



### **ABOUT EXPELEE**

Expelee is a product-based aspirational Web3 start-up.
Coping up with numerous solutions for blockchain security and constructing a Web3 ecosystem from deal making platform to developer hosting open platform, while also developing our own commercial and sustainable blockchain.

### www.expelee.com

- 🔰 expeleeofficial
- expelee

Expelee

- in expelee
- expelee\_official
- 👩 expelee-co



**Building the Futuristic Blockchain Ecosystem** 



### **DISCLAIMER**

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantess against the sale of team tokens or the removal of liquidity by the project audited in this document.

Always do your own research and project yourselves from being scammed. The Expelee team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools.

Under no circumstances did Expelee receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Alway do your own research and protect yourselves from scams.

This document should not be presented as a reason to buy or not buy any particular token. The Expelee team disclaims any liability for the resulting losses.



**Building the Futuristic Blockchain Ecosystem**