expelee

Building the Futuristic Blockchain Ecosystem

Audit Report FOR



Fight4Hope



OVERVIEW

The Expelee team has performed a line-by-line manual analysis and automated review of the smart contract.

The smart contract was analysed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks.

According to the smart contract audit:



Why Passed with High risk?

All the codebase has been reviewed, there was no issues that could disable the system, however there was couple of high risk centralization issues which are discussed in the report

-Team Expelee




PROJECT DESCRIPTION


Fight4Hope

Fight4Hope is a play-to-earn blockchain game based on an online multiplayer battle royale model.

Fight4Hope is built on the Unreal 5 engine with the highest standards in graphics available, never delivered in a crypto play-to-earn concept to date







It's always good to check the social profiles of the project, before making your investment.

-Team Expelee



CONTRACT DETAILS

Contract Name

Fight4Hope

Network

BSC

Token Type

ERC20-ERC 2612

Language

Solidity

Contract Address (Verified)

0xa5F8128d04692656a60f17B349C2146c48e6863a

Dividend Tracker (Verified)

0xfbe67b7eb6165651beaa82906b0da4cc6fd2a8e1

Compiler

v0.8.11+commit.d7f03943

License

Default license

Contract SHA-256 Checksum:

e48dadecb8af26db506b3219ce4b02da69854478b6337c1be692e4baa13aa4db

Token Name

Token Symbol

Fight4Hope

F4H

AUDIT METHODOLOGY



Audit Details

Our comprehensive audit report provides a full overview of the audited system's architecture, smart contract codebase, and details on any vulnerabilities found within the system.



Audit Goals

The audit goal is to ensure that the project is built to protect investors and users, preventing potentially catastrophic vulnerabilities after launch, that lead to scams and rugpulls.



Code Quality

Our analysis includes both automatic tests and manual code analysis for the following aspects:

- Exploits
- Back-doors
- Vulnerability
- Accuracy
- Readability



Tools

- DF
- Open Zeppelin
- Code Analyzer
- Solidity Code
- Complier
- Hardhat





FUNCTION OVERVIEW

Can Take Back Ownership

Owner Change Balance

Blacklist

Modify Fees

Proxy

Whitelisted

Anti-Whale

Trading Cooldown

Transfer Pausable

Cannot Sell All

Hidden Owner

Mint

Not Detected



VULNERABILITY CHECKLIST

Design Logic	Passed
Compiler warnings.	Passed
Private user data leaks	Passed
Timestamp dependence	Passed
Integer overflow and underflow	Passed
Race conditions & reentrancy. Cross-function race conditions	Passed
Possible delays in data delivery	Passed
Oracle calls	Passed
Front running	Passed
DoS with Revert	Passed
DoS with block gas limit	Passed
Methods execution permissions	Passed
Economy model	Passed
Impact of the exchange rate on the logic	Passed
Malicious Event log	Passed
Scoping and declarations	Passed
Uninitialized storage pointers	Passed
Arithmetic accuracy	Passed
Cross-function race conditions	Passed
Safe Zeppelin module	Passed
Fallback function security	Passed



RISK CLASSIFICATION

When performing smart contract audits, our specialists look for known vulnerabilities as well as logical and access control issues within the code. The exploitation of these issues by malicious actors may cause serious financial damage to projects that failed to get an audit in time. We categorize these vulnerabilities by the following levels:

High Risk

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

Medium Risk

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

Low Risk

Issues on this level are minor details and warning that can remain unfixed.

Informational

Information level is to offer suggestions for improvement of efficacy or security for features with a risk free factor.





AUDIT SUMMARY

Ownership:

current owner of Fight4Hope is:

0xb2121723743c9402bd88c5dc59f309ac79307c9a

owner has several privileges over contract, all of them are discussed in the report

current owner of DvidendTracker is:

0xa5f8128d04692656a60f17b349c2146c48e6863a

which is the Fight4Hope token contract itself


Audit Scope:

all of below contracts are in this audit scope

Fight4Hope.sol

Fight4HopeDividendTracker.sol

Inheritance Tree:







AUDIT SUMMARY

Summary

- **Fight4Hope** is implementing a bridge functionality, bridge contracts are not in this audit scope, developer of the contract is well aware of all best bridge security practices.
- **Fight4Hope** gives **RBA** tokens as reflection to holders, this **RBA** token has 20% tax on buy and 20% tax on sell | <u>Chart</u>
- Fight4Hope uses a dividend tracker contract to distribute rewards between holders
- Fight4Hope is implementing <u>EIP-2612</u> which is ERC20 + additional functionalities to support transfering tokens with an off-chain provided signature and without the need for a token holder toapprove its tokens.



MANUAL AUDIT

Severity Criteria

Expelee assesses the severity of disclosed vulnerabilities according to a methodology based on OWASP standards.

Vulnerabilities are divided into three primary risk categories: **high**, **medium**, and **low**. High-level considerations for vulnerabilities span the following key areas when conducting assessments:

- Malicious Input Handling
- Escalation of privileges
- Arithmetic
- Gas Use

	Ove	rall Risk Seve	rity	
Impact	HIGH	Medium	High	Critical
	MEDIUM	Low	Medium	High
	LOW	Note	Low	Medium
		LOW	MEDIUM	HIGH
	Likelihood			





Findings Summary

High Risk Findings: 3

Medium Risk Findings: 1

Suggestions & discussion: 3

Gas Optimizations: 2

Fight4HopeDividendTracker is a popular contract used by many tokens, we didn't spend much time testing its functionality, we just readed the c ode to make sure there is no changes that need to be audited. one important thing is that reward token, or divident token can't be zero address, which is notin this case and can not be changed also.

other consideration is that dev must not be able to withdraw reward tokens from dividend contract, which is not able to do so.

High Risk Findings

Centralization - Owner is able to disable transferring

```
function setTransfersEnabled(bool enabled) external override onlyOwner {
    require(transfersEnabled != enabled, "Already set to this value");
    transfersEnabled = enabled;
    emit LogSetTransfersEnabled(enabled);
}
```

only whitelisted wallets are able to bypass this limit in **_transfer** function:

```
if (!transfersEnabled) {
    require(whitelistedAddresses[from], "Fight4Hope: Transfering is
    disabled");
```

Recommendation:

give clear explanations about this function or remove it





Centralization - Owner is able to set buy & sell taxes each up to 50%


```
function updateBuyFees(
      uint256 _dividendFee,
      uint256 _liquidityFee,
      uint256 _marketingFee
) external override onlyOwner {
      buyDividendFee = _dividendFee;
      buyLiquidityFee = _liquidityFee;
      buyMarketingFee = _marketingFee;
      buyTotalFees = buyDividendFee + buyLiquidityFee + buyMarketingFee;
      require(buyTotalFees <= 5000, "Max fee is 50%");
      emit LogUpdateBuyFees(buyDividendFee, buyLiquidityFee,
buyMarketingFee);
}</pre>
```

Recommendation:

set a reasonable amount for tax limits

Medium Risk Findings

Centralization - Owner is able to withdraw LP tokens using recoverERC20, this LP tokens are thetokens that contract receives in exchange for adding a portion of collected taxes as liquidity





Gas Optimizations

too much use of **balanceOf** function for same values over and over again (at _transfer function), define a memory variable to lower trades gas amount

instead assign a memory vairable to them to lower buy/sell gas

Define _startSupply and maxWalletToken as constant, this values never changed inside the contract

Redundant check, transaction will revert if this condition is not met

```
uint256 senderBalance = balanceOf(from);
require(senderBalance >= amount, "ERC20: transfer amount exceeds balance");
```

Suggestions

Delete override for **state variables**, there are many state variables with override keyword, this variables are not impelemnted in any of parent contracts

Change contractBalanceRecepient to recepientBalance (_transfer function)

```
uint256 contractBalanceRecepient = balanceOf(to);
require(
    contractBalanceRecepient + amount <= maxWalletToken,
    "Fight4Hope: Exceeds maximum wallet token amount."
);</pre>
```



ABOUT EXPELEE

Expelee is a product-based aspirational Web3 Start-up.
Coping up with numerous solutions for blockchain Security and constructing a Web3 Ecosystem from Deal making platform to developer hosting open platform, while also developing our own commercial and sustainable blockchain.

www.expelee.com

- expeleeofficial
- expelee

Expelee

- in expelee
- expelee_official
- 👩 expelee-co



Building the Futuristic Blockchain Ecosystem



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document.

Always Do your own research and protect yourselves from being scammed. The Expelee team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools.

Under no circumstances did Expelee receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams.

This document should not be presented as a reason to buy or not buy any particular token. The Expelee team disclaims any liability for the resulting losses.