

Building the Futuristic Blockchain Ecosystem

SECURITY AUDIT REPORT

Pepe Byte



TOKEN OVERVIEW

Risk Findings

Severity	Found	
High	0	
Medium	1	
Low	0	
Informational	0	

Centralization Risks

Owner Privileges	Description	
Can Owner Set Taxes ?	Not Detected	
Owner needs to enable trading?	Not Detected	
Does Owner needs to manually list?	Not Detected	
Can Owner Mint ?	Not Detected	
Can Owner Blacklist ?	Not Detected	
Can Owner Freeze Authority?	Not Detected	
Can Owner Update Metadata ?	YES	



TABLE OF CONTENTS

	_	/	\frown		
\mathbf{n}	$\mathbf{I} \cap \mathbf{V}$	Δn		$\Delta r_{\rm M}$	
02	$\mathbf{I} \cup \mathbf{N}$	en (-IV	

- 03 Table of Contents
- 04 Overview
- 05 Contract Details
- 06 Metadata Results
- 07 Metaplex Metadata -
- 08 URI Metadata
- 09 Audit Methodology —
- 10 Vulnerability Checks
- 11 Risk Classification
- 12 Manual Review —
- 14 About Expelee ——
- 15 Disclaimer



OVERVIEW

The Expelee team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analysed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit:

Audit Result	Passed
Audit Date	06 Feb 2024



CONTRACT DETAILS

Name: Pepe Byte

Symbol: PepeByte

Decimals: 9

Supply: 1,000,000,000.00

Unlocked: 100%

Network: SolScan

Token Type: Solana Token

Token Address: A2v72AfCkePTu66hra4EGEtSA3n8mTD6h9vYidcwYrF7

Owner: Renounced

Creator: 8sAmKn1ZnSdkLH5ckwnp2MvruqkBRBWRHMKcWDJjbUJk



METADATA RESULTS

key: 4

update Authority: 8sAmKn1ZnSdkLH5ckwnp2MvruqkBRBWRHMKcWDJjbUJk

mint: A2v72AfCkePTu66hra4EGEtSA3n8mTD6h9vYidcwYrF7

name: Pepe Byte

symbol: PepeByte

Uri: https://cdn.pinksale.finance/file/pinksale-metadata/tokens/1738747623079-51769fc3840fcd984c1954261e19eae0.json

sellerFeeBasisPoints: 0

address: 8sAmKn1ZnSdkLH5ckwnp2MvruqkBRBWRHMKcWDJjbUJk

Verified: 1

Share: 100

primary SaleHappend: 0

isMutable: 1

editionNonce: 253

tokenStandard: 2



METAPLEX METADATA

Metadata on the Solana blockchain serves as supplementary data for a digital asset or Non-Fungible Token (NFT), encompassing details such as the asset's name, description, image, attributes, and other significant information that offers a comprehensive description of the asset.

Within the Solana network, this metadata typically takes the form of JSON files linked to the asset via its distinct identifier, or token ID. The aim of this metadata is to furnish crucial insights about the asset, thereby improving user and application interaction with and comprehension of the asset.

```
▼ { 8 items
   key: 4
   updateAuthority: "8sAmKn1ZnSdkLH5ckwnp2MvruqkBRBWRHMKcWDJjbUJk"
   mint: "A2v72AfCkePTu66hra4EGEtSA3n8mTD6h9vYidcwYrF7"
   name: "Pepe Byte"
      symbol: "PepeByte"
      uri: "https://cdn.pinksale.finance/file/pinksale-metadata/tokens/1738747623079-51769fc ..."
      sellerFeeBasisPoints:0
      address: "8sAmKn1ZnSdkLH5ckwnp2MvruqkBRBWRHMKcWDJjbUJk"
            verified: 1
            share: 100
   primarySaleHappened: 0
   isMutable: 1
   editionNonce: 253
   tokenStandard: 2
```



URI METADATA

In the Solana ecosystem, URI metadata refers to the data associated with a token that can be retrieved using its Uniform Resource Identifier (URI).

URI:

https://cdn.pinksale.finance/file/pinksale-metadata/tokens/1738747623079-51769fc3840fcd984c1954261e19eae0.json



AUDIT METHODOLOGY

Audit Details

Our comprehensive audit report provides a full overview of the audited system's architecture, smart contract codebase, and details on any vulnerabilities found within the system.

Audit Goals

The audit goal is to ensure that the project is built to protect investors and users, preventing potentially catastrophic vulnerabilities after launch, that lead to scams and rugpulls.

Code Quality

Our analysis includes both automatic tests and manual code analysis for the following aspects:

- Exploits
- Back-doors
- Vulnerability
- Accuracy
- Readability



VULNERABILITY CHECKS

Design Logic	Passed
Compiler warnings	Passed
Private user data leaks	Passed
Timestamps dependence	Passed
Integer overflow and underflow	Passed
Race conditions & reentrancy. Cross-function race conditions	Passed
Possible delays in data delivery	Passed
Oracle calls	Passed
Front Running	Passed
DoS with Revert	Passed
DoS with block gas limit	Passed
Methods execution permissions	Passed
Economy model	Passed
Impact of the exchange rate on the logic	Passed
Malicious event log	Passed
Scoping and declarations	Passed
Uninitialized storage pointers	Passed
Arithmetic accuracy	Passed
Cross-function race conditions	Passed
Safe Zepplin module	Passed



RISK CLASSIFICATION

When performing smart contract audits, our specialists look for known vulnerabilities as well as logical and acces control issues within the code. The exploitation of these issues by malicious actors may cause serious financial damage to projects that failed to get an audit in time. We categorize these vulnerabilities by the following levels:

High Risk

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

Medium Risk

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

Low Risk

Issues on this level are minor details and warning that can remain unfixed.

Informational

Issues on this level are minor details and warning that can remain unfixed.



MANUAL REVIEW

Severity Criteria

Expelee assesses the severity of disclosed vulnerabilities according to methodology based on OWASP standarts.

Vulnerabilities are dividend into three primary risk categroies:

Medium

Low

High-level considerations for vulnerabilities span the following key areas when conducting assessments:

- Malicious input handling
- Escalation of privileges
- Arithmetic
- Gas use

Overall Risk Severity					
Impact	HIGH	Medium	High	Critical	
	MEDIUM	Low	Medium	High	
	LOW	Note	Low	Medium	
		LOW	MEDIUM	HIGH	
	Likelihood				



MEDIUM RISK FINDING

Centralization – Metadata Update

Severity: Medium

function: Token metadata

Status: Open

Overview:

Metadata of a token includes details such as its name, symbol, image, and other relevant information.

The authority to modify this metadata resides with the owner of the token contract.

Suggestion

The updateAuthority holds the power to alter the token metadata, including aspects like the name, symbol, and logo.

While changes of this nature are uncommon, it is important to acknowledge that they can occur.



ABOUT EXPELEE

Expelee is a product-based aspirational Web3 start-up.
Coping up with numerous solutions for blockchain security and constructing a Web3 ecosystem from deal making platform to developer hosting open platform, while also developing our own commercial and sustainable blockchain.

www.expelee.com

- 🔰 expeleeofficial
- expelee

Expelee

- in expelee
- expelee_official
- 👩 expelee-co



Building the Futuristic Blockchain Ecosystem



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantess against the sale of team tokens or the removal of liquidity by the project audited in this document.

Always do your own research and project yourselves from being scammed. The Expelee team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools.

Under no circumstances did Expelee receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Alway do your own research and protect yourselves from scams.

This document should not be presented as a reason to buy or not buy any particular token. The Expelee team disclaims any liability for the resulting losses.



Building the Futuristic Blockchain Ecosystem