



Building the Futuristic **Blockchain** Ecosystem

SECURITY AUDIT REPORT

BUZZZ

TOKEN OVERVIEW

Risk Findings

Severity	Found
● High	0
● Medium	1
● Low	0
● Informational	0

Centralization Risks

Owner Privileges	Description
● Can Owner Set Taxes >25% ?	Not Detected
● Owner needs to enable trading ?	Not Detected
● Can Owner Disable Trades ?	Not Detected
● Can Owner Mint ?	Not Detected
● Can Owner Blacklist ?	Not Detected
● Can Owner set Max Wallet amount ?	Not Detected
● Can Owner Set Max TX amount ?	Not Detected

TABLE OF CONTENTS

02	Token Overview	_____
03	Table of Contents	_____
04	Overview	_____
05	Contract Details	_____
06	Audit Methodology	_____
07	Vulnerabilities Checklist	_____
08	Risk Classification	_____
09	Inheritance Trees	_____
10	Function Details	_____
14	Testnet Version	_____
16	Manual Review	_____
17	Medium Risk Finding	_____
18	About Expelee	_____
19	Disclaimer	_____

OVERVIEW

The Expelee team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analysed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit:

Audit Result	Passed
KYC Verification	-
Audit Date	26 July 2023

CONTRACT DETAILS

Token Name: BUZZZ

Symbol: BUZZZ

Network: Binance smart chain

Language: Solidity

Contract Address:

0x48fD3656579adF37dED1434c7C876b69f8169d29

Total Supply: 88,888,888,888

Owner's Wallet:

0x8e65AD09d9C65fCf7a49f072D863D54a76041996

Deployer's Wallet:

0x8e65AD09d9C65fCf7a49f072D863D54a76041996

Testnet.

<https://testnet.bscscan.com/token/0x9Ab443F805A85Dc0982Aa2b19C452719456773e8>

AUDIT METHODOLOGY

Audit Details

Our comprehensive audit report provides a full overview of the audited system's architecture, smart contract codebase, and details on any vulnerabilities found within the system.

Audit Goals

The audit goal is to ensure that the project is built to protect investors and users, preventing potentially catastrophic vulnerabilities after launch, that lead to scams and rugpulls.

Code Quality

Our analysis includes both automatic tests and manual code analysis for the following aspects:

- Exploits
- Back-doors
- Vulnerability
- Accuracy
- Readability

Tools

- DE
- Open Zeppelin
- Code Analyzer
- Solidity Code
- Compiler
- Hardhat

VULNERABILITY CHECKS

Design Logic	Passed
Compiler warnings	Passed
Private user data leaks	Passed
Timestamps dependence	Passed
Integer overflow and underflow	Passed
Race conditions & reentrancy. Cross-function race conditions	Passed
Possible delays in data delivery	Passed
Oracle calls	Passed
Front Running	Passed
DoS with Revert	Passed
DoS with block gas limit	Passed
Methods execution permissions	Passed
Economy model	Passed
Impact of the exchange rate on the logic	Passed
Malicious event log	Passed
Scoping and declarations	Passed
Uninitialized storage pointers	Passed
Arithmetic accuracy	Passed
Cross-function race conditions	Passed
Safe Zepplin module	Passed

RISK CLASSIFICATION

When performing smart contract audits, our specialists look for known vulnerabilities as well as logical and access control issues within the code. The exploitation of these issues by malicious actors may cause serious financial damage to projects that failed to get an audit in time. We categorize these vulnerabilities by the following levels:

High Risk

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

Medium Risk

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.


Low Risk

Issues on this level are minor details and warnings that can remain unfixed.

Informational

Issues on this level are minor details and warnings that can remain unfixed.

INHERITANCE TREES



FUNCTION DETAILS

```

| Contract |      Type      |      Bases      |      |      |
|:-----:|:-----:|:-----:|:-----:|:-----:|
| L | **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
|||||
| **IERC20** | Interface | |||
| L | totalSupply | External ! | | NO ! |
| L | balanceOf | External ! | | NO ! |
| L | transfer | External ! | | NO ! |
| L | allowance | External ! | | NO ! |
| L | approve | External ! | | NO ! |
| L | transferFrom | External ! | | NO ! |
|||||
| **Context** | Implementation | |||
| L | _msgSender | Internal | | |
| L | _msgData | Internal | | |
|||||
| **Ownable** | Implementation | Context |||
| L | <Constructor> | Public ! | | NO ! |
| L | owner | Public ! | | NO ! |
| L | renounceOwnership | Public ! | | onlyOwner |
| L | transferOwnership | Public ! | | onlyOwner |
| L | _setOwner | Private | | |
|||||
| **SafeMath** | Library | |||
| L | tryAdd | Internal | | |
| L | trySub | Internal | | |
| L | tryMul | Internal | | |
| L | tryDiv | Internal | | |
| L | tryMod | Internal | | |
| L | add | Internal | | |
| L | sub | Internal | | |
| L | mul | Internal | | |
| L | div | Internal | | |
| L | mod | Internal | | |
| L | sub | Internal | | |
| L | div | Internal | | |
| L | mod | Internal | | |
|||||
| **Address** | Library | |||

```

FUNCTION DETAILS

```

|  | isContract | Internal | 🗝️ | | |
|  | sendValue | Internal | 🗝️ | 🔴 | |
|  | functionCall | Internal | 🗝️ | 🔴 | |
|  | functionCall | Internal | 🗝️ | 🔴 | |
|  | functionCallWithValue | Internal | 🗝️ | 🔴 | |
|  | functionCallWithValue | Internal | 🗝️ | 🔴 | |
|  | functionStaticCall | Internal | 🗝️ | | |
|  | functionStaticCall | Internal | 🗝️ | | |
|  | functionDelegateCall | Internal | 🗝️ | 🔴 | |
|  | functionDelegateCall | Internal | 🗝️ | 🔴 | |
|  | verifyCallResult | Internal | 🗝️ | | |
|||||
| **IUniswapV2Router01** | Interface | |||
|  | factory | External | ! | |NO ! |
|  | WETH | External | ! | |NO ! |
|  | addLiquidity | External | ! | 🔴 |NO ! |
|  | addLiquidityETH | External | ! | 🏧 |NO ! |
|  | removeLiquidity | External | ! | 🔴 |NO ! |
|  | removeLiquidityETH | External | ! | 🔴 |NO ! |
|  | removeLiquidityWithPermit | External | ! | 🔴 |NO ! |
|  | removeLiquidityETHWithPermit | External | ! | 🔴 |NO ! |
|  | swapExactTokensForTokens | External | ! | 🔴 |NO ! |
|  | swapTokensForExactTokens | External | ! | 🔴 |NO ! |
|  | swapExactETHForTokens | External | ! | 🏧 |NO ! |
|  | swapTokensForExactETH | External | ! | 🔴 |NO ! |
|  | swapExactTokensForETH | External | ! | 🔴 |NO ! |
|  | swapETHForExactTokens | External | ! | 🏧 |NO ! |
|  | quote | External | ! | |NO ! |
|  | getAmountOut | External | ! | |NO ! |
|  | getAmountIn | External | ! | |NO ! |
|  | getAmountsOut | External | ! | |NO ! |
|  | getAmountsIn | External | ! | |NO ! |
|||||
| **IUniswapV2Router02** | Interface | IUniswapV2Router01 |||
|  | removeLiquidityETHSupportingFeeOnTransferTokens | External | ! | 🔴 |NO ! |

```

FUNCTION DETAILS

```

| L | removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External ! | 🚫 | NO ! |
|
| L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External ! | 🚫 | NO ! |
| L | swapExactETHForTokensSupportingFeeOnTransferTokens | External ! | 🚫 | NO ! |
| L | swapExactTokensForETHSupportingFeeOnTransferTokens | External ! | 🚫 | NO ! |
|||||
| **IUniswapV2Factory** | Interface | |||
| L | feeTo | External ! | | NO ! |
| L | feeToSetter | External ! | | NO ! |
| L | getPair | External ! | | NO ! |
| L | allPairs | External ! | | NO ! |
| L | allPairsLength | External ! | | NO ! |
| L | createPair | External ! | 🚫 | NO ! |
| L | setFeeTo | External ! | 🚫 | NO ! |
| L | setFeeToSetter | External ! | 🚫 | NO ! |
|||||
| **BaseToken** | Implementation | |||
|||||
| **LiquidityGeneratorToken** | Implementation | IERC20, Ownable, BaseToken |||
| L | <Constructor> | Public ! | 🚫 | NO ! |
| L | name | Public ! | | NO ! |
| L | symbol | Public ! | | NO ! |
| L | decimals | Public ! | | NO ! |
| L | totalSupply | Public ! | | NO ! |
| L | balanceOf | Public ! | | NO ! |
| L | transfer | Public ! | 🚫 | NO ! |
| L | allowance | Public ! | | NO ! |
| L | approve | Public ! | 🚫 | NO ! |
| L | transferFrom | Public ! | 🚫 | NO ! |
| L | increaseAllowance | Public ! | 🚫 | NO ! |
| L | decreaseAllowance | Public ! | 🚫 | NO ! |
| L | isExcludedFromReward | Public ! | | NO ! |
| L | totalFees | Public ! | | NO ! |
| L | deliver | Public ! | 🚫 | NO ! |
| L | reflectionFromToken | Public ! | | NO ! |
| L | tokenFromReflection | Public ! | | NO ! |
| L | excludeFromReward | Public ! | 🚫 | onlyOwner |

```

FUNCTION DETAILS

```

| | includeInReward | External ! | 🔴 | onlyOwner |
| | _transferBothExcluded | Private 🏠 | 🔴 | |
| | excludeFromFee | Public ! | 🔴 | onlyOwner |
| | setTaxFeePercent | External ! | 🔴 | onlyOwner |
| | setLiquidityFeePercent | External ! | 🔴 | onlyOwner |
| | setCharityFeePercent | External ! | 🔴 | onlyOwner |
| | setSwapBackSettings | External ! | 🔴 | onlyOwner |
| | <Receive Ether> | External ! | 💵 | NO ! |
| | _reflectFee | Private 🏠 | 🔴 | |
| | _getValues | Private 🏠 | | |
| | _getTVValues | Private 🏠 | | |
| | _getRValues | Private 🏠 | | |
| | _getRate | Private 🏠 | | |
| | _getCurrentSupply | Private 🏠 | | |
| | _takeLiquidity | Private 🏠 | 🔴 | |
| | _takeCharityFee | Private 🏠 | 🔴 | |
| | calculateTaxFee | Private 🏠 | | |
| | calculateLiquidityFee | Private 🏠 | | |
| | calculateCharityFee | Private 🏠 | | |
| | removeAllFee | Private 🏠 | 🔴 | |
| | restoreAllFee | Private 🏠 | 🔴 | |
| | isExcludedFromFee | Public ! | | NO ! |
| | _approve | Private 🏠 | 🔴 | |
| | _transfer | Private 🏠 | 🔴 | |
| | swapAndLiquify | Private 🏠 | 🔴 | lockTheSwap |
| | swapTokensForEth | Private 🏠 | 🔴 | |
| | addLiquidity | Private 🏠 | 🔴 | |
| | _tokenTransfer | Private 🏠 | 🔴 | |
| | _transferStandard | Private 🏠 | 🔴 | |
| | _transferToExcluded | Private 🏠 | 🔴 | |
| | _transferFromExcluded | Private 🏠 | 🔴 | |

```

Legend

| Symbol | Meaning |

|:-----:|-----|

| 🔴 | Function can modify state |

| 💵 | Function is payable |

TESTNET VERSION

Adding Liquidity 

Tx:

<https://testnet.bscscan.com/tx/0x063b5532b9c8c776a81ec50269420b4b7bc9f6f0854c7bcbdd875bf9758ab41a>

=====

Buying when excluded from fees 

Tx (0% tax):

<https://testnet.bscscan.com/tx/0xa66550ad6ad015c0db4538c75b08682a0a4a037129c91cca63b9896c290d083f>

=====

Selling when excluded from fees 

Tx (0% tax):

<https://testnet.bscscan.com/tx/0x73b87623a3811dd56e2ab32fbc8991931c673f970068b48f6fa41fa23ab5fd66>

=====

Transferring when excluded from fees 

Tx (0% tax):

<https://testnet.bscscan.com/tx/0x899ff81e08053aca366c1e1b6a37c3dbae42926e6284bc1590bfc54788925133>

=====

Buying 

Tx (0-25% tax):

<https://testnet.bscscan.com/tx/0x61f2681840b6a9d1d7af581cc399ffaa63282ebd487cb07c219bac5dfcbe5361>

TESTNET VERSION

Selling ✓

Tx (0-25% tax):

<https://testnet.bscscan.com/tx/0x9adc8c19f6356c753b6837bd21f946ff75f7232ae4ad02464b0b981599eee039>

=====

Transferring ✓

Tx (0-25% tax):

<https://testnet.bscscan.com/tx/0xcb98c3303790d2dad16da60bc291576f6427ee2716100189781cb4ed95a9c8c0>

=====

Internal swap (BNB to marketing wallet | reward token to dividend tracker | reward distribution) ✓

Tx:

<https://testnet.bscscan.com/tx/0x9adc8c19f6356c753b6837bd21f946ff75f7232ae4ad02464b0b981599eee039>

MANUAL REVIEW

Severity Criteria

Expelee assesses the severity of disclosed vulnerabilities according to methodology based on OWASP standards.

Vulnerabilities are dividend into three primary risk categroies:

High

Medium

Low

High-level considerations for vulnerabilities span the following key areas when conducting assessments:

- Malicious input handling
- Escalation of privileges
- Arithmetic
- Gas use

Overall Risk Severity				
Impact	HIGH	Medium	High	Critical
	MEDIUM	Low	Medium	High
	LOW	Note	Low	Medium
		LOW	MEDIUM	HIGH
	Likelihood			

MEDIUM RISK FINDING

Excessive

Category: **Centralization**

Status: Open

Impact: **Medium**

Overview:

The contract owner is able to set buy/sell/transfer fees up to 25%

```
function setTaxFeePercent(uint256 taxFeeBps) external onlyOwner {
    _taxFee = taxFeeBps;
    require(
        _taxFee + _liquidityFee + _charityFee <= MAX_FEE,
        "Total fee is over 25%"
    );
}
```

```
function setLiquidityFeePercent(uint256 liquidityFeeBps) external onlyOwner {
    _liquidityFee = liquidityFeeBps;
    require(
        _taxFee + _liquidityFee + _charityFee <= MAX_FEE,
        "Total fee is over 25%"
    );
}
```

```
function setCharityFeePercent(uint256 charityFeeBps) external onlyOwner {
    _charityFee = charityFeeBps;
    require(
        _taxFee + _liquidityFee + _charityFee <= MAX_FEE,
        "Total fee is over 25%"
    );
}
```

Suggestion:

Ensure that fees are within a reasonable range. Usually 0-10% is suggested.

ABOUT EXPELEE

Expelee is a product-based aspirational Web3 start-up. Coping up with numerous solutions for blockchain security and constructing a Web3 ecosystem from deal making platform to developer hosting open platform, while also developing our own commercial and sustainable blockchain.

 www.expelee.com



expeleeofficial



expelee



Expelee



expelee



expelee_official



expelee-co

expelee

Building the Futuristic **Blockchain Ecosystem**

DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantess against the sale of team tokens or the removal of liquidity by the project audited in this document.

Always do your own research and project yourselves from being scammed. The Expelee team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools.

Under no circumstances did Expelee receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Alway do your own research and protect yourselves from scams.

This document should not be presented as a reason to buy or not buy any particular token. The Expelee team disclaims any liability for the resulting losses.

The logo for Expelee, featuring the word "expelee" in a stylized font. The "ex" is in white, and "pelee" is in orange. The letters are bold and modern.

Building the Futuristic **Blockchain Ecosystem**