

expellee

Building the Futuristic **Blockchain Ecosystem**

SECURITY AUDIT REPORT



BAKA INU

TABLE OF CONTENTS

02	Table of Contents	
03	Overview	
04	Project Description	
05	Social Media Profiles	
06	Contract Details	
07	Owner Privileges	
08	Audit Methodology	
09	Vulnerabilities Checklist	
10	Risk Classification	
11	Inheritance Trees & Risk Overview	
12	Function Details	
16	Manual Review	
17	Findings	
19	About Expelee	
20	Disclaimer	

OVERVIEW

The Expelee team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analysed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit:

Audit Result	Passed
KYC Verification	-
Audit Date	19 April 2023

PROJECT DESCRIPTION


BAKA INU

Introducing BAKAINU. This marks a new era! Earning \$BTC with Holding Bakalnu. Yes, our distribution is BITCOIN! will be re-distributed! BSC best meme coin!



SOCIAL MEDIA PROFILES

BAKA INU



<https://t.me/bakalnuBsc>



<https://twitter.com/Bakalnubsc>



<https://www.bakainubsc.com/>

It's always good to check the social profiles of the project, before making your investment.

Team Expelee

CONTRACT DETAILS

Token Name: BAKA INU

Symbol: BAKI

Network: Binance Smart Chain

Language: Solidity

Contract Address:

0xE1f3a9cc041181968e6f19acC0f00C4e908cA1B6

Total Supply: 1,000,000,000,000

Contract SHA-256 Checksum:

fc3e3f6b69a4b2efc893eae59f2fa0b5730c2cb

Owner's Wallet:

0xE704D8cC3f37F1dbdCeF692358AFB5074869e3BA

Deployer's Wallet:

0xE704D8cC3f37F1dbdCeF692358AFB5074869e3BA

Testnet:

<https://testnet.bscscan.com/token/0x8bdAD51c893Bd473291aCD75cA748126c57D4c04>

OWNER PRIVILEGES

- owner is not able to change fees (10% for buy/sell/transfer)
- owner is not able to set limits for buy/sell/transfer amounts
- owner is not able to blacklist an arbitrary wallet
- owner is not able to disable trades/transfers
- owner is not able to mint new tokens
- **owner must enable trades manually**

AUDIT METHODOLOGY

Audit Details

Our comprehensive audit report provides a full overview of the audited system's architecture, smart contract codebase, and details on any vulnerabilities found within the system.

Audit Goals

The audit goal is to ensure that the project is built to protect investors and users, preventing potentially catastrophic vulnerabilities after launch, that lead to scams and rugpulls.

Code Quality

Our analysis includes both automatic tests and manual code analysis for the following aspects:

- Exploits
- Back-doors
- Vulnerability
- Accuracy
- Readability

Tools

- DE
- Open Zeppelin
- Code Analyzer
- Solidity Code
- Compiler
- Hardhat

VULNERABILITY CHECKS

Design Logic	Passed
Compiler warnings	Passed
Private user data leaks	Passed
Timestamps dependence	Passed
Integer overflow and underflow	Passed
Race conditions & reentrancy. Cross-function race conditions	Passed
Possible delays in data delivery	Passed
Oracle calls	Passed
Front Running	Passed
DoS with Revert	Passed
DoS with block gas limit	Passed
Methods execution permissions	Passed
Economy model	Passed
Impact of the exchange rate on the logic	Passed
Malicious event log	Passed
Scoping and declarations	Passed
Uninitialized storage pointers	Passed
Arithmetic accuracy	Passed
Cross-function race conditions	Passed
Safe Zeppelin module	Passed

RISK CLASSIFICATION

When performing smart contract audits, our specialists look for known vulnerabilities as well as logical and access control issues within the code. The exploitation of these issues by malicious actors may cause serious financial damage to projects that failed to get an audit in time. We categorize these vulnerabilities by the following levels:

High Risk

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

Medium Risk

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.


Low Risk

Issues on this level are minor details and warnings that can remain unfixed.



Informational

Issues on this level are minor details and warnings that can remain unfixed.

























INHERITANCE TREES



FUNCTION DETAILS

Symbol	Meaning
	Function can modify state
	Function is payable

```

| Contract | Type | Bases | | | | |
|---|---|---|---|---|---|---|
| L | **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
|||||
| **Address** | Library | |||
| L | sendValue | Internal |  |  | |
|||||
| **BAKI** | Implementation | ERC20, Ownable |||
| L | <Constructor> | Public |  | ERC20 |
| L | <Receive Ether> | External |  | NO |  |
| L | updateDividendTracker | Public |  |  | onlyOwner |
| L | processDividendTracker | External |  |  | NO |  |
| L | claim | External |  |  | NO |  |
| L | withdrawToken | External |  |  | onlyOwner |
| L | withdrawETH | External |  |  | onlyOwner |
| L | excludeFromFees | Public |  |  | onlyOwner |
| L | excludeMultipleAccountsFromFees | Public |  |  | onlyOwner |
| L | excludeFromDividends | External |  |  | onlyOwner |
| L | setMarketingWallet | External |  |  | onlyOwner |
| L | setSwapTokensAtAmount | External |  |  | onlyOwner |
| L | setSwapEnabled | External |  |  | onlyOwner |
| L | enableTradingEnabled | External |  |  | onlyOwner |
| L | setAntiBotBlocks | External |  |  | onlyOwner |
| L | setMinBalanceForDividends | External |  |  | onlyOwner |
| L | _setAutomatedMarketMakerPair | Private |  |  | |
| L | setGasForProcessing | External |  |  | onlyOwner |
| L | setClaimWait | External |  |  | onlyOwner |
| L | getClaimWait | External |  | NO |  |
| L | getTotalDividendsDistributed | External |  | NO |  |
| L | isExcludedFromFees | Public |  | NO |  |
| L | withdrawableDividendOf | Public |  | NO |  |
| L | getCurrentRewardToken | External |  | NO |  |
| L | dividendTokenBalanceOf | Public |  | NO |  |
| L | getAccountDividendsInfo | External |  | NO |  |
| L | getAccountDividendsInfoAtIndex | External |  | NO |  |
| L | getLastProcessedIndex | External |  | NO |  |
| L | getNumberOfDividendTokenHolders | External |  | NO |  |
| L | _transfer | Internal |  |  | |
| L | swapAndLiquify | Private |  |  | |
| L | swapTokensForBNB | Private |  |  | |
| L | addLiquidity | Private |  |  | |
|||||
| **BAKIDividendTracker** | Implementation | Ownable, DividendPayingToken |||
| L | <Constructor> | Public |  |  | DividendPayingToken |
| L | _transfer | Internal |  | | |

```

FUNCTION DETAILS

```

| | setMinBalanceForDividends | External ! | ● | onlyOwner |
| | excludeFromDividends | External ! | ● | onlyOwner |
| | updateClaimWait | External ! | ● | onlyOwner |
| | getLastProcessedIndex | External ! | | NO ! |
| | getNumberOfTokenHolders | External ! | | NO ! |
| | getCurrentRewardToken | External ! | | NO ! |
| | getAccount | Public ! | | NO ! |
| | getAccountAtIndex | Public ! | | NO ! |
| | canAutoClaim | Private 🔒 | | |
| | setBalance | Public ! | ● | onlyOwner |
| | process | Public ! | ● | NO ! |
| | processAccount | Public ! | ● | onlyOwner |
|||||
| **DividendPayingToken** | Implementation | ERC20, DividendPayingTokenInterface, Ownable |||
| | <Constructor> | Public ! | ● | ERC20 |
| | <Receive Ether> | External ! | 🟢 | NO ! |
| | distributeDividends | Public ! | 🟢 | NO ! |
| | _withdrawDividendOfUser | Internal 🔒 | ● | |
| | setRewardToken | External ! | ● | onlyOwner |
| | swapBnbForCustomToken | Internal 🔒 | ● | |
| | dividendOf | Public ! | | NO ! |
| | withdrawableDividendOf | Public ! | | NO ! |
| | withdrawnDividendOf | Public ! | | NO ! |
| | accumulativeDividendOf | Public ! | | NO ! |
| | _transfer | Internal 🔒 | ● | |
| | _tokengeneration | Internal 🔒 | ● | |
| | _burn | Internal 🔒 | ● | |
| | _setBalance | Internal 🔒 | ● | |
|||||
| **ERC20** | Implementation | Context, IERC20, IERC20Metadata |||
| | <Constructor> | Public ! | ● | NO ! |
| | name | Public ! | | NO ! |
| | symbol | Public ! | | NO ! |
| | decimals | Public ! | | NO ! |
| | totalSupply | Public ! | | NO ! |
| | balanceOf | Public ! | | NO ! |
| | transfer | Public ! | ● | NO ! |
| | allowance | Public ! | | NO ! |
| | approve | Public ! | ● | NO ! |
| | transferFrom | Public ! | ● | NO ! |
| | increaseAllowance | Public ! | ● | NO ! |
| | decreaseAllowance | Public ! | ● | NO ! |
| | _transfer | Internal 🔒 | ● | |
| | _tokengeneration | Internal 🔒 | ● | |
| | _burn | Internal 🔒 | ● | |
| | _approve | Internal 🔒 | ● | |

```

FUNCTION DETAILS

```

| L | _beforeTokenTransfer | Internal | 🔒 | 🚫 | |
|||||
| **IERC20** | Interface | |||
| L | totalSupply | External | ! | | NO ! |
| L | balanceOf | External | ! | | NO ! |
| L | transfer | External | ! | 🚫 | NO ! |
| L | allowance | External | ! | | NO ! |
| L | approve | External | ! | 🚫 | NO ! |
| L | transferFrom | External | ! | 🚫 | NO ! |
|||||
| **IERC20Metadata** | Interface | IERC20 |||
| L | name | External | ! | | NO ! |
| L | symbol | External | ! | | NO ! |
| L | decimals | External | ! | | NO ! |
|||||
| **Context** | Implementation | |||
| L | _msgSender | Internal | 🔒 | | |
| L | _msgData | Internal | 🔒 | | |
|||||
| **SafeMath** | Library | |||
| L | add | Internal | 🔒 | | |
| L | sub | Internal | 🔒 | | |
| L | sub | Internal | 🔒 | | |
| L | mul | Internal | 🔒 | | |
| L | div | Internal | 🔒 | | |
| L | div | Internal | 🔒 | | |
| L | mod | Internal | 🔒 | | |
| L | mod | Internal | 🔒 | | |
|||||
| **SafeMathInt** | Library | |||
| L | mul | Internal | 🔒 | | |
| L | div | Internal | 🔒 | | |
| L | sub | Internal | 🔒 | | |
| L | add | Internal | 🔒 | | |
| L | abs | Internal | 🔒 | | |
| L | toUint256Safe | Internal | 🔒 | | |
|||||
| **SafeMathUint** | Library | |||
| L | toInt256Safe | Internal | 🔒 | | |
|||||
| **DividendPayingTokenInterface** | Interface | |||
| L | dividendOf | External | ! | | NO ! |
| L | distributeDividends | External | ! | 🟢 | NO ! |
| L | withdrawableDividendOf | External | ! | | NO ! |
| L | withdrawnDividendOf | External | ! | | NO ! |
| L | accumulativeDividendOf | External | ! | | NO ! |
|||||

```


FUNCTION DETAILS

```

| **Ownable** | Implementation | Context |||
| L | <Constructor> | Public ! | ● | NO ! |
| L | owner | Public ! | | NO ! |
| L | renounceOwnership | Public ! | ● | onlyOwner |
| L | transferOwnership | Public ! | ● | onlyOwner |
|||||
| **IPair** | Interface | |||
| L | sync | External ! | ● | NO ! |
|||||
| **IFactory** | Interface | |||
| L | createPair | External ! | ● | NO ! |
| L | getPair | External ! | | NO ! |
|||||
| **IRouter** | Interface | |||
| L | factory | External ! | | NO ! |
| L | WETH | External ! | | NO ! |
| L | addLiquidityETH | External ! | 81 | NO ! |
| L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External ! | ● | NO ! |
| L | swapExactETHForTokens | External ! | 81 | NO ! |
| L | swapExactTokensForETHSupportingFeeOnTransferTokens | External ! | ● | NO ! |
|||||
| **IterableMapping** | Library | |||
| L | get | Internal 🔒 | | |
| L | getIndexOfKey | Internal 🔒 | | |
| L | getKeyAtIndex | Internal 🔒 | | |
| L | size | Internal 🔒 | | |
| L | set | Internal 🔒 | ● | |
| L | remove | Internal 🔒 | ● | |

```


MANUAL REVIEW

Severity Criteria

Expelee assesses the severity of disclosed vulnerabilities according to methodology based on OWASP standards.

Vulnerabilities are divided into three primary risk categories:

High

Medium

Low

High-level considerations for vulnerabilities span the following key areas when conducting assessments:

- Malicious input handling
- Escalation of privileges
- Arithmetic
- Gas use

Overall Risk Severity				
Impact	HIGH	Medium	High	Critical
	MEDIUM	Low	Medium	High
	LOW	Note	Low	Medium
		LOW	MEDIUM	HIGH
	Likelihood			

FINDINGS

Findings	Severity	Found
High Risk	● High	0
Medium Risk	● Medium	0
Low Risk	● Low	0
Suggestion & discussion	● Informational	1
Gas Optimizations	● Gas Opt.	0

INFORMATIONAL RISK FINDING

Owner must enable trades manually

Severity : Informational

Overview

The owner of the contract must enable trades for public, otherwise no one would be able to buy/sell/transfer their tokens except whitelisted wallets.

```
function enableTradingEnabled() external onlyOwner {  
    require(!tradingEnabled, "Trading is already enabled");  
    tradingEnabled = true;  
    startTradingBlock = block.number;  
}
```

ABOUT EXPELEE

Expelee is a product-based aspirational Web3 start-up. Coping up with numerous solutions for blockchain security and constructing a Web3 ecosystem from deal making platform to developer hosting open platform, while also developing our own commercial and sustainable blockchain.

 www.expelee.com

 [expeleeofficial](https://twitter.com/expeleeofficial)

 [expelee](https://medium.com/expelee)

 [Expelee](https://t.me/Expelee)

 [expelee](https://in.linkedin.com/company/expelee)

 [expelee_official](https://www.instagram.com/expelee_official)

 [expelee-co](https://github.com/expelee-co)

expelee

Building the Futuristic **Blockchain Ecosystem**

DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantess against the sale of team tokens or the removal of liquidity by the project audited in this document.

Always do your own research and project yourselves from being scammed. The Expelee team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools.

Under no circumstances did Expelee receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Alway do your own research and protect yourselves from scams.

This document should not be presented as a reason to buy or not buy any particular token. The Expelee team disclaims any liability for the resulting losses.

The logo for Expelee, featuring the word "expelee" in a stylized font. The "ex" is in white, and "pelee" is in orange. The letters are bold and modern.

Building the Futuristic **Blockchain Ecosystem**