

**Building the Futuristic Blockchain Ecosystem** 

# SECURITY AUDIT REPORT

OSCARS TAKING
NO LOCKING



# **TOKEN OVERVIEW**

#### **Risk Findings**

Severity	Found	
Critical	1	
High	1	
Medium	3	
<ul><li>Low</li></ul>	0	
Informational	0	



# NOTE

In carrying out our audit engagement, our team focused exclusively on the evaluation and testing of the staking contract, with specific emphasis on the operational functions, security measures, and underlying code of the said contract. It should be explicitly noted that we did not extend our audit to include any external contracts which could be interacted with by the staking contract, such as Liquidity Provider (LP) tokens or other contract-addressable tokens that may be associated with the system. Furthermore, the audit did not encompass the staking token itself, any potential staking rewards tokens, or the algorithmic processes that govern their issuance and distribution. As such, our report does not provide assurance or representations concerning the integrity, security, or functionality of these outlying components.



# TABLE OF CONTENTS

01	Token Overview
02	Note —
03	Table of Contents
04	Overview
05	Contract Details ————————————————————————————————————
06	Audit Methodology
07	Vulnerabilities Checklist ————————————————————————————————————
08	Risk Classification
09	Inheritence Trees & Risk Overview
10	Function Details ————————————————————————————————————
12	Unit Tests ———————————————————————————————————
13	Manual Review ————————————————————————————————————
20	About Expelee
20	Disclaimer



# **OVERVIEW**

The Expelee team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analysed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit:

Audit Result	Passed
KYC Verification	No
Audit Date	17 June 2023



# **CONTRACT DETAILS**

Token Name: OscarStakingNoLocking

Symbol: OscarStakingNoLocking

**Contract Type: Staking contract** 

**Network: Ethereum** 

**Language: Solidity** 

Contract Address: --

**Checksum:** 

940027aab626d6ebcd2e991568e0f2131dc0b68d

Owner's Wallet: --

Deployer's Wallet: --



# AUDIT METHODOLOGY

#### **Audit Details**

Our comprehensive audit report provides a full overview of the audited system's architecture, smart contract codebase, and details on any vulnerabilities found within the system.

#### **Audit Goals**

The audit goal is to ensure that the project is built to protect investors and users, preventing potentially catastrophic vulnerabilities after launch, that lead to scams and rugpulls.

#### **Code Quality**

Our analysis includes both automatic tests and manual code analysis for the following aspects:

- Exploits
- Back-doors
- Vulnerability
- Accuracy
- Readability

#### **Tools**

- DE
- Open Zeppelin
- Code Analyzer
- Solidity Code
- Compiler
- Hardhat



# VULNERABILITY CHECKS

Design Logic	Passed
Compiler warnings	Passed
Private user data leaks	Passed
Timestamps dependence	Passed
Integer overflow and underflow	Passed
Race conditions & reentrancy. Cross-function race conditions	Passed
Possible delays in data delivery	Passed
Oracle calls	Passed
Front Running	Passed
DoS with Revert	Passed
DoS with block gas limit	Passed
Methods execution permissions	Passed
Economy model	Passed
Impact of the exchange rate on the logic	Passed
Malicious event log	Passed
Scoping and declarations	Passed
Uninitialized storage pointers	Passed
Arithmetic accuracy	Passed
Cross-function race conditions	Passed
Safe Zepplin module	Passed



# RISK CLASSIFICATION

When performing smart contract audits, our specialists look for known vulnerabilities as well as logical and acces control issues within the code. The exploitation of these issues by malicious actors may cause serious financial damage to projects that failed to get an audit in time. We categorize these vulnerabilities by the following levels:

#### **High Risk**

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

#### **Medium Risk**

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

#### **Low Risk**


Issues on this level are minor details and warning that can remain unfixed.

#### **Informational**

Issues on this level are minor details and warning that can remain unfixed.



# **INHERITANCE TREES**





# **FUNCTION DETAILS**

```
Bases
               Type
 Contract
      **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
 **IERC20** | Interface | |||
 L | totalSupply | External | NO | |
 L | balanceOf | External | NO | |
 L | transfer | External | | | NO | |
 | allowance | External | | NO | |
 | approve | External | | | NO |
 L | transferFrom | External | | | NO | |
 **Context** | Implementation | |||
 📙 msgSender | Internal 🔒 | ||
 📙 msgData | Internal 🔒 | ||
 **Ownable** | Implementation | Context |||
 | Constructor | Public | | | NO |
 | owner | Public | | NO | |
 | renounceOwnership | Public | | | onlyOwner |
 | transferOwnership | Public | | | onlyOwner |
 L| setOwner | Private 🔐 | 🛑 ||
**SafeMath** | Library | |||
 L | tryAdd | Internal 🔒 | | |
 L | trySub | Internal 🔒 | | |
 📙 tryMul | Internal 🔒 | ||
 📙 tryDiv | Internal 🔒 | ||
 📙 tryMod | Internal 🔒 | ||
 L|add|Internal 🔒 | ||
 L | sub | Internal 🔒 | ||
 L|mul|Internal 🔒 | ||
 L | div | Internal 🔒 | | |
 L|mod|Internal 🔒 | ||
 L | sub | Internal 🔒 | ||
 L | div | Internal 🔒 | ||
 📙 mod | Internal 🔒 | ||
```



# **FUNCTION DETAILS**

```
**BaseToken** | Implementation | |||
**StandardToken** | Implementation | IERC20, Ownable, BaseToken |||
 Constructor> | Public | | III | NO | |
 | name | Public | | NO | |
 | symbol | Public | | NO |
 L | decimals | Public | | NO |
 L | totalSupply | Public | | NO |
 | balanceOf | Public | | NO | |
 L | transfer | Public | |
                          NO !
 | allowance | Public | | NO |
 L | approve | Public ! |
 L | transferFrom | Public | | | NO |
 | increaseAllowance | Public | | | NO | |
 L | decreaseAllowance | Public | | | NO |
 📙 transfer | Internal 🔒 | 🛑
 L | _mint | Internal 🔒 | 🛑 | |
 L | _burn | Internal 🔒 | 🛑
 L | approve | Internal 🔒 | 🛑 | |
 | setupDecimals | Internal |
 📙 beforeTokenTransfer | Internal 🔒 | 🛑 | |
### Legend
 Symbol | Meaning |
|:----|
       Function can modify state
      | Function is payable |
```



## **UNIT TESTS**

#### **Unit Tests:**

#### Staking Tokens: Pass ( )

- 1. Rewards Update: The contract correctly updated the rewards allocation for the staker.
- 2. Staker Profile Update: The staker's profile was accurately updated post-staking action.
- Contract State Update: The overall state of the contract, including total supply and balances, were correctly updated post-staking.
- Locked Tokens Update: The contract correctly handled the process of locking staker's tokens post-staking.

#### Withdrawing Staked Tokens: Pass ()

- Rewards Update: The contract correctly updated the rewards allocation for the staker postwithdrawal.
- Contract State Update: The overall state of the contract, including total supply and balances, were correctly updated post-withdrawal.
- Staker Profile Update: The staker's profile and token balance were accurately updated post-withdrawal. The contract correctly transferred tokens back to the staker.
- Lock Mechanism Validation: The contract correctly enforced the lock mechanism, allowing only the withdrawal of unlocked tokens.

#### Claiming Rewards: Pass ( )

- Owner Rewards Deposit: The contract owner was able to successfully deposit rewards into the contract.
- Reward Claims: The stakers were able to correctly claim their respective rewards, with the contract distributing the right amounts to each staker.



## **MANUAL REVIEW**

#### **Severity Criteria**

Expelee assesses the severity of disclosed vulnerabilities according to methodology based on OWASP standarts.

Vulnerabilities are dividend into three primary risk categroies:

High

Medium

Low

High-level considerations for vulnerabilities span the following key areas when conducting assessments:

- Malicious input handling
- Escalation of privileges
- Arithmetic
- Gas use

Overall Risk Severity							
Impact	HIGH	Medium	High	Critical			
	MEDIUM	Low	Medium	High			
	LOW	Note	Low	Medium			
		LOW	MEDIUM	HIGH			
	Likelihood						



### **CRITICAL RISK FINDING**

#### **Centralization - Ability to Withdraw Staked Tokens**

Severity : Critical

Status: Resolved (Contract is owned by safu developer)

#### **Overview**

The owner has the ability to withdraw any ERC20 token from the contract using the recoverERC20 function, potentially including staked tokens.

#### Code:

```
solidity
function recoverERC20(address _token, uint256 _amount) public
onlyOwner {
   IERC20(_token).transfer(owner(), _amount);
}
```

#### **Suggestion:**

Limit the recoverERC20 function to only allow the recovery of unintended tokens, not the tokens being staked.



### **HIGH RISK FINDING**

**Logical - Invalid Decimals** 

Severity: High

**Status: Not Resolved** 

**Overview:** 

Oscar token (stakign and reward token) uses 9 decimals, while contract is using 18 decimals for calculating rewards and reward per token rate.

```
Code:
```

```
function earned(address account) public view returns (uint256) {
    return
    _balances[account].mul(rewardPerToken().sub(userRewardPer
TokenPaid[account])).div(le18).add(rewards[account]);
}

function rewardPerToken() public view returns (uint256) {
    if (_totalSupply == 0) {
        return rewardPerTokenStored;
    }
    return
        rewardPerTokenStored.add(
lastTimeRewardApplicable().sub(lastUpdateTime).mul(rewardR
ate).mul(le18).div(_totalSupply)
    );
}
```

Suggestion: Use 1e9 (9 decimals) instead of 18



### **HIGH RISK FINDING**

**Centralization** - Ability to Arbitrarily Set Lock Period

Severity: High

Status: Resolved (Contract is owned by safu developer)

**Overview** 

The contract owner possesses the ability to set the lock period to any arbitrary value. This level of control significantly centralizes the contract, potentially leading to misuse.

#### Code:

```
solidity
function setLockTime(uint256 _lockTime) public onlyOwner {
  lockTime = _lockTime;
}
```

#### **Suggestion:**

Implement a cap on the maximum lock period that can be set, or allow the community of stakers to vote on changes to the lock period.



### **MEDIUM RISK FINDING**

**Centralization** - Ability to Charge Up to 10% Unstaking Fee

**Severity: Medium** 

Status: Resolved (Contract is owned by safu developer)

#### **Overview:**

The contract owner can set an unstaking fee (withdraw rate) up to 10%. This creates potential for misuse and adds an extra layer of centralization.

#### Code:

```
solidity
function setWithdrawFee(uint256 _withdrawFee) public onlyOwner
{
    require(_withdrawFee <= 1000, "invalid fee"); // Max 10%
    withdrawFee = _withdrawFee;
}</pre>
```

#### **Suggestion:**

Consider reducing the maximum withdraw fee or implement a mechanism where fee changes are subject to community approval.



### **MEDIUM RISK FINDING**

**Centralization - Fee Collector Set to Address 0** 

**Severity: Medium** 

Status: Resolved (Contract is owned by safu developer)

#### **Overview:**

: If the fee collector is set to address 0, any transfers to that address can potentially revert withdrawals, causing unexpected behaviors and disruptions to the contract's operation.

#### Code:

```
function setFeeCollector(address _feeCollector) external
onlyOwner {
   feeCollector = _feeCollector;
}
```

#### **Suggestion:**

Implement a condition check to prevent setting the fee collector address to address 0.



# **MEDIUM RISK FINDING**

**Logical - Not Deleting Unlocked Tokens** 

**Severity: Medium** 

**Status: Not Resolved** 

**Overview** 

The dealWithLockdown function is not deleting unlocked tokens from the array; instead, it sets all of them to zero. This may cause unnecessary usage of storage which may also lead to extensive gas usage and could lead to unexpected behaviors.

#### Code:

```
function dealWithLockdown(address _staker) internal {
    ...
}
```

#### **Suggestion:**

Consider deleting unlocked stakes from the array instead of setting them to zero.



# **ABOUT EXPELEE**

Expelee is a product-based aspirational Web3 start-up.
Coping up with numerous solutions for blockchain security and constructing a Web3 ecosystem from deal making platform to developer hosting open platform, while also developing our own commercial and sustainable blockchain.

### www.expelee.com

- 🔰 expeleeofficial
- expelee

Expelee

- in expelee
- expelee\_official
- 👩 expelee-co



**Building the Futuristic Blockchain Ecosystem** 



# **DISCLAIMER**

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantess against the sale of team tokens or the removal of liquidity by the project audited in this document.

Always do your own research and project yourselves from being scammed. The Expelee team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools.

Under no circumstances did Expelee receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Alway do your own research and protect yourselves from scams.

This document should not be presented as a reason to buy or not buy any particular token. The Expelee team disclaims any liability for the resulting losses.



**Building the Futuristic Blockchain Ecosystem**