

Elucian

Elucian Experience

May 4, 2026

Notices and Privacy

© 2026 Ellucian.

Contains confidential and proprietary information of Ellucian and its subsidiaries. Use of these materials is limited to Ellucian licensees, and is subject to the terms and conditions of one or more written license agreements between Ellucian and the licensee in question.

In preparing and providing this publication, Ellucian is not rendering legal, accounting, or other similar professional services. Ellucian makes no claims that an institution's use of this publication or the software for which it is provided will guarantee compliance with applicable federal or state laws, rules, or regulations. Each organization should seek legal, accounting, and other similar professional services from competent providers of the organization's own choosing.

Ellucian's Privacy Statement is available at: www.ellucian.com/privacy.

Ellucian shall have the right to (a) use, store, process, modify, reproduce, distribute and display customer data, and to grant sublicenses to third parties, for the sole purposes of providing the software, performing Ellucian's obligations under its agreements with customers and complying with applicable law or legal requirements; (b) use, store, process, modify and reproduce customer data for Ellucian's internal business purposes, including development, diagnostic, forecasting, planning, analysis and corrective purposes in connection with the software, and for otherwise improving and enhancing the software; and (c) use, store, process, modify, reproduce, display, perform, distribute, disclose and otherwise exploit in any manner Aggregated Data for Ellucian's business purposes, including disclosure within its public statements and marketing materials describing or promoting Ellucian or the software. "Aggregated Data" means any data obtained or generated by Ellucian, including data pertaining to the software, Ellucian's systems and software, and the use of any of the foregoing, and includes data derived from customer data, which in all instances (i) does not identify any individual and (ii) is not attributed or attributable to a specific customer. Aggregated Data includes data that has been combined into databases which include third party data.

Ellucian
2003 Edmund Halley Drive
Reston, VA 20191
United States of America

Table Of Contents

Experience 2.4	4
Experience SDK 8.1.2	5
Experience 2.3	6
Upgrade an extension to the latest SDK version ...	8
Upgrade to the latest SDK 8.x version from an earlier SDK 8.x version .	8
Upgrade to SDK 8.x from SDK 7.x or earlier	9
Update the extension dependencies ..	9
Update the .babelrc file	12
Upgrade to ESLint 9.x ..	13
Upgrade to React 19.x .	14
Upgrade to Path 8.x	14
Upgrade to the latest SDK 7.x version ,....	14
Extension updates to address breaking changes in dependencies	16

Experience 2.4

Experience 2.4 provides xxx.

Updates

For a list of the issues addressed in Experience 2.4, see the Related Defects and Related Enhancements tabs on the [release page for Experience 2.4](#) in the Ellucian Customer Center.

Experience SDK 8.1.2

Experience SDK 8.1.2 includes an upgrade to new versions of the Ellucian Path Design System and ds-icons.

Upgrade to Ellucian Path Design System v8.4.0 and ds-icons v5.3.0

SDK 8.1.2 includes an upgrade to Ellucian Path™ Design System (Path) v8.4.0 and ds-icons v5.3.0.

Both Path 8.3.0 and 8.4.0 have been released since the last SDK release. Ellucian has updated the focused style of several components to improve accessibility. This change slightly increases the focused size of these components; you may need to update your layouts to accommodate this. For details on these and other enhancements in Path 8.3.0 and Path 8.4.0, see the [Ellucian Path Design System release notes](#).

For a summary of dependency versions for all versions of the SDK, see the spreadsheet attached to [Dependency bundles](#).

Upgrade to Node.js 24.13.0

Extensions created with SDK 8.1.2 or later require Node.js 24.13.0. To upgrade the Node.js version:

- Install Node.js 24.13.0 as described in [Install Node.js](#).
- When you update the dependencies in the `package.json` file, delete the `package-lock.json` file and the `node_modules` directory before running `npm install`.

Upgrading your extensions

To upgrade an existing extension to SDK 8.1.2, use the appropriate procedure depending on the current version of the extension:

- [Upgrade to the latest SDK 8.x version from an earlier SDK 8.x version](#)
- [Upgrade to SDK 8.x from SDK 7.x or earlier](#)

Experience 2.3

Experience 2.3 provides the option to manage Experience permissions by role in Production environments, along with enhancements to the Classes card and Page Designer.

Production release - Manage permissions by role


Note: This enhancement was released to Experience Test environments with Experience 2.1, and is being released to Production environments with this release.

The Permissions area in Experience Setup now includes a new **Roles and Users** tab that displays all of the permissions assigned to one role or user within a particular resource group. This view provides an intuitive view of permissions inheritance, and allows you to view and maintain all of the permissions (parent and all children) at the same time. For the details, see [Manage permissions by role](#).

Classes card and page - multiple meeting schedules

Previously, a class with multiple meeting schedules might not display properly on the Classes card or page. With this release:

- On the Classes card and the term view of the Classes page, if a class has more than two meeting schedules, only the first two are initially displayed. The user can click **Additional meetings available** to go to the class detail view of the page where more meeting schedules are displayed. The screen shot below is an example for the card.
- On the class detail view of the page, the number of meeting schedules initially displayed depends on the space available. If there are more meeting schedules, the user can click **Show more** to see all of the meeting schedules.



Page Designer enhancements

For Page Designer pages built with the HTML editor, styling around the content has changed. You will see less padding on the page. If you have added advanced styling through the HTML, check that the page is still behaving as expected.

For Page Designer pages built with the rich text editor, the header will now stay in place when scrolling.

resources and about endpoints

Previously, Experience configuration included defining **resources** and **about** endpoints for the Banner or Colleague Ethos APIs. To simplify the configuration process and avoid issues when those endpoints were not properly defined, Ellucian has modified Experience to no longer require those endpoints.

No action is required for Experience implementations where those endpoints have already been defined. They will be ignored.

Updates

For a list of the issues addressed in Experience 2.3, see the Related Defects and Related Enhancements tabs on the [release page for Experience 2.3](#) in the Ellucian Customer Center.

Upgrade an extension to the latest SDK version

After the release of a new SDK version, you can upgrade an existing extension to the new version to take advantage of the latest updates.

Select the appropriate upgrade procedure:

Procedure	Description
Upgrade to the latest SDK 8.x version from an earlier SDK 8.x version	
Upgrade to SDK 8.x from SDK 7.x or earlier	The upgrade to Experience SDK 8.x from SDK 7.x or earlier is a major update that includes upgrades to new major versions of React, the Ellucian Path Design System, and ESLint.
Upgrade to the latest SDK 7.x version	Because the upgrade to Experience SDK 8.x requires a significant effort, you might want to temporarily keep an extension on SDK 7.x.

Upgrade to the latest SDK 8.x version from an earlier SDK 8.x version

Upgrade to the latest SDK 8.x version to take advantage of the latest updates.

About this task

This procedure reflects the latest SDK 8 release (SDK 8.1.2).

Procedure

1. If you have multiple versions of Node.js installed, switch to version 24.13.0.
2. Within your extension directory, edit the **package.json** file.
3. Update the version numbers in the **dependencies** and **devDependencies** sections of the **package.json** file to match the version numbers shown below.


```
"dependencies": {
  "@ellucian/ds-icons": "https://cdn.elluciancloud.com/assets/EDS2/8.4.0/umd/path_design_system_icons.tgz",
  "@ellucian/experience-extension-utils": "https://cdn.elluciancloud.com/assets/SDK/utils/1.1.0/ellucian-experience-extension-utils-1.1.0.tgz",
  "@ellucian/react-design-system": "https://cdn.elluciancloud.com/assets/EDS2/8.4.0/umd/path_design_system.tgz",
  "react": "19.0.3",
  "react-dom": "19.0.3",
  "react-intl": "7.1.11",
  "react-router-dom": "5.2.0"
```

```
"devDependencies": {
  "@ellucian/experience-extension": "https://cdn.elluciancloud.com/assets/SDK/8.1.2/ellucian-experience-extension-8.1.2.tgz",
```

2. Save your changes to the **package.json** file.
3. If you upgraded the Node.js version as part of this upgrade, delete the **package-lock.json** file and the **node_modules** directory.
4. In a command line interface, navigate to the directory for your extension.

```
cd my_extension
```

5. Enter **npm install**

The **npm install** command updates the dependencies.

You might need to perform additional steps if there are breaking changes introduced in the newer dependency versions. See [Extension updates to address breaking changes in dependencies](#).

Upgrade to SDK 8.x from SDK 7.x or earlier

The upgrade to Experience SDK 8.x from SDK 7.x or earlier is a major update that includes upgrades to new major versions of React, the Ellucian Path Design System, and ESLint.

Update the extension dependencies

Update the dependencies in the **package.json** file to reflect the latest SDK release (SDK

8.1.2).

Procedure

1. If you have multiple versions of Node.js installed, switch to version 24.13.0.
2. Within your extension directory, open the **package.json** file in a text editor.
3. Make the changes listed below, depending on the current SDK version of the extension that you are upgrading.

Upgrading your extension from this SDK version	Required changes
4.2.1 or earlier	Add the <code>@ellucian/experience-extension-utils</code> line to the <code>dependencies</code> section. Remove the <code>moment</code> line from the <code>dependencies</code> section, unless your extension code uses it. (The Experience SDK no longer uses <code>moment</code>.)
4.3.1 through 6.0.0	Add the <code>@ellucian/experience-extension-utils</code> line to the <code>dependencies</code> section. Remove the <code>moment</code> line from the <code>dependencies</code> section, unless your extension code uses it. (The Experience SDK no longer uses <code>moment</code>.) Move the <code>@ellucian/experience-extension</code> line from the <code>dependencies</code> section to the <code>devDependencies</code> section.
7.0.0 or later	No changes required for this step. Continue with Step 4.

4. Update the `dependencies` section of **package.json**:
 - a. Remove the `prop-types` line. The version of React used with SDK 8.x does not use `prop-types`.
 - b. Update the version numbers to match the version numbers shown below.

```
"dependencies": {
  "@ellucian/ds-icons": "https://cdn.elluciancloud.com/assets/EDS2/8.4.0/umd/path_design_system_icons.tgz",
  "@ellucian/experience-extension-utils": "https://cdn.elluciancloud.com/assets/SDK/utils/1.1.0/ellucian-experience-extension-utils-1.1.0.tgz",
  "@ellucian/react-design-system": "https://cdn.elluciancloud.com/assets/EDS2/8.4.0/umd/path_design_system.tgz",
  "react": "19.0.3",
  "react-dom": "19.0.3",
  "react-intl": "7.1.11",
  "react-router-dom": "5.2.0"
}
```

3. Update the **devDependencies** section of **package.json**:

- a. Remove the **@babel/eslint-parser** line.
- b. In the **@ellucian/experience-extension** line, update the version number in two places:

```
"@ellucian/experience-extension": "https://cdn.elluciancloud.com/assets/SDK/8.1.2/ellucian-experience-extension-8.1.2.tgz",
```

- c. Add the following line: **"@eslint/js": "9.33.0",**
- d. Update the other version numbers to match the version numbers in the table below.

Dependency	Version
eslint	9.33.0
eslint-plugin-import	2.32.0
eslint-plugin-jsx-a11y	6.10.2
eslint-plugin-react	7.37.5
eslint-plugin-react-hooks	5.2.0

4. At the end of the **package.json** file, add the **overrides** section shown below, to avoid a spurious dependency warning when you build your extension.

```
"overrides": {
  "@ellucian/react-design-system": {
    "@tanstack/react-virtual": "3.11.3"
  }
}
```

2. Save your changes to the **package.json** file.
3. If you upgraded the Node.js version as part of this upgrade, delete the **package-lock.json** file and the **node_modules** directory.
4. In a command line interface, navigate to the directory for your extension.

```
cd my_extension
```

5. Enter **npm install**

The **npm install** command updates the dependencies.

You might need to perform additional steps if there are breaking changes introduced in the newer dependency versions. See [Extension updates to address breaking changes in dependencies](#).

Update the .babelrc file

Experience SDK 8.x requires changes to the **.babelrc** file.

Procedure

1. Within your extension directory, open the **.babelrc** file in a text editor.
2. Add the following line to **@babel/preset-react** within the **presets** object:

```
"runtime": "automatic"
```

3. Update the **plugins** object:

- Remove **@babel/plugin-proposal-class-properties**
- Remove **@babel/transform-runtime**
- Add **@babel/plugin-transform-runtime**

The example below shows the `presets` and `plugins` objects after making the changes in Steps 2 and 3. Your version might look different if you previously made customizations to the `.babelrc` file.

```
"presets": [
  "@babel/preset-env",
  ["@babel/preset-react", {
    "runtime": "automatic"
  }]
],
"plugins": [
  "@babel/plugin-transform-runtime"
],
```

2. Save your changes to the `.babelrc` file.

Upgrade to ESLint 9.x

Experience SDK 8.x uses ESLint 9.x, which requires a change to the configuration. The content in `.eslintrc.json` will need to be rewritten to a file called `eslint.config.mjs`, in a form that follows the requirements for ESLint 9.

Before you begin

Update the ESLint dependencies in the `package.json` file as described in [Update the extension dependencies](#).

Procedure

1. Add a file called `eslint.config.mjs` to your extension directory.
 - If you have not changed any of the default ESLint rules in your extension, you can use the `eslint.config.mjs` file attached to this page. To download that file, click  **Attachment** on this page, download the zip file, and extract the `eslint.config.mjs` file.
 - If you have customized the ESLint rules, review the information in the [ESLint 9.x Migration Guide](#) and then create an `eslint.config.mjs` file that includes your customizations, using the attached version as a guide.
2. Remove the following files from your extension directory. They are not used in the new ESLint configuration.
 - `.eslintcache`

- `.eslintignore`
- `.eslintrc.json`

Upgrade to React 19.x

Experience SDK 8.x includes an upgrade to React 19.x, which includes breaking changes.

Review the React changes described in the [React 19 Upgrade Guide](#) and the [React v19 release announcement](#), and update your extension as required.

Also review the "React 19 updates" section of the [Path v7 to v8 Migration Guide](#).

Upgrade to Path 8.x

Experience SDK 8.x includes an upgrade to Ellucian Path™ Design System (Path) 8.x, which includes breaking changes.

Review the changes described in the [Path v7 to v8 Migration Guide](#), and update your extension as required.

Upgrade to the latest SDK 7.x version

Because the upgrade to Experience SDK 8.x requires a significant effort, you might want to temporarily keep an extension on SDK 7.x.

About this task

This procedure reflects the latest SDK 7 release (SDK 7.18.1).

Procedure

1. If you have multiple versions of Node.js installed, switch to version 20.18.1.
2. Within your extension directory, edit the `package.json` file.
3. Make the changes listed below, depending on the current SDK version of the extension that you are upgrading.

Upgrading your extension from this SDK version	Required changes (see examples in Step 4)
4.2.1 or earlier	Add the <code>@ellucian/experience-extension-utils</code> line to the <code>dependencies</code> section. Remove the <code>moment</code> line from the <code>dependencies</code> section, unless your extension code uses it. (The Experience SDK no longer uses <code>moment</code>.)
4.3.1 through 6.0.0	Add the <code>@ellucian/experience-extension-utils</code> line to the <code>dependencies</code> section. Remove the <code>moment</code> line from the <code>dependencies</code> section, unless your extension code uses it. (The Experience SDK no longer uses <code>moment</code>.) Move the <code>@ellucian/experience-extension</code> line from the <code>dependencies</code> section to the <code>devDependencies</code> section.
7.0.0 or later	No changes required for this step. Continue with Step 4.

- Update the version numbers in the `dependencies` and `devDependencies` sections of the `package.json` file to match the version numbers shown below.

```
"dependencies": {
  "@ellucian/ds-icons": "https://cdn.elluciancloud.com/assets/EDS2/7.19.1/umd/path_design_system_icons.tgz",
  "@ellucian/experience-extension-utils": "https://cdn.elluciancloud.com/assets/SDK/Utils/1.0.0/ellucian-experience-extension-utils-1.0.0.tgz",
  "@ellucian/react-design-system": "https://cdn.elluciancloud.com/assets/EDS2/7.19.1/umd/path_design_system.tgz",
  "classnames": "2.2.6",
  "prop-types": "15.7.2",
  "react": "17.0.2",
  "react-dom": "17.0.2",
  "react-intl": "5.12.5",
  "react-router-dom": "5.2.0"
```

```
"devDependencies": {
  "@ellucian/experience-extension": "https://cdn.elluciancloud.com/assets/SDK/7.18.1/ellucian-experience-extension-7.18.1.tgz",
```

1. Save your changes to the `package.json` file.
2. In a command line interface, navigate to the directory for your extension.

```
cd my_extension
```

3. Enter `npm install`

The `npm install` command updates the dependencies.

You might need to perform additional steps if there are breaking changes introduced in the newer dependency versions. See [Extension updates to address breaking changes in dependencies](#).

Extension updates to address breaking changes in dependencies

After updating the dependencies in an extension, you might need to perform additional steps if there are breaking changes introduced in the newer dependency versions.

To bring an extension to the latest SDK version, first update the dependencies as described in [Update the extension dependencies](#), and then perform the appropriate procedures in the table below based on the starting version of your extension. For example, if you are upgrading an extension that was at SDK 6.0.0, perform all of the procedures for SDK 7.0.0 and later.

Release	Description	Procedure
8.1.2	Extensions on SDK 8.1.2 or later require Node.js version 24.13.0	Upgrade to Node.js 24.13.0
8.0.1	SDK 8.0.1 is a major update that includes upgrades to new major versions of React, the Ellucian Path Design System, and ESLint.	• Update the .babelrc file • Upgrade to ESLint 9.x • Upgrade to React 19.x • Upgrade to Path 8.x
7.18.1	No breaking changes	--
7.18.0	No breaking changes	--
7.17.1	No breaking changes	--
7.16.0	No breaking changes	--
7.15.0	No breaking changes	--
7.14.0	Extensions on SDK 7.14.0 or later versions of 7.x require Node.js version 20.18.1	Upgrade to Node.js 20.18.1
7.13.0	No breaking changes	--
7.12.0	No breaking changes	--
7.11.0	No breaking changes	--
7.10.0	No breaking changes	--
7.9.0	No breaking changes	--
7.8.0	No breaking changes	--
7.7.0	No breaking changes	--
7.6.1	No breaking changes	--
7.5.0	No breaking changes	--
7.4.0	Starting with SDK 7.4.0, extensions on SDK 7.x required Node.js version 18.16.1. You should upgrade to the Node.js version for the current SDK release to which you are upgrading the extension.	Upgrade to Node.js 20.18.1
7.3.0	No breaking changes	--
7.2.0	No breaking changes	--

7.1.2	No breaking changes	--
7.0.0	SDK 7.0.0 includes an upgrade to Ellucian Path Design System v7.1.1, which includes an update to the next major version of Material UI, on which much of the Path component library is based.	v7.1.1 section of the Ellucian Path Design System release notes
	Hooks have been moved from the experience-extension library to the new experience-extension-utils library.	New library: experience-extension-utils
6.0.0	SDK 6.0.0 includes: • An upgrade React 17.0.2 • An upgrade to Ellucian Path Design System v6.8.0, in which the LegacyDatePicker component has been removed and some functions and props in the DatePicker and DateRangePicker components are no longer supported.	v6.8.0 section of the Ellucian Path Design System release notes
	In the Add Card process, template cards now display a Path icon rather than an image, and you can specify a description of the template.	Template card updates for card configuration enhancements
5.12.0	No breaking changes	--
5.11.0	No breaking changes	--
5.10.0	No breaking changes	--
5.9.0	No breaking changes	--
5.8.0	Starting with SDK 5.8.0, extensions required Node.js	

	version 16.15.0. You should upgrade to the Node.js version for the current SDK release to which you are upgrading the extension.	Upgrade to Node.js 20.18.1
5.7.0	No breaking changes	--
5.6.0	No breaking changes	--
5.5.0	No breaking changes	--
5.4.0	No breaking changes	--
5.3.1	Several library dependencies for SDK extensions are updated in SDK 5.3.1	Upgrade the library dependencies for an extension
5.2.0	No breaking changes	--
5.1.0	No breaking changes	--
5.0.1	SDK 5.0.1 includes an upgrade to Ellucian Path Design System v6.0.0, which has several breaking changes.	v6.0.0 section of the Ellucian Path Design System release notes
4.3.1	No breaking changes	--
4.2.1	No breaking changes	--
4.1.1	SDK 4.1.1 includes an upgrade to webpack-cli 4.9.0	Update webpack-cli
4.0.0	SDK 4.0.0 includes an upgrade to react-intl 5.12.5	Upgrade to react-intl 5.12.5