CHD: model-based components | page 1/4

Indirect family: tested 22/23; unavailable 1; P<0.05: 22; BH<0.05: 22
Residual family: tested 22/23; unavailable 1; P<0.05: 15; BH<0.05: 15



95% first-order delta-method CIs; zero covariance working assumption. Each mediator is analysed separately.
Residuals are model-based components; indirect effects are not summed across mediators.

CHD: model-based components | page 2/4

Indirect family: tested 22/23; unavailable 1; P<0.05: 22; BH<0.05: 22
Residual family: tested 22/23; unavailable 1; P<0.05: 15; BH<0.05: 15



95% first-order delta-method CIs; zero covariance working assumption. Each mediator is analysed separately.
Residuals are model-based components; indirect effects are not summed across mediators.

CHD: model-based components | page 3/4

Indirect family: tested 22/23; unavailable 1; P<0.05: 22; BH<0.05: 22
Residual family: tested 22/23; unavailable 1; P<0.05: 15; BH<0.05: 15



95% first-order delta-method CIs; zero covariance working assumption. Each mediator is analysed separately.
Residuals are model-based components; indirect effects are not summed across mediators.

CHD: model-based components | page 4/4

Indirect family: tested 22/23; unavailable 1; P<0.05: 22; BH<0.05: 22
Residual family: tested 22/23; unavailable 1; P<0.05: 15; BH<0.05: 15



95% first-order delta-method CIs; zero covariance working assumption. Each mediator is analysed separately.
Residuals are model-based components; indirect effects are not summed across mediators.