Programming in Python (CSE 3142)

MINOR ASSIGNMENT-6: STRINGS

- 1. Write a function that takes a string as a parameter and returns a string with every successive repetitive character replaced with a star(*). For example, 'balloon' is returned as 'bal*o*n'.
- 2. Write a function that takes two strings and returns True if they are anagrams and False otherwise. A pair of strings is anagrams if the letters in one word can be arranged to form the second one.
- 3. Write a function that takes a sentence as an input parameter and displays the number of words in the sentence.
- 4. Write a function that takes a sentence as an input parameter and replaces the first letter of every word with the corresponding uppercase letter and rest of the letters in the word by corresponding letters in lowercase without using builtin function.
- 5. Write a function that takes a string as an input and determines the count of the number of words using regular expression.
- 6. What will be the output on executing each of the statements, following the assignment statement: address = 'B-6, Lodhi road, Delhi'
 - a. len(address)
 - b. address[17:-1]
 - c. address[-len(address): len(address)]
 - d. address[:-12] + address[-12:]
 - e. address.find('delhi')
 - f. address.swapcase()
 - g. address.split(',')
 - h. address.isalpha()
- 7. Examine the following string:

greeting = 'Good Morning. Have a Good Day!!'

What will be the output for the following function calls:

- a. greeting.count('Good')
- b. greeting.find('a')

r find highest index deta hain nd find first

c. greeting.rfind('a') ocuurence index deta hain!

- d. greeting.capitalize()
- e. greeting.lower()
- f. greeting.upper()
- g. greeting.swapcase()
- h. greeting.istitle()
- i. greeting.replace('Good', 'Sweet')
- j. greeting.strip()
- k. greeting.split()

1. greeting.partition('.')

split = list banata hain and sets , tuples mein use hosakta hain

aur baki sara small hona

chahiye tabhi true hoga!

title returnstrue if all words in

that sentence starts with caps.

voha se partition kar deta hain

delimeter first occur hota hain aur 1

```
m. greeting.startswith('good')
  n. greeting.endswith('!!')
8. Determine the patterns extracted by the following regular expressions.
   1. string1 = 'Python Programming Language'
   1. match1 = re.search('....m?', string1)
  print(match1.group())
  2. match2 = re.search('....m{1,2}', string1)
  print(match2.group())
  3. match3 = re.search('.*Language$', string1)
  print(match3.group())
  4. match4 = re.search('\w^*\sv^*', string1)
  print(match4.group())
  5. match5 = re.search('.*', string1)
  print(match5.group())
  2. string2 = 'Car Number DL5645'
   1. match1 = re.search('\w\w?\d{1,4}', string2)
  print(match1.group())
  2. match2 = re.search('.*5', string2)
  print(match2.group())
  3. match3 = re.search('.*5?', string2)
  print(match3.group())
  4. match4 = re.search('\d{3}', string2)
  print(match4.group())
  5. match5 = re.search(^{\circ} C.*5\$', string2)
  print(match5.group())
   3. string3 = 'cdcccdcddd343344aabb'
   1. match1 = re.search('(c|d)*\d*(a|b)*', string3)
  print(match1.group())
  2. match2 = re.search('(cd)*d', string3)
  print(match2.group())
  3. match3 = re.search('(cc|cd)*(3|4)*(aa|bb)', string3)
  print(match3.group())
  4. match4 = re.search('(cc|cd|dd)*(3|4)*(aa|bb)', string3)
  print(match4.group())
  5. match5 = re.search('(cc|cd|dd)*(3|4)*(aa|bb)*', string3)
  print(match5.group())
```

- 9. Write a python programs to perform the following tasks:
 - a. Reverse a string
 - b. Reverse a string without reversing the words. Example: input data: 'welcome to iter'

output: 'iter to welcome'

- c. Check if a string is symmetric or asymmetric
- d. Check if a string is palindrome.
- e. Given a string s and index i, delete i^{th} value from s
- f. Count the number of vowels and consonants in a string.
- g. Find length of a string without using inbuilt function.
- h. Check if a string contains at least one digit and one alphabet.
- i. Remove duplicates from a string.
- j. Count frequency of characters in a string.
- k. Find the character having maximum frequency in a string.