
Hybrid Displays

P10 Backwall Graphic Dims



Live Area: 22.75"w x 95"h with 0.5" bleed TOP 0.75" bleed SIDES

Finished Size: 24.25"w x 96"h

Sew hook Velcro into front perimeter of graphic

Live Area: 69.25"w x 95"h with 0.5" bleed around perimeter Finished Size: 70.25"w x 96"h

Sew hook Velcro into front perimeter of graphic


NOTE: Graphic files must be @ 150 dpi Finished Size. DO NOT send Flattened Files. Production can not manipulate the content, proportion or color of these files.

Product Name: Perfect 10

Process: HD

Material: Poly Knit 9

Effective Date: 09/23/2014




## Finishing


Sew 1/2" Velcro to front perimeter of graphic

- A The 4 corner notches are cut 1/2" in from the edge and 1/4"h x 3/4"w
- B For the side notches measure 31" up from the bottom of the graphic. Notch is 2.25"h x 0.25"w.
- C Measure up an additional 13.875" from the top edge of the first notch. Notch is 3"h x 0.25"w

NOTE: These dimensions are for graphic layout purposes. Graphic needs to be cut and test fitted to P10 frame.



## A small portion of your graphic(s) may be hidden by P10 accessories, such as Headers. Please use these diagrams to position your graphics correctly.



Note: Please refer to Backwall Graphic Dims page for complete instructions for Left Side fabric graphic

Product Name: Perfect 10

Process: Print on

Material: 1/4" Sintra



## A small portion of your graphic(s) may be hidden by P10 accessories, such as Monitors and Cubby Counters. Please use these diagrams to position your graphics correctly.

Product Name: Perfect 10

Process: HD

Material: Poly Knit 9

Effective Date: 03/12/2014

/ Hybrid Displays

P10 Backwall Graphic Dims with Accessories

