

Content Studio

GEPA Optimization

PROMPT RESEARCH

GEPA Optimization

Evolve model-specific editorial prompts with source-relative fidelity checks and frozen P1 feedback.

90 P1-validation pages: 60 reflection / 30 selection. P1 test pages remain outside optimization. P1 is a classifier proxy, not citation uplift. P1 uses the canonical Markdownify feature contract.

Configure research run

Experiment name (optional)

evidence-first-penalty-search

Used in the run slug. A timestamp and short suffix distinguish repeated experiments.

Frozen dataset

validation-90-v71

Rewriter model

gpt-5-mini

Rewrite prompt

gpt-5-mini-conservative-evidence-first-rewriting-procedure-maps-59288bcd · selected default

Prompts are specific to gpt-5-mini. Experimental prompts require review.

Reflection model

gpt-5-mini

Proposed candidates

50

Reflection batch pages

2

Maximum rewrite attempts

1000

Concurrent page evaluations

30

Unsupported penalty per edit (0-1)

0.05

Uncertain penalty per edit (0-1)

0.02

Maximum strategy characters

6000

Consecutive technical failures

3

Technical failure fraction

0.2

Failure-rate minimum attempts

10

Sampling seed

0

Research reward = raw P1 minus factual penalties. Defaults deduct 5 points per unsupported edit and 2 per uncertain edit on the /100 display. Findings and full proposals remain inspectable; ordinary drafts retain factual checks.

The rewrite budget includes baseline, reflection-page and selection-page rewrites. Defaults allow 1,000 attempts and up to 50 candidate rounds; the first limit reached stops the run. Event count does not control search length. Reflection, fidelity and embedding calls are additional. No automatic resume.

☒ Enable live research calls

Source text goes to OpenAI for rewriting, reflection, fidelity and missing embeddings.

Start GEPA run

Run progress

[Refresh runs](#)

Saved runs

evidence-first-penalty-search-20261002-160122-ff558978 · running

▼

running · evidence-first-penalty-search-20261002-160122-ff558978 · working

Strategy contract: query-procedure-v1 · Edit boundary: body-content-v4 · Fidelity reviewer: gpt-5 (fidelity-slots-v4)

496/1000 dispatched rewrites · 0 reserved · 495 completed · 9 technical failures · 47 reflection calls

Usage totals reflect saved phases; in-flight provider usage appears when its response is saved.

rewrite: 495 calls · 14312843 input / 1083932 output tokens
fidelity: 380 calls · 1152952 input / 506533 output tokens
reflection: 47 calls · 2097986 input / 64677 output tokens
embedding: 366 calls · 1469992 input / 0 output tokens · 20435 cached inputs

Stop

[Export full traces](#)

Prompt	Status	Raw mean P1/100	Mean penalty /100	Mean reward /100	Pages with factual concerns	Execution failures
gpt-5-mini-conservative-evidence-first-rewriting-procedure-maps-59288bcd	evaluated · frontier	40.82	5.93	34.89	73.33%	0.00%
gpt-5-mini-conservative-repeatable-rewriting-procedure-l-maps-290a800c	rejected	—	—	—	—%	—%
gpt-5-mini-conservative-query-driven-rewrite-procedure-map-70516c10	evaluated · frontier	40.90	8.80	32.10	76.67%	0.00%
gpt-5-mini-chunk-aware-conservative-rewriting-map-queries-efab0309	evaluated · frontier	40.77	6.87	33.90	70.00%	3.33%
gpt-5-mini-conservative-chunk-aware-rewriting-method-map-52ce48d2	rejected	—	—	—	—%	—%
gpt-5-mini-conservative-repeatable-page-rewriting-procedure-maps-2f1c657f	rejected	—	—	—	—%	—%
gpt-5-mini-conservative-chunk-local-rewrite-pipeline-map-744ae519	rejected	—	—	—	—%	—%
gpt-5-mini-conservative-chunk-aware-rewriter-map-queries-7c73aecc	evaluated · frontier	40.78	5.03	35.75	63.33%	6.67%

Prompt	Status	Raw mean P1 /100	Mean penalty /100	Mean reward /100	Pages with factual concerns	Execution failures
gpt-5-mini-conservative-chunk-aware-rewriting-map-queries-5279ea0e	evaluated · frontier	40.89	3.73	37.16	60.00%	0.00%
gpt-5-mini-new-procedure-enforces-strict-same-chunk-57c48649	evaluated · frontier	40.95	9.33	31.62	66.67%	3.33%
gpt-5-mini-conservative-chunk-restricted-rewriting-procedure-map-8bbec276	evaluated · frontier	40.87	6.97	33.91	76.67%	0.00%
gpt-5-mini-chunk-aware-conservative-rewriting-procedure-map-ccb2ff95	evaluated · frontier	40.83	7.70	33.13	66.67%	0.00%
gpt-5-mini-chunk-aware-conservative-rewriting-1-maps-8cd70be2	rejected	—	—	—	—%	—%
gpt-5-mini-conservative-query-driven-rewrite-method-map-e096b92a	evaluated · frontier	40.94	9.43	31.50	73.33%	0.00%
gpt-5-mini-conservative-automated-same-chunk-rewriting-cluster-14b635c3	rejected	—	—	—	—%	—%
gpt-5-mini-conservative-same-chunk-only-rewriting-procedure-1693c17a	evaluated · frontier	40.88	10.47	30.41	86.67%	0.00%
gpt-5-mini-conservative-reproducible-rewriting-workflow-map-queries-1793d132	rejected	—	—	—	—%	—%
gpt-5-mini-conservative-query-driven-rewriting-map-queries-33a5e214	rejected	—	—	—	—%	—%
gpt-5-mini-conservative-chunk-aware-rewriting-procedure-1-4edf2aff	evaluated · frontier	40.84	8.10	32.74	66.67%	0.00%
gpt-5-mini-conservative-chunk-aware-rewriting-map-queries-92bceecc	rejected	—	—	—	—%	—%
gpt-5-mini-conservative-chunk-bounded-rewriting-map-queries-8625aldc	rejected	—	—	—	—%	—%
gpt-5-mini-tightens-shortens-original-workflow-into-chunk-476c38cd	evaluated · frontier	40.78	6.97	33.81	60.00%	3.33%

Prompt	Status	Raw mean P1 /100	Mean penalty /100	Mean reward /100	Pages with factual concerns	Execution failures
gpt-5-mini-conservative-chunk-aware-rewriting-method-map-6702efcd	evaluated · frontier	40.83	6.60	34.23	80.00%	6.67%
gpt-5-mini-practical-conservative-rewrite-procedure-map-queries-dd50df9a	rejected	—	—	—	—%	—%

- Reflection requests, queries and score feedback
- Live event log · 867 events