

Online Supplement

Low-Dimensional Asset-Pricing Networks: Identification, Stability, and Economic Use

This supplement records the estimator definitions, proof, chronology qualifications, and expanded numerical tables behind the article. Electronic long tables retain every archived condition; accompanying CSV files also retain the empirical seed-level distances. No additional model was trained or specification selected in preparing this supplement. Protocol identifiers below are archival keys, not names of externally registered studies.

A Known-loading selection result

Let the finite ordered candidate set $\mathcal{K}$ contain K_0 and at least one larger dimension. Let B be a fixed full-column-rank matrix and B_K its first K columns. For fixed $W \succ 0$, define

$$P_K = B_K(B_K'WB_K)^{-1}B_K'W. \quad (\text{A.1})$$

Then $P_K^2 = P_K$, $P_K'W = WP_K$, and, for $K > K_0$, $Q_K = P_K - P_{K_0}$ is also a W -orthogonal projector, with $Q_KP_{K_0} = P_{K_0}Q_K = 0$. Suppose the fixed population mean μ belongs to the span of B_{K_0} but to none of the smaller candidate spans. Training and evaluation sample means are independent:

$$\bar{R}_n = \mu + U/\sqrt{n}, \quad \bar{R}_T^e = \mu + V/\sqrt{T}, \quad U, V \stackrel{\text{ind}}{\sim} N(0, \Sigma), \quad \Sigma \succ 0. \quad (\text{A.2})$$

The training estimate is $\hat{\mu}_K = P_K\bar{R}_n$, and validation loss is $L_T(K) = \|\bar{R}_T^e - \hat{\mu}_K\|_W^2$. Ties are resolved in favor of the smaller dimension. The asymptotic sequence holds B, W, Σ, μ and $\mathcal{K}$ fixed, with $n/T \rightarrow c \in (0, \infty)$.

A.1 Exact loss difference and nonvanishing over-selection

For $K \geq K_0$, $P_K\mu = \mu$, so

$$L_T(K) = \|V/\sqrt{T} - P_KU/\sqrt{n}\|_W^2. \quad (\text{A.3})$$

Using $P_K = P_{K_0} + Q_K$ and orthogonality, expansion gives

$$T\{L_T(K) - L_T(K_0)\} = (T/n)U'Q_K'WQ_KU - 2\sqrt{T/n}V'WQ_KU. \quad (\text{A.4})$$

It converges in distribution to

$$Z_K = c^{-1}\|Q_KU\|_W^2 - 2c^{-1/2}V'WQ_KU. \quad (\text{A.5})$$

Because Q_K has positive rank and U has a nonsingular Gaussian distribution, $q = Q_KU \neq 0$ almost surely. Conditional on U , $V'Wq$ is normal with zero mean and strictly positive variance $q'W\Sigma Wq$. Consequently

$$\mathbb{P}(Z_K < 0 \mid U) = 1 - \Phi\left(\frac{\|q\|_W^2}{2\sqrt{c}\sqrt{q'W\Sigma Wq}}\right) > 0 \quad (\text{A.6})$$

almost surely. The mixture has no atom at zero. Thus $\mathbb{P}(L_T(K) < L_T(K_0)) \rightarrow \mathbb{P}(Z_K < 0) > 0$. On this event the raw minimizer cannot be K_0 .

For $K < K_0$, $L_T(K) \rightarrow_p \|(I - P_K)\mu\|_W^2 > 0$, whereas $L_T(K_0) \rightarrow_p 0$. Finiteness of the candidate set implies that under-selection probability tends to zero. Combining these facts proves Proposition 1: the probability of correct raw selection cannot converge to one. This is a statement about exact dimension, not failure of the selected model’s predictive loss to converge to the population optimum.

A.2 Penalty and oracle evaluation

For every overfitted candidate, Eq. (A.4) implies $L_T(K) - L_T(K_0) = O_p(T^{-1})$. If $p_T \rightarrow 0$ and $Tp_T \rightarrow \infty$, then

$$\mathbb{P}\{L_T(K) - L_T(K_0) + (K - K_0)p_T > 0\} \rightarrow 1. \quad (\text{A.7})$$

The vanishing penalty does not overturn any fixed positive underfit gap. A union bound over finitely many candidates proves Corollary 1. For example, $p_T = \log(T)/T$ has the stated rates; it is an illustrative rate, not an empirically tuned prescription in this paper.

Oracle evaluation replaces $\bar{R}_T^e$ by μ . For $K > K_0$ the loss difference is exactly $\|Q_K U\|_W^2/n \geq 0$. Larger correct spans therefore cannot beat K_0 under the smaller-dimension tie rule. Oracle under-selection is still possible at finite sample because training risk prices are estimated. This explains why oracle exact recovery need not be 100% in the reported grid and why oracle over-selection is zero by construction.

The proof is conditional on known loadings and a fixed known weight matrix. It neither covers estimated HJ weights automatically nor establishes the same asymptotics for separately trained nonlinear networks, dependent stock histories, a growing candidate set, or a different training/evaluation ratio.

B Data, chronology, and pricing-network implementation

B.1 Source records and filters

The original security source is a WRDS CRSP CIZ Daily Stock File export. Daily total returns are compounded within PERMNO and calendar month; same-day distribution duplicates are checked and resolved before compounding. CIZ delisting returns are already in the total-return field. Delisting rows inherit the last active classification where required. Month-end common-stock eligibility requires `PrimaryExch` in N/A/Q, `USIncFlg=Y`, `IssuerType` in ACOR/CORP, `SecurityType=EQTY`, `SecuritySubType=COM`, and `ShareType=NS`. The published code retains the exact treatment of missing daily returns and duplicate keys.

CCM links use LC/LU and primary flags P/C, with month-end dates inside the link interval. Missing start and end dates receive open-interval endpoints. Competing valid links are ranked by primary status and link type; ambiguity counts are recorded rather than silently discarded. Standard industrial, consolidated, domestic-format accounting filters and duplicate resolution are implemented in the accounting builder. Annual availability is fiscal period end plus six months. Quarterly availability uses `rdq` if it lies between fiscal period end and one year afterward; otherwise it uses period end plus four months. This is a reporting-lag convention applied to the downloaded vintage, not a reconstruction of unrevised historical releases.

The characteristic bridge first joins monthly, quarterly, and annual components on PERMNO/month. Where a nonmissing public benchmark value exists, it takes precedence over the self-built value; otherwise the latter is used. Source flags and feature counts are retained by component. This dependence on benchmark values is essential to the interpretation of Core-86. The dictionary in Table S2 lists all included characteristics. The source code and feature-lineage reports give formulas and their audits; the short labels are not a substitute for those formulas.

The legacy last-month overlap prevents a claim that the entire later period was never observed in the research process. Original manifests that say `sealed_period_accessed=false` refer to

Table S1: Calendar used by each archived analysis

Pipeline/block	Characteristic months	Realized return months
Core-86 train	1963-07–1999-11	1963-08–1999-12
Core-86 validation	1999-12–2009-11	2000-01–2009-12
Core-86 development	2009-12–2019-11	2010-01–2019-12
Core-86 later evaluation	2019-12–2025-11	2020-01–2025-12
Legacy Core-92 validation	2000-01–2009-12	2000-02–2010-01
Legacy Core-92 development	2010-01–2019-12	2010-02–2020-01

the old characteristic clock; the calendar audit in this release qualifies that label. We preserve archived files and their hashes rather than rewriting the historical records.

B.2 Rank inputs, portfolio scores, and optimization

For a characteristic with $n_t > 1$ nonmissing observations, the input is $2(r_{it} - 1)/(n_t - 1) - 1$, using average ranks for ties. Missing observations, and degenerate single-observation groups, receive zero; a separate missing indicator distinguishes imputation from a median rank. Core-86 therefore has 172 inputs and Core-92 has 184.

For output score s_{ikt} , portfolio weights and factor returns are

$$w_{ikt} = \frac{s_{ikt} - \bar{s}_{kt}}{\max(\sum_j |s_{jkt} - \bar{s}_{kt}|, 10^{-8})}, \quad F_{k,t+1} = \sum_i w_{ikt} R_{i,t+1}^e. \quad (\text{B.1})$$

Scores are a feed-forward 128–64–32 SiLU network followed by a tanh output. Portfolio concentration is $N_t \sum_i w_{ikt}^2$, averaged over factors and months. Factor diversity is the average squared off-diagonal sample correlation; it is zero when $K = 1$.

For a batch of months, let $G = F'R/T$, $\bar{R}$ be mean test-asset returns, and $S_R = R'R/T$. Training uses $W_R = (S_R + \epsilon I)^{-1}$, with a trace-scaled ridge multiplier 10^{-4} . The fitted loading solves the ridge system in $GW_R G'$. Its squared pricing distance is divided by $\bar{R}'W_R \bar{R}$, with a numerical floor. This normalized HJ span loss differs from the fixed-self-pricing geometry used in the later diagnostic surfaces. The training objective is

$$3L_{HJ} - 0.25 SR(F) + 0.05 \text{Diversity}(F) + 0.001 \text{Concentration}(w). \quad (\text{B.2})$$

The factor-span Sharpe uses annualization $\sqrt{12}$ and a ridge covariance solve. Asset columns must be complete within a training batch. AdamW uses learning rate 0.0003, weight decay 0.00001, norm clipping at 5, 120-month random batches, and at most 80 epochs. Checkpoints maximize $0.25 SR - 3L_{HJ}$ on validation data. An increase exceeding 10^{-4} resets patience; training stops after 12 epochs without such an increase. Seeds are 20260924–20260928. Deterministic PyTorch operations were requested, TF32 and cuDNN benchmarking disabled, and runtime fingerprints archived.

A declared deterministic configuration does not guarantee bitwise identity across CUDA, CPU, library, or hardware versions. Frozen aggregate replay has a smaller computational contract than full retraining. Both contracts and their source hashes are documented in the public package.

B.3 Diagnostic estimands and uncertainty

Main-text Section 3 gives the exact spectral-power weighting path. It normalizes $\text{tr}(W_\gamma S) = J$ at each γ ; equal-moment and HJ endpoint values therefore should not be read as raw return percentages. Self-pricing coefficients are estimated from validation factors and fixed throughout evaluation. Regression alpha is estimated separately using a pseudoinverse with an intercept.

Market betas are fitted in validation, frozen, and used to hedge evaluation test-asset returns. Attenuation is $|A| - |A^{\text{hedged}}|$. Completion is the error for the one-factor representation augmented

with market excess return minus the error for the original representation. Negative completion means improvement. Raw-moment and alpha errors are annualized mean absolute errors. The main table multiplies their differences by 100 to show percentage points.

The later-period inference resamples 12-month circular blocks 500 times. Each draw uses the same time indices across models and test assets; validation-estimated coefficients stay fixed. Seed standard errors in the dimension table quantify algorithmic dispersion, not independent economic sampling. Passing a directional count criterion does not imply that its bootstrap intervals exclude zero.

Table S2: Core-86 characteristic membership

No.	Characteristic	Component	Input treatment
1	baspread	Monthly/market	Rank + missing flag
2	beta	Monthly/market	Rank + missing flag
3	betasq	Monthly/market	Rank + missing flag
4	chmom	Monthly/market	Rank + missing flag
5	dolvol	Monthly/market	Rank + missing flag
6	idiovol	Monthly/market	Rank + missing flag
7	ill	Monthly/market	Rank + missing flag
8	indmom	Monthly/market	Rank + missing flag
9	maxret	Monthly/market	Rank + missing flag
10	mom12m	Monthly/market	Rank + missing flag
11	mom1m	Monthly/market	Rank + missing flag
12	mom36m	Monthly/market	Rank + missing flag
13	mom6m	Monthly/market	Rank + missing flag
14	mvel1	Monthly/market	Rank + missing flag
15	pricedelay	Monthly/market	Rank + missing flag
16	retvol	Monthly/market	Rank + missing flag
17	std_dolvol	Monthly/market	Rank + missing flag
18	std_turn	Monthly/market	Rank + missing flag
19	turn	Monthly/market	Rank + missing flag
20	zerotrade	Monthly/market	Rank + missing flag
21	cash	Quarterly accounting	Rank + missing flag
22	chtx	Quarterly accounting	Rank + missing flag
23	cinvest	Quarterly accounting	Rank + missing flag
24	nincr	Quarterly accounting	Rank + missing flag
25	roaq	Quarterly accounting	Rank + missing flag
26	roavol	Quarterly accounting	Rank + missing flag
27	roeq	Quarterly accounting	Rank + missing flag
28	rsup	Quarterly accounting	Rank + missing flag
29	stdacc	Quarterly accounting	Rank + missing flag
30	stdcf	Quarterly accounting	Rank + missing flag
31	absacc	Annual accounting	Rank + missing flag
32	acc	Annual accounting	Rank + missing flag
33	age	Annual accounting	Rank + missing flag
34	agr	Annual accounting	Rank + missing flag
35	cashdebt	Annual accounting	Rank + missing flag
36	chcsho	Annual accounting	Rank + missing flag
37	chinv	Annual accounting	Rank + missing flag
38	convind	Annual accounting	Rank + missing flag
39	currat	Annual accounting	Rank + missing flag
40	depr	Annual accounting	Rank + missing flag
41	divi	Annual accounting	Rank + missing flag
42	divo	Annual accounting	Rank + missing flag
43	egr	Annual accounting	Rank + missing flag
44	gma	Annual accounting	Rank + missing flag
45	grcapx	Annual accounting	Rank + missing flag

Core-86 characteristic membership (continued)

No.	Characteristic	Component	Input treatment
46	grltnoa	Annual accounting	Rank + missing flag
47	hire	Annual accounting	Rank + missing flag
48	invest	Annual accounting	Rank + missing flag
49	lgr	Annual accounting	Rank + missing flag
50	operprof	Annual accounting	Rank + missing flag
51	pchcurrat	Annual accounting	Rank + missing flag
52	pchdepr	Annual accounting	Rank + missing flag
53	pchgm_pchsale	Annual accounting	Rank + missing flag
54	pchquick	Annual accounting	Rank + missing flag
55	pchsale_pchinv	Annual accounting	Rank + missing flag
56	pchsale_pchrect	Annual accounting	Rank + missing flag
57	pchsale_pchxsga	Annual accounting	Rank + missing flag
58	pchsaleinv	Annual accounting	Rank + missing flag
59	pctacc	Annual accounting	Rank + missing flag
60	quick	Annual accounting	Rank + missing flag
61	rd	Annual accounting	Rank + missing flag
62	rd_sale	Annual accounting	Rank + missing flag
63	realestate	Annual accounting	Rank + missing flag
64	roic	Annual accounting	Rank + missing flag
65	salecash	Annual accounting	Rank + missing flag
66	saleinv	Annual accounting	Rank + missing flag
67	salerec	Annual accounting	Rank + missing flag
68	secured	Annual accounting	Rank + missing flag
69	securedind	Annual accounting	Rank + missing flag
70	sgr	Annual accounting	Rank + missing flag
71	sin	Annual accounting	Rank + missing flag
72	tang	Annual accounting	Rank + missing flag
73	bm	Annual accounting	Rank + missing flag
74	cashpr	Annual accounting	Rank + missing flag
75	cfp	Annual accounting	Rank + missing flag
76	cfp_ia	Annual accounting	Rank + missing flag
77	chatoia	Annual accounting	Rank + missing flag
78	chempia	Annual accounting	Rank + missing flag
79	dy	Annual accounting	Rank + missing flag
80	ep	Annual accounting	Rank + missing flag
81	herf	Annual accounting	Rank + missing flag
82	lev	Annual accounting	Rank + missing flag
83	mve_ia	Annual accounting	Rank + missing flag
84	orgcap	Annual accounting	Rank + missing flag
85	rd_mve	Annual accounting	Rank + missing flag
86	sp	Annual accounting	Rank + missing flag

C Known-truth simulation and complete outputs

For each condition, returns have mean $B\lambda$ and covariance $B\Sigma_f B' + 0.08^2 I$. Candidate loading directions are orthogonalized random Gaussian columns scaled by $\sqrt{N}$. The first K_0 risk prices alternate signs with absolute level 0.006 (strong) or 0.002 (weak); later prices are zero. Factor volatilities span 0.035–0.07, with equicorrelation zero or 0.7. In the weak-tail design the final part of the true loading span is multiplied by 0.15. Exact tail indexing is retained in the simulation source.

The grid crosses $K_0 = 1, 3, 5$, $T = 72, 240, 600$, $N = 25, 74$, two price strengths, two spanning regimes, and two correlations: 144 base cells. Each uses 500 replications and six independently drawn asset loading systems. Candidate dimensions are 1, 2, 3, 4, 5, and 8. Training and

evaluation means have independent Gaussian sampling error with covariance Σ_R/T . The model projects the training mean onto a candidate span under the stated metric. Equal weighting uses I/N ; the HJ-labelled weight is the inverse of the known covariance plus a ridge equal to 0.01 of mean variance, normalized to unit trace. This differs from the empirical second-moment path and does not include covariance-estimation noise.

Oracle loss evaluates the fitted mean against the population mean; feasible loss evaluates it against the independent sample mean. Thus both modes estimate the training prices, and both retain known loadings/covariance. The finite-grid winner is the strict minimum, with smaller K winning ties.

The package contains 576 condition summaries (144 cells by two metrics by two evaluation modes), 3,456 selection-frequency rows, and 864 cross-asset disagreement summaries. Each condition summary pools the six families and 500 replications. Families share the replication index, so 3,000 pooled selections do not constitute 3,000 independent asset-pricing experiments. A Figure 4 mean across four N -metric cells pools 12,000 selections, again with the indicated dependence.

Main-table mechanism intervals are mean cell contrasts plus/minus 1.96 cross-cell standard errors. They describe heterogeneity across the fixed design grid, not confidence intervals from a random sample of economic environments. Two original runs with fixed seeds produced byte-identical summary outputs; the validation manifest is included. Table S3 provides exact/under/over frequencies for every condition. Electronic frequency tables preserve each selected- K probability.

Selection frequencies are percentages. O denotes oracle evaluation and F denotes evaluation with an independent noisy sample mean; both know the loadings and covariance.

Table S3: Complete known-truth selection frequencies

K_0	T	N	Prices	Span	ρ	Metric/eval.	Exact	Under	Over
1	72	25	strong	full	0.0	equal/O	100.0	0.0	0.0
1	72	25	strong	full	0.0	equal/F	46.5	0.0	53.5
1	72	25	strong	full	0.0	hj/O	100.0	0.0	0.0
1	72	25	strong	full	0.0	hj/F	50.0	0.0	50.0
1	72	25	strong	weak	0.0	equal/O	100.0	0.0	0.0
1	72	25	strong	weak	0.0	equal/F	46.8	0.0	53.2
1	72	25	strong	weak	0.0	hj/O	100.0	0.0	0.0
1	72	25	strong	weak	0.0	hj/F	50.7	0.0	49.3
1	72	25	strong	full	0.7	equal/O	100.0	0.0	0.0
1	72	25	strong	full	0.7	equal/F	45.8	0.0	54.2
1	72	25	strong	full	0.7	hj/O	100.0	0.0	0.0
1	72	25	strong	full	0.7	hj/F	50.0	0.0	50.0
1	72	25	strong	weak	0.7	equal/O	100.0	0.0	0.0
1	72	25	strong	weak	0.7	equal/F	45.1	0.0	54.9
1	72	25	strong	weak	0.7	hj/O	100.0	0.0	0.0
1	72	25	strong	weak	0.7	hj/F	50.1	0.0	49.9
1	72	25	weak	full	0.0	equal/O	100.0	0.0	0.0
1	72	25	weak	full	0.0	equal/F	48.4	0.0	51.6
1	72	25	weak	full	0.0	hj/O	100.0	0.0	0.0
1	72	25	weak	full	0.0	hj/F	52.0	0.0	48.0
1	72	25	weak	weak	0.0	equal/O	100.0	0.0	0.0
1	72	25	weak	weak	0.0	equal/F	46.9	0.0	53.1
1	72	25	weak	weak	0.0	hj/O	100.0	0.0	0.0
1	72	25	weak	weak	0.0	hj/F	50.8	0.0	49.2
1	72	25	weak	full	0.7	equal/O	100.0	0.0	0.0
1	72	25	weak	full	0.7	equal/F	45.3	0.0	54.7
1	72	25	weak	full	0.7	hj/O	100.0	0.0	0.0
1	72	25	weak	full	0.7	hj/F	50.5	0.0	49.5
1	72	25	weak	weak	0.7	equal/O	100.0	0.0	0.0
1	72	25	weak	weak	0.7	equal/F	46.7	0.0	53.3

Complete known-truth selection frequencies (continued)

K_0	T	N	Prices	Span	ρ	Metric/eval.	Exact	Under	Over
1	72	25	weak	weak	0.7	hj/O	100.0	0.0	0.0
1	72	25	weak	weak	0.7	hj/F	50.2	0.0	49.8
1	72	74	strong	full	0.0	equal/O	100.0	0.0	0.0
1	72	74	strong	full	0.0	equal/F	45.8	0.0	54.2
1	72	74	strong	full	0.0	hj/O	100.0	0.0	0.0
1	72	74	strong	full	0.0	hj/F	49.7	0.0	50.3
1	72	74	strong	weak	0.0	equal/O	100.0	0.0	0.0
1	72	74	strong	weak	0.0	equal/F	47.7	0.0	52.3
1	72	74	strong	weak	0.0	hj/O	100.0	0.0	0.0
1	72	74	strong	weak	0.0	hj/F	51.8	0.0	48.2
1	72	74	strong	full	0.7	equal/O	100.0	0.0	0.0
1	72	74	strong	full	0.7	equal/F	47.0	0.0	53.0
1	72	74	strong	full	0.7	hj/O	100.0	0.0	0.0
1	72	74	strong	full	0.7	hj/F	51.0	0.0	49.0
1	72	74	strong	weak	0.7	equal/O	100.0	0.0	0.0
1	72	74	strong	weak	0.7	equal/F	45.2	0.0	54.8
1	72	74	strong	weak	0.7	hj/O	100.0	0.0	0.0
1	72	74	strong	weak	0.7	hj/F	51.2	0.0	48.8
1	72	74	weak	full	0.0	equal/O	100.0	0.0	0.0
1	72	74	weak	full	0.0	equal/F	45.8	0.0	54.2
1	72	74	weak	full	0.0	hj/O	100.0	0.0	0.0
1	72	74	weak	full	0.0	hj/F	49.9	0.0	50.1
1	72	74	weak	weak	0.0	equal/O	100.0	0.0	0.0
1	72	74	weak	weak	0.0	equal/F	46.7	0.0	53.3
1	72	74	weak	weak	0.0	hj/O	100.0	0.0	0.0
1	72	74	weak	weak	0.0	hj/F	50.9	0.0	49.1
1	72	74	weak	full	0.7	equal/O	100.0	0.0	0.0
1	72	74	weak	full	0.7	equal/F	46.0	0.0	54.0
1	72	74	weak	full	0.7	hj/O	100.0	0.0	0.0
1	72	74	weak	full	0.7	hj/F	51.1	0.0	48.9
1	72	74	weak	weak	0.7	equal/O	100.0	0.0	0.0
1	72	74	weak	weak	0.7	equal/F	47.1	0.0	52.9
1	72	74	weak	weak	0.7	hj/O	100.0	0.0	0.0
1	72	74	weak	weak	0.7	hj/F	50.9	0.0	49.1
1	240	25	strong	full	0.0	equal/O	100.0	0.0	0.0
1	240	25	strong	full	0.0	equal/F	48.8	0.0	51.2
1	240	25	strong	full	0.0	hj/O	100.0	0.0	0.0
1	240	25	strong	full	0.0	hj/F	52.4	0.0	47.6
1	240	25	strong	weak	0.0	equal/O	100.0	0.0	0.0
1	240	25	strong	weak	0.0	equal/F	47.2	0.0	52.8
1	240	25	strong	weak	0.0	hj/O	100.0	0.0	0.0
1	240	25	strong	weak	0.0	hj/F	50.7	0.0	49.3
1	240	25	strong	full	0.7	equal/O	100.0	0.0	0.0
1	240	25	strong	full	0.7	equal/F	46.0	0.0	54.0
1	240	25	strong	full	0.7	hj/O	100.0	0.0	0.0
1	240	25	strong	full	0.7	hj/F	49.3	0.0	50.7
1	240	25	strong	weak	0.7	equal/O	100.0	0.0	0.0
1	240	25	strong	weak	0.7	equal/F	46.1	0.0	53.9
1	240	25	strong	weak	0.7	hj/O	100.0	0.0	0.0
1	240	25	strong	weak	0.7	hj/F	50.0	0.0	50.0
1	240	25	weak	full	0.0	equal/O	100.0	0.0	0.0
1	240	25	weak	full	0.0	equal/F	46.3	0.0	53.7
1	240	25	weak	full	0.0	hj/O	100.0	0.0	0.0
1	240	25	weak	full	0.0	hj/F	50.3	0.0	49.7
1	240	25	weak	weak	0.0	equal/O	100.0	0.0	0.0
1	240	25	weak	weak	0.0	equal/F	46.3	0.0	53.7

Complete known-truth selection frequencies (continued)

K_0	T	N	Prices	Span	ρ	Metric/eval.	Exact	Under	Over
1	240	25	weak	weak	0.0	hj/O	100.0	0.0	0.0
1	240	25	weak	weak	0.0	hj/F	50.4	0.0	49.6
1	240	25	weak	full	0.7	equal/O	100.0	0.0	0.0
1	240	25	weak	full	0.7	equal/F	46.1	0.0	53.9
1	240	25	weak	full	0.7	hj/O	100.0	0.0	0.0
1	240	25	weak	full	0.7	hj/F	50.0	0.0	50.0
1	240	25	weak	weak	0.7	equal/O	100.0	0.0	0.0
1	240	25	weak	weak	0.7	equal/F	46.7	0.0	53.3
1	240	25	weak	weak	0.7	hj/O	100.0	0.0	0.0
1	240	25	weak	weak	0.7	hj/F	50.8	0.0	49.2
1	240	74	strong	full	0.0	equal/O	100.0	0.0	0.0
1	240	74	strong	full	0.0	equal/F	46.2	0.0	53.8
1	240	74	strong	full	0.0	hj/O	100.0	0.0	0.0
1	240	74	strong	full	0.0	hj/F	50.1	0.0	49.9
1	240	74	strong	weak	0.0	equal/O	100.0	0.0	0.0
1	240	74	strong	weak	0.0	equal/F	45.0	0.0	55.0
1	240	74	strong	weak	0.0	hj/O	100.0	0.0	0.0
1	240	74	strong	weak	0.0	hj/F	49.3	0.0	50.7
1	240	74	strong	full	0.7	equal/O	100.0	0.0	0.0
1	240	74	strong	full	0.7	equal/F	45.6	0.0	54.4
1	240	74	strong	full	0.7	hj/O	100.0	0.0	0.0
1	240	74	strong	full	0.7	hj/F	49.4	0.0	50.6
1	240	74	strong	weak	0.7	equal/O	100.0	0.0	0.0
1	240	74	strong	weak	0.7	equal/F	45.8	0.0	54.2
1	240	74	strong	weak	0.7	hj/O	100.0	0.0	0.0
1	240	74	strong	weak	0.7	hj/F	51.3	0.0	48.7
1	240	74	weak	full	0.0	equal/O	100.0	0.0	0.0
1	240	74	weak	full	0.0	equal/F	45.1	0.0	54.9
1	240	74	weak	full	0.0	hj/O	100.0	0.0	0.0
1	240	74	weak	full	0.0	hj/F	49.6	0.0	50.4
1	240	74	weak	weak	0.0	equal/O	100.0	0.0	0.0
1	240	74	weak	weak	0.0	equal/F	46.3	0.0	53.7
1	240	74	weak	weak	0.0	hj/O	100.0	0.0	0.0
1	240	74	weak	weak	0.0	hj/F	50.4	0.0	49.6
1	240	74	weak	full	0.7	equal/O	100.0	0.0	0.0
1	240	74	weak	full	0.7	equal/F	47.0	0.0	53.0
1	240	74	weak	full	0.7	hj/O	100.0	0.0	0.0
1	240	74	weak	full	0.7	hj/F	51.1	0.0	48.9
1	240	74	weak	weak	0.7	equal/O	100.0	0.0	0.0
1	240	74	weak	weak	0.7	equal/F	44.7	0.0	55.3
1	240	74	weak	weak	0.7	hj/O	100.0	0.0	0.0
1	240	74	weak	weak	0.7	hj/F	50.4	0.0	49.6
1	600	25	strong	full	0.0	equal/O	100.0	0.0	0.0
1	600	25	strong	full	0.0	equal/F	47.3	0.0	52.7
1	600	25	strong	full	0.0	hj/O	100.0	0.0	0.0
1	600	25	strong	full	0.0	hj/F	51.3	0.0	48.7
1	600	25	strong	weak	0.0	equal/O	100.0	0.0	0.0
1	600	25	strong	weak	0.0	equal/F	45.5	0.0	54.5
1	600	25	strong	weak	0.0	hj/O	100.0	0.0	0.0
1	600	25	strong	weak	0.0	hj/F	50.3	0.0	49.7
1	600	25	strong	full	0.7	equal/O	100.0	0.0	0.0
1	600	25	strong	full	0.7	equal/F	46.1	0.0	53.9
1	600	25	strong	full	0.7	hj/O	100.0	0.0	0.0
1	600	25	strong	full	0.7	hj/F	49.4	0.0	50.6
1	600	25	strong	weak	0.7	equal/O	100.0	0.0	0.0
1	600	25	strong	weak	0.7	equal/F	46.5	0.0	53.5

Complete known-truth selection frequencies (continued)

K_0	T	N	Prices	Span	ρ	Metric/eval.	Exact	Under	Over
1	600	25	strong	weak	0.7	hj/O	100.0	0.0	0.0
1	600	25	strong	weak	0.7	hj/F	49.3	0.0	50.7
1	600	25	weak	full	0.0	equal/O	100.0	0.0	0.0
1	600	25	weak	full	0.0	equal/F	45.1	0.0	54.9
1	600	25	weak	full	0.0	hj/O	100.0	0.0	0.0
1	600	25	weak	full	0.0	hj/F	48.9	0.0	51.1
1	600	25	weak	weak	0.0	equal/O	100.0	0.0	0.0
1	600	25	weak	weak	0.0	equal/F	46.6	0.0	53.4
1	600	25	weak	weak	0.0	hj/O	100.0	0.0	0.0
1	600	25	weak	weak	0.0	hj/F	50.7	0.0	49.3
1	600	25	weak	full	0.7	equal/O	100.0	0.0	0.0
1	600	25	weak	full	0.7	equal/F	45.9	0.0	54.1
1	600	25	weak	full	0.7	hj/O	100.0	0.0	0.0
1	600	25	weak	full	0.7	hj/F	49.2	0.0	50.8
1	600	25	weak	weak	0.7	equal/O	100.0	0.0	0.0
1	600	25	weak	weak	0.7	equal/F	45.5	0.0	54.5
1	600	25	weak	weak	0.7	hj/O	100.0	0.0	0.0
1	600	25	weak	weak	0.7	hj/F	50.8	0.0	49.2
1	600	74	strong	full	0.0	equal/O	100.0	0.0	0.0
1	600	74	strong	full	0.0	equal/F	45.7	0.0	54.3
1	600	74	strong	full	0.0	hj/O	100.0	0.0	0.0
1	600	74	strong	full	0.0	hj/F	49.6	0.0	50.4
1	600	74	strong	weak	0.0	equal/O	100.0	0.0	0.0
1	600	74	strong	weak	0.0	equal/F	45.6	0.0	54.4
1	600	74	strong	weak	0.0	hj/O	100.0	0.0	0.0
1	600	74	strong	weak	0.0	hj/F	49.6	0.0	50.4
1	600	74	strong	full	0.7	equal/O	100.0	0.0	0.0
1	600	74	strong	full	0.7	equal/F	46.6	0.0	53.4
1	600	74	strong	full	0.7	hj/O	100.0	0.0	0.0
1	600	74	strong	full	0.7	hj/F	50.0	0.0	50.0
1	600	74	strong	weak	0.7	equal/O	100.0	0.0	0.0
1	600	74	strong	weak	0.7	equal/F	46.5	0.0	53.5
1	600	74	strong	weak	0.7	hj/O	100.0	0.0	0.0
1	600	74	strong	weak	0.7	hj/F	49.1	0.0	50.9
1	600	74	weak	full	0.0	equal/O	100.0	0.0	0.0
1	600	74	weak	full	0.0	equal/F	47.6	0.0	52.4
1	600	74	weak	full	0.0	hj/O	100.0	0.0	0.0
1	600	74	weak	full	0.0	hj/F	51.8	0.0	48.2
1	600	74	weak	weak	0.0	equal/O	100.0	0.0	0.0
1	600	74	weak	weak	0.0	equal/F	45.8	0.0	54.2
1	600	74	weak	weak	0.0	hj/O	100.0	0.0	0.0
1	600	74	weak	weak	0.0	hj/F	49.7	0.0	50.3
1	600	74	weak	full	0.7	equal/O	100.0	0.0	0.0
1	600	74	weak	full	0.7	equal/F	47.7	0.0	52.3
1	600	74	weak	full	0.7	hj/O	100.0	0.0	0.0
1	600	74	weak	full	0.7	hj/F	50.6	0.0	49.4
1	600	74	weak	weak	0.7	equal/O	100.0	0.0	0.0
1	600	74	weak	weak	0.7	equal/F	47.9	0.0	52.1
1	600	74	weak	weak	0.7	hj/O	100.0	0.0	0.0
1	600	74	weak	weak	0.7	hj/F	49.7	0.0	50.3
3	72	25	strong	full	0.0	equal/O	62.7	37.3	0.0
3	72	25	strong	full	0.0	equal/F	25.3	41.6	33.1
3	72	25	strong	full	0.0	hj/O	61.7	38.3	0.0
3	72	25	strong	full	0.0	hj/F	25.6	45.3	29.1
3	72	25	strong	weak	0.0	equal/O	25.8	74.2	0.0
3	72	25	strong	weak	0.0	equal/F	12.7	49.6	37.7

Complete known-truth selection frequencies (continued)

K_0	T	N	Prices	Span	ρ	Metric/eval.	Exact	Under	Over
3	72	25	strong	weak	0.0	hj/O	26.4	73.6	0.0
3	72	25	strong	weak	0.0	hj/F	15.2	59.0	25.8
3	72	25	strong	full	0.7	equal/O	66.1	33.9	0.0
3	72	25	strong	full	0.7	equal/F	22.9	40.0	37.1
3	72	25	strong	full	0.7	hj/O	81.9	18.1	0.0
3	72	25	strong	full	0.7	hj/F	33.0	33.7	33.3
3	72	25	strong	weak	0.7	equal/O	26.8	73.2	0.0
3	72	25	strong	weak	0.7	equal/F	11.8	50.1	38.1
3	72	25	strong	weak	0.7	hj/O	30.3	69.7	0.0
3	72	25	strong	weak	0.7	hj/F	15.7	57.4	26.9
3	72	25	weak	full	0.0	equal/O	9.6	90.4	0.0
3	72	25	weak	full	0.0	equal/F	11.3	61.6	27.1
3	72	25	weak	full	0.0	hj/O	9.3	90.7	0.0
3	72	25	weak	full	0.0	hj/F	11.4	65.9	22.6
3	72	25	weak	weak	0.0	equal/O	3.8	96.2	0.0
3	72	25	weak	weak	0.0	equal/F	9.3	59.2	31.5
3	72	25	weak	weak	0.0	hj/O	4.2	95.8	0.0
3	72	25	weak	weak	0.0	hj/F	11.9	67.1	21.0
3	72	25	weak	full	0.7	equal/O	12.8	87.2	0.0
3	72	25	weak	full	0.7	equal/F	10.9	56.2	32.9
3	72	25	weak	full	0.7	hj/O	21.5	78.5	0.0
3	72	25	weak	full	0.7	hj/F	15.3	61.4	23.3
3	72	25	weak	weak	0.7	equal/O	4.1	95.9	0.0
3	72	25	weak	weak	0.7	equal/F	7.9	58.2	33.9
3	72	25	weak	weak	0.7	hj/O	5.0	95.0	0.0
3	72	25	weak	weak	0.7	hj/F	12.6	66.2	21.2
3	72	74	strong	full	0.0	equal/O	65.5	34.5	0.0
3	72	74	strong	full	0.0	equal/F	25.2	41.3	33.5
3	72	74	strong	full	0.0	hj/O	64.4	35.6	0.0
3	72	74	strong	full	0.0	hj/F	25.4	44.6	30.0
3	72	74	strong	weak	0.0	equal/O	39.0	61.0	0.0
3	72	74	strong	weak	0.0	equal/F	14.5	47.2	38.3
3	72	74	strong	weak	0.0	hj/O	40.8	59.2	0.0
3	72	74	strong	weak	0.0	hj/F	18.1	56.4	25.5
3	72	74	strong	full	0.7	equal/O	69.4	30.6	0.0
3	72	74	strong	full	0.7	equal/F	23.0	37.9	39.1
3	72	74	strong	full	0.7	hj/O	87.0	13.0	0.0
3	72	74	strong	full	0.7	hj/F	35.2	28.7	36.1
3	72	74	strong	weak	0.7	equal/O	40.3	59.7	0.0
3	72	74	strong	weak	0.7	equal/F	13.0	47.1	39.9
3	72	74	strong	weak	0.7	hj/O	48.8	51.2	0.0
3	72	74	strong	weak	0.7	hj/F	20.2	51.4	28.4
3	72	74	weak	full	0.0	equal/O	12.8	87.2	0.0
3	72	74	weak	full	0.0	equal/F	13.3	59.8	26.9
3	72	74	weak	full	0.0	hj/O	12.3	87.7	0.0
3	72	74	weak	full	0.0	hj/F	13.2	64.2	22.6
3	72	74	weak	weak	0.0	equal/O	5.6	94.4	0.0
3	72	74	weak	weak	0.0	equal/F	8.3	57.8	33.9
3	72	74	weak	weak	0.0	hj/O	6.0	94.0	0.0
3	72	74	weak	weak	0.0	hj/F	11.6	66.4	22.0
3	72	74	weak	full	0.7	equal/O	15.8	84.2	0.0
3	72	74	weak	full	0.7	equal/F	11.3	54.4	34.3
3	72	74	weak	full	0.7	hj/O	27.0	73.0	0.0
3	72	74	weak	full	0.7	hj/F	14.7	60.2	25.1
3	72	74	weak	weak	0.7	equal/O	5.2	94.8	0.0
3	72	74	weak	weak	0.7	equal/F	7.2	57.0	35.8

Complete known-truth selection frequencies (continued)

K_0	T	N	Prices	Span	ρ	Metric/eval.	Exact	Under	Over
3	72	74	weak	weak	0.7	hj/O	7.9	92.1	0.0
3	72	74	weak	weak	0.7	hj/F	12.7	65.8	21.4
3	240	25	strong	full	0.0	equal/O	94.4	5.6	0.0
3	240	25	strong	full	0.0	equal/F	38.9	20.5	40.7
3	240	25	strong	full	0.0	hj/O	94.3	5.7	0.0
3	240	25	strong	full	0.0	hj/F	39.8	22.2	38.1
3	240	25	strong	weak	0.0	equal/O	55.4	44.6	0.0
3	240	25	strong	weak	0.0	equal/F	20.1	40.9	39.0
3	240	25	strong	weak	0.0	hj/O	55.8	44.2	0.0
3	240	25	strong	weak	0.0	hj/F	22.3	49.5	28.2
3	240	25	strong	full	0.7	equal/O	94.4	5.6	0.0
3	240	25	strong	full	0.7	equal/F	36.6	21.6	41.8
3	240	25	strong	full	0.7	hj/O	98.8	1.2	0.0
3	240	25	strong	full	0.7	hj/F	44.7	13.5	41.8
3	240	25	strong	weak	0.7	equal/O	55.3	44.7	0.0
3	240	25	strong	weak	0.7	equal/F	20.0	39.1	40.8
3	240	25	strong	weak	0.7	hj/O	57.2	42.8	0.0
3	240	25	strong	weak	0.7	hj/F	23.7	45.3	31.0
3	240	25	weak	full	0.0	equal/O	31.4	68.6	0.0
3	240	25	weak	full	0.0	equal/F	16.4	55.7	27.9
3	240	25	weak	full	0.0	hj/O	30.6	69.4	0.0
3	240	25	weak	full	0.0	hj/F	16.3	59.5	24.1
3	240	25	weak	weak	0.0	equal/O	11.9	88.1	0.0
3	240	25	weak	weak	0.0	equal/F	9.6	58.0	32.4
3	240	25	weak	weak	0.0	hj/O	12.1	87.9	0.0
3	240	25	weak	weak	0.0	hj/F	12.6	65.5	21.9
3	240	25	weak	full	0.7	equal/O	36.1	63.9	0.0
3	240	25	weak	full	0.7	equal/F	13.9	51.7	34.3
3	240	25	weak	full	0.7	hj/O	51.6	48.4	0.0
3	240	25	weak	full	0.7	hj/F	21.0	51.7	27.3
3	240	25	weak	weak	0.7	equal/O	10.5	89.5	0.0
3	240	25	weak	weak	0.7	equal/F	8.4	55.7	35.9
3	240	25	weak	weak	0.7	hj/O	12.4	87.6	0.0
3	240	25	weak	weak	0.7	hj/F	12.9	64.3	22.8
3	240	74	strong	full	0.0	equal/O	95.6	4.4	0.0
3	240	74	strong	full	0.0	equal/F	38.2	20.3	41.5
3	240	74	strong	full	0.0	hj/O	95.5	4.5	0.0
3	240	74	strong	full	0.0	hj/F	39.5	22.4	38.1
3	240	74	strong	weak	0.0	equal/O	74.4	25.6	0.0
3	240	74	strong	weak	0.0	equal/F	26.6	31.4	42.0
3	240	74	strong	weak	0.0	hj/O	75.0	25.0	0.0
3	240	74	strong	weak	0.0	hj/F	29.5	38.7	31.8
3	240	74	strong	full	0.7	equal/O	95.9	4.1	0.0
3	240	74	strong	full	0.7	equal/F	36.5	17.1	46.4
3	240	74	strong	full	0.7	hj/O	99.5	0.5	0.0
3	240	74	strong	full	0.7	hj/F	47.4	9.8	42.8
3	240	74	strong	weak	0.7	equal/O	77.0	23.0	0.0
3	240	74	strong	weak	0.7	equal/F	23.9	30.5	45.6
3	240	74	strong	weak	0.7	hj/O	81.7	18.3	0.0
3	240	74	strong	weak	0.7	hj/F	31.9	32.2	35.9
3	240	74	weak	full	0.0	equal/O	33.6	66.4	0.0
3	240	74	weak	full	0.0	equal/F	16.8	53.9	29.3
3	240	74	weak	full	0.0	hj/O	32.6	67.4	0.0
3	240	74	weak	full	0.0	hj/F	17.1	59.0	23.9
3	240	74	weak	weak	0.0	equal/O	17.3	82.7	0.0
3	240	74	weak	weak	0.0	equal/F	11.0	53.1	36.0

Complete known-truth selection frequencies (continued)

K_0	T	N	Prices	Span	ρ	Metric/eval.	Exact	Under	Over
3	240	74	weak	weak	0.0	hj/O	18.4	81.6	0.0
3	240	74	weak	weak	0.0	hj/F	14.1	62.7	23.2
3	240	74	weak	full	0.7	equal/O	40.6	59.4	0.0
3	240	74	weak	full	0.7	equal/F	14.5	49.6	35.9
3	240	74	weak	full	0.7	hj/O	57.5	42.5	0.0
3	240	74	weak	full	0.7	hj/F	22.6	48.8	28.6
3	240	74	weak	weak	0.7	equal/O	19.2	80.8	0.0
3	240	74	weak	weak	0.7	equal/F	9.3	52.2	38.4
3	240	74	weak	weak	0.7	hj/O	25.0	75.0	0.0
3	240	74	weak	weak	0.7	hj/F	14.2	60.7	25.1
3	600	25	strong	full	0.0	equal/O	99.7	0.3	0.0
3	600	25	strong	full	0.0	equal/F	46.4	8.0	45.6
3	600	25	strong	full	0.0	hj/O	99.7	0.3	0.0
3	600	25	strong	full	0.0	hj/F	48.0	8.9	43.1
3	600	25	strong	weak	0.0	equal/O	79.3	20.7	0.0
3	600	25	strong	weak	0.0	equal/F	31.6	26.8	41.6
3	600	25	strong	weak	0.0	hj/O	79.4	20.6	0.0
3	600	25	strong	weak	0.0	hj/F	33.6	33.6	32.8
3	600	25	strong	full	0.7	equal/O	99.7	0.3	0.0
3	600	25	strong	full	0.7	equal/F	45.2	7.5	47.3
3	600	25	strong	full	0.7	hj/O	100.0	0.0	0.0
3	600	25	strong	full	0.7	hj/F	51.2	3.7	45.1
3	600	25	strong	weak	0.7	equal/O	81.4	18.6	0.0
3	600	25	strong	weak	0.7	equal/F	29.6	25.2	45.2
3	600	25	strong	weak	0.7	hj/O	82.0	18.0	0.0
3	600	25	strong	weak	0.7	hj/F	33.6	30.3	36.1
3	600	25	weak	full	0.0	equal/O	58.9	41.1	0.0
3	600	25	weak	full	0.0	equal/F	23.0	45.1	32.0
3	600	25	weak	full	0.0	hj/O	58.1	41.9	0.0
3	600	25	weak	full	0.0	hj/F	23.2	48.5	28.2
3	600	25	weak	weak	0.0	equal/O	24.7	75.3	0.0
3	600	25	weak	weak	0.0	equal/F	12.1	51.2	36.7
3	600	25	weak	weak	0.0	hj/O	25.4	74.6	0.0
3	600	25	weak	weak	0.0	hj/F	14.8	60.1	25.1
3	600	25	weak	full	0.7	equal/O	63.8	36.2	0.0
3	600	25	weak	full	0.7	equal/F	21.0	41.9	37.1
3	600	25	weak	full	0.7	hj/O	80.3	19.7	0.0
3	600	25	weak	full	0.7	hj/F	30.0	36.3	33.7
3	600	25	weak	weak	0.7	equal/O	24.0	76.0	0.0
3	600	25	weak	weak	0.7	equal/F	11.4	49.8	38.8
3	600	25	weak	weak	0.7	hj/O	27.3	72.7	0.0
3	600	25	weak	weak	0.7	hj/F	15.8	58.9	25.3
3	600	74	strong	full	0.0	equal/O	100.0	0.0	0.0
3	600	74	strong	full	0.0	equal/F	46.4	6.9	46.7
3	600	74	strong	full	0.0	hj/O	100.0	0.0	0.0
3	600	74	strong	full	0.0	hj/F	48.3	7.5	44.2
3	600	74	strong	weak	0.0	equal/O	94.2	5.8	0.0
3	600	74	strong	weak	0.0	equal/F	38.0	16.4	45.5
3	600	74	strong	weak	0.0	hj/O	94.2	5.8	0.0
3	600	74	strong	weak	0.0	hj/F	40.7	20.8	38.5
3	600	74	strong	full	0.7	equal/O	99.8	0.2	0.0
3	600	74	strong	full	0.7	equal/F	46.1	5.8	48.1
3	600	74	strong	full	0.7	hj/O	100.0	0.0	0.0
3	600	74	strong	full	0.7	hj/F	52.6	2.0	45.5
3	600	74	strong	weak	0.7	equal/O	94.2	5.8	0.0
3	600	74	strong	weak	0.7	equal/F	35.6	17.4	47.0

Complete known-truth selection frequencies (continued)

K_0	T	N	Prices	Span	ρ	Metric/eval.	Exact	Under	Over
3	600	74	strong	weak	0.7	hj/O	96.3	3.7	0.0
3	600	74	strong	weak	0.7	hj/F	42.6	17.4	39.9
3	600	74	weak	full	0.0	equal/O	63.2	36.8	0.0
3	600	74	weak	full	0.0	equal/F	23.4	43.6	33.0
3	600	74	weak	full	0.0	hj/O	61.9	38.1	0.0
3	600	74	weak	full	0.0	hj/F	24.0	47.3	28.7
3	600	74	weak	weak	0.0	equal/O	37.0	63.0	0.0
3	600	74	weak	weak	0.0	equal/F	13.6	49.1	37.3
3	600	74	weak	weak	0.0	hj/O	39.1	60.9	0.0
3	600	74	weak	weak	0.0	hj/F	17.5	55.9	26.6
3	600	74	weak	full	0.7	equal/O	65.1	34.9	0.0
3	600	74	weak	full	0.7	equal/F	20.0	40.7	39.3
3	600	74	weak	full	0.7	hj/O	84.5	15.5	0.0
3	600	74	weak	full	0.7	hj/F	31.8	32.7	35.6
3	600	74	weak	weak	0.7	equal/O	37.8	62.2	0.0
3	600	74	weak	weak	0.7	equal/F	11.7	46.8	41.5
3	600	74	weak	weak	0.7	hj/O	46.7	53.3	0.0
3	600	74	weak	weak	0.7	hj/F	19.2	53.0	27.8
5	72	25	strong	full	0.0	equal/O	41.6	58.4	0.0
5	72	25	strong	full	0.0	equal/F	24.6	63.3	12.1
5	72	25	strong	full	0.0	hj/O	39.1	60.9	0.0
5	72	25	strong	full	0.0	hj/F	22.8	66.8	10.4
5	72	25	strong	weak	0.0	equal/O	8.4	91.6	0.0
5	72	25	strong	weak	0.0	equal/F	9.5	74.9	15.6
5	72	25	strong	weak	0.0	hj/O	9.0	91.0	0.0
5	72	25	strong	weak	0.0	hj/F	11.8	79.8	8.5
5	72	25	strong	full	0.7	equal/O	48.9	51.1	0.0
5	72	25	strong	full	0.7	equal/F	24.5	56.4	19.2
5	72	25	strong	full	0.7	hj/O	73.4	26.6	0.0
5	72	25	strong	full	0.7	hj/F	37.7	47.7	14.6
5	72	25	strong	weak	0.7	equal/O	8.6	91.4	0.0
5	72	25	strong	weak	0.7	equal/F	10.7	70.5	18.8
5	72	25	strong	weak	0.7	hj/O	11.1	88.9	0.0
5	72	25	strong	weak	0.7	hj/F	14.8	76.6	8.6
5	72	25	weak	full	0.0	equal/O	1.0	99.0	0.0
5	72	25	weak	full	0.0	equal/F	11.0	79.3	9.7
5	72	25	weak	full	0.0	hj/O	0.9	99.1	0.0
5	72	25	weak	full	0.0	hj/F	9.4	83.7	6.9
5	72	25	weak	weak	0.0	equal/O	0.1	99.9	0.0
5	72	25	weak	weak	0.0	equal/F	4.8	81.4	13.8
5	72	25	weak	weak	0.0	hj/O	0.1	99.9	0.0
5	72	25	weak	weak	0.0	hj/F	7.6	85.9	6.5
5	72	25	weak	full	0.7	equal/O	2.8	97.2	0.0
5	72	25	weak	full	0.7	equal/F	12.0	72.9	15.1
5	72	25	weak	full	0.7	hj/O	7.0	93.0	0.0
5	72	25	weak	full	0.7	hj/F	12.0	80.4	7.6
5	72	25	weak	weak	0.7	equal/O	0.4	99.6	0.0
5	72	25	weak	weak	0.7	equal/F	6.0	77.2	16.8
5	72	25	weak	weak	0.7	hj/O	0.4	99.6	0.0
5	72	25	weak	weak	0.7	hj/F	9.1	84.0	6.9
5	72	74	strong	full	0.0	equal/O	43.8	56.2	0.0
5	72	74	strong	full	0.0	equal/F	24.9	61.6	13.5
5	72	74	strong	full	0.0	hj/O	41.0	59.0	0.0
5	72	74	strong	full	0.0	hj/F	22.6	66.3	11.1
5	72	74	strong	weak	0.0	equal/O	18.5	81.5	0.0
5	72	74	strong	weak	0.0	equal/F	12.5	69.9	17.6

Complete known-truth selection frequencies (continued)

K_0	T	N	Prices	Span	ρ	Metric/eval.	Exact	Under	Over
5	72	74	strong	weak	0.0	hj/O	20.2	79.8	0.0
5	72	74	strong	weak	0.0	hj/F	16.2	74.5	9.3
5	72	74	strong	full	0.7	equal/O	51.5	48.5	0.0
5	72	74	strong	full	0.7	equal/F	27.2	53.4	19.4
5	72	74	strong	full	0.7	hj/O	77.5	22.5	0.0
5	72	74	strong	full	0.7	hj/F	41.8	42.7	15.5
5	72	74	strong	weak	0.7	equal/O	21.0	79.0	0.0
5	72	74	strong	weak	0.7	equal/F	11.8	67.2	21.0
5	72	74	strong	weak	0.7	hj/O	30.8	69.2	0.0
5	72	74	strong	weak	0.7	hj/F	19.6	69.4	10.9
5	72	74	weak	full	0.0	equal/O	1.7	98.3	0.0
5	72	74	weak	full	0.0	equal/F	9.0	81.6	9.4
5	72	74	weak	full	0.0	hj/O	1.6	98.4	0.0
5	72	74	weak	full	0.0	hj/F	7.7	86.3	6.0
5	72	74	weak	weak	0.0	equal/O	0.5	99.5	0.0
5	72	74	weak	weak	0.0	equal/F	4.9	80.3	14.8
5	72	74	weak	weak	0.0	hj/O	0.5	99.5	0.0
5	72	74	weak	weak	0.0	hj/F	8.5	84.7	6.8
5	72	74	weak	full	0.7	equal/O	2.9	97.1	0.0
5	72	74	weak	full	0.7	equal/F	10.5	74.2	15.4
5	72	74	weak	full	0.7	hj/O	9.2	90.8	0.0
5	72	74	weak	full	0.7	hj/F	11.8	80.2	8.0
5	72	74	weak	weak	0.7	equal/O	0.7	99.3	0.0
5	72	74	weak	weak	0.7	equal/F	6.1	75.7	18.2
5	72	74	weak	weak	0.7	hj/O	1.3	98.7	0.0
5	72	74	weak	weak	0.7	hj/F	9.5	83.3	7.2
5	240	25	strong	full	0.0	equal/O	87.0	13.0	0.0
5	240	25	strong	full	0.0	equal/F	46.6	37.3	16.1
5	240	25	strong	full	0.0	hj/O	86.5	13.5	0.0
5	240	25	strong	full	0.0	hj/F	45.2	40.1	14.7
5	240	25	strong	weak	0.0	equal/O	38.2	61.8	0.0
5	240	25	strong	weak	0.0	equal/F	21.0	60.6	18.3
5	240	25	strong	weak	0.0	hj/O	38.5	61.5	0.0
5	240	25	strong	weak	0.0	hj/F	23.3	66.3	10.4
5	240	25	strong	full	0.7	equal/O	87.3	12.7	0.0
5	240	25	strong	full	0.7	equal/F	47.8	30.9	21.3
5	240	25	strong	full	0.7	hj/O	96.9	3.1	0.0
5	240	25	strong	full	0.7	hj/F	61.7	19.7	18.6
5	240	25	strong	weak	0.7	equal/O	38.3	61.7	0.0
5	240	25	strong	weak	0.7	equal/F	19.7	58.0	22.3
5	240	25	strong	weak	0.7	hj/O	43.4	56.6	0.0
5	240	25	strong	weak	0.7	hj/F	25.6	62.2	12.2
5	240	25	weak	full	0.0	equal/O	11.4	88.6	0.0
5	240	25	weak	full	0.0	equal/F	15.1	74.9	10.0
5	240	25	weak	full	0.0	hj/O	10.3	89.7	0.0
5	240	25	weak	full	0.0	hj/F	13.2	79.4	7.4
5	240	25	weak	weak	0.0	equal/O	1.9	98.1	0.0
5	240	25	weak	weak	0.0	equal/F	6.3	80.1	13.7
5	240	25	weak	weak	0.0	hj/O	2.0	98.0	0.0
5	240	25	weak	weak	0.0	hj/F	8.7	84.5	6.8
5	240	25	weak	full	0.7	equal/O	16.1	83.9	0.0
5	240	25	weak	full	0.7	equal/F	14.9	69.2	15.9
5	240	25	weak	full	0.7	hj/O	34.0	66.0	0.0
5	240	25	weak	full	0.7	hj/F	20.2	67.7	12.1
5	240	25	weak	weak	0.7	equal/O	2.2	97.8	0.0
5	240	25	weak	weak	0.7	equal/F	5.8	76.4	17.9

Complete known-truth selection frequencies (continued)

K_0	T	N	Prices	Span	ρ	Metric/eval.	Exact	Under	Over
5	240	25	weak	weak	0.7	hj/O	3.4	96.6	0.0
5	240	25	weak	weak	0.7	hj/F	9.5	82.9	7.6
5	240	74	strong	full	0.0	equal/O	89.2	10.8	0.0
5	240	74	strong	full	0.0	equal/F	49.8	33.1	17.1
5	240	74	strong	full	0.0	hj/O	88.7	11.3	0.0
5	240	74	strong	full	0.0	hj/F	47.3	36.3	16.4
5	240	74	strong	weak	0.0	equal/O	60.4	39.6	0.0
5	240	74	strong	weak	0.0	equal/F	27.8	51.8	20.4
5	240	74	strong	weak	0.0	hj/O	61.5	38.5	0.0
5	240	74	strong	weak	0.0	hj/F	32.1	54.2	13.7
5	240	74	strong	full	0.7	equal/O	87.6	12.4	0.0
5	240	74	strong	full	0.7	equal/F	47.3	29.6	23.1
5	240	74	strong	full	0.7	hj/O	97.6	2.4	0.0
5	240	74	strong	full	0.7	hj/F	64.0	17.2	18.8
5	240	74	strong	weak	0.7	equal/O	63.0	37.0	0.0
5	240	74	strong	weak	0.7	equal/F	27.3	49.5	23.1
5	240	74	strong	weak	0.7	hj/O	74.2	25.8	0.0
5	240	74	strong	weak	0.7	hj/F	37.9	47.6	14.4
5	240	74	weak	full	0.0	equal/O	11.9	88.1	0.0
5	240	74	weak	full	0.0	equal/F	15.3	74.2	10.5
5	240	74	weak	full	0.0	hj/O	10.3	89.7	0.0
5	240	74	weak	full	0.0	hj/F	13.4	78.7	7.9
5	240	74	weak	weak	0.0	equal/O	3.8	96.2	0.0
5	240	74	weak	weak	0.0	equal/F	6.1	77.9	16.0
5	240	74	weak	weak	0.0	hj/O	4.4	95.6	0.0
5	240	74	weak	weak	0.0	hj/F	10.0	81.8	8.2
5	240	74	weak	full	0.7	equal/O	18.8	81.2	0.0
5	240	74	weak	full	0.7	equal/F	14.6	67.8	17.6
5	240	74	weak	full	0.7	hj/O	43.1	56.9	0.0
5	240	74	weak	full	0.7	hj/F	23.1	65.6	11.4
5	240	74	weak	weak	0.7	equal/O	5.2	94.8	0.0
5	240	74	weak	weak	0.7	equal/F	7.5	73.0	19.5
5	240	74	weak	weak	0.7	hj/O	9.6	90.4	0.0
5	240	74	weak	weak	0.7	hj/F	12.9	78.5	8.6
5	600	25	strong	full	0.0	equal/O	99.0	1.0	0.0
5	600	25	strong	full	0.0	equal/F	66.5	14.3	19.2
5	600	25	strong	full	0.0	hj/O	99.0	1.0	0.0
5	600	25	strong	full	0.0	hj/F	66.3	15.1	18.6
5	600	25	strong	weak	0.0	equal/O	70.9	29.1	0.0
5	600	25	strong	weak	0.0	equal/F	35.9	43.7	20.4
5	600	25	strong	weak	0.0	hj/O	70.9	29.1	0.0
5	600	25	strong	weak	0.0	hj/F	37.0	48.9	14.1
5	600	25	strong	full	0.7	equal/O	98.9	1.1	0.0
5	600	25	strong	full	0.7	equal/F	60.9	13.1	26.0
5	600	25	strong	full	0.7	hj/O	99.9	0.1	0.0
5	600	25	strong	full	0.7	hj/F	71.7	5.5	22.8
5	600	25	strong	weak	0.7	equal/O	69.5	30.5	0.0
5	600	25	strong	weak	0.7	equal/F	34.1	43.2	22.7
5	600	25	strong	weak	0.7	hj/O	73.7	26.3	0.0
5	600	25	strong	weak	0.7	hj/F	40.0	45.6	14.4
5	600	25	weak	full	0.0	equal/O	37.4	62.6	0.0
5	600	25	weak	full	0.0	equal/F	22.9	64.6	12.5
5	600	25	weak	full	0.0	hj/O	35.0	65.0	0.0
5	600	25	weak	full	0.0	hj/F	20.8	68.4	10.8
5	600	25	weak	weak	0.0	equal/O	8.5	91.5	0.0
5	600	25	weak	weak	0.0	equal/F	10.4	74.6	15.0

Complete known-truth selection frequencies (continued)

K_0	T	N	Prices	Span	ρ	Metric/eval.	Exact	Under	Over
5	600	25	weak	weak	0.0	hj/O	8.6	91.4	0.0
5	600	25	weak	weak	0.0	hj/F	13.3	78.8	7.9
5	600	25	weak	full	0.7	equal/O	45.7	54.3	0.0
5	600	25	weak	full	0.7	equal/F	23.5	58.4	18.0
5	600	25	weak	full	0.7	hj/O	71.2	28.8	0.0
5	600	25	weak	full	0.7	hj/F	37.8	49.1	13.1
5	600	25	weak	weak	0.7	equal/O	8.5	91.5	0.0
5	600	25	weak	weak	0.7	equal/F	9.9	72.7	17.4
5	600	25	weak	weak	0.7	hj/O	11.2	88.8	0.0
5	600	25	weak	weak	0.7	hj/F	14.8	75.8	9.4
5	600	74	strong	full	0.0	equal/O	99.3	0.7	0.0
5	600	74	strong	full	0.0	equal/F	66.2	13.3	20.5
5	600	74	strong	full	0.0	hj/O	99.3	0.7	0.0
5	600	74	strong	full	0.0	hj/F	66.0	14.2	19.8
5	600	74	strong	weak	0.0	equal/O	91.0	9.0	0.0
5	600	74	strong	weak	0.0	equal/F	48.8	29.2	22.1
5	600	74	strong	weak	0.0	hj/O	91.1	8.9	0.0
5	600	74	strong	weak	0.0	hj/F	50.9	31.6	17.5
5	600	74	strong	full	0.7	equal/O	99.3	0.7	0.0
5	600	74	strong	full	0.7	equal/F	63.7	11.2	25.1
5	600	74	strong	full	0.7	hj/O	99.9	0.1	0.0
5	600	74	strong	full	0.7	hj/F	74.3	4.6	21.2
5	600	74	strong	weak	0.7	equal/O	90.8	9.2	0.0
5	600	74	strong	weak	0.7	equal/F	47.9	26.3	25.8
5	600	74	strong	weak	0.7	hj/O	94.9	5.1	0.0
5	600	74	strong	weak	0.7	hj/F	58.1	23.4	18.6
5	600	74	weak	full	0.0	equal/O	38.4	61.6	0.0
5	600	74	weak	full	0.0	equal/F	22.6	63.5	13.9
5	600	74	weak	full	0.0	hj/O	35.9	64.1	0.0
5	600	74	weak	full	0.0	hj/F	20.7	68.2	11.1
5	600	74	weak	weak	0.0	equal/O	16.3	83.7	0.0
5	600	74	weak	weak	0.0	equal/F	11.0	73.5	15.5
5	600	74	weak	weak	0.0	hj/O	17.7	82.3	0.0
5	600	74	weak	weak	0.0	hj/F	15.6	75.5	8.9
5	600	74	weak	full	0.7	equal/O	48.3	51.7	0.0
5	600	74	weak	full	0.7	equal/F	24.1	57.0	18.9
5	600	74	weak	full	0.7	hj/O	74.6	25.4	0.0
5	600	74	weak	full	0.7	hj/F	39.4	46.0	14.6
5	600	74	weak	weak	0.7	equal/O	19.7	80.3	0.0
5	600	74	weak	weak	0.7	equal/F	11.5	67.1	21.4
5	600	74	weak	weak	0.7	hj/O	28.7	71.3	0.0
5	600	74	weak	weak	0.7	hj/F	19.2	70.8	10.0

D Temporal replay, update identities, and implementation

D.1 Selected sample and models

This is a separate stock-return prediction exercise with 214 inputs, not a refit of the 30 pricing networks. It covers February 2000–December 2019 (239 months; 1,043,511 stock-months). The archived feature panel conditions on future-validation eligibility and complete state history. Pre-processing is fixed from an earlier source configuration, and the neural hyperparameters had been chosen in research using overlapping years. Consequently, all temporal evidence is retrospective and conditional on this selected sample, despite lag-respecting individual fit and switching dates. It is not a fully prospective universe-selection backtest.

The neural model has two 32-unit SiLU layers, a zero-initialized final layer, and seeds 17, 41, 73, 101, and 149. It uses month-balanced raw mean squared error, AdamW at learning rate 3×10^{-5} and weight decay 0.001, batch size 32,768, gradient norm clipping at 1, and ten epochs without early stopping. Five predictions are ensembled. Ridge uses penalty 0.1 with an unpenalized intercept. Neural and Ridge updates are monthly, using either the previous 60 calendar months or expanding history. The shallow histogram-gradient-boosting model is updated annually, using learning rate 0.05, 100 iterations, at most six leaves, minimum 100 observations per leaf, L_2 penalty 1, 63 bins, and no early stopping. Cross-learner comparisons retain this cadence difference.

D.2 Exact loss decomposition

Let $e_{it} = y_{it} - \hat{y}_{it}^F$ and $d_{it} = \hat{y}_{it}^U - \hat{y}_{it}^F$. Cross-sectional monthly means define $A_t = \overline{d_{it}^2}$ and $B_t = \overline{e_{it}d_{it}}$. Then

$$\overline{(y_{it} - \hat{y}_{it}^U)^2} - \overline{(y_{it} - \hat{y}_{it}^F)^2} = A_t - 2B_t. \quad (\text{D.1})$$

Months receive equal weight. For an ex-post scalar adjustment $\hat{y}^F + \lambda d$, minimizing the period mean quadratic over $[0, 1]$ gives $\lambda^* = \text{clip}(B/A, 0, 1)$. It is a diagnostic using realized outcomes, not an implementable policy estimated before those outcomes. Table S4 reports all period components at full source precision rounded for printing.

Table S4: Temporal update-loss components (scaled by 1,000)

Learner	Rule	Period	A	$2B$	$A - 2B$	λ^*
Neural	Rolling 60	2000-2009	0.5825	0.0512	0.5313	0.0440
Neural	Rolling 60	2010-2019	0.2569	0.5093	-0.2524	0.9913
Neural	Expanding	2000-2009	0.4746	-0.3311	0.8057	0.0000
Neural	Expanding	2010-2019	0.0914	-0.0021	0.0936	0.0000
Ridge	Rolling 60	2000-2009	4.2075	2.1671	2.0404	0.2575
Ridge	Rolling 60	2010-2019	1.5520	1.5385	0.0135	0.4957
Ridge	Expanding	2000-2009	0.6621	0.6311	0.0310	0.4766
Ridge	Expanding	2010-2019	0.3400	0.6710	-0.3310	0.9868
Tree	Rolling 60	2000-2009	3.7087	2.5865	1.1222	0.3487
Tree	Rolling 60	2010-2019	3.3638	4.2363	-0.8725	0.6297
Tree	Expanding	2000-2009	1.1505	1.9212	-0.7707	0.8350
Tree	Expanding	2010-2019	1.7923	3.4419	-1.6496	0.9602

Table S5: Portfolio performance across weighting and cost specifications

Learner	Rule/weight	Cost (bp)	Return (%)	Sharpe	Turnover	CE (%)
neural	frozen/EW	0	25.09	1.053	0.788	10.89
neural	frozen/EW	10	24.15	1.013	0.788	9.94
neural	frozen/EW	25	22.73	0.954	0.788	8.53
neural	frozen/EW	50	20.36	0.854	0.788	6.16
neural	frozen/VW	0	16.68	0.699	1.219	2.46
neural	frozen/VW	10	15.22	0.638	1.219	1.00
neural	frozen/VW	25	13.02	0.546	1.219	-1.20
neural	frozen/VW	50	9.36	0.393	1.219	-4.86
neural	rolling60/EW	0	9.81	0.339	0.676	-11.10
neural	rolling60/EW	10	9.00	0.311	0.676	-11.91
neural	rolling60/EW	25	7.78	0.269	0.676	-13.13
neural	rolling60/EW	50	5.75	0.199	0.676	-15.17
neural	rolling60/VW	0	2.01	0.072	0.874	-17.71

Portfolio performance across weighting and cost specifications (continued)

Learner	Rule/weight	Cost (bp)	Return (%)	Sharpe	Turnover	CE (%)
neural	rolling60/VW	10	0.96	0.034	0.874	-18.75
neural	rolling60/VW	25	-0.61	-0.022	0.874	-20.32
neural	rolling60/VW	50	-3.23	-0.115	0.874	-22.94
neural	expanding/EW	0	26.12	0.841	0.920	2.02
neural	expanding/EW	10	25.02	0.806	0.920	0.90
neural	expanding/EW	25	23.36	0.752	0.920	-0.77
neural	expanding/EW	50	20.60	0.663	0.920	-3.55
neural	expanding/VW	0	17.18	0.582	1.352	-4.60
neural	expanding/VW	10	15.56	0.527	1.352	-6.23
neural	expanding/VW	25	13.12	0.444	1.352	-8.68
neural	expanding/VW	50	9.07	0.307	1.352	-12.78
ridge	frozen/EW	0	16.63	0.741	0.656	4.04
ridge	frozen/EW	10	15.85	0.706	0.656	3.25
ridge	frozen/EW	25	14.67	0.653	0.656	2.07
ridge	frozen/EW	50	12.70	0.566	0.656	0.09
ridge	frozen/VW	0	7.95	0.348	0.787	-5.12
ridge	frozen/VW	10	7.01	0.307	0.787	-6.06
ridge	frozen/VW	25	5.59	0.245	0.787	-7.47
ridge	frozen/VW	50	3.23	0.141	0.787	-9.82
ridge	rolling60/EW	0	19.10	0.610	0.846	-5.38
ridge	rolling60/EW	10	18.09	0.578	0.846	-6.39
ridge	rolling60/EW	25	16.56	0.529	0.846	-7.91
ridge	rolling60/EW	50	14.02	0.448	0.846	-10.44
ridge	rolling60/VW	0	7.69	0.264	1.030	-13.51
ridge	rolling60/VW	10	6.45	0.222	1.030	-14.75
ridge	rolling60/VW	25	4.60	0.158	1.030	-16.63
ridge	rolling60/VW	50	1.51	0.052	1.030	-19.76
ridge	expanding/EW	0	23.60	1.013	0.681	10.02
ridge	expanding/EW	10	22.79	0.978	0.681	9.20
ridge	expanding/EW	25	21.56	0.925	0.681	7.97
ridge	expanding/EW	50	19.52	0.837	0.681	5.92
ridge	expanding/VW	0	10.15	0.485	0.745	-0.80
ridge	expanding/VW	10	9.26	0.442	0.745	-1.69
ridge	expanding/VW	25	7.92	0.378	0.745	-3.04
ridge	expanding/VW	50	5.68	0.271	0.745	-5.28
tree	frozen/EW	0	9.67	0.318	0.955	-13.47
tree	frozen/EW	10	8.53	0.280	0.955	-14.62
tree	frozen/EW	25	6.81	0.224	0.955	-16.35
tree	frozen/EW	50	3.94	0.129	0.955	-19.24
tree	frozen/VW	0	6.92	0.217	1.030	-18.47
tree	frozen/VW	10	5.68	0.178	1.030	-19.70
tree	frozen/VW	25	3.83	0.120	1.030	-21.55
tree	frozen/VW	50	0.74	0.023	1.030	-24.64
tree	rolling60/EW	0	7.15	0.252	1.124	-12.91
tree	rolling60/EW	10	5.80	0.205	1.124	-14.26
tree	rolling60/EW	25	3.78	0.133	1.124	-16.27
tree	rolling60/EW	50	0.41	0.014	1.124	-19.63
tree	rolling60/VW	0	-7.68	-0.245	1.324	-32.26
tree	rolling60/VW	10	-9.26	-0.295	1.324	-33.85
tree	rolling60/VW	25	-11.65	-0.371	1.324	-36.23
tree	rolling60/VW	50	-15.62	-0.498	1.324	-40.21
tree	expanding/EW	0	7.50	0.266	1.037	-12.44
tree	expanding/EW	10	6.26	0.222	1.037	-13.67
tree	expanding/EW	25	4.39	0.156	1.037	-15.52
tree	expanding/EW	50	1.28	0.045	1.037	-18.61
tree	expanding/VW	0	3.29	0.110	1.148	-18.95

Portfolio performance across weighting and cost specifications (continued)

Learner	Rule/weight	Cost (bp)	Return (%)	Sharpe	Turnover	CE (%)
tree	expanding/VW	10	1.91	0.064	1.148	-20.32
tree	expanding/VW	25	-0.16	-0.005	1.148	-22.38
tree	expanding/VW	50	-3.60	-0.121	1.148	-25.82

D.3 Breaks, sequential rule, and portfolios

The retrospective common break minimizes pooled one-break mean squared residuals for six standardized advantage series, with at least 60 months on either side. Its null block bootstrap has 4,999 draws and its break-date uncertainty calculation has 1,999 draws, both with 12-month blocks. The estimated first post-break month is May 2014, with interval October 2009–January 2015. It uses future observations relative to the estimated date.

The sequential rule uses 2000–2009 location and scale, a reference shift of 0.25 standard deviations, and threshold 5.6177778 calibrated to a nominal familywise 5% crossing rate. It first crosses in August 2018 and acts from September, for 16 months. A month- t observation affects month $t + 1$ decisions. Design after observing the broader sample remains a limitation; the lag rule alone does not remove research selection.

Portfolios sort predictions into deciles each month, with equal or value weights and unit long and unit short legs. Turnover accounts for return drift. Linear cost is turnover times 0, 10, 25, or 50 basis points; value weighting at 25 basis points is primary. Annualized mean is $12\bar{r}$, annualized volatility $\sqrt{12}s_r$, and certainty equivalent at risk aversion five is $12\bar{r} - (5/2)12s_r^2$. This is a mean-variance approximation, not realized compound utility. Six update-minus-frozen comparisons use block-bootstrap intervals and Holm adjustment. Full cost/weighting results are retained in the electronic aggregate report. No borrow fees or security-specific price-impact model are estimated.

E Representation geometry and functional probe

The sample fixes 384 securities per development target month and uses the same rows in all 30 Core-86 models. There are 32,400 model-month-layer-normalization cells: 30 models, 120 months, three hidden layers, and three normalizations. Each spectral group has 3,600 observations. Adjacent-month drift has 3,570 observations per layer/normalization group, since there are 119 transitions. Neighbor diagnostics use January of each development year only, hence 300 observations per raw-centered or z-scored group; they are omitted under row normalization.

Let positive covariance eigenvalues be ℓ_j , with $p_j = \ell_j / \sum_j \ell_j$. Participation rank is $(\sum_j \ell_j)^2 / \sum_j \ell_j^2$; entropy rank is $\exp(-\sum_j p_j \log p_j)$; PCA90 and PCA95 are the smallest ranks reaching the stated variance shares. Numerical collapse is flagged if total variance is at most 10^{-12} or participation rank at most 1.05. This test does not assess the class-conditional geometry called neural collapse in supervised classification.

TWO-NN is the reciprocal mean log ratio of second to first neighbor distance, excluding invalid distances. The Levina–Bickel implementation uses the median local bias-adjusted estimate $(k-2)/\sum_{j<k} \log(r_k/r_j)$ at $k = 20$. These estimators depend on sampling and neighborhood scale.

The variable archived as `curvature_proxy_radians` is a tangent-angle diagnostic. At eight deterministic random anchors it compares PCA tangents from 16 and 48 neighbors. Local rank is the rounded TWO-NN estimate clipped to 1–12 and further limited by the available coordinates. It reports the median largest principal angle between the two neighborhood scales. It is not a Weingarten-map curvature estimator and has no curvature units. Rank-five temporal Grassmann drift is the Euclidean norm of the five principal angles. Linear CKA is $\|X'Y\|_F^2 / (\|X'X\|_F \|Y'Y\|_F)$ for centered activations.

The functional probe uses one median final-layer raw participation rank per model. The baseline is nominal-factor-count fixed effects; the augmented regression adds geometry. Each

fold holds out one common seed across all six factor counts, leaving 24 training and six held-out models. The primary outcome is the normalized HJ span loss recorded in the frozen model report. This report-level endpoint refits span loadings for that evaluation report; it is distinct from the validation-fixed self-pricing distance in Figures 2–3. The probe predicts cross-model performance summaries, not next-month stock returns.

The permutation diagnostic shuffles geometry within factor count (5,000 draws; seed 7292026). The primary threshold requires at least 5% leave-one-seed-out RMSE improvement and two-sided permutation $p \leq 0.05$. Observed improvement is 3.915% and $p = 0.149$. The secondary Sharpe probe has 1.211% improvement and $p = 0.041$, and cannot substitute for the primary endpoint. These 30 models share the economic period; five folds are algorithmic repetitions, not independent histories.

F Replication package and audit boundaries

The public package is organized in article order: framework, data design, pricing dimension, temporal replay, and representation geometry. It includes all plotted aggregate data, numeric tables, synthetic selection outputs, methods code, configurations, dependency specifications, and a manifest of included file hashes. Restricted stock observations, historical benchmark security records, fitted weights, stock-level predictions, and individual-security intermediate panels are excluded. External freely downloadable inputs are referenced at their source with vintage hashes; accessibility alone is not a redistribution license.

The package distinguishes three operations. Exhibit replay reuses released aggregate inputs and regenerates figures, tables, and documents. Synthetic replay reruns the known-truth generator with its frozen seed and grid. Full empirical reconstruction requires licensed inputs matching the documented exports and historical vintages, together with the specified runtimes; exact numerical equality across hardware is not promised. Original execution receipts and protocol labels are retained alongside the chronology correction. No unexecuted attribution protocol is reported as evidence.

The manuscript audit additionally corrects three distinctions: 86 characteristics versus 172 network inputs; all-month spectral summaries versus ten-month neighbor diagnostics; and noisy-mean “feasible” simulation evaluation versus estimation of every population object. These corrections alter interpretation and documentation, not the archived experimental outcomes.