



XIQ API – Permission Requirements and User Roles

13 May 2025
Version 25r3

Revisions History

Rev	Revision Summary	By Whom	Publish Date
25r1	25r1 updates	Tim	Jan 7, 2025
25r2	25r2 updates	Tim	March 21, 2025
25r3	25r3 Updates	Tim	May 13, 2025

Table of Contents

Introduction	18
Authentication	19
POST /login	19
POST /logout.....	19
Authorization	19
POST /auth/apitoken	19
POST /auth/apitoken/:validate	19
GET /auth/apitoken/info	20
GET /auth/permissions.....	20
POST /auth/permissions/:check.....	20
GET /operations/{operationId}.....	20
DELETE /operations/{operationId}	20
POST /operations/{operationId}/:cancel.....	21
Account.....	21
POST /account/:switch	21
GET /account/external	21
GET /account/home	21
GET /account/third-party-applications	22
GET /account/vhm/setting	22
PUT /account/vhm/setting/{id}.....	22
GET /account/vhm/setting/status.....	22
GET /account/viq	23
POST /account/viq/:backup.....	23
POST /account/viq/:reset	23
GET /account/viq/default-device-password	23
PUT /account/viq/default-device-password	24
GET /account/viq/download	24
POST /account/viq/export.....	24
GET /account/viq/export-import-status	24
POST /account/viq/import	24
POST /backup/history/:restore	25
POST /backup/history/delete.....	25
GET /backup/history/grid	25
PUT /backup/history/grid.....	25
Users.....	25
GET /users.....	25
POST /users.....	25
GET /users/{id}.....	26
DELETE /users/{id}.....	26
PATCH /users/{id}	26
GET /users/external.....	26
POST /users/external.....	26
GET /users/external/{id}.....	26
DELETE /users/external/{id}	27
PATCH /users/external/{id}	27
GET /users/me	27

HIQ.....	27
GET /hiq/context	27
PUT /hiq/context	27
GET /hiq/context/creating.....	28
PUT /hiq/context/creating	28
GET /hiq/context/reading	28
PUT /hiq/context/reading	28
GET /hiq/organizations.....	29
POST /hiq/organizations.....	29
DELETE /hiq/organizations/{id}	29
POST /hiq/organizations/{id}/:rename	29
GET /hiq/status.....	30
 Location	 30
POST /locations.....	30
POST /locations/:init.....	30
PUT /locations/{id}	30
DELETE /locations/{id}	30
GET /locations/building	31
POST /locations/building	31
GET /locations/building/{id}	31
PUT /locations/building/{id}	31
DELETE /locations/building/{id}	31
GET /locations/floor	32
POST /locations/floor	32
GET /locations/floor/{id}	32
PUT /locations/floor/{id}	32
DELETE /locations/floor/{id}	32
POST /locations/floorplan	33
POST /locations/import/ekahau.....	33
GET /locations/site	33
POST /locations/site	33
GET /locations/site/{id}	33
PUT /locations/site/{id}	34
DELETE /locations/site/{id}.....	34
GET /locations/tree	34
GET /locations/tree/devices	34
GET /locations/tree/maps	34
 Device	 36
GET /devices	36
POST /devices/:advanced-onboard.....	36
POST /devices/:check-ownership.....	36
POST /devices/:cli	36
POST /devices/:delete	37
POST /devices/:manage.....	37
POST /devices/:onboard.....	37
POST /devices/:reboot	37
POST /devices/:unmanage	37
GET /devices/{id}	38
DELETE /devices/{id}.....	38

POST /devices/{id}/:cli	38
POST /devices/{id}/:manage	38
POST /devices/{id}/:reboot	38
POST /devices/{id}/:reset	39
POST /devices/{id}/:unmanage	39
GET /devices/{id}/alarms	39
POST /devices/{id}/bounce-port	39
GET /devices/{id}/client-monitor	39
PUT /devices/{id}/client-monitor	40
DELETE /devices/{id}/client-monitor	40
PUT /devices/{id}/description	40
GET /devices/{id}/ftm-settings	40
POST /devices/{id}/config/ftm-settings	40
DELETE /devices/{id}/config/ftm-settings	40
GET /devices/{id}/gallery-image	41
GET /devices/{id}/geolocation	41
GET /devices/{id}/history/cpu-mem	41
PUT /devices/{id}/hostname	41
GET /devices/{id}/ibeacon	41
GET /devices/{id}/installation-report	42
GET /devices/{id}/interfaces/wifi	42
GET /devices/{id}/iot	42
POST /devices/{id}/iot/:disable	42
POST /devices/{id}/iot/:enable	43
GET /devices/{id}/location	43
PUT /devices/{id}/location	43
DELETE /devices/{id}/location	43
POST /devices/{id}/monitor/:refresh	43
GET /devices/{id}/monitor/refresh/status	43
GET /devices/{id}/network-policy	44
PUT /devices/{id}/network-policy	44
DELETE /devices/{id}/network-policy	44
GET /devices/{id}/radio-operating-mode	44
PUT /devices/{id}/radio-operating-mode	44
POST /devices/{id}/ssid/:override	45
GET /devices/{id}/ssid/status	45
POST /devices/{id}/ssid/status/:change	45
POST /devices/{id}/thread/commissioner/:start	45
POST /devices/{id}/thread/commissioner/:stop	45
PUT /devices/{id}/thread/visible	46
"Installer"	46
POST /devices/client-monitor/:assign	46
POST /devices/client-monitor/:revoke	46
POST /devices/client-monitor/:query	46
POST /devices/country-code/:assign	46
GET /devices/{id}/digital-twin	46
PUT /devices/ibeacon	47
POST /devices/location/:assign	47
POST /devices/location/:query	47
POST /devices/location/:revoke	47
POST /devices/network-policy/:assign	47

POST /devices/network-policy/:query	48
POST /devices/network-policy/:revoke	48
GET /devices/network-policy/{policyId}.....	48
POST /devices/os/:change.....	48
GET /devices/radio-information.....	48
PUT /devices/radius-proxy/:assign.....	49
DELETE /devices/radius-proxy/:revoke	49
POST /devices/rm-devices-connection-status	49
POST /devices/rm-devices-metadata	49
POST /devices/rm-devices-page.....	49
POST /devices/rm-devices-page/export	49
GET /devices/rm-devices-stack/{id}	50
GET /devices/stats.....	50
Network Policy	50
GET /network-policies	50
POST /network-policies	50
GET /network-policies/{id}	51
PUT /network-policies/{id}.....	51
DELETE /network-policies/{id}.....	51
GET /network-policies/{id}/ssids	51
POST /network-policies/{id}/ssids/:add	51
POST /network-policies/{id}/ssids/:remove.....	52
Client.....	52
GET /clients/{id}.....	52
GET /clients/active.....	52
PUT /clients/alias.....	52
GET /clients/active/count.....	52
GET /clients/byMac/{client_mac}	53
DELETE /clients/byMac/{client_mac}	53
GET /clients/summary	53
GET /clients/usage.....	53
Client - Details	54
GET /client-details/overview/chart-data/{id}	54
GET /client-details/overview/info/{id}.....	54
D360	54
POST /d360/client/graph.....	54
POST /d360/client/grid.....	54
POST /d360/client/grid/metadata	55
POST /d360/client/stats	55
POST /d360/device/interfaces	55
POST /d360/device/issues.....	55
POST /d360/device/metadata.....	55
POST /d360/device/stats	55
POST /d360/overview/devices-summary.....	55
POST /d360/ssid-metadata	56
POST /d360/wireless/interfaces-graph	56
POST /d360/wireless/interfaces-stats.....	56
POST /d360/wireless/surrounding-aps	56

Dashboard.....	56
POST /dashboard/alerts	56
POST /dashboard/assets	56
POST /dashboard/clients	56
GET /dashboard/device-types	57
POST /dashboard/devices	57
POST /dashboard/export.....	57
POST /dashboard/sites-with-issues.....	57
POST /dashboard/usage-capacity	57
GET /dashboard/wireless/dashboard/criteria	57
POST /dashboard/wireless/dashboard/criteria	57
Dashboard Wireless Usage and Capacity.....	58
POST /dashboard/wireless/usage-capacity/excessive-packet-loss	61
POST /dashboard/wireless/usage-capacity/excessive-retries	61
POST /dashboard/wireless/usage-capacity/excessive-utilization	61
POST /dashboard/wireless/usage-capacity/export	61
POST /dashboard/wireless/usage-capacity/grid	61
Dashboard Wireless Client Health	61
POST /dashboard/wireless/client-health/connectivity-issues.....	61
POST /dashboard/wireless/client-health/export	61
POST /dashboard/wireless/client-health/filter-metadata	62
POST /dashboard/wireless/client-health/frequency-distribution	62
POST /dashboard/wireless/client-health/grid	62
POST /dashboard/wireless/client-health/issue/association.....	62
POST /dashboard/wireless/client-health/issue/authentication	62
POST /dashboard/wireless/client-health/issue/ipaddress	62
POST /dashboard/wireless/client-health/issue/roaming	62
POST /dashboard/wireless/client-health/roaming-issues	62
Dashboard Wireless Device Health.....	63
POST /dashboard/wireless/device-health/export	63
POST /dashboard/wireless/device-health/grid.....	63
POST /dashboard/wireless/device-health/cpu-usage-issues	63
POST /dashboard/wireless/device-health/memory-usage-issues.....	63
POST /dashboard/wireless/device-health/poe-usage-issues	63
GET /dashboard/wireless/device-health/reboot/summary	63
POST /dashboard/wireless/device-health/summary	63
Geo View.....	64
GET /geo-view	64
Application	64
GET /applications.....	64
GET /applications/{id}/clients/top{n}.....	64
GET /applications/top{n}.....	64
Alert.....	65
GET /alert-policies	65
POST /alert-policies	65
GET /alert-policies/{id}	65

PUT /alert-policies/{id}	65
DELETE /alert-policies/{id}	65
GET /alert-policies/{id}/rules/{alert_rule_id}	66
PUT /alert-policies/{id}/rules/{alert_rule_id}	66
POST /alert-policies/{id}/rules/{alert_rule_id}/:disable	66
PUT /alert-policies/{id}/rules/{alert_rule_id}/:enable	66
GET /alert-policies/available-sites	66
GET /alert-subscriptions/emails	67
POST /alert-subscriptions/emails	67
POST /alert-subscriptions/emails/:delete	67
GET /alert-subscriptions/emails/{id}	67
PUT /alert-subscriptions/emails/{id}	67
DELETE /alert-subscriptions/emails/{id}	67
POST /alert-subscriptions/emails/{id}/:verify	68
GET /alert-subscriptions/servicenow	68
POST /alert-subscriptions/servicenow	68
POST /alert-subscriptions/servicenow/:delete	68
GET /alert-subscriptions/servicenow/{id}	68
PUT /alert-subscriptions/servicenow/{id}	69
PATCH /alert-subscriptions/servicenow/{id}	69
GET /alert-subscriptions/webhooks	69
POST /alert-subscriptions/webhooks	69
POST /alert-subscriptions/webhooks/:delete	69
GET /alert-subscriptions/webhooks/{id}	69
PUT /alert-subscriptions/webhooks/{id}	70
DELETE /alert-subscriptions/webhooks/{id}	70
GET /alerts	70
POST /alerts/:acknowledge	70
GET /alerts/count-by-{group}	70
POST /alerts/report	71
GET /alerts/reports/{id}	71
Log	71
GET /logs/accounting	71
GET /logs/audit	72
GET /logs/audit/full-descriptions/{id}	72
POST /logs/audit/reports	72
GET /logs/audit/reports/{id}	72
GET /logs/auth	72
GET /logs/credential	73
GET /logs/email	73
GET /logs/sms	73
Notification	73
GET /subscriptions/webhook	74
POST /subscriptions/webhook	74
DELETE /subscriptions/webhook/:delete	74
PUT /subscriptions/webhook/{id}	74
GET /subscriptions/webhook/export	74
Administration	74
GET /acct-api-token	75

POST /acct-api-token	75
DELETE /acct-api-token/:delete	75
DELETE /acct-api-token/{id}	75
PATCH /acct-api-token/{id}	75
GET /acct-api-token/export	75
GET /credential-distribution-groups	75
POST /credential-distribution-groups	75
DELETE /credential-distribution-groups	76
PUT /credential-distribution-groups/{id}	76
GET /third-party-api-connection	76
PUT /third-party-api-connection	76
DELETE /third-party-api-connection	76
NOS.....	76
Configuration - Deployment.....	76
GET /deployments	76
POST /deployments	77
GET /deployments/{id}	77
PUT /deployments/{id}	77
DELETE /deployments/{id}	77
GET /deployments/{id}/status	77
POST /deployments/firmware-metadatas	78
GET /deployments/overview	78
GET /deployments/status	78
Configuration - Basic.....	78
GET /vlan-profiles	79
POST /vlan-profiles	79
POST /vlan-profiles/:delete	79
GET /vlan-profiles/{id}	79
DELETE /vlan-profiles/{id}	79
PATCH /vlan-profiles/{id}	79
Configuration - User Management.....	80
GET /email-templates	80
GET /endusers	80
POST /endusers	80
PUT /endusers/{id}	80
DELETE /endusers/{id}	81
POST /endusers/{id}/:regenerate-password	81
GET /pcgs/key-based	81
POST /pcgs/key-based	81
DELETE /pcgs/key-based/network-policy-{policyId}	81
POST /pcgs/key-based/network-policy-{policyId}/:onboard	81
POST /pcgs/key-based/network-policy-{policyId}/keys/:email	82
POST /pcgs/key-based/network-policy-{policyId}/keys/:generate	82
GET /pcgs/key-based/network-policy-{policyId}/port-assignments	82
POST /pcgs/key-based/network-policy-{policyId}/port-assignments	82
GET /pcgs/key-based/network-policy-{policyId}/users	82
PUT /pcgs/key-based/network-policy-{policyId}/users	82
POST /pcgs/key-based/network-policy-{policyId}/users	83

DELETE /pcgs/key-based/network-policy-{policyId}/users	83
GET /sms-templates	83
GET /usergroups	83
POST /usergroups	83
GET /usergroups/:unique	84
PUT /usergroups/{id}	84
DELETE /usergroups/{id}	84
Configuration - Policy	84
GET /ccgs	84
POST /ccgs	84
GET /ccgs/{id}	85
PUT /ccgs/{id}	85
DELETE /ccgs/{id}	85
GET /classification-rules	85
POST /classification-rules	85
GET /classification-rules/{id}	85
PUT /classification-rules/{id}	86
DELETE /classification-rules/{id}	86
GET /client-monitor-profiles	86
POST /client-monitor-profile	86
GET /client-monitor-profile/{id}	86
PUT /client-monitor-profile/{id}	87
DELETE /client-monitor-profile/{id}	87
GET /hotspot-profiles	87
POST /hotspot-profiles	87
GET /hotspot-profiles/{id}	87
PUT /hotspot-profiles/{id}	88
DELETE /hotspot-profiles/{id}	88
GET /hotspot-service-provider-profiles	88
POST /hotspot-service-provider-profiles	88
GET /hotspot-service-provider-profiles/{id}	88
PUT /hotspot-service-provider-profiles/{id}	89
DELETE /hotspot-service-provider-profiles/{id}	89
GET /iot-profiles	89
POST /iot-profiles	89
GET /iot-profiles/{id}	89
PUT /iot-profiles/{id}	90
DELETE /iot-profiles/{id}	90
GET /ip-firewall-policies	90
POST /ip-firewall-policies	90
GET /ip-firewall-policies/{id}	90
PUT /ip-firewall-policies/{id}	90
DELETE /ip-firewall-policies/{id}	90
POST /ip-firewall-policies/{id}/attach	91
POST /ip-firewall-policies/{id}/detach	91
GET /l3-address-profiles	91
POST /l3-address-profiles	91
GET /l3-address-profiles/{id}	91
PUT /l3-address-profiles/{id}	91
DELETE /l3-address-profiles/{id}	92

GET /mac-firewall-policies.....	92
POST /mac-firewall-policies.....	92
GET /mac-firewall-policies/{id}.....	92
PUT /mac-firewall-policies/{id}.....	92
DELETE /mac-firewall-policies/{id}.....	92
POST /mac-firewall-policies/{id}/:attach.....	92
POST /mac-firewall-policies/{id}/:detach.....	93
GET /mac-object-profiles.....	93
POST /mac-object-profiles.....	93
GET /mac-object-profiles/{id}.....	93
PUT /mac-object-profiles/{id}.....	93
DELETE /mac-object-profiles/{id}.....	93
GET /radio-operating-modes/{id}.....	93
GET /radio-profiles.....	94
POST /radio-profiles.....	94
GET /radio-profiles/{id}.....	94
PUT /radio-profiles/{id}.....	94
DELETE /radio-profiles/{id}.....	94
GET /radio-profiles/channel-selection/{channel-selection-id}.....	94
PUT /radio-profiles/channel-selection/{channel-selection-id}.....	95
GET /radio-profiles/mac-ouis.....	95
POST /radio-profiles/mac-ouis.....	95
GET /radio-profiles/mac-ouis/{mac-oui-id}.....	95
PUT /radio-profiles/mac-ouis/{mac-oui-id}.....	96
DELETE /radio-profiles/mac-ouis/{mac-oui-id}.....	96
GET /radio-profiles/miscellaneous/{radio-misc-id}.....	96
PUT /radio-profiles/miscellaneous/{radio-misc-id}.....	96
GET /radio-profiles/neighborhood-analysis/{neigh-analysis-id}.....	96
PUT /radio-profiles/neighborhood-analysis/{neigh-analysis-id}.....	97
GET /radio-profiles/radio-usage-opt/{radio-usage-opt-id}.....	97
PUT /radio-profiles/radio-usage-opt/{radio-usage-opt-id}.....	97
GET /radio-profiles/sensor-scan/{sensor-scan-id}.....	97
PUT /radio-profiles/sensor-scan/{sensor-scan-id}.....	97
GET /radio-profiles/wmm-qos/{radio-qos-id}.....	97
PUT /radio-profiles/wmm-qos/{radio-qos-id}.....	98
GET /ssids.....	98
POST /ssids/{id}/:rename.....	98
POST /ssids/{id}/client-monitor-profile/:attach.....	98
POST /ssids/{id}/cwp/:attach.....	98
POST /ssids/{id}/cwp/:disable.....	99
POST /ssids/{id}/cwp/:enable.....	99
PUT /ssids/{id}/mode/dot1x.....	99
PUT /ssids/{id}/mode/open.....	99
PUT /ssids/{id}/mode/ppsk.....	99
PUT /ssids/{id}/mode/psk.....	99
PUT /ssids/{id}/mode/wep.....	100
PUT /ssids/{id}/psk/password.....	100
POST /ssids/{id}/radius-client-profile.....	100
POST /ssids/{id}/radius-server-group/:attach.....	100
POST /ssids/{id}/user-profile-assignment.....	100
POST /ssids/{id}/user-profile/:attach.....	100

GET /ssids/advanced-settings/{id}	100
PUT /ssids/advanced-settings/{id}	101
GET /user-profile-assignments	101
POST /user-profile-assignments	101
GET /user-profile-assignments/{id}	101
DELETE /user-profile-assignments/{id}	101
GET /user-profiles	101
POST /user-profiles	102
GET /user-profiles/{id}	102
PUT /user-profiles/{id}	102
DELETE /user-profiles/{id}	102
POST /user-profiles/{id}/ip-firewall-policies/:attach	102
POST /user-profiles/{id}/ip-firewall-policies/:detach	103
POST /user-profiles/{id}/mac-firewall-policies/:attach	103
POST /user-profiles/{id}/ac-firewall-policies/:detach	103
Configuration - Network	103
GET /network-services	103
POST /network-services	103
DELETE /network-services/{id}	103
GET /tunnel-concentrators	103
POST /tunnel-concentrators	104
GET /tunnel-concentrators/{id}	104
PUT /tunnel-concentrators/{id}	104
DELETE /tunnel-concentrators/{id}	104
Configuration - Authentication	104
GET /ad-servers	105
GET /cwps	105
GET /ldap-servers	105
POST /ldap-servers	105
GET /ldap-servers/{id}	105
PUT /ldap-servers/{id}	106
DELETE /ldap-servers/{id}	106
GET /radius-client-objects	106
POST /radius-client-objects	106
GET /radius-client-objects/{id}	106
PUT /radius-client-objects/{id}	107
DELETE /radius-client-objects/{id}	107
GET /radius-proxies	107
POST /radius-proxies	107
GET /radius-proxies/{id}	107
PUT /radius-proxies/{id}	107
DELETE /radius-proxies/{id}	108
GET /radius-proxies/devices	108
GET /radius-servers/external	108
POST /radius-servers/external	108
GET /radius-servers/external/{id}	108
PUT /radius-servers/external/{id}	109
DELETE /radius-servers/external/{id}	109
GET /radius-servers/internal	109

POST /radius-servers/internal	109
DELETE /radius-servers/internal.....	109
GET /radius-servers/internal/{id}	109
PUT /radius-servers/internal/{id}.....	110
DELETE /radius-servers/internal/{id}.....	110
GET /radius-servers/internal/devices.....	110
Configuration - Certificate.....	110
GET /certificates	110
Copilot – Connectivity Experience.....	111
GET /copilot/connectivity/client-type	111
GET /copilot/connectivity/locations.....	111
GET /copilot/connectivity/wired/events.....	111
GET /copilot/connectivity/wired/experience	111
GET /copilot/connectivity/wired/hardware.....	111
GET /copilot/connectivity/wired/locations/hardware	112
GET /copilot/connectivity/wired/quality-index	112
GET /copilot/connectivity/wireless/apps.....	112
GET /copilot/connectivity/wireless/events.....	112
GET /copilot/connectivity/wireless/experience.....	113
GET /copilot/connectivity/wireless/locations/events	113
GET /copilot/connectivity/wireless/locations/performance	113
GET /copilot/connectivity/wireless/locations/quality-index	113
GET /copilot/connectivity/wireless/locations/time-to-connect	113
GET /copilot/connectivity/wireless/performance	114
GET /copilot/connectivity/wireless/quality-index	114
GET /copilot/connectivity/wireless/time-to-connect	114
GET /copilot/connectivity/wireless/views	114
Copilot – Anomalies.....	115
GET /copilot/anomalies/adverse-traffic/device-stats.....	115
GET / copilot/anomalies/adverse-traffic/packet-counts	115
GET /copilot/anomalies/anomalies-by-category	115
GET /copilot/anomalies/device-by-location	115
GET /copilot/anomalies/device-with-locations.....	116
PUT /copilot/anomalies/devices/feedback.....	116
PUT /copilot/anomalies/devices/update-action	116
GET /copilot/anomalies/dfs-recurrence/channel-stats	116
GET /copilot/anomalies/dfs-recurrence/count-stats.....	116
GET /copilot/anomalies/exclude-vlans	116
GET /copilot/anomalies/exclude-vlans-csv	117
GET /copilot/anomalies/exclude-vlans-list	117
GET /copilot/anomalies/hardware-health/client-list.....	117
GET /copilot/anomalies/hardware-health/cpu-mem-stats	117
GET /copilot/anomalies/hardware-health/stats	117
GET /copilot/anomalies/locations.....	118
GET /copilot/anomalies/missing-vlan/count	118
GET /copilot/anomalies/notifications	118
GET /copilot/anomalies/poeflapping/ldp-cdp-info	118
GET /copilot/anomalies/poeflapping/stats.....	118
GET /copilot/anomalies/poeflapping/trends	119

GET /copilot/anomalies/port-efficiency/speed-duplex-stats	119
GET /copilot/anomalies/port-efficiency/stats	119
GET /copilot/anomalies/wifi-capacity/client-list	119
GET /copilot/anomalies/wifi-capacity/stats	119
GET /copilot/anomalies/report	120
PUT /copilot/anomalies/update-action	120
PUT /copilot/anomalies/update-device-action	120
GET /copilot/anomalies/wifi-efficiency/client-list	120
GET /copilot/anomalies/wifi-efficiency/stats	120
GET /copilot/assurance-scans/overview	121
Packet Capture	121
GET /packetcaptures	121
POST /packetcaptures	121
GET /packetcaptures/{id}	121
Delete /packetcaptures/{id}	122
POST /packetcaptures/{id}/stop	122
POST /packetcaptures/{id}/upload	122
GET /packetcaptures/files	122
Network Scorecard	122
GET /network-scorecard/clientHealth/{id}	123
GET /network-scorecard/deviceHealth/{id}	123
GET /network-scorecard/networkHealth/{id}	123
GET /network-scorecard/serviceHealth/{id}	123
GET /network-scorecard/wifiHealth/{id}	123
Essentials - ExtremeLocation	124
GET /essentials/eloc/clients/{client-mac}/last-known-location	124
Misc - Metadata – Country	124
GET /countries	124
GET /countries/{countryAlpha2Code}/states	124
GET /countries/{id}/validate	124
Thread	125
GET /thread/networks	125
GET /thread/routers	125
GET /thread/topology	125
Universal Compute Platform	125
GET /upc/{id}/engines/installed	125
AFC-endpoint	125
GET /afcserver	125
GET /afcserver/{id}	126
GET /afcserver/statistics/{id}	126
GET /afcserver/diagnostics/{sn}	126
GET /ap/afc/interface/details/{sn}	126
POST /ap/spectrum	126
GET /aps/afc/query	126
POST /aps/afc/update	126
GET /site/afc/schedule	126

PUT /site/afc/schedule	127
POST /site/afc/schedule	127
POST /site/spectrum	127
RTTS-endpoint	127
POST /rtts-endpoint.....	127
POST /rtts-endpoint.....	127
APPENDIX – A	127
API call list based on Roles	127
Administrator.....	127
Operator	127
Monitor.....	128
Installer.....	132
Observer	137
Help Desk.....	141
Application Operator	143
Guest Management.....	143
APPENDIX – B	145
API call list based on Permission	145
logout.....	158
auth.....	158
auth:r	158
token:new	158
perm:check	158
lro.....	158
lro:r	158
account	159
account:switch.....	159
account:r.....	159
viq:backup.....	159
user-me:r	159
user:r.....	160
hiq	160
hiq:r.....	160
org.....	160
org:new.....	160
org:del.....	161
org:rename	161
hiq.ctx	161
hiq.ctx:r	161
hiq.ctx:w	161
device.....	161
device:r	163
device:list.....	164
device:view	164
device:new.....	164
device:del.....	164
device:cli	164
device:deploy.....	164

device:manage.....	164
device:unmanage	164
device:reboot.....	164
device:reset	164
device:thread-commissioner	165
client	165
client:r	165
locations	165
locations:r	166
network-policy.....	166
policy:ssid	166
network-policy:r	166
network-scorecard	167
network-scorecard:r	167
ssid	167
ssid:r.....	167
pcg:key.....	168
pcg:key:r	168
subscriptions-webhook	168
subscriptions-webhook:r	168
ccg.....	168
ccg:r	169
log	169
log:r.....	169
cwp	169
cwp:r	169
sms-tmpl	169
sms-tmpl:r.....	169
class-rule.....	170
class-rule:r	170
user-profile	170
user-profile:r.....	170
tunnel-concentrator	170
tunnel-concentrator:r.....	170
radius-proxy.....	171
radius-proxy:r	171
radius-server	171
radius-server:r	171
usergroup.....	171
usergroup:r	172
deployment	172
deployment:r	172
ad-server.....	172
ad-server:r	172
alert.....	172
alert:r	173
alert-policies	173
alert-policies:r	173
alert-subscriptions	173
alert-subscriptions:r	174
app	174

application:r.....	174
l3-address-profile	174
l3-address-profile:r	174
vlan-profile.....	175
vlan-profile:r	175
enduser.....	175
enduser:r	175
radius-client-object.....	175
radius-client-object:r	175
ldap-server.....	175
ldap-server:r	176
email-template	176
email-template:r.....	176
certificate.....	176
certificate:r	176
radio-profile.....	176
radio-profile:r	177
iot-profile	177
iot-profile:r	177
client-monitor-profile	177
client-monitor-profile:r	178
copilot-connectivity-wired:r	178
copilot-connectivity-wireless:r	178
copilot-anomalies:r.....	178
licenses	179
licenses:r.....	179
copilot-assurance-scans:r	179
packet-capture.....	179
packet-capture:r	179
country.....	179
country:r	180
cas	180
cas:r.....	180
cas-policies.....	180
cas-policies:r	180
cas-metadata:r.....	180
cns-subscriptions	180
cns-subscriptions:r.....	180
hotspot-profile.....	180
hotspot-profile:r	181
hotspot-service-provider-profile	181
hotspot-service-provider-profile:r.....	181

Introduction

This document will list each category of XIQ APIs and all the API calls under those categories. Laid out as it is laid out on the api.extremecloudiq.com Swagger page. Under each category, the document will list the category permissions that can be used for the API calls in that category. Most categories have two permissions for the category. The first permission will match or be similar to the category's name. Example - **device** for the devices category. This permission will give access to all the GET, POST, PUT, PATCH, and DELETE API calls in that category. The second permission will be named the same as the first but followed with a *:r*. Example - **device:r** for the devices category. This permission will give access to only the GET API calls in that category.

This document will also list any additional permissions available for a particular API call. This would allow for a token to be created only to be able to perform a specific API call without having permission to do all API calls within the category. Example – **device:list** under the [GET /devices](#) API call. This would allow the token only to be able to view the list of devices using that API call but not be able to perform any of the other GET API calls in the devices category. This document also notes which Roles have access to each of the API call.

In addition, there is [Appendix - A](#) that lists the different roles with a list of the API calls available to those roles by default as well as [Appendix – B](#) that lists the different permissions with a list of the API calls available with that permission.

Authentication

No default permissions for this category

POST /login

No permissions needed – This call uses basic auth to generate a token. This token will have access to APIs based on the user's role.

POST /logout

Permissions:

"logout" – revokes currently used token

Roles:

"Operator",
"Help Desk",
"Monitor",
"Administrator",
"Installer",
"Observer",
"Guest Management"

Authorization

Permissions:

"auth" – Permission for all API calls in the Authorization Section

"auth:r" – Permission for all GET API calls in the Authorization Section

POST /auth/apitoken

Permissions:

"token:new" – Permission to generate a new token.

NOTE: new tokens can only be granted permissions that the currently used token has.

Also included with *"auth"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer"

POST /auth/apitoken/:validate

Permissions:

No Specific permission - included with *"auth"*

Roles:

"Operator",
"Administrator"

GET /auth/apitoken/info

Permissions:

No Specific permission - included with “auth” and “auth:r”

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

GET /auth/permissions

Permissions:

No Specific permission - included with “auth” and “auth:r”

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /auth/permissions/:check

Permissions:

“perm:check” – Allows token to check permissions needed for any API call

Also included with “auth”

Roles

"Operator",
"Administrator"

Operation

Permissions:

"lro" – Permission for all API calls in the Operation Section

"lro:r" – Permission for all GET API calls in the Operation Section

GET /operations/{operationId}

Permissions:

No Specific permission - included with “lro” and “lro:r”

Roles:

"Operator",
"Administrator"

DELETE /operations/{operationId}

Permissions:

No Specific permission - included with “lro”

Roles:

"Operator",
"Administrator"

POST /operations/{operationId}/:cancel

Permissions:

No Specific permission - included with “lro”

Roles:

"Operator",
"Administrator"

Account

"account" – Permission for all API calls in the Account Section

"account:r" – Permission for all GET API calls in the Account Section

POST /account/:switch

Permissions:

"account:switch" – Allows user to switch to external account

Also included with “account”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Application Operator",
"Guest Management"

GET /account/external

Permissions:

No Specific permission - included with “account” and “account:r”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Application Operator",
"Guest Management"

GET /account/home

Permissions:

No Specific permission - included with “account” and “account:r”

Roles:

"Operator",

"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Application Operator",
"Guest Management"

GET /account/third-party-applications

Permissions:

No Specific permission - included with "account" and "account:r"

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Application Operator",
"Guest Management"

GET /account/vhm/setting

Permissions:

No Specific permission - included with "account" and "account:r"

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Application Operator",
"Guest Management"

PUT /account/vhm/setting/{id}

Permissions:

No Specific permission - included with "account"

Roles:

"Operator",
"Administrator"

GET /account/vhm/setting/status

Permissions:

No Specific permission - included with "account" and "account:r"

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Application Operator",
"Guest Management"

GET /account/viq

Permissions:

No Specific permission - included with *"account"* and *"account:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Application Operator",
"Guest Management"

POST /account/viq/:backup

Permissions:

"viq:backup" – Permission to backup the viq.

Also included with *"account"*

Roles:

"Operator",
"Administrator"

POST /account/viq/:reset

Permissions:

No Specific permission - included with *"account"*

Roles:

"Operator",
"Administrator"

GET /account/viq/default-device-password

Permissions:

No Specific permission - included with *"account"* and *"account:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",

"Observer",
"Application Operator",
"Guest Management"

PUT /account/viq/default-device-password

Permissions:

No Specific permission - included with *"account"*

Roles:

"Operator",
"Administrator"

GET /account/viq/download

Permissions:

No Specific permission - included with *"account"* and *"account:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Application Operator",
"Guest Management"

POST /account/viq/export

Permissions:

No Specific permission - included with *"account"*

Roles:

"Operator",
"Administrator"

GET /account/viq/export-import-status

Permissions:

No Specific permission - included with *"account"* and *"account:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Application Operator",
"Guest Management"

POST /account/viq/import

Permissions:

No Specific permission - included with “*account*”

Roles:

"Operator",
"Administrator"

POST /backup/history/:restore

Permissions:

NOT SET!

Roles:

NOT SET!

POST /backup/history/delete

Permissions:

NOT SET!

Roles:

NOT SET!

GET /backup/history/grid

Permissions:

NOT SET!

Roles:

NOT SET!

PUT /backup/history/grid

Permissions:

NOT SET!

Roles:

NOT SET!

Users

Permissions:

"user" – Permission for all API calls in the User Section

"user:r" – Permission for all GET API calls in the User Section

GET /users

Permissions:

No Specific permission - included with “*user*” and “*user:r*”

Roles:

"Operator",
"Administrator",
"Monitor"

POST /users

Permissions:

No Specific permission - included with “*user*”

Roles:

"Administrator"

GET /users/{id}

Permissions:

No Specific permission - included with “user” and “user:r”

Roles:

"Operator",

"Administrator",

"Monitor"

DELETE /users/{id}

Permissions:

No Specific permission - included with “user”

Roles:

"Administrator"

PATCH /users/{id}

Permissions:

No Specific permission - included with “user”

Roles:

"Administrator"

GET /users/external

Permissions:

No Specific permission - included with “user” and “user:r”

Roles:

"Operator",

"Administrator",

"Monitor"

POST /users/external

Permissions:

No Specific permission - included with “user”

Roles:

"Administrator"

GET /users/external/{id}

Permissions:

No Specific permission - included with “user” and “user:r”

Roles:

"Operator",

"Administrator",

"Monitor"

DELETE /users/external/{id}

Permissions:

No Specific permission - included with “user”

Roles:

"Administrator"

PATCH /users/external/{id}

Permissions:

No Specific permission - included with “user”

Roles:

"Administrator"

GET /users/me

Permissions:

“user-me:r” – Permission to view details on yourself

Roles:

"Operator",

"Administrator",

"Monitor"

HIQ

Permissions:

"hiq" – Permission for all API calls in the HIQ Section

"hiq:r" – Permission for all GET API calls in the HIQ Section

GET /hiq/context

Permissions:

“hiq.ctx” – Permission for control HIQ Context (HIQ account only).

“hiq.ctx:r” – Permission to read HIQ Context (HIQ account only).

Also included with “hiq” and “hiq:r”

Roles:

"Operator",

"Help Desk",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /hiq/context

Permissions:

“hiq.ctx” – Permission for control HIQ Context (HIQ account only).

“hiq.ctx:w” – Permission to switch HIQ Context (HIQ account only).

Also included with “hiq”

Roles:

"Operator",
"Administrator",
"Installer"

GET /hiq/context/creating

Permissions:

"hiq.ctx" – Permission for control HIQ Context (HIQ account only).

"hiq.ctx:r" – Permission to read HIQ Context (HIQ account only).

Also included with "hiq" and "hiq:r"

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /hiq/context/creating

Permissions:

"hiq.ctx" – Permission for full control HIQ Context (HIQ account only).

"hiq.ctx:w" – Permission to switch HIQ Context (HIQ account only).

Also included with "hiq"

Roles:

"Operator",
"Administrator",
"Installer"

GET /hiq/context/reading

Permissions:

"hiq.ctx" – Permission for control HIQ Context (HIQ account only).

"hiq.ctx:r" – Permission to read HIQ Context (HIQ account only).

Also included with "hiq" and "hiq:r"

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /hiq/context/reading

Permissions:

"hiq.ctx" – Permission for control HIQ Context (HIQ account only).

"hiq.ctx:w" – Permission to switch HIQ Context (HIQ account only).

Also included with "hiq"

Roles:

"Operator",
"Administrator",
"Installer"

GET /hiq/organizations

Permissions:

"org" – Permission for full control HIQ organizations (HIQ account only).
Also included with *"hiq"* and *"hiq:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /hiq/organizations

Permissions:

"org" – Permission for full control HIQ organizations (HIQ account only).
"org:new" – Permission to create HIQ organization (HIQ account only).
Also included with *"hiq"*

Roles:

"Operator",
"Administrator"

DELETE /hiq/organizations/{id}

Permissions:

"org" – Permission for full control HIQ organizations (HIQ account only).
"org:del" – Permission to delete HIQ organization (HIQ account only).
Also included with *"hiq"*

Roles:

"Operator",
"Administrator"

POST /hiq/organizations/{id}:rename

Permissions:

"org" – Permission for full control HIQ organizations (HIQ account only).
"org:rename" – Permission to rename HIQ organization (HIQ account only).
Also included with *"hiq"*

Roles:

"Operator",
"Administrator"

GET /hiq/status

Permissions:

No Specific permission - included with “hiq” and “hiq:r”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

Location

Permissions:

"locations" – Permission for all API calls in the Location Section

"locations:r" – Permission for all GET API calls in the Location Section

POST /locations

Permissions:

No Specific permission - included with “locations”

Roles:

"Operator",
"Administrator"
"Installer"

POST /locations/:init

Permissions:

No Specific permission - included with “locations”

Roles:

"Operator",
"Administrator"
"Installer"

PUT /locations/{id}

Permissions:

No Specific permission - included with “locations”

Roles:

"Operator",
"Administrator"
"Installer"

DELETE /locations/{id}

Permissions:

No Specific permission - included with “locations”

Roles:

"Operator",
"Administrator"
"Installer"

GET /locations/building

Permissions:

No Specific permission - included with *"locations"* and *"locations:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /locations/building

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

GET /locations/building/{id}

Permissions:

No Specific permission - included with *"locations"* and *"locations:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /locations/building/{id}

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

DELETE /locations/building/{id}

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

GET /locations/floor

Permissions:

No Specific permission - included with *"locations"* and *"locations:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /locations/floor

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

GET /locations/floor/{id}

Permissions:

No Specific permission - included with *"locations"* and *"locations:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /locations/floor/{id}

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

DELETE /locations/floor/{id}

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

POST /locations/floorplan

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

POST /locations/import/ekahau

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

GET /locations/site

Permissions:

No Specific permission - included with *"locations"* and *"locations:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /locations/site

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

GET /locations/site/{id}

Permissions:

No Specific permission - included with *"locations"* and *"locations:r"*

Roles:

"Operator",

"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /locations/site/{id}

Permissions:

No Specific permission - included with "*locations*"

Roles:

"Operator",
"Administrator"
"Installer"

DELETE /locations/site/{id}

Permissions:

No Specific permission - included with "*locations*"

Roles:

"Operator",
"Administrator"
"Installer"

GET /locations/tree

Permissions:

No Specific permission - included with "*locations*" and "*locations:r*"

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /locations/tree/devices

Permissions:

No Specific permission - included with "*locations*" and "*locations:r*"

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /locations/tree/maps

Permissions:

No Specific permission - included with “*locations*” and “*locations:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /locations/wall/type

Permissions:

No Specific permission - included with “*locations*” and “*locations:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /locations/wall/type

Permissions:

No Specific permission - included with “*locations*”

Roles:

"Operator",
"Administrator",
"Installer"

PUT /locations/wall/type/{id}

Permissions:

No Specific permission - included with “*locations*”

Roles:

"Operator",
"Administrator",
"Installer"

DELETE /locations/wall/type/{id}

Permissions:

No Specific permission - included with “*locations*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /locations/wall/type/references/{id}

Permissions:

No Specific permission - included with *"locations"* and *"locations:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

Device

Permissions:

"device" – Permission for all API calls in the Device Section

"device:r" – Permission for all GET API calls in the Device Section

GET /devices

Permissions:

"device:list" – Permission to get the list of devices

Also included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /devices/:advanced-onboard

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/:check-ownership

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/:cli

Permissions:

"device:cli" – Permission to send cli commands to device(s)

Also included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/:delete

Permissions:

"device:del" – Permission to delete device(s)

Also included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/:manage

Permissions:

"device:mange" – Permission to change management on device(s) to MANAGED

Also included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/:onboard

Permissions:

"device:new" – Permission to onboard device(s)

Also included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/:reboot

Permissions:

"device:reboot" – Permission to reboot device(s)

Also included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/:unmanage

Permissions:

"device:mange" – Permission to change management on device(s) to UNMANAGED

Also included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}

Permissions:

“*device:view*” – Permission to view details of a device

Also included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

DELETE /devices/{id}

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/:cli

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/:manage

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/:reboot

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",

"Administrator",
"Installer"

POST /devices/{id}/reset

Permissions:

"device:reset" – Permission to reset a device to factory default

Also included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/unmanage

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/alarms

Permissions:

No Specific permission - included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /devices/{id}/bounce-port

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/client-monitor

Permissions:

No Specific permission - included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",

“Observer

PUT /devices/{id}/client-monitor

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
“Installer”

DELETE /devices/{id}/client-monitor

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
“Installer”

PUT /devices/{id}/description

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
“Installer”

GET /devices/{id}/ftm-settings

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
“Monitor”,
“Installer”,
“Observer”

POST /devices/{id}/config/ftm-settings

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
“Installer”

DELETE /devices/{id}/config/ftm-settings

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/gallery-image

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /devices/{id}/geolocation

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /devices/{id}/history/cpu-mem

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /devices/{id}/hostname

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/ibeacon

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /devices/{id}/installation-report

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /devices/{id}/interfaces/wifi

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /devices/{id}/iot

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /devices/{id}/iot/disable

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/iot/:enable

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/location

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /devices/{id}/location

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

DELETE /devices/{id}/location

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/monitor/:refresh

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/monitor/refresh/status

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /devices/{id}/network-policy

Permissions:

No Specific permission - included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /devices/{id}/network-policy

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

DELETE /devices/{id}/network-policy

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/radio-operating-mode

Permissions:

No Specific permission - included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /devices/{id}/radio-operating-mode

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/ssid/:override

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/ssid/status

Permissions:

No Specific permission - included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /devices/{id}/ssid/status/:change

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/thread/commissioner/:start

Permissions:

"device:thread-commissioner" – Permission to change thread commissioner to device(s)

Also included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/thread/commissioner/:stop

Permissions:

"device:thread-commissioner" – Permission to change thread commissioner to device(s)

Also included with *"device"*

Roles:

"Operator",

"Administrator",
"Installer"

PUT /devices/{id}/thread/visible

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",

"Installer"

POST /devices/client-monitor/:assign

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/client-monitor/:revoke

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/client-monitor/:query

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/country-code/:assign

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/digital-twin

Permissions:

“device:view” – Permission to view details of a device

Also included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /devices/ibeacon

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/location/:assign

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/location/:query

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/location/:revoke

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/network-policy/:assign

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",

"Administrator",
"Installer"

POST /devices/network-policy/:query

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/network-policy/:revoke

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/network-policy/{policyId}

Permissions:

No Specific permission - included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /devices/os/:change

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/radio-information

Permissions:

"device:list" – Permission to get the list of devices

Also included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",

"Installer",
"Observer"

PUT /devices/radius-proxy/:assign

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

DELETE /devices/radius-proxy/:revoke

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/rm-devices-connection-status

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/rm-devices-metadata

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/rm-devices-page

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/rm-devices-page/export

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/rm-devices-stack/{id}

Permissions:

No Specific permission - included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /devices/stats

Permissions:

"device:view" – Permission to view details of a device

Also included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

Network Policy

Permissions:

"network-policy" – Permission for all API calls in the Network Policy Section

"network-policy:r" – Permission for all GET API calls in the Network Policy Section

GET /network-policies

Permissions:

No Specific permission - included with *"network-policy"* and *"network-policy:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /network-policies

Permissions:

No Specific permission - included with *"network-policy"*

Roles:

"Operator",
"Administrator"

GET /network-policies/{id}

Permissions:

No Specific permission - included with *"network-policy"* and *"network-policy:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /network-policies/{id}

Permissions:

No Specific permission - included with *"network-policy"*

Roles:

"Operator",
"Administrator"

DELETE /network-policies/{id}

Permissions:

No Specific permission - included with *"network-policy"*

Roles:

"Operator",
"Administrator"

GET /network-policies/{id}/ssids

Permissions:

No Specific permission - included with *"network-policy"* and *"network-policy:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /network-policies/{id}/ssids/:add

Permissions:

"policy:ssid" – SSID management on network-policy

Also included with *"network-policy"*

Roles:

"Operator",
"Administrator"

POST /network-policies/{id}/ssids/:remove

Permissions:

"policy:ssid" – SSID management on network-policy

Also included with *"network-policy"*

Roles:

"Operator",

"Administrator"

Client

Permissions:

"client" – Permission for all API calls in the Client Section

"client:r" – Permission for all GET API calls in the Client Section

GET /clients/{id}

Permissions:

No Specific permission - included with *"client"* and *"client:r"*

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

GET /clients/active

Permissions:

No Specific permission - included with *"client"* and *"client:r"*

Roles:

"Operator",

"Help Desk",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /clients/alias

Permissions:

No Specific permission - included with *"client"*

Roles:

"Operator",

"Administrator"

GET /clients/active/count

Permissions:

No Specific permission - included with *"client"* and *"client:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /clients/byMac/{client_mac}

Permissions:

No Specific permission - included with *"client"* and *"client:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

DELETE /clients/byMac/{client_mac}

Permissions:

No Specific permission - included with *"client"*

Roles:

"Operator",
"Administrator"

GET /clients/summary

Permissions:

No Specific permission - included with *"client"* and *"client:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /clients/usage

Permissions:

No Specific permission - included with *"client"* and *"client:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

Client - Details

No default permissions for this category

[GET /client-details/client-trail/connectivity-experience/{id}](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[GET /client-details/client-trail/roaming-trail/count/{id}](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[GET /client-details/client-trail/roaming-trail/grid/{id}](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[GET /client-details/overview/chart-data/{id}](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[GET /client-details/overview/info/{id}](#)

Permissions:

NOT SET!

Roles:

NOT SET!

D360

No default permissions for this category

[POST /d360/client/graph](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[POST /d360/client/grid](#)

Permissions:

NOT SET!

Roles:

NOT SET!

POST /d360/client/grid/metadata

Permissions:

NOT SET!

Roles:

NOT SET!

POST /d360/client/stats

Permissions:

NOT SET!

Roles:

NOT SET!

POST /d360/device/interfaces

Permissions:

NOT SET!

Roles:

NOT SET!

POST /d360/device/issues

Permissions:

NOT SET!

Roles:

NOT SET!

POST /d360/device/metadata

Permissions:

NOT SET!

Roles:

NOT SET!

POST /d360/device/stats

Permissions:

NOT SET!

Roles:

NOT SET!

POST /d360/overview/devices-summary

Permissions:

NOT SET!

Roles:

NOT SET!

POST /d360/ssid-metadata

Permissions:

NOT SET!

Roles:

NOT SET!

POST /d360/wireless/interfaces-graph

Permissions:

NOT SET!

Roles:

NOT SET!

POST /d360/wireless/interfaces-stats

Permissions:

NOT SET!

Roles:

NOT SET!

POST /d360/wireless/surrounding-aps

Permissions:

NOT SET!

Roles:

NOT SET!

Dashboard

No default permissions for this category

POST /dashboard/alerts

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/assets

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/clients

Permissions:

NOT SET!

Roles:

NOT SET!

GET /dashboard/device-types

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/devices

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/export

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/sites-with-issues

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/usage-capacity

Permissions:

NOT SET!

Roles:

NOT SET!

GET /dashboard/wireless/dashboard/criteria

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/wireless/dashboard/criteria

Permissions:

NOT SET!

Roles:

NOT SET!

Dashboard Wired Usage and Capacity

No default permissions for this category

POST /dashboard/wired/usage-capacity/grid

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/wired/usage-capacity/usage-utilization

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/wired/usage-capacity/wired-congestion

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/wired/usage-capacity/wired-throughput

Permissions:

NOT SET!

Roles:

NOT SET!

Dashboard Wired Client Health

No default permissions for this category

POST /dashboard/wired/client-health/grid

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/wired/client-health/ip-connectivity-issues

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/wired/client-health/port-congestion

Permissions:

NOT SET!

Roles:

NOT SET!

[POST /dashboard/wired/client-health/port-errors](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[POST /dashboard/wired/client-health/traffic-anomalies](#)

Permissions:

NOT SET!

Roles:

NOT SET!

Dashboard Wired Device Health

No default permissions for this category

[POST /dashboard/wired/device-health/cpu-usage-issues](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[POST /dashboard/wired/device-health/fan-issues](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[POST /dashboard/wired/device-health/fan-status](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[POST /dashboard/wired/device-health/grid](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[POST /dashboard/wired/device-health/memory-usage-issues](#)

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/wired/device-health/poe-usage-issues

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/wired/device-health/poe-usage-status

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/wired/device-health/psu-issues

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/wired/device-health/psu-status

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/wired/device-health/summary

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/wired/device-health/temperature-issues

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/wired/device-health/temperature-status

Permissions:

NOT SET!

Roles:

NOT SET!

Dashboard Wireless Usage and Capacity

No default permissions for this category

POST /dashboard/wireless/usage-capacity/excessive-packet-loss

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/wireless/usage-capacity/excessive-retries

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/wireless/usage-capacity/excessive-utilization

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/wireless/usage-capacity/export

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/wireless/usage-capacity/grid

Permissions:

NOT SET!

Roles:

NOT SET!

Dashboard Wireless Client Health

No default permissions for this category

POST /dashboard/wireless/client-health/connectivity-issues

Permissions:

NOT SET!

Roles:

NOT SET!

POST /dashboard/wireless/client-health/export

Permissions:

NOT SET!

Roles:

NOT SET!

[POST /dashboard/wireless/client-health/filter-metadata](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[POST /dashboard/wireless/client-health/frequency-distribution](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[POST /dashboard/wireless/client-health/grid](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[POST /dashboard/wireless/client-health/issue/association](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[POST /dashboard/wireless/client-health/issue/authentication](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[POST /dashboard/wireless/client-health/issue/ipaddress](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[POST /dashboard/wireless/client-health/issue/roaming](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[POST /dashboard/wireless/client-health/roaming-issues](#)

Permissions:

NOT SET!

Roles:
NOT SET!

Dashboard Wireless Device Health

No default permissions for this category

[POST /dashboard/wireless/device-health/export](#)

Permissions:
NOT SET!
Roles:
NOT SET!

[POST /dashboard/wireless/device-health/grid](#)

Permissions:
NOT SET!
Roles:
NOT SET!

[POST /dashboard/wireless/device-health/cpu-usage-issues](#)

Permissions:
NOT SET!
Roles:
NOT SET!

[POST /dashboard/wireless/device-health/memory-usage-issues](#)

Permissions:
NOT SET!
Roles:
NOT SET!

[POST /dashboard/wireless/device-health/poe-usage-issues](#)

Permissions:
NOT SET!
Roles:
NOT SET!

[GET /dashboard/wireless/device-health/reboot/summary](#)

Permissions:
NOT SET!
Roles:
NOT SET!

[POST /dashboard/wireless/device-health/summary](#)

Permissions:
NOT SET!

Roles:
NOT SET!

Geo View

No default permissions for this category

GET /geo-view

Permissions:
NOT SET!
Roles:
NOT SET!

Application

Permissions:
"app" – Permission for all API calls in the Application Section
"application:r" – Permission for all GET API calls in the Application Section

GET /applications

Permissions:
No Specific permission - included with *"app"* and *"application:r"*
Roles:
"Operator",
"Administrator",
"Monitor",
"Observer"

GET /applications/{id}/clients/top{n}

Permissions:
No Specific permission - included with *"app"* and *"application:r"*
Roles:
"Operator",
"Administrator",
"Monitor",
"Observer"

GET /applications/top{n}

Permissions:
No Specific permission - included with *"app"* and *"application:r"*
Roles:
"Operator",
"Administrator",
"Monitor",
"Observer"

Alert

No default permissions for this category

GET /alert-policies

Permissions:

"alert-policies" – Permission for full control of alert polices.

"alert-policies:r" – Permission to read alert polices.

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

POST /alert-policies

Permissions:

"alert-policies" – Permission for full control of alert polices.

Roles:

"Operator",

"Administrator"

GET /alert-policies/{id}

Permissions:

"alert-policies" – Permission for full control of alert polices.

"alert-policies:r" – Permission to read alert polices.

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /alert-policies/{id}

Permissions:

"alert-policies" – Permission for full control of alert polices.

Roles:

"Operator",

"Administrator"

DELETE /alert-policies/{id}

Permissions:

"alert-policies" – Permission for full control of alert polices.

Roles:

"Operator",

"Administrator"

GET /alert-policies/{id}/rules/{alert_rule_id}

Permissions:

"alert-policies" – Permission for full control of alert polices.

"alert-policies:r" – Permission to read alert polices.

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /alert-policies/{id}/rules/{alert_rule_id}

Permissions:

"alert-policies" – Permission for full control of alert polices.

Roles:

"Operator",

"Administrator"

POST /alert-policies/{id}/rules/{alert_rule_id}/:disable

Permissions:

"alert-policies" – Permission for full control of alert polices.

Roles:

"Operator",

"Administrator"

PUT /alert-policies/{id}/rules/{alert_rule_id}/:enable

Permissions:

"alert-policies" – Permission for full control of alert polices.

Roles:

"Operator",

"Administrator"

GET /alert-policies/available-sites

Permissions:

"alert-policies" – Permission for full control of alert polices.

"alert-policies:r" – Permission to read alert polices.

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

GET /alert-subscriptions/emails

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

"alert-subscriptions:r" – Permission to read alert subscriptions.

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

POST /alert-subscriptions/emails

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",

"Administrator"

POST /alert-subscriptions/emails/:delete

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",

"Administrator"

GET /alert-subscriptions/emails/{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

"alert-subscriptions:r" – Permission to read alert subscriptions.

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /alert-subscriptions/emails/{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",

"Administrator"

DELETE /alert-subscriptions/emails/{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

POST /alert-subscriptions/emails/{id}/verify

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

GET /alert-subscriptions/servicenow

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

"alert-subscriptions:r" – Permission to read alert subscriptions.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /alert-subscriptions/servicenow

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

POST /alert-subscriptions/servicenow/:delete

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

GET /alert-subscriptions/servicenow/{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

"alert-subscriptions:r" – Permission to read alert subscriptions.

Roles:

"Operator",
"Administrator",
"Monitor",

"Installer",
"Observer"

PUT /alert-subscriptions/servicenow/{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

PATCH /alert-subscriptions/servicenow/{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

GET /alert-subscriptions/webhooks

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

"alert-subscriptions:r" – Permission to read alert subscriptions.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /alert-subscriptions/webhooks

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

POST /alert-subscriptions/webhooks/:delete

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

GET /alert-subscriptions/webhooks/{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

"alert-subscriptions:r" – Permission to read alert subscriptions.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /alert-subscriptions/webhooks /{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

DELETE /alert-subscriptions/webhooks /{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

GET /alerts

Permissions:

"alert" – Permission for full control of alerts.

"alert:r" – Permission to read alerts.

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /alerts/:acknowledge

Permissions:

"alert" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

GET /alerts/count-by-{group}

Permissions:

"alert" – Permission for full control of alerts.

"alert:r" – Permission to read alerts.

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /alerts/report

Permissions:

"alert" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

GET /alerts/reports/{id}

Permissions:

"alert" – Permission for full control of alerts.

"alert:r" – Permission to read alerts.

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

Log

Permissions:

"log" – Permission for all API calls in the Log Section

"log:r" – Permission for all GET API calls in the Log Section

GET /logs/accounting

Permissions:

No Specific permission - included with "log" and "log:r"

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

GET /logs/audit

Permissions:

No Specific permission - included with “log” and “log:r”

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

GET /logs/audit/full-descriptions/{id}

Permissions:

No Specific permission - included with “log” and “log:r”

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

POST /logs/audit/reports

Permissions:

No Specific permission - included with “log”

Roles:

"Operator",
"Administrator"

GET /logs/audit/reports/{id}

Permissions:

No Specific permission - included with “log” and “log:r”

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

GET /logs/auth

Permissions:

No Specific permission - included with “log” and “log:r”

Roles:

"Operator",
"Administrator",

"Monitor",
'Installer',
"Observer",
"Application Operator"

GET /logs/credential

Permissions:

No Specific permission - included with *"log"* and *"log:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

GET /logs/email

Permissions:

No Specific permission - included with *"log"* and *"log:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

GET /logs/sms

Permissions:

No Specific permission - included with *"log"* and *"log:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

Notification

Permissions:

" subscriptions-webhook" – Permission for all API calls in the Notification Section

" subscriptions-webhook:r" – Permission for all GET API calls in the Notification Section

GET /subscriptions/webhook

Permissions:

No Specific permission - included with “*subscriptions-webhook*” and “*subscriptions-webhook:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /subscriptions/webhook

Permissions:

No Specific permission - included with “*subscriptions-webhook*”

Roles:

"Operator",
"Administrator"

DELETE /subscriptions/webhook/:delete

Permissions:

No Specific permission - included with “*subscriptions-webhook*”

Roles:

"Operator",
"Administrator"

PUT /subscriptions/webhook/{id}

Permissions:

No Specific permission - included with “*subscriptions-webhook*”

Roles:

"Operator",
"Administrator"

GET /subscriptions/webhook/export

Permissions:

No Specific permission - included with “*subscriptions-webhook*” and “*subscriptions-webhook:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

Administration

No default permissions for this category

GET /acct-api-token

Permissions:

NOT SET!

Roles:

NOT SET!

POST /acct-api-token

Permissions:

NOT SET!

Roles:

NOT SET!

DELETE /acct-api-token/:delete

Permissions:

NOT SET!

Roles:

NOT SET!

DELETE /acct-api-token/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

PATCH /acct-api-token/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

GET /acct-api-token/export

Permissions:

NOT SET!

Roles:

NOT SET!

GET /credential-distribution-groups

Permissions:

NOT SET!

Roles:

NOT SET!

POST /credential-distribution-groups

Permissions:

NOT SET!

Roles:
NOT SET!

DELETE /credential-distribution-groups

Permissions:
NOT SET!
Roles:
NOT SET!

PUT /credential-distribution-groups/{id}

Permissions:
NOT SET!
Roles:
NOT SET!

GET /third-party-api-connection

Permissions:
NOT SET!
Roles:
NOT SET!

PUT /third-party-api-connection

Permissions:
NOT SET!
Roles:
NOT SET!

DELETE /third-party-api-connection

Permissions:
NOT SET!
Roles:
NOT SET!

NOS

No default permissions for this category

Configuration - Deployment

Permissions:

" **deployment**" – Permission for all API calls in the Configuration - Deployment Section

" **deployment:r**" – Permission for all GET API calls in the Configuration – Deployment Section

GET /deployments

Permissions:

No Specific permission - included with “*deployment*” and “*deployment:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

POST /deployments

Permissions:

No Specific permission - included with “*deployment*”

Roles:

"Operator",
"Administrator"

GET /deployments/{id}

Permissions:

No Specific permission - included with “*deployment*” and “*deployment:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

PUT /deployments/{id}

Permissions:

No Specific permission - included with “*deployment*”

Roles:

"Operator",
"Administrator"

DELETE /deployments/{id}

Permissions:

No Specific permission - included with “*deployment*”

Roles:

"Operator",
"Administrator"

GET /deployments/{id}/status

Permissions:

No Specific permission - included with “*deployment*” and “*deployment:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

POST /deployments/firmware-metadatas

Permissions:

No Specific permission - included with *"deployment"*

Roles:

"Operator",
"Administrator"

GET /deployments/overview

Permissions:

No Specific permission - included with *"deployment"* and *"deployment:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

GET /deployments/status

Permissions:

No Specific permission - included with *"deployment"* and *"deployment:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

Configuration - Basic

Permissions:

"vlan-profile" – Permission for all API calls in the Configuration - Basic Section

"vlan-profile:r" – Permission for all GET API calls in the Configuration – Basic Section

GET /vlan-profiles

Permissions:

No Specific permission - included with *"vlan-profile"* and *"vlan-profile:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /vlan-profiles

Permissions:

No Specific permission - included with *"vlan-profile"*

Roles:

"Operator",
"Administrator"

POST /vlan-profiles/:delete

Permissions:

No Specific permission - included with *"vlan-profile"*

Roles:

"Operator",
"Administrator"

GET /vlan-profiles/{id}

Permissions:

No Specific permission - included with *"vlan-profile"* and *"vlan-profile:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

DELETE /vlan-profiles/{id}

Permissions:

No Specific permission - included with *"vlan-profile"*

Roles:

"Operator",
"Administrator"

PATCH /vlan-profiles/{id}

Permissions:

No Specific permission - included with *"vlan-profile"*

Roles:

"Operator",

"Administrator"

Configuration - User Management

No default permissions for this category

GET /email-templates

Permissions:

"email-template" – Permission for full of email template.

"email-template:r" – Permission to read email templates

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

GET /endusers

Permissions:

"enduser" – Permission for full control of end users.

"enduser:r" – Permission to read end users

Roles:

"Operator",

"Help Desk",

"Administrator",

"Monitor",

"Observer",

"Guest Management"

POST /endusers

Permissions:

"enduser" – Permission for full control of end users.

Roles:

"Operator",

"Administrator",

"Guest Management"

PUT /endusers/{id}

Permissions:

"enduser" – Permission for full control of end users.

Roles:

"Operator",

"Administrator",

"Guest Management"

DELETE /endusers/{id}

Permissions:

"enduser" – Permission for full control of end users.

Roles:

"Operator",
"Administrator",
"Guest Management"

POST /endusers/{id}/:regenerate-password

Permissions:

"enduser" – Permission for full control of end users.

Roles:

"Operator",
"Administrator",
"Guest Management"

GET /pcgs/key-based

Permissions:

"pcg:key" – Permission for full control of PCG key based.

"pcg:key:r" – Permission to read PCG key based

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /pcgs/key-based

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",
"Administrator"

DELETE /pcgs/key-based/network-policy-{policyId}

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",
"Administrator"

POST /pcgs/key-based/network-policy-{policyId}/:onboard

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",

"Administrator"

POST /pcgs/key-based/network-policy-{policyId}/keys/:email

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",

"Administrator"

POST /pcgs/key-based/network-policy-{policyId}/keys/:generate

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",

"Administrator"

GET /pcgs/key-based/network-policy-{policyId}/port-assignments

Permissions:

"pcg:key" – Permission for full control of PCG key based.

"pcg:key:r" – Permission to read PCG key based

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

POST /pcgs/key-based/network-policy-{policyId}/port-assignments

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",

"Administrator"

GET /pcgs/key-based/network-policy-{policyId}/users

Permissions:

"pcg:key" – Permission for full control of PCG key based.

"pcg:key:r" – Permission to read PCG key based

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

PUT /pcgs/key-based/network-policy-{policyId}/users

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",

"Administrator"

POST /pcgs/key-based/network-policy-{policyId}/users

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",

"Administrator"

DELETE /pcgs/key-based/network-policy-{policyId}/users

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",

"Administrator"

GET /sms-templates

Permissions:

"sms-tmpl" – Permission for full control of SMS template.

"sms-tmpl:r" – Permission to read SMS template

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

GET /usergroups

Permissions:

"usergroup" – Permission for full control of user groups.

"usergroup:r" – Permission to read user groups

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer",

"Guest Management"

POST /usergroups

Permissions:

"usergroup" – Permission for full control of user groups.

Roles:

"Operator",

"Administrator"

GET /usergroups/:unique

Permissions:

"usergroup" – Permission for full control of user groups.

"usergroup:r" – Permission to read user groups

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer",

"Guest Management"

PUT /usergroups/{id}

Permissions:

"usergroup" – Permission for full control of user groups.

Roles:

"Operator",

"Administrator"

DELETE /usergroups/{id}

Permissions:

"usergroup" – Permission for full control of user groups.

Roles:

"Operator",

"Administrator"

Configuration - Policy

No default permissions for this category

GET /ccgs

Permissions:

"ccg" – Permission for full control of CCG.

"ccg:r" – Permission to read CCG

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

POST /ccgs

Permissions:

"ccg" – Permission for full control of CCG.

Roles:

"Operator",
"Administrator"

GET /ccgs/{id}

Permissions:

"ccg" – Permission for full control of CCG.

"ccg:r" – Permission to read CCG

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

PUT /ccgs/{id}

Permissions:

"ccg" – Permission for full control of CCG.

Roles:

"Operator",
"Administrator"

DELETE /ccgs/{id}

Permissions:

"ccg" – Permission for full control of CCG.

Roles:

"Operator",
"Administrator"

GET /classification-rules

Permissions:

"class-rule" – Permission for full control of classification rule.

"class-rule:r" – Permission to read classification rule

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /classification-rules

Permissions:

"class-rule" – Permission for full control of classification rule.

Roles:

"Operator",
"Administrator"

GET /classification-rules/{id}

Permissions:

"class-rule" – Permission for full control of classification rule.

"class-rule:r" – Permission to read classification rule

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

PUT /classification-rules/{id}

Permissions:

"class-rule" – Permission for full control of classification rule.

Roles:

"Operator",
"Administrator"

DELETE /classification-rules/{id}

Permissions:

"class-rule" – Permission for full control of classification rule.

Roles:

"Operator",
"Administrator"

GET /client-monitor-profiles

Permissions:

"client-monitor-profile" – Permission for full control of client monitor profiles

"client-monitor-profile:r" – Permission to read client monitor profiles

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer",
"Installer"

POST /client-monitor-profile

Permissions:

"client-monitor-profile" – Permission for full control of client monitor profiles

Roles:

"Operator",
"Administrator"

GET /client-monitor-profile/{id}

Permissions:

"client-monitor-profile" – Permission for full control of client monitor profiles

"client-monitor-profile:r" – Permission to read client monitor profiles

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer",
"Installer"

PUT /client-monitor-profile/{id}

Permissions:

"client-monitor-profile" – Permission for full control of client monitor profiles

Roles:

"Operator",
"Administrator"

DELETE /client-monitor-profile/{id}

Permissions:

"client-monitor-profile" – Permission for full control of client monitor profiles

Roles:

"Operator",
"Administrator"

GET /hotspot-profiles

Permissions:

"hotspot-profile" – Permission for full control of hotspot-profiles.

"hotspot-profile:r" – Permission to read hotspot-profiles.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /hotspot-profiles

Permissions:

"hotspot-profile" – Permission for full control of hotspot-profiles.

Roles:

"Operator",
"Administrator"

GET /hotspot-profiles/{id}

Permissions:

"hotspot-profile" – Permission for full control of hotspot-profiles.

"hotspot-profile:r" – Permission to read hotspot-profiles.

Roles:

"Operator",
"Administrator",

"Monitor",
"Installer",
"Observer"

PUT /hotspot-profiles/{id}

Permissions:

"hotspot-profile" – Permission for full control of hotspot-profiles.

Roles:

"Operator",
"Administrator"

DELETE /hotspot-profiles/{id}

Permissions:

"hotspot-profile" – Permission for full control of hotspot-profiles.

Roles:

"Operator",
"Administrator"

GET /hotspot-service-provider-profiles

Permissions:

"hotspot-service-provider-profile" – Permission for full control of hotspot-service-provider-profiles.

"hotspot-service-provider-profile:r" – Permission to read hotspot-service-provider-profiles.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /hotspot-service-provider-profiles

Permissions:

"hotspot-service-provider-profile" – Permission for full control of hotspot-service-provider-profiles.

Roles:

"Operator",
"Administrator"

GET /hotspot-service-provider-profiles/{id}

Permissions:

"hotspot-service-provider-profile" – Permission for full control of hotspot-service-provider-profiles.

"hotspot-service-provider-profile:r" – Permission to read hotspot-service-provider-profiles.

Roles:

"Operator",

"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /hotspot-service-provider-profiles/{id}

Permissions:

"hotspot-service-provider-profile" – Permission for full control of hotspot-service-provider-profiles.

Roles:

"Operator",
"Administrator"

DELETE /hotspot-service-provider-profiles/{id}

Permissions:

"hotspot-service-provider-profile" – Permission for full control of hotspot-service-provider-profiles.

Roles:

"Operator",
"Administrator"

GET /iot-profiles

Permissions:

"iot-profile" – Permission for full control of iot-profiles.

"iot-profile:r" – Permission to read iot-profiles.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /iot-profiles

Permissions:

"iot-profile" – Permission for full control of iot-profiles.

Roles:

"Operator",
"Administrator"

GET /iot-profiles/{id}

Permissions:

"iot-profile" – Permission for full control of iot-profiles.

"iot-profile:r" – Permission to read iot-profiles.

Roles:

"Operator",
"Administrator",

**"Monitor",
"Installer",
"Observer"**

PUT /iot-profiles/{id}

Permissions:

"iot-profile" – Permission for full control of iot-profiles.

Roles:

**"Operator",
"Administrator"**

DELETE /iot-profiles/{id}

Permissions:

"iot-profile" – Permission for full control of iot-profiles.

Roles:

**"Operator",
"Administrator"**

GET /ip-firewall-policies

Permissions:

NOT SET!

Roles:

NOT SET!

POST /ip-firewall-policies

Permissions:

NOT SET!

Roles:

NOT SET!

GET /ip-firewall-policies/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

PUT /ip-firewall-policies/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

DELETE /ip-firewall-policies/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

POST /ip-firewall-policies/{id}/:attach

Permissions:

NOT SET!

Roles:

NOT SET!

POST /ip-firewall-policies/{id}/:detach

Permissions:

NOT SET!

Roles:

NOT SET!

GET /l3-address-profiles

Permissions:

"l3-address-profile" – Permission for full control of L3 address profile.

"l3-address-profile:r" – Permission to read L3 address profile

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

POST /l3-address-profiles

Permissions:

"l3-address-profile" – Permission for full control of L3 address profile.

Roles:

"Operator",

"Administrator"

GET /l3-address-profiles/{id}

Permissions:

"l3-address-profile" – Permission for full control of L3 address profile.

"l3-address-profile:r" – Permission to read L3 address profile

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

PUT /l3-address-profiles/{id}

Permissions:

"l3-address-profile" – Permission for full control of L3 address profile.

Roles:

"Operator",

"Administrator"

DELETE /l3-address-profiles/{id}

Permissions:

"l3-address-profile" – Permission for full control of L3 address profile.

Roles:

"Operator",

"Administrator"

GET /mac-firewall-policies

Permissions:

NOT SET!

Roles:

NOT SET!

POST /mac-firewall-policies

Permissions:

NOT SET!

Roles:

NOT SET!

GET /mac-firewall-policies/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

PUT /mac-firewall-policies/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

DELETE /mac-firewall-policies/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

POST /mac-firewall-policies/{id}/:attach

Permissions:

NOT SET!

Roles:
NOT SET!

POST /mac-firewall-policies/{id}/:detach

Permissions:
NOT SET!
Roles:
NOT SET!

GET /mac-object-profiles

Permissions:
NOT SET!
Roles:
NOT SET!

POST /mac-object-profiles

Permissions:
NOT SET!
Roles:
NOT SET!

GET /mac-object-profiles/{id}

Permissions:
NOT SET!
Roles:
NOT SET!

PUT /mac-object-profiles/{id}

Permissions:
NOT SET!
Roles:
NOT SET!

DELETE /mac-object-profiles/{id}

Permissions:
NOT SET!
Roles:
NOT SET!

GET /radio-operating-modes/{id}

Permissions:
NOT SET!
Roles:
NOT SET!

GET /radio-profiles

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

POST /radio-profiles

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",

"Administrator"

GET /radio-profiles/{id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /radio-profiles/{id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",

"Administrator",

DELETE /radio-profiles/{id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",

"Administrator"

GET /radio-profiles/channel-selection/{channel-selection-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /radio-profiles/channel-selection/{channel-selection-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",

"Administrator"

GET /radio-profiles/mac-ouis

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

POST /radio-profiles/mac-ouis

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",

"Administrator"

GET /radio-profiles/mac-ouis/{mac-oui-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /radio-profiles/mac-ouis/{mac-oui-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",
"Administrator"

DELETE /radio-profiles/mac-ouis/{mac-oui-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",
"Administrator"

GET /radio-profiles/miscellaneous/{radio-misc-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /radio-profiles/miscellaneous/{radio-misc-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",
"Administrator"

GET /radio-profiles/neighborhood-analysis/{neigh-analysis-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /radio-profiles/neighborhood-analysis/{neigh-analysis-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",

"Administrator"

GET /radio-profiles/radio-usage-opt/{radio-usage-opt-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /radio-profiles/radio-usage-opt/{radio-usage-opt-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",

"Administrator"

GET /radio-profiles/sensor-scan/{sensor-scan-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /radio-profiles/sensor-scan/{sensor-scan-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",

"Administrator"

GET /radio-profiles/wmm-qos/{radio-qos-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /radio-profiles/wmm-qos/{radio-qos-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",

"Administrator"

GET /ssids

Permissions:

"ssid" – Permission for full control of SSID

"ssid:r" – Permission to read SSID

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

POST /ssids/{id}/:rename

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

POST /ssids/{id}/client-monitor-profile/:attach

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

POST /ssids/{id}/cwp/:attach

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

POST /ssids/{id}/cwp/:disable

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

POST /ssids/{id}/cwp/:enable

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

PUT /ssids/{id}/mode/dot1x

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

PUT /ssids/{id}/mode/open

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

PUT /ssids/{id}/mode/ppsk

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

PUT /ssids/{id}/mode/psk

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

PUT /ssids/{id}/mode/wep

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

PUT /ssids/{id}/psk/password

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

POST /ssids/{id}/radius-client-profile

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

POST /ssids/{id}/radius-server-group/:attach

Attach radius server group to an SSID

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

POST /ssids/{id}/user-profile-assignment

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

POST /ssids/{id}/user-profile/:attach

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

GET /ssids/advanced-settings/{id}

Permissions:

"ssid" – Permission for full control of SSID

"ssid:r" – Permission to read SSID

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /ssids/advanced-settings/{id}

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

GET /user-profile-assignments

Permissions:

NOT SET!

Roles:

NOT SET!

POST /user-profile-assignments

Permissions:

NOT SET!

Roles:

NOT SET!

GET /user-profile-assignments/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

DELETE /user-profile-assignments/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

GET /user-profiles

Permissions:

"user-profile" – Permission for full control of user profile

"user-profile:r" – Permission to read user profile

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /user-profiles

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",
"Administrator"

GET /user-profiles/{id}

Permissions:

"user-profile" – Permission for full control of user profile

"user-profile:r" – Permission to read user profile

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /user-profiles/{id}

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",
"Administrator"

DELETE /user-profiles/{id}

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",
"Administrator"

POST /user-profiles/{id}/ip-firewall-policies/:attach

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",
"Administrator"

POST /user-profiles/{id}/ip-firewall-policies/:detach

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",

"Administrator"

POST /user-profiles/{id}/mac-firewall-policies/:attach

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",

"Administrator"

POST /user-profiles/{id}/ac-firewall-policies/:detach

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",

"Administrator"

Configuration - Network

No default permissions for this category

GET /network-services

Permissions:

NOT SET!

Roles:

NOT SET!

POST /network-services

Permissions:

NOT SET!

Roles:

NOT SET!

DELETE /network-services/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

GET /tunnel-concentrators

Permissions:

"tunnel-concentrator" – Permission for full control of tunnel concentrator

"tunnel-concentrator:r" – Permission to read tunnel concentrator

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /tunnel-concentrators

Permissions:

"tunnel-concentrator" – Permission for full control of tunnel concentrator

Roles:

"Operator",
"Administrator"

GET /tunnel-concentrators/{id}

Permissions:

"tunnel-concentrator" – Permission for full control of tunnel concentrator

"tunnel-concentrator:r" – Permission to read tunnel concentrator

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /tunnel-concentrators/{id}

Permissions:

"tunnel-concentrator" – Permission for full control of tunnel concentrator

Roles:

"Operator",
"Administrator"

DELETE /tunnel-concentrators/{id}

Permissions:

"tunnel-concentrator" – Permission for full control of tunnel concentrator

Roles:

"Operator",
"Administrator"

Configuration - Authentication

No default permissions for this category

GET /ad-servers

Permissions:

"ad-server" – Permission for full control of AD server

"ad-server:r" – Permission to read AD server

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

GET /cwps

Permissions:

"cwp" – Permission for full control of captive web portals

"cwp:r" – Permission to read captive web portals

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

GET /ldap-servers

Permissions:

"ldap-server" – Permission for full control of LDAP server

"ldap-server:r" – Permission to read LDAP server

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

POST /ldap-servers

Permissions:

"ldap-server" – Permission for full control of LDAP server

Roles:

"Operator",

"Administrator"

GET /ldap-servers/{id}

Permissions:

"ldap-server" – Permission for full control of LDAP server

"ldap-server:r" – Permission to read LDAP server

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

PUT /ldap-servers/{id}

Permissions:

"ldap-server" – Permission for full control of LDAP server

Roles:

"Operator",

"Administrator"

DELETE /ldap-servers/{id}

Permissions:

"ldap-server" – Permission for full control of LDAP server

Roles:

"Operator",

"Administrator"

GET /radius-client-objects

Permissions:

"radius-client-object" – Permission for full control of RADIUS client object

"radius-client-object:r" – Permission to read RADIUS client object

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

POST /radius-client-objects

Permissions:

"radius-client-object" – Permission for full control of RADIUS client object

Roles:

"Operator",

"Administrator"

GET /radius-client-objects/{id}

Permissions:

"radius-client-object" – Permission for full control of RADIUS client object

"radius-client-object:r" – Permission to read RADIUS client object

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /radius-client-objects/{id}

Permissions:

"radius-client-object" – Permission for full control of RADIUS client object

Roles:

"Operator",
"Administrator"

DELETE /radius-client-objects/{id}

Permissions:

"radius-client-object" – Permission for full control of RADIUS client object

Roles:

"Operator",
"Administrator"

GET /radius-proxies

Permissions:

"radius-proxy" – Permission for full control of RADIUS proxy

"radius-proxy:r" – Permission to read RADIUS proxy

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /radius-proxies

Permissions:

"radius-proxy" – Permission for full control of RADIUS proxy

Roles:

"Operator",
"Administrator"

GET /radius-proxies/{id}

Permissions:

"radius-proxy" – Permission for full control of RADIUS proxy

"radius-proxy:r" – Permission to read RADIUS proxy

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

PUT /radius-proxies/{id}

Permissions:

"radius-proxy" – Permission for full control of RADIUS proxy

Roles:

"Operator",
"Administrator"

DELETE /radius-proxies/{id}

Permissions:

"radius-proxy" – Permission for full control of RADIUS proxy

Roles:

"Operator",
"Administrator"

GET /radius-proxies/devices

Permissions:

"radius-proxy" – Permission for full control of RADIUS proxy

"radius-proxy:r" – Permission to read RADIUS proxy

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

GET /radius-servers/external

Permissions:

"radius-server" – Permission for full control of RADIUS server

"radius-server:r" – Permission to read RADIUS server

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /radius-servers/external

Permissions:

"radius-server" – Permission for full control of RADIUS server

Roles:

"Operator",
"Administrator"

GET /radius-servers/external/{id}

Permissions:

"radius-server" – Permission for full control of RADIUS server

"radius-server:r" – Permission to read RADIUS server

Roles:

"Operator",
"Administrator",
"Monitor",

"Installer",
"Observer"

PUT /radius-servers/external/{id}

Permissions:

"radius-server" – Permission for full control of RADIUS server

Roles:

"Operator",
"Administrator"

DELETE /radius-servers/external/{id}

Permissions:

"radius-server" – Permission for full control of RADIUS server

Roles:

"Operator",
"Administrator"

GET /radius-servers/internal

Permissions:

"radius-server" – Permission for full control of RADIUS server

"radius-server:r" – Permission to read RADIUS server

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /radius-servers/internal

Permissions:

"radius-server" – Permission for full control of RADIUS server

Roles:

"Operator",
"Administrator"

DELETE /radius-servers/internal

Permissions:

"radius-server" – Permission for full control of RADIUS server

Roles:

"Operator",
"Administrator"

GET /radius-servers/internal/{id}

Permissions:

"radius-server" – Permission for full control of RADIUS server

"radius-server:r" – Permission to read RADIUS server

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /radius-servers/internal/{id}

Permissions:

"radius-server" – Permission for full control of RADIUS server

Roles:

"Operator",
"Administrator"

DELETE /radius-servers/internal/{id}

Permissions:

"radius-server" – Permission for full control of RADIUS server

Roles:

"Operator",
"Administrator"

GET /radius-servers/internal/devices

Permissions:

"radius-server" – Permission for full control of RADIUS server

"radius-server:r" – Permission to read RADIUS server

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

Configuration - Certificate

Permissions:

" certificate" – Permission for all API calls in the Configuration - Certificate Section

" certificate:r" – Permission for all GET API calls in the Configuration – Certificate Section

GET /certificates

Permissions:

No Specific permission - included with *"certificate"* and *"certificate:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

Copilot – Connectivity Experience

No default permissions for this category

[GET /copilot/connectivity/client-type](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[GET /copilot/connectivity/locations](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[GET /copilot/connectivity/wired/events](#)

Permissions:

"copilot-connectivity-wired:r" – Permission to read copilot wired connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

[GET /copilot/connectivity/wired/experience](#)

Permissions:

"copilot-connectivity-wired:r" – Permission to read copilot wired connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

[GET /copilot/connectivity/wired/hardware](#)

Permissions:

"copilot-connectivity-wired:r" – Permission to read copilot wired connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wired/locations/hardware

Permissions:

"copilot-connectivity-wired:r" – Permission to read copilot wired connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wired/quality-index

Permissions:

"copilot-connectivity-wired:r" – Permission to read copilot wired connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/apps

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/events

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/experience

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/locations/events

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/locations/performance

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/locations/quality-index

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/locations/time-to-connect

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",

"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/performance

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/quality-index

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/time-to-connect

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/views

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

Copilot – Anomalies

Permissions:

" **copilot-anomalies:r**" – Permission for all GET API calls in the Copilot Anomalies Section

GET /copilot/anomalies/adverse-traffic/device-stats

Permissions:

No Specific permission - included with "*copilot-anomalies:r*"

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/adverse-traffic/packet-counts

Permissions:

No Specific permission - included with "*copilot-anomalies:r*"

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/anomalies-by-category

Permissions:

No Specific permission - included with "*copilot-anomalies:r*"

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/device-by-location

Permissions:

No Specific permission - included with "*copilot-anomalies:r*"

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/device-with-locations

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

PUT /copilot/anomalies/devices/feedback

Permissions:

NOT SET!

Roles:

NOT SET!

PUT /copilot/anomalies/devices/update-action

Permissions:

NOT SET!

Roles:

NOT SET!

GET /copilot/anomalies/dfs-recurrence/channel-stats

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/dfs-recurrence/count-stats

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/exclude-vlans

Permissions:

NOT SET!

Roles:
NOT SET!

GET /copilot/anomalies/exclude-vlans-csv

Permissions:
NOT SET!
Roles:
NOT SET!

GET /copilot/anomalies/exclude-vlans-list

Permissions:
NOT SET!
Roles:
NOT SET!

GET /copilot/anomalies/hardware-health/client-list

Permissions:
No Specific permission - included with “*copilot-anomalies:r*”
Roles:
"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/hardware-health/cpu-mem-stats

Permissions:
No Specific permission - included with “*copilot-anomalies:r*”
Roles:
"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/hardware-health/stats

Permissions:
No Specific permission - included with “*copilot-anomalies:r*”
Roles:
"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/locations

Permissions:

"copilot-anomalies:r" – Permission to read copilot anomalies

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/missing-vlan/count

Permissions:

No Specific permission - included with *"copilot-anomalies:r"*

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/notifications

Permissions:

No Specific permission - included with *"copilot-anomalies:r"*

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/poeflapping/lldp-cdp-info

Permissions:

No Specific permission - included with *"copilot-anomalies:r"*

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/poeflapping/stats

Permissions:

No Specific permission - included with *"copilot-anomalies:r"*

Roles:

"Operator",
"Monitor",

"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/poeflapping/trends

Permissions:

No Specific permission - included with "*copilot-anomalies:r*"

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/port-efficiency/speed-duplex-stats

Permissions:

No Specific permission - included with "*copilot-anomalies:r*"

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/port-efficiency/stats

Permissions:

No Specific permission - included with "*copilot-anomalies:r*"

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/wifi-capacity/client-list

Permissions:

No Specific permission - included with "*copilot-anomalies:r*"

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/wifi-capacity/stats

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/report

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

PUT /copilot/anomalies/update-action

Permissions:

NOT SET!

Roles:

NOT SET!

PUT / copilot/anomalies/update-device-action

Permissions:

NOT SET!

Roles:

NOT SET!

GET /copilot/anomalies/wifi-efficiency/client-list

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/wifi-efficiency/stats

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",

"Administrator",
"Observer",
"Guest Management"

GET /copilot/assurance-scans/overview

Permissions:

"copilot-assurance-scans:r" – Permission to read access to Copilot Assurance scan

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

Packet Capture

Permissions:

"packet-capture" – Permission for all API calls in the Packet Capture Section

"packet-capture:r" – Permission for all GET API calls in the Packet Capture Section

GET /packetcaptures

Permissions:

No Specific permission - included with "packet-capture" and "packet-capture:r"

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /packetcaptures

Permissions:

No Specific permission - included with "packet-capture"

Roles:

"Operator",
"Help Desk",
"Administrator"

GET /packetcaptures/{id}

Permissions:

No Specific permission - included with "packet-capture" and "packet-capture:r"

Roles:

"Operator",
"Help Desk",
"Administrator",

"Monitor",
"Installer"
"Observer"

Delete /packetcaptures/{id}

Permissions:

No Specific permission - included with *"packet-capture"*

Roles:

"Operator",
"Help Desk",
"Administrator"

POST /packetcaptures/{id}/:stop

Permissions:

No Specific permission - included with *"packet-capture"*

Roles:

"Operator",
"Help Desk",
"Administrator"

POST /packetcaptures/{id}/:upload

Permissions:

No Specific permission - included with *"packet-capture"*

Roles:

"Operator",
"Help Desk",
"Administrator"

GET /packetcaptures/files

Permissions:

No Specific permission - included with *"packet-capture"* and *"packet-capture:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer"
"Observer"

Network Scorecard

Permissions:

"network-scorecard " – Permission for all API calls in the Network Scorecard Section

"network-scorecard:r" – Permission for all GET API calls in the Network Scorecard Section

GET /network-scorecard/clientHealth/{id}

Permissions:

No Specific permission - included with “*network-scorecard*” and “*network-scorecard:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /network-scorecard/deviceHealth/{id}

Permissions:

No Specific permission - included with “*network-scorecard*” and “*network-scorecard:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /network-scorecard/networkHealth/{id}

Permissions:

No Specific permission - included with “*network-scorecard*” and “*network-scorecard:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /network-scorecard/serviceHealth/{id}

Permissions:

No Specific permission - included with “*network-scorecard*” and “*network-scorecard:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /network-scorecard/wifiHealth/{id}

Permissions:

No Specific permission - included with “*network-scorecard*” and “*network-scorecard:r*”

Roles:

"Operator",
"Administrator",

**"Monitor",
"Installer",
"Observer"**

Essentials - ExtremeLocation

No default permissions for this category

[GET /essentials/eloc/clients/{client-mac}/last-known-location](#)

Permissions:

NOT SET!

Roles:

NOT SET!

Misc - Metadata – Country

Permissions:

"country " – Permission for all API calls in the Metadata-Country Section

"country:r" – Permission for all GET API calls in the Metadata-Country Section

[GET /countries](#)

Permissions:

No Specific permission - included with *"country"* and *"country:r"*

Roles:

"Operator",

"Help Desk",

"Administrator",

"Monitor",

"Installer"

"Observer"

[GET /countries/{countryAlpha2Code}/states](#)

Permissions:

No Specific permission - included with *"country"* and *"country:r"*

Roles:

"Operator",

"Help Desk",

"Administrator",

"Monitor",

"Installer"

"Observer"

[GET /countries/{id}/:validate](#)

Permissions:

No Specific permission - included with *"country"* and *"country:r"*

Roles:

"Operator",

"Help Desk",
"Administrator",
"Monitor",
"Installer"
"Observer"

Thread

No default permissions for this category

[GET /thread/networks](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[GET /thread/routers](#)

Permissions:

NOT SET!

Roles:

NOT SET!

[GET /thread/topology](#)

Permissions:

NOT SET!

Roles:

NOT SET!

Universal Compute Platform

No default permissions for this category

[GET /upc/{id}/engines/installed](#)

Permissions:

NOT SET!

Roles:

NOT SET!

AFC-endpoint

No default permissions for this category

[GET /afcserver](#)

Permissions:

NOT SET!

Roles:

NOT SET!

GET /afcserver/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

GET /afcserver/statistics/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

GET /afcserver/diagnostics/{sn}

Permissions:

NOT SET!

Roles:

NOT SET!

GET /ap/afc/interface/details/{sn}

Permissions:

NOT SET!

Roles:

NOT SET!

POST /ap/spectrum

Permissions:

NOT SET!

Roles:

NOT SET!

GET /aps/afc/query

Permissions:

NOT SET!

Roles:

NOT SET!

POST /aps/afc/update

Permissions:

NOT SET!

Roles:

NOT SET!

GET /site/afc/schedule

Permissions:

NOT SET!

Roles:
NOT SET!

PUT /site/afc/schedule

Permissions:
NOT SET!
Roles:
NOT SET!

POST /site/afc/schedule

Permissions:
NOT SET!
Roles:
NOT SET!

POST /site/spectrum

Permissions:
NOT SET!
Roles:
NOT SET!

RTTS-endpoint

No default permissions for this category

POST /rtts-endpoint

Permissions:
NOT SET!
Roles:
NOT SET!

POST /rtts-endpoint

Permissions:
NOT SET!
Delete:
NOT SET!

APPENDIX – A

API call list based on Roles

Administrator

All available API calls

Operator

All available API calls **except** for the following:

POST /users
DELETE /users/{id}
PATCH /users/{id}
POST /users/external
DELETE /users/external/{id}
PATCH /users/external/{id}

Monitor

POST /logout
POST /auth/apitoken
GET /auth/apitoken/info
GET /auth/permissions
POST /auth/permissions/:check
GET /operations/{operationId}
POST /account/:switch
GET /account/external
GET /account/home
GET /account/third-party-applications
GET /account/vhm/setting
GET /account/vhm/status
GET /account/viq
GET /account/viq/default-device-password
GET /account/viq/download
GET /account/viq/export-import-status
GET /users
GET /users/{id}
GET /users/external
GET /users/external/{id}
GET /users/me
GET /hiq/context
GET /hiq/context/creating
GET /hiq/context/reading
GET /hiq/organizations
GET /hiq/status
GET /locations/building
GET /locations/building/{id}
GET /locations/floor
GET /locations/floor/{id}
GET /locations/site
GET /locations/site/{id}
GET /locations/tree
GET /locations/tree/devices
GET /locations/tree/maps
GET /locations/wall/type
GET /locations/wall/type/references/{id}

GET /devices
GET /devices/{id}
GET /devices/{id}/alarms
GET /devices/{id}/client-monitor
GET /devices/{id}/ftm-settings
GET /devices/{id}/gallery-image
GET /devices/{id}/geolocation
GET /devices/{id}/history/cpu-mem
GET /devices/{id}/ibeacon
GET /devices/{id}/installation-report
GET /devices/{id}/interfaces/wifi
GET /devices/{id}/iot
GET /devices/{id}/location
GET /devices/{id}/monitor/refresh/status
GET /devices/{id}/network-policy
GET /devices/{id}/radio-operating-mode
GET /devices/{id}/ssid/status
GET /devices/digital-twin
GET /devices/network-policy/{policyId}
GET /devices/radio-information
GET /devices/rm-devices-stack/{stackId}
GET /devices/stats
GET /network-policies
GET /network-policies/{id}
GET /network-policies/{id}/ssids
GET /clients/{id}
GET /clients/active
GET /clients/active/count
GET /clients/byMac/{clientMac}
GET /clients/summary
GET /clients/usage
GET /applications
GET /applications/{id}/clients/top{n}
GET /applications/top{n}
GET /alert-policies
GET /alert-policies/{id}
GET /alert-policies/{policyId}/rules/{ruleId}
GET /alert-policies/available-sites
GET /alert-subscriptions/emails
GET /alert-subscriptions/emails/{id}
GET /alert-subscriptions/servicenow
GET /alert-subscriptions/servicenow/{id}
GET /alert-subscriptions/webhooks
GET /alert-subscriptions/webhooks/{id}
GET /alerts

GET /alerts/count-by-{group}
GET /alerts/reports/{id}
GET /logs/accounting
GET /logs/audit
GET /logs/audit/full-descriptions/{id}
GET /logs/audit/reports/{id}
GET /logs/auth
GET /logs/credential
GET /logs/email
GET /logs/sms
GET /subscriptions/webhook
GET /subscriptions/webhook/export
GET /deployments
GET /deployments/{deploymentId}
GET /deployments/{deploymentId}/status
GET /deployments/overview
GET /deployments/status
GET /vlan-profiles
GET /vlan-profiles/{id}
GET /email-templates
GET /endusers
GET /pcgs/key-based
GET /pcgs/key-based/network-policy-{policyId}/port-assignments
GET /pcgs/key-based/network-policy-{policyId}/users
GET /sms-templates
GET /usergroups
GET /usergroups/:unique
GET /ccgs
GET /ccgs/{id}
GET /classification-rules
GET /classification-rules/{id}
GET /client-monitor-profiles
GET /client-monitor-profiles/{id}
GET /hotspot-profiles
GET /hotspot-profiles/{id}
GET /hotspot-service-provider-profiles
GET /hotspot-service-provider-profiles/{id}
GET /iot-profiles
GET /iot-profiles/{id}
GET /l3-address-profiles
GET /l3-address-profiles/{id}
GET /radio-profiles
GET /radio-profiles/{id}
GET /radio-profiles/channel-selection/{id}
GET /radio-profiles/mac-ouis

GET /radio-profiles/mac-ouis/{id}
GET /radio-profiles/miscellaneous/{id}
GET /radio-profiles/neighborhood-analysis/{id}
GET /radio-profiles/radio-usage-opt/{id}
GET /radio-profiles/sensor-scan/{id}
GET /radio-profiles/wmm-qos/{id}
GET /ssids
GET /ssids/advanced-settings/{id}
GET /user-profiles
GET /user-profiles/{id}
GET /tunnel-concentrators
GET /tunnel-concentrators/{id}
GET /ad-servers
GET /cwps
GET /ldap-servers
GET /ldap-servers/{id}
GET /radius-client-objects
GET /radius-client-objects/{id}
GET /radius-proxies
GET /radius-proxies/{id}
GET /radius-proxies/devices
GET /radius-servers/external
GET /radius-servers/external/{id}
GET /radius-servers/internal
GET /radius-servers/internal/{id}
GET /radius-servers/internal/devices
GET /certificates
GET /copilot/connectivity/wired/events
GET /copilot/connectivity/wired/experience
GET /copilot/connectivity/wired/hardware
GET /copilot/connectivity/wired/locations/hardware
GET /copilot/connectivity/wired/quality-index
GET /copilot/connectivity/wireless/apps
GET /copilot/connectivity/wireless/events
GET /copilot/connectivity/wireless/experience
GET /copilot/connectivity/wireless/locations/events
GET /copilot/connectivity/wireless/locations/performance
GET /copilot/connectivity/wireless/locations/quality-index
GET /copilot/connectivity/wireless/locations/time-to-connect
GET /copilot/connectivity/wireless/performance
GET /copilot/connectivity/wireless/quality-index
GET /copilot/connectivity/wireless/time-to-connect
GET /copilot/connectivity/wireless/views
GET /copilot/anomalies/adverse-traffic/device-stats
GET /copilot/anomalies/adverse-traffic/packet-counts

GET /copilot/anomalies/anomalies-by-category
GET /copilot/anomalies/devices-by-location
GET /copilot/anomalies/devices-with-locations
GET /copilot/anomalies/dfs-recurrence/channel-stats
GET /copilot/anomalies/dfs-recurrence/count-stats
GET /copilot/anomalies/excluded-vlans-list
GET /copilot/anomalies/hardware-health/client-list
GET /copilot/anomalies/hardware-health/cpu-mem-stats
GET /copilot/anomalies/hardware-health/stats
GET /copilot/anomalies/locations
GET /copilot/anomalies/missing-vlan/count
GET /copilot/anomalies/notifications
GET /copilot/anomalies/poeflapping/lldp-cdp-info
GET /copilot/anomalies/poeflapping/stats
GET /copilot/anomalies/poeflapping/trends
GET /copilot/anomalies/port-efficiency/speed-duplex-stats
GET /copilot/anomalies/port-efficiency/stats
GET /copilot/anomalies/report
GET /copilot/anomalies/wifi-capacity/client-list
GET /copilot/anomalies/wifi-capacity/stats
GET /copilot/anomalies/wifi-efficiency/client-list
GET /copilot/anomalies/wifi-efficiency/stats
GET /copilot/assurance-scans/overview
GET /packetcaptures
GET /packetcaptures/{id}
GET /packetcaptures/files
GET /network-scorecard/clientHealth/{locationId}
GET /network-scorecard/deviceHealth/{locationId}
GET /network-scorecard/networkHealth/{locationId}
GET /network-scorecard/servicesHealth/{locationId}
GET /network-scorecard/wifiHealth/{locationId}
GET /countries
GET /countries/{countryAlpha2Code}/states
GET /countries/{countryCode}/:validate

Installer

POST /logout
POST /auth/apitoken
POST /auth/permissions/:check
GET /operations/{operationId}
POST /account/:switch
GET /account/external
GET /account/home
GET /account/third-party-applications
GET /account/vhm/setting

GET /account/vhm/status
GET /account/viq
GET /account/viq/default-device-password
GET /account/viq/download
GET /account/viq/export-import-status
GET /users/me
GET /hiq/context
PUT /hiq/context
GET /hiq/context/creating
PUT /hiq/context/creating
GET /hiq/context/reading
PUT /hiq/context/reading
GET /hiq/organizations
GET /hiq/status
POST /locations
POST /locations/:init
PUT /locations/{id}
DELETE /locations/{id}
GET /locations/building
POST /locations/building
GET /locations/building/{id}
PUT /locations/building/{id}
DELETE /locations/building/{id}
GET /locations/floor
POST /locations/floor
GET /locations/floor/{id}
PUT /locations/floor/{id}
DELETE /locations/floor/{id}
POST /locations/floorplan
POST /locations/import/ekahau
GET /locations/site
POST /locations/site
GET /locations/site/{id}
PUT /locations/site/{id}
DELETE /locations/site/{id}
GET /locations/tree
GET /locations/tree/devices
GET /locations/tree/maps
GET /locations/wall/type
POST /locations/wall/type
PUT /locations/wall/type/{id}
DELETE /locations/wall/type/{id}
GET /locations/wall/type/references/{id}
GET /devices
POST /devices/:advanced-onboard

POST /devices/:check-ownership
POST /devices/:cli
POST /devices/:delete
POST /devices/:manage
POST /devices/:onboard
POST /devices/:reboot
POST /devices/:unmanage
GET /devices/{id}
DELETE /devices/{id}
POST /devices/{id}/:cli
POST /devices/{id}/:manage
POST /devices/{id}/:reboot
POST /devices/{id}/:reset
POST /devices/{id}/:unmanage
GET /devices/{id}/alarms
POST /devices/{id}/bounce-port
GET /devices/{id}/client-monitor
PUT /devices/{id}/client-monitor
DELETE /devices/{id}/client-monitor
PUT /devices/{id}/description
GET /devices/{id}/ftm-settings
PUT /devices/{id}/ftm-settings
DELETE /devices/{id}/ftm-settings
GET /devices/{id}/gallery-image
GET /devices/{id}/geolocation
GET /devices/{id}/history/cpu-mem
PUT /devices/{id}/hostname
GET /devices/{id}/ibeacon
GET /devices/{id}/installation-report
GET /devices/{id}/interfaces/wifi
GET /devices/{id}/iot
POST /devices/{id}/iot/:disable
POST /devices/{id}/iot/:enable
GET /devices/{id}/location
PUT /devices/{id}/location
DELETE /devices/{id}/location
POST /devices/{id}/monitor/:refresh
GET /devices/{id}/monitor/refresh/status
GET /devices/{id}/network-policy
PUT /devices/{id}/network-policy
DELETE /devices/{id}/network-policy
GET /devices/{id}/radio-operating-mode
PUT /devices/{id}/radio-operating-mode
POST /devices/{id}/ssid/:override
GET /devices/{id}/ssid/status

POST /devices/{id}/ssid/status/:change
POST /devices/{id}/thread/commissioner/:start
POST /devices/{id}/thread/commissioner/:stop
PUT /devices/{id}/visible
POST /devices/client-monitor/:assign
POST /devices/client-monitor/:revoke
POST /devices/client-monitor/:query
POST /devices/country-code/:assign
GET /devices/digital-twin
PUT /devices/ibeacon
POST /devices/location/:assign
POST /devices/location/:query
POST /devices/location/:revoke
POST /devices/network-policy/:assign
POST /devices/network-policy/:query
POST /devices/network-policy/:revoke
GET /devices/network-policy/{policyId}
POST /devices/os/:change
GET /devices/radio-information
PUT /devices/radius-proxy/:assign
DELETE /devices/radius-proxy/:revoke
POST /devices/rm-devices-connection-status
POST /devices/rm-devices-metadata
POST /devices/rm-devices-page
POST /devices/rm-devices-page/export
GET /devices/rm-devices-stack/{stackId}
GET /devices/stats
GET /network-policies
GET /network-policies/{id}
GET /network-policies/{id}/ssids
GET /clients/{id}
GET /clients/active
GET /clients/active/count
GET /clients/byMac/{clientMac}
GET /clients/summary
GET /clients/usage
GET /alert-policies
GET /alert-policies/{id}
GET /alert-policies/{policyId}/rules/{ruleId}
GET /alert-policies/available-sites
GET /alert-subscriptions/emails
GET /alert-subscriptions/emails/{id}
GET /alert-subscriptions/servicenow
GET /alert-subscriptions/servicenow/{id}
GET /alert-subscriptions/webhooks

GET /alert-subscriptions/webhooks/{id}
GET /alerts
GET /alerts/count-by-{group}
GET /alerts/reports/{id}
GET /logs/accounting
GET /logs/audit
GET /logs/audit/full-descriptions/{id}
GET /logs/audit/reports/{id}
GET /logs/auth
GET /logs/credential
GET /logs/email
GET /logs/sms
GET /deployments
GET /deployments/{deploymentId}
GET /deployments/{deploymentId}/status
GET /deployments/overview
GET /deployments/status
GET /client-monitor-profiles
GET /client-monitor-profiles/{id}
GET /hotspot-profiles
GET /hotspot-profiles/{id}
GET /hotspot-service-provider-profiles
GET /hotspot-service-provider-profiles/{id}
GET /iot-profiles
GET /iot-profiles/{id}
GET /radio-profiles
GET /radio-profiles/{id}
GET /radio-profiles/channel-selection/{id}
GET /radio-profiles/mac-ouis
GET /radio-profiles/mac-ouis/{id}
GET /radio-profiles/miscellaneous/{id}
GET /radio-profiles/neighborhood-analysis/{id}
GET /radio-profiles/radio-usage-opt/{id}
GET /radio-profiles/sensor-scan/{id}
GET /radio-profiles/wmm-qos/{id}
GET /ssids
GET /ssids/advanced-settings/{id}
GET /user-profiles
GET /user-profiles/{id}
GET /tunnel-concentrators
GET /tunnel-concentrators/{id}
GET /radius-client-objects
GET /radius-client-objects/{id}
GET /radius-servers/external
GET /radius-servers/external/{id}

GET /radius-servers/internal
GET /radius-servers/internal/{id}
GET /radius-servers/internal/devices
GET /certificates
GET /packetcaptures
GET /packetcaptures/{id}
GET /packetcaptures/files
GET /network-scorecard/clientHealth/{locationId}
GET /network-scorecard/deviceHealth/{locationId}
GET /network-scorecard/networkHealth/{locationId}
GET /network-scorecard/servicesHealth/{locationId}
GET /network-scorecard/wifiHealth/{locationId}
GET /countries
GET /countries/{countryAlpha2Code}/states
GET /countries/{countryCode}/:validate

Observer

POST /logout
GET /auth/apitoken/info
GET /auth/permissions
POST /auth/permissions/:check
GET /operations/{operationId}
POST /account/:switch
GET /account/external
GET /account/home
GET /account/third-party-applications
GET /account/vhm/setting
GET /account/vhm/status
GET /account/viq
GET /account/viq/default-device-password
GET /account/viq/download
GET /account/viq/export-import-status
GET /users/me
GET /hiq/context
GET /hiq/context/creating
GET /hiq/context/reading
GET /hiq/organizations
GET /hiq/status
GET /locations/building
GET /locations/building/{id}
GET /locations/floor
GET /locations/floor/{id}
GET /locations/site
GET /locations/site/{id}
GET /locations/tree

GET /locations/tree/devices
GET /locations/tree/maps
GET /locations/wall/type
GET /locations/wall/type/references/{id}
GET /devices
GET /devices/{id}
GET /devices/{id}/alarms
GET /devices/{id}/client-monitor
GET /devices/{id}/ftm-settings
GET /devices/{id}/gallery-image
GET /devices/{id}/geolocation
GET /devices/{id}/history/cpu-mem
GET /devices/{id}/ibeacon
GET /devices/{id}/installation-report
GET /devices/{id}/interfaces/wifi
GET /devices/{id}/iot
GET /devices/{id}/location
GET /devices/{id}/monitor/refresh/status
GET /devices/{id}/network-policy
GET /devices/{id}/radio-operating-mode
GET /devices/{id}/ssid/status
GET /devices/digital-twin
GET /devices/network-policy/{policyId}
GET /devices/radio-information
GET /devices/rm-devices-stack/{stackId}
GET /devices/stats
GET /network-policies
GET /network-policies/{id}
GET /network-policies/{id}/ssids
GET /clients/{id}
GET /clients/active
GET /clients/active/count
GET /clients/byMac/{clientMac}
GET /clients/summary
GET /clients/usage
GET /applications
GET /applications/{id}/clients/top{n}
GET /applications/top{n}
GET /alert-policies
GET /alert-policies/{id}
GET /alert-policies/{policyId}/rules/{ruleId}
GET /alert-policies/available-sites
GET /alert-subscriptions/emails
GET /alert-subscriptions/emails/{id}
GET /alert-subscriptions/servicenow

GET /alert-subscriptions/servicenow/{id}
GET /alert-subscriptions/webhooks
GET /alert-subscriptions/webhooks/{id}
GET /alerts
GET /alerts/count-by-{group}
GET /alerts/reports/{id}
GET /logs/accounting
GET /logs/audit
GET /logs/audit/full-descriptions/{id}
GET /logs/audit/reports/{id}
GET /logs/auth
GET /logs/credential
GET /logs/email
GET /logs/sms
GET /subscriptions/webhook
GET /subscriptions/webhook/export
GET /deployments
GET /deployments/{deploymentId}
GET /deployments/{deploymentId}/status
GET /deployments/overview
GET /deployments/status
GET /vlan-profiles
GET /vlan-profiles/{id}
GET /email-templates
GET /endusers
GET /pcgs/key-based
GET /pcgs/key-based/network-policy-{policyId}/port-assignments
GET /pcgs/key-based/network-policy-{policyId}/users
GET /sms-templates
GET /usergroups
GET /usergroups/:unique
GET /ccgs
GET /ccgs/{id}
GET /classification-rules
GET /classification-rules/{id}
GET /client-monitor-profiles
GET /client-monitor-profiles/{id}
GET /hotspot-profiles
GET /hotspot-profiles/{id}
GET /hotspot-service-provider-profiles
GET /hotspot-service-provider-profiles/{id}
GET /iot-profiles
GET /iot-profiles/{id}
GET /l3-address-profiles
GET /l3-address-profiles/{id}

GET /radio-profiles
GET /radio-profiles/{id}
GET /radio-profiles/channel-selection/{id}
GET /radio-profiles/mac-ouis
GET /radio-profiles/mac-ouis/{id}
GET /radio-profiles/miscellaneous/{id}
GET /radio-profiles/neighborhood-analysis/{id}
GET /radio-profiles/radio-usage-opt/{id}
GET /radio-profiles/sensor-scan/{id}
GET /radio-profiles/wmm-qos/{id}
GET /ssids
GET /ssids/advanced-settings/{id}
GET /user-profiles
GET /user-profiles/{id}
GET /tunnel-concentrators
GET /tunnel-concentrators/{id}
GET /ad-servers
GET /cwps
GET /ldap-servers
GET /ldap-servers/{id}
GET /radius-client-objects
GET /radius-client-objects/{id}
GET /radius-proxies
GET /radius-proxies/{id}
GET /radius-proxies/devices
GET /radius-servers/external
GET /radius-servers/external/{id}
GET /radius-servers/internal
GET /radius-servers/internal/{id}
GET /radius-servers/internal/devices
GET /certificates
GET /copilot/connectivity/wired/events
GET /copilot/connectivity/wired/experience
GET /copilot/connectivity/wired/hardware
GET /copilot/connectivity/wired/locations/hardware
GET /copilot/connectivity/wired/quality-index
GET /copilot/connectivity/wireless/apps
GET /copilot/connectivity/wireless/events
GET /copilot/connectivity/wireless/experience
GET /copilot/connectivity/wireless/locations/events
GET /copilot/connectivity/wireless/locations/performance
GET /copilot/connectivity/wireless/locations/quality-index
GET /copilot/connectivity/wireless/locations/time-to-connect
GET /copilot/connectivity/wireless/performance
GET /copilot/connectivity/wireless/quality-index

GET /copilot/connectivity/wireless/time-to-connect
GET /copilot/connectivity/wireless/views
GET /copilot/anomalies/adverse-traffic/device-stats
GET /copilot/anomalies/adverse-traffic/packet-counts
GET /copilot/anomalies/anomalies-by-category
GET /copilot/anomalies/devices-by-location
GET /copilot/anomalies/devices-with-locations
GET /copilot/anomalies/dfs-recurrence/channel-stats
GET /copilot/anomalies/dfs-recurrence/count-stats
GET /copilot/anomalies/excluded-vlans-list
GET /copilot/anomalies/hardware-health/client-list
GET /copilot/anomalies/hardware-health/cpu-mem-stats
GET /copilot/anomalies/hardware-health/stats
GET /copilot/anomalies/locations
GET /copilot/anomalies/missing-vlan/count
GET /copilot/anomalies/notifications
GET /copilot/anomalies/poeflapping/ldp-cdp-info
GET /copilot/anomalies/poeflapping/stats
GET /copilot/anomalies/poeflapping/trends
GET /copilot/anomalies/port-efficiency/speed-duplex-stats
GET /copilot/anomalies/port-efficiency/stats
GET /copilot/anomalies/report
GET /copilot/anomalies/wifi-capacity/client-list
GET /copilot/anomalies/wifi-capacity/stats
GET /copilot/anomalies/wifi-efficiency/client-list
GET /copilot/anomalies/wifi-efficiency/stats
GET /copilot/assurance-scans/overview
GET /packetcaptures
GET /packetcaptures/{id}
GET /packetcaptures/files
GET /network-scorecard/clientHealth/{locationId}
GET /network-scorecard/deviceHealth/{locationId}
GET /network-scorecard/networkHealth/{locationId}
GET /network-scorecard/servicesHealth/{locationId}
GET /network-scorecard/wifiHealth/{locationId}
GET /countries
GET /countries/{countryAlpha2Code}/states
GET /countries/{countryCode}/:validate

Help Desk

POST /logout
POST /auth/permissions/:check
GET /operations/{operationId}
POST /account/:switch
GET /account/external

GET /account/home
GET /account/third-party-applications
GET /account/vhm/setting
GET /account/vhm/status
GET /account/viq
GET /account/viq/default-device-password
GET /account/viq/download
GET /account/viq/export-import-status
GET /users/me
GET /hiq/context
GET /hiq/context/creating
GET /hiq/context/reading
GET /hiq/organizations
GET /hiq/status
GET /locations/building
GET /locations/building/{id}
GET /locations/floor
GET /locations/floor/{id}
GET /locations/site
GET /locations/site/{id}
GET /locations/tree
GET /locations/tree/devices
GET /locations/tree/maps
GET /locations/wall/type
GET /locations/wall/type/references/{id}
GET /clients/{id}
GET /clients/active
GET /clients/active/count
GET /clients/byMac/{clientMac}
GET /clients/summary
GET /clients/usage
GET /alerts
GET /alerts/count-by-{group}
GET /alerts/reports/{id}
GET /deployments
GET /deployments/{deploymentId}
GET /deployments/{deploymentId}/status
GET /deployments/overview
GET /deployments/status
GET /endusers
GET /packetcaptures
POST /packetcaptures
GET /packetcaptures/{id}
DELETE /packetcaptures/{id}
POST /packetcaptures/{id}/:stop

POST /packetcaptures/{id}/:upload
GET /packetcaptures/files
GET /countries
GET /countries/{countryAlpha2Code}/states
GET /countries/{countryCode}/:validate

Application Operator

POST /account/:switch
GET /account/external
GET /account/home
GET /account/third-party-applications
GET /account/vhm/setting
GET /account/vhm/status
GET /account/viq
GET /account/viq/default-device-password
GET /account/viq/download
GET /account/viq/export-import-status
GET /logs/accounting
GET /logs/audit
GET /logs/audit/full-descriptions/{id}
GET /logs/audit/reports/{id}
GET /logs/auth
GET /logs/credential
GET /logs/email
GET /logs/sms

Guest Management

POST /logout
POST /auth/permissions/:check
GET /operations/{operationId}
POST /account/:switch
GET /account/external
GET /account/home
GET /account/third-party-applications
GET /account/vhm/setting
GET /account/vhm/status
GET /account/viq
GET /account/viq/default-device-password
GET /account/viq/download
GET /account/viq/export-import-status
GET /deployments
GET /deployments/{deploymentId}
GET /deployments/{deploymentId}/status
GET /deployments/overview
GET /deployments/status

GET /endusers
POST /endusers
PUT /endusers/{id}
DELETE /endusers/{id}
POST /endusers/{id}/:regenerate-password
GET /usergroups
GET /usergroups/:unique
GET /copilot/connectivity/wired/events
GET /copilot/connectivity/wired/experience
GET /copilot/connectivity/wired/hardware
GET /copilot/connectivity/wired/locations/hardware
GET /copilot/connectivity/wired/quality-index
GET /copilot/connectivity/wireless/apps
GET /copilot/connectivity/wireless/events
GET /copilot/connectivity/wireless/experience
GET /copilot/connectivity/wireless/locations/events
GET /copilot/connectivity/wireless/locations/performance
GET /copilot/connectivity/wireless/locations/quality-index
GET /copilot/connectivity/wireless/locations/time-to-connect
GET /copilot/connectivity/wireless/performance
GET /copilot/connectivity/wireless/quality-index
GET /copilot/connectivity/wireless/time-to-connect
GET /copilot/connectivity/wireless/views
GET /copilot/anomalies/adverse-traffic/device-stats
GET /copilot/anomalies/adverse-traffic/packet-counts
GET /copilot/anomalies/anomalies-by-category
GET /copilot/anomalies/devices-by-location
GET /copilot/anomalies/devices-with-locations
GET /copilot/anomalies/dfs-recurrence/channel-stats
GET /copilot/anomalies/dfs-recurrence/count-stats
GET /copilot/anomalies/excluded-vlans-list
GET /copilot/anomalies/hardware-health/client-list
GET /copilot/anomalies/hardware-health/cpu-mem-stats
GET /copilot/anomalies/hardware-health/stats
GET /copilot/anomalies/locations
GET /copilot/anomalies/missing-vlan/count
GET /copilot/anomalies/notifications
GET /copilot/anomalies/poeflapping/lldp-cdp-info
GET /copilot/anomalies/poeflapping/stats
GET /copilot/anomalies/poeflapping/trends
GET /copilot/anomalies/port-efficiency/speed-duplex-stats
GET /copilot/anomalies/port-efficiency/stats
GET /copilot/anomalies/report
GET /copilot/anomalies/wifi-capacity/client-list
GET /copilot/anomalies/wifi-capacity/stats

GET /copilot/anomalies/wifi-efficiency/client-list
GET /copilot/anomalies/wifi-efficiency/stats
GET /copilot/assurance-scans/overview

APPENDIX – B

API call list based on Permission

logout

POST /logout

auth

POST /auth/permissions/:check
POST /auth/apitoken
POST /auth/apitoken/:validate
GET /auth/permissions
GET /auth/apitoken/info

auth:r

GET /auth/permissions
GET /auth/apitoken/info

token:new

POST /auth/apitoken

perm:check

POST /auth/permissions/:check

lro

POST /operations/{operationId}/:cancel
GET /operations/{operationId}
DELETE /operations/{operationId}

lro:r

GET /operations/{operationId}

account

GET /account/viq/default-device-password
PUT /account/viq/default-device-password
PUT /account/vhm/setting/{id}
POST /account/viq/import
POST /account/viq/export
POST /account/viq/:reset
POST /account/viq/:backup
POST /account/:switch
GET /account/viq

GET /account/viq/export-import-status
GET /account/viq/download
GET /account/vhm/status
GET /account/vhm/setting
GET /account/third-party-applications
GET /account/home
GET /account/external

account:switch

POST /account/:switch

account:r

GET /account/viq/default-device-password
GET /account/viq
GET /account/viq/export-import-status
GET /account/viq/download
GET /account/vhm/status
GET /account/vhm/setting
GET /account/third-party-applications
GET /account/home
GET /account/external

viq:backup

POST /account/viq/:backup

user-me:r

GET /users/me

user:r

GET /users
GET /users/external
GET /users/{id}
GET /users/external/{id}
GET /users/me

hiq

GET /hiq/context
PUT /hiq/context
GET /hiq/context/reading
PUT /hiq/context/reading
GET /hiq/context/creating
PUT /hiq/context/creating
GET /hiq/organizations
POST /hiq/organizations
POST /hiq/organizations/{id}:/rename

GET /hiq/status
DELETE /hiq/organizations/{id}

hiq:r

GET /hiq/context
GET /hiq/context/reading
GET /hiq/context/creating
GET /hiq/organizations
GET /hiq/status

org

GET /hiq/organizations
POST /hiq/organizations
POST /hiq/organizations/{id}:/rename
DELETE /hiq/organizations/{id}

org:new

POST /hiq/organizations

org:del

DELETE /hiq/organizations/{id}

org:rename

POST /hiq/organizations/{id}:/rename

hiq.ctx

GET /hiq/context
PUT /hiq/context
GET /hiq/context/reading
PUT /hiq/context/reading
GET /hiq/context/creating
PUT /hiq/context/creating

hiq.ctx:r

GET /hiq/context
GET /hiq/context/reading
GET /hiq/context/creating

hiq.ctx:w

PUT /hiq/context
PUT /hiq/context/reading
PUT /hiq/context/creating

device

PUT /devices/{id}/visible
GET /devices/{id}/radio-operating-mode

PUT /devices/{id}/radio-operating-mode
GET /devices/{id}/network-policy
PUT /devices/{id}/network-policy
DELETE /devices/{id}/network-policy
GET /devices/{id}/location
PUT /devices/{id}/location
DELETE /devices/{id}/location
PUT /devices/{id}/hostname
GET /devices/{id}/ftm-settings
PUT /devices/{id}/ftm-settings
DELETE /devices/{id}/ftm-settings
PUT /devices/{id}/description
GET /devices/{id}/client-monitor
PUT /devices/{id}/client-monitor
DELETE /devices/{id}/client-monitor
PUT /devices/radius-proxy/:assign
PUT /devices/ibeacon
POST /devices/{id}/thread/commissioner/:stop
POST /devices/{id}/thread/commissioner/:start
POST /devices/{id}/ssid/status/:change
POST /devices/{id}/ssid/override
POST /devices/{id}/monitor/:refresh
POST /devices/{id}/iot/:enable
POST /devices/{id}/iot/:disable
POST /devices/{id}/bounce-port
POST /devices/{id}/:unmanage
POST /devices/{id}/:reset
POST /devices/{id}/:reboot
POST /devices/{id}/:manage
POST /devices/{id}/:cli
POST /devices/rm-devices-page
POST /devices/rm-devices-page/export
POST /devices/rm-devices-metadata
POST /devices/rm-devices-connection-status
POST /devices/os/:change
POST /devices/network-policy/:revoke
POST /devices/network-policy/:query
POST /devices/network-policy/:assign
POST /devices/location/:revoke
POST /devices/location/:query
POST /devices/location/:assign
POST /devices/country-code/:assign
POST /devices/client-monitor/:revoke
POST /devices/client-monitor/:query
POST /devices/client-monitor/:assign

POST /devices/:unmanage
POST /devices/:reboot
POST /devices/:onboard
POST /devices/:manage
POST /devices/:delete
POST /devices/:cli
POST /devices/:check-ownership
POST /devices/:advanced-onboard
GET /devices
GET /devices/{id}
DELETE /devices/{id}
GET /devices/{id}/ssid/status
GET /devices/{id}/monitor/refresh/status
GET /devices/{id}/iot
GET /devices/{id}/interfaces/wifi
GET /devices/{id}/installation-report
GET /devices/{id}/ibeacon
GET /devices/{id}/history/cpu-mem
GET /devices/{id}/geolocation
GET /devices/{id}/gallery-image
GET /devices/{id}/alarms
GET /devices/stats
GET /devices/rm-devices-stack/{stackId}
GET /devices/radio-information
GET /devices/network-policy/{policyId}
GET /devices/digital-twin
DELETE /devices/radius-proxy/:revoke

device:r

GET /devices/{id}/radio-operating-mode
GET /devices/{id}/network-policy
GET /devices/{id}/location
GET /devices/{id}/ftm-settings
GET /devices/{id}/client-monitor
GET /devices
GET /devices/{id}
GET /devices/{id}/ssid/status
GET /devices/{id}/monitor/refresh/status
GET /devices/{id}/iot
GET /devices/{id}/interfaces/wifi
GET /devices/{id}/installation-report
GET /devices/{id}/ibeacon
GET /devices/{id}/history/cpu-mem
GET /devices/{id}/geolocation
GET /devices/{id}/gallery-image

GET /devices/{id}/alarms
GET /devices/stats
GET /devices/rm-devices-stack/{stackId}
GET /devices/radio-information
GET /devices/network-policy/{policyId}
GET /devices/digital-twin

device:list

GET /devices

device:view

GET /devices/{id}
GET /devices/stats
GET /devices/radio-information
GET /devices/digital-twin

device:new

POST /devices/:onboard

device:del

POST /devices/:delete

device:cli

POST /devices/:cli

device:deploy

Permission not used

device:manage

POST /devices/:manage

device:unmanage

POST /devices/:unmanage

device:reboot

POST /devices/:reboot

device:reset

POST /devices/{id}/:reset

device:thread-commissioner

POST /devices/{id}/thread/commissioner/:stop
POST /devices/{id}/thread/commissioner/:start

client

PUT /clients/alias

GET /clients/{id}
GET /clients/usage
GET /clients/summary
GET /clients/byMac/{clientMac}
DELETE /clients/byMac/{clientMac}
GET /clients/active
GET /clients/active/count

client:r

GET /clients/{id}
GET /clients/usage
GET /clients/summary
GET /clients/byMac/{clientMac}
GET /clients/active
GET /clients/active/count

locations

PUT /locations/{id}
DELETE /locations/{id}
PUT /locations/wall/type/{id}
DELETE /locations/wall/type/{id}
GET /locations/site/{id}
PUT /locations/site/{id}
DELETE /locations/site/{id}
GET /locations/floor/{id}
PUT /locations/floor/{id}
DELETE /locations/floor/{id}
GET /locations/building/{id}
PUT /locations/building/{id}
DELETE /locations/building/{id}
POST /locations
GET /locations/wall/type
POST /locations/wall/type
GET /locations/site
POST /locations/site
POST /locations/import/ekahau
POST /locations/floorplan
GET /locations/floor
POST /locations/floor
GET /locations/building
POST /locations/building
POST /locations/:init
GET /locations/wall/type/references/{id}
GET /locations/tree
GET /locations/tree/maps

GET /locations/tree/devices

locations:r

GET /locations/site/{id}
GET /locations/floor/{id}
GET /locations/building/{id}
GET /locations/wall/type
GET /locations/site
GET /locations/floor
GET /locations/building
GET /locations/wall/type/references/{id}
GET /locations/tree
GET /locations/tree/maps
GET /locations/tree/devices

network-policy

GET /network-policies/{id}
PUT /network-policies/{id}
DELETE /network-policies/{id}
GET /network-policies
POST /network-policies
POST /network-policies/{id}/ssids/remove
POST /network-policies/{id}/ssids/add
GET /network-policies/{id}/ssids

policy:ssid

POST /network-policies/{id}/ssids/remove
POST /network-policies/{id}/ssids/add

network-policy:r

GET /network-policies/{id}
GET /network-policies
GET /network-policies/{id}/ssids

network-scorecard

GET /network-scorecard/wifiHealth/{locationId}
GET /network-scorecard/servicesHealth/{locationId}
GET /network-scorecard/networkHealth/{locationId}
GET /network-scorecard/deviceHealth/{locationId}
GET /network-scorecard/clientHealth/{locationId}

network-scorecard:r

GET /network-scorecard/wifiHealth/{locationId}
GET /network-scorecard/servicesHealth/{locationId}
GET /network-scorecard/networkHealth/{locationId}

GET /network-scorecard/deviceHealth/{locationId}
GET /network-scorecard/clientHealth/{locationId}

ssid

PUT /ssids/{id}/psk/password
PUT /ssids/{id}/mode/wep
PUT /ssids/{id}/mode/psk
PUT /ssids/{id}/mode/ppsk
PUT /ssids/{id}/mode/open
PUT /ssids/{id}/mode/dot1x
GET /ssids/advanced-settings/{id}
PUT /ssids/advanced-settings/{id}
POST /ssids/{id}/user-profile/:attach
POST /ssids/{id}/user-profile-assignment/:attach
POST /ssids/{id}/radius-server-group/:attach
POST /ssids/{id}/radius-client-profile/:attach
POST /ssids/{id}/cwp/:enable
POST /ssids/{id}/cwp/:disable
POST /ssids/{id}/cwp/:attach
POST /ssids/{id}/client-monitor-profile/:attach
POST /ssids/{id}/:rename
GET /ssids

ssid:r

GET /ssids/advanced-settings/{id}
GET /ssids

pcg:key

GET /pcgs/key-based/network-policy-{policyId}/users
PUT /pcgs/key-based/network-policy-{policyId}/users
POST /pcgs/key-based/network-policy-{policyId}/users
DELETE /pcgs/key-based/network-policy-{policyId}/users
GET /pcgs/key-based
POST /pcgs/key-based
GET /pcgs/key-based/network-policy-{policyId}/port-assignments
POST /pcgs/key-based/network-policy-{policyId}/port-assignments
POST /pcgs/key-based/network-policy-{policyId}/keys/:generate
POST /pcgs/key-based/network-policy-{policyId}/keys/:email
POST /pcgs/key-based/network-policy-{policyId}/:onboard
DELETE /pcgs/key-based/network-policy-{policyId}

pcg:key:r

GET /pcgs/key-based/network-policy-{policyId}/users
GET /pcgs/key-based
GET /pcgs/key-based/network-policy-{policyId}/port-assignments

subscriptions-webhook

PUT /subscriptions/webhook/{id}
GET /subscriptions/webhook
POST /subscriptions/webhook
GET /subscriptions/webhook/export
DELETE /subscriptions/webhook/:delete

subscriptions-webhook:r

GET /subscriptions/webhook
GET /subscriptions/webhook/export

ccg

GET /ccgs/{id}
PUT /ccgs/{id}
DELETE /ccgs/{id}
GET /ccgs
POST /ccgs

ccg:r

GET /ccgs/{id}
GET /ccgs

log

POST /logs/audit/reports
GET /logs/sms
GET /logs/email
GET /logs/credential
GET /logs/auth
GET /logs/audit
GET /logs/audit/reports/{id}
GET /logs/audit/full-descriptions/{id}
GET /logs/accounting

log:r

GET /logs/sms
GET /logs/email
GET /logs/credential
GET /logs/auth
GET /logs/audit
GET /logs/audit/reports/{id}
GET /logs/audit/full-descriptions/{id}
GET /logs/accounting

cwp

GET /cwps

cwp:r

GET /cwps

sms-tmpl

GET /sms-templates

sms-tmpl:r

GET /sms-templates

class-rule

GET /classification-rules/{id}

PUT /classification-rules/{id}

DELETE /classification-rules/{id}

GET /classification-rules

POST /classification-rules

class-rule:r

GET /classification-rules/{id}

GET /classification-rules

user-profile

GET /user-profiles/{id}

PUT /user-profiles/{id}

DELETE /user-profiles/{id}

GET /user-profiles

POST /user-profiles

user-profile:r

GET /user-profiles/{id}

GET /user-profiles

tunnel-concentrator

GET /tunnel-concentrators/{id}

PUT /tunnel-concentrators/{id}

DELETE /tunnel-concentrators/{id}

GET /tunnel-concentrators

POST /tunnel-concentrators

tunnel-concentrator:r

GET /tunnel-concentrators/{id}

GET /tunnel-concentrators

radius-proxy

GET /radius-proxies/{id}

PUT /radius-proxies/{id}

DELETE /radius-proxies/{id}
GET /radius-proxies
POST /radius-proxies
GET /radius-proxies/devices

radius-proxy:r

GET /radius-proxies/{id}
GET /radius-proxies
GET /radius-proxies/devices

radius-server

GET /radius-servers/internal/{id}
PUT /radius-servers/internal/{id}
DELETE /radius-servers/internal/{id}
GET /radius-servers/external/{id}
PUT /radius-servers/external/{id}
DELETE /radius-servers/external/{id}
GET /radius-servers/internal
POST /radius-servers/internal
DELETE /radius-servers/internal
GET /radius-servers/external
POST /radius-servers/external
GET /radius-servers/internal/devices

radius-server:r

GET /radius-servers/internal/{id}
GET /radius-servers/external/{id}
GET /radius-servers/internal
GET /radius-servers/external
GET /radius-servers/internal/devices

usergroup

PUT /usergroups/{id}
DELETE /usergroups/{id}
GET /usergroups
POST /usergroups
GET /usergroups/unique

usergroup:r

GET /usergroups
GET /usergroups/unique

deployment

GET /deployments/{deploymentId}
PUT /deployments/{deploymentId}

DELETE /deployments/{deploymentId}
GET /deployments
POST /deployments
POST /deployments/firmware-metadatas
GET /deployments/{deploymentId}/status
GET /deployments/status
GET /deployments/overview

deployment:r

GET /deployments/{deploymentId}
GET /deployments
GET /deployments/{deploymentId}/status
GET /deployments/status
GET /deployments/overview

ad-server

GET /ad-servers

ad-server:r

GET /ad-servers

alert

POST /alerts/reports
POST /alerts/:acknowledge
GET /alerts
GET /alerts/reports/{id}
GET /alerts/count-by-{group}

alert:r

GET /alerts
GET /alerts/reports/{id}
GET /alerts/count-by-{group}
alert-policies
GET /alert-policies/{policyId}/rules/{ruleId}
PUT /alert-policies/{policyId}/rules/{ruleId}
GET /alert-policies/{id}
PUT /alert-policies/{id}
DELETE /alert-policies/{id}
GET /alert-policies
POST /alert-policies
POST /alert-policies/{policyId}/rules/{ruleId}/:enable
POST /alert-policies/{policyId}/rules/{ruleId}/:disable
GET /alert-policies/available-sites

alert-policies:r

GET /alert-policies/{policyId}/rules/{ruleId}
GET /alert-policies/{id}
GET /alert-policies
GET /alert-policies/available-sites

alert-subscriptions

GET /alert-subscriptions/webhooks/{id}
PUT /alert-subscriptions/webhooks/{id}
DELETE /alert-subscriptions/webhooks/{id}
GET /alert-subscriptions/servicenow/{id}
PUT /alert-subscriptions/servicenow/{id}
PATCH /alert-subscriptions/servicenow/{id}
GET /alert-subscriptions/emails/{id}
PUT /alert-subscriptions/emails/{id}
DELETE /alert-subscriptions/emails/{id}
GET /alert-subscriptions/webhooks
POST /alert-subscriptions/webhooks
POST /alert-subscriptions/webhooks/:delete
GET /alert-subscriptions/servicenow
POST /alert-subscriptions/servicenow
POST /alert-subscriptions/servicenow/:delete
GET /alert-subscriptions/emails
POST /alert-subscriptions/emails
POST /alert-subscriptions/emails/{id}/:verify
POST /alert-subscriptions/emails/:delete

alert-subscriptions:r

GET /alert-subscriptions/webhooks/{id}
GET /alert-subscriptions/servicenow/{id}
GET /alert-subscriptions/emails/{id}
GET /alert-subscriptions/webhooks
GET /alert-subscriptions/servicenow
GET /alert-subscriptions/emails

app

GET /applications
GET /applications/{id}/clients/top{n}
GET /applications/top{n}

application:r

GET /applications
GET /applications/{id}/clients/top{n}
GET /applications/top{n}

l3-address-profile

GET /l3-address-profiles/{id}
PUT /l3-address-profiles/{id}
DELETE /l3-address-profiles/{id}
GET /l3-address-profiles
POST /l3-address-profiles

l3-address-profile:r

GET /l3-address-profiles/{id}
GET /l3-address-profiles

vlan-profile

GET /vlan-profiles
POST /vlan-profiles
POST /vlan-profiles/:delete
GET /vlan-profiles/{id}
DELETE /vlan-profiles/{id}
PATCH /vlan-profiles/{id}

vlan-profile:r

GET /vlan-profiles
GET /vlan-profiles/{id}

enduser

PUT /endusers/{id}
DELETE /endusers/{id}
GET /endusers
POST /endusers
POST /endusers/{id}:/regenerate-password

enduser:r

GET /endusers

radius-client-object

GET /radius-client-objects/{id}
PUT /radius-client-objects/{id}
DELETE /radius-client-objects/{id}
GET /radius-client-objects
POST /radius-client-objects

radius-client-object:r

GET /radius-client-objects/{id}
GET /radius-client-objects

ldap-server

GET /ldap-servers/{id}
PUT /ldap-servers/{id}
DELETE /ldap-servers/{id}
GET /ldap-servers
POST /ldap-servers

ldap-server:r

GET /ldap-servers/{id}
GET /ldap-servers

email-template

GET /email-templates

email-template:r

GET /email-templates

certificate

GET /certificates

certificate:r

GET /certificates

radio-profile

GET /radio-profiles/{id}
PUT /radio-profiles/{id}
DELETE /radio-profiles/{id}
GET /radio-profiles/wmm-qos/{id}
PUT /radio-profiles/wmm-qos/{id}
GET /radio-profiles/sensor-scan/{id}
PUT /radio-profiles/sensor-scan/{id}
GET /radio-profiles/radio-usage-opt/{id}
PUT /radio-profiles/radio-usage-opt/{id}
GET /radio-profiles/neighborhood-analysis/{id}
PUT /radio-profiles/neighborhood-analysis/{id}
GET /radio-profiles/miscellaneous/{id}
PUT /radio-profiles/miscellaneous/{id}
GET /radio-profiles/mac-ouis/{id}
PUT /radio-profiles/mac-ouis/{id}
DELETE /radio-profiles/mac-ouis/{id}
GET /radio-profiles/channel-selection/{id}
PUT /radio-profiles/channel-selection/{id}
GET /radio-profiles
POST /radio-profiles
GET /radio-profiles/mac-ouis

POST /radio-profiles/mac-ouis

radio-profile:r

GET /radio-profiles/{id}
GET /radio-profiles/wmm-qos/{id}
GET /radio-profiles/sensor-scan/{id}
GET /radio-profiles/radio-usage-opt/{id}
GET /radio-profiles/neighborhood-analysis/{id}
GET /radio-profiles/miscellaneous/{id}
GET /radio-profiles/mac-ouis/{id}
GET /radio-profiles/channel-selection/{id}
GET /radio-profiles
GET /radio-profiles/mac-ouis

iot-profile

GET /iot-profiles/{id}
PUT /iot-profiles/{id}
DELETE /iot-profiles/{id}
GET /iot-profiles
POST /iot-profiles

iot-profile:r

GET /iot-profiles/{id}
GET /iot-profiles

client-monitor-profile

GET /client-monitor-profiles/{id}
PUT /client-monitor-profiles/{id}
DELETE /client-monitor-profiles/{id}
GET /client-monitor-profiles
POST /client-monitor-profiles

client-monitor-profile:r

GET /client-monitor-profiles/{id}
GET /client-monitor-profiles

copilot-connectivity-wired:r

GET /copilot/connectivity/wired/quality-index
GET /copilot/connectivity/wired/locations/hardware
GET /copilot/connectivity/wired/hardware
GET /copilot/connectivity/wired/experience
GET /copilot/connectivity/wired/events

copilot-connectivity-wireless:r

GET /copilot/connectivity/wireless/views

GET /copilot/connectivity/wireless/time-to-connect
GET /copilot/connectivity/wireless/quality-index
GET /copilot/connectivity/wireless/performance
GET /copilot/connectivity/wireless/locations/time-to-connect
GET /copilot/connectivity/wireless/locations/quality-index
GET /copilot/connectivity/wireless/locations/performance
GET /copilot/connectivity/wireless/locations/events
GET /copilot/connectivity/wireless/experience
GET /copilot/connectivity/wireless/events
GET /copilot/connectivity/wireless/apps

[copilot-anomalies:r](#)

GET /copilot/anomalies/wifi-efficiency/stats
GET /copilot/anomalies/wifi-efficiency/client-list
GET /copilot/anomalies/wifi-capacity/stats
GET /copilot/anomalies/wifi-capacity/client-list
GET /copilot/anomalies/report
GET /copilot/anomalies/port-efficiency/stats
GET /copilot/anomalies/port-efficiency/speed-duplex-stats
GET /copilot/anomalies/poeflapping/trends
GET /copilot/anomalies/poeflapping/stats
GET /copilot/anomalies/poeflapping/ldp-cdp-info
GET /copilot/anomalies/notifications
GET /copilot/anomalies/missing-vlan/count
GET /copilot/anomalies/locations
GET /copilot/anomalies/hardware-health/stats
GET /copilot/anomalies/hardware-health/cpu-mem-stats
GET /copilot/anomalies/hardware-health/client-list
GET /copilot/anomalies/excluded-vlans-list
GET /copilot/anomalies/dfs-recurrence/count-stats
GET /copilot/anomalies/dfs-recurrence/channel-stats
GET /copilot/anomalies/devices-with-locations
GET /copilot/anomalies/devices-by-location
GET /copilot/anomalies/anomalies-by-category
GET /copilot/anomalies/adverse-traffic/packet-counts
GET /copilot/anomalies/adverse-traffic/device-stats

[licenses](#)

Permission not used

[licenses:r](#)

Permission not used

[copilot-assurance-scans:r](#)

GET /copilot/assurance-scans/overview

packet-capture

GET /packetcaptures
POST /packetcaptures
POST /packetcaptures/{id}/:upload
POST /packetcaptures/{id}/:stop
GET /packetcaptures/{id}
DELETE /packetcaptures/{id}
GET /packetcaptures/files

packet-capture:r

GET /packetcaptures
GET /packetcaptures/{id}
GET /packetcaptures/files

country

GET /countries
GET /countries/{countryCode}/:validate
GET /countries/{countryAlpha2Code}/states

country:r

GET /countries
GET /countries/{countryCode}/:validate
GET /countries/{countryAlpha2Code}/states

cas

Permission not used

cas:r

Permission not used

cas-policies

Permission not used

cas-policies:r

Permission not used

cas-metadata:r

Permission not used

cns-subscriptions

Permission not used

cns-subscriptions:r

Permission not used

hotspot-profile

GET /hotspot-profiles/{id}
PUT /hotspot-profiles/{id}
DELETE /hotspot-profiles/{id}
GET /hotspot-profiles
POST /hotspot-profiles

hotspot-profile:r

GET /hotspot-profiles/{id}
GET /hotspot-profiles

hotspot-service-provider-profile

GET /hotspot-service-provider-profiles/{id}
PUT /hotspot-service-provider-profiles/{id}
DELETE /hotspot-service-provider-profiles/{id}
GET /hotspot-service-provider-profiles
POST /hotspot-service-provider-profiles

hotspot-service-provider-profile:r

GET /hotspot-service-provider-profiles/{id}
GET /hotspot-service-provider-profiles