



XIQ API – Permission Requirements and User Roles

Revisions History

Rev	Revision Summary	By Whom	Publish Date
24r3	24r3 updates	Tim	May 3, 2024
24r4	24r4 updates	Tim	June 3,2024
24r5	24r5 updates	Tim	July 3, 2024
24r6	24r6 updates	Tim	Oct 10, 2024

Table of Contents

Introduction	17
Authentication	18
POST /login	18
POST /logout.....	18
Authorization	18
POST /auth/apitoken	18
POST /auth/apitoken/:validate	18
GET /auth/apitoken/info	19
GET /auth/permissions.....	19
POST /auth/permissions/:check.....	19
GET /operations/{operationId}.....	19
DELETE /operations/{operationId}	20
POST /operations/{operationId}/:cancel.....	20
Account.....	20
POST /account/:switch	20
GET /account/external	20
GET /account/home	21
GET /account/viq	21
POST /account/viq/:backup.....	21
GET /account/viq/default-device-password	22
PUT /account/viq/default-device-password	22
GET /account/viq/download	22
POST /account/viq/export.....	22
GET /account/viq/export-import-status	23
POST /account/viq/import	23
Users.....	23
GET /users.....	23
POST /users.....	23
GET /users/{id}.....	24
DELETE /users/{id}	24
PATCH /users/{id}	24
GET /users/external.....	24
POST /users/external.....	24
GET /users/external/{id}.....	24
DELETE /users/external/{id}	25
PATCH /users/external/{id}	25
GET /users/me	25
HIQ.....	25
GET /hiq/context	25
PUT /hiq/context	26
GET /hiq/context/creating.....	26
PUT /hiq/context/creating	26
GET /hiq/context/reading	27
PUT /hiq/context/reading	27

GET /hiq/organizations.....	27
POST /hiq/organizations.....	28
DELETE /hiq/organizations/{id}	28
POST /hiq/organizations/{id}/:rename	28
GET /hiq/status.....	28
Location	29
POST /locations.....	29
POST /locations/:init.....	29
PUT /locations/{id}	29
DELETE /locations/{id}	29
GET /locations/building	30
POST /locations/building	30
GET /locations/building/{id}	30
PUT /locations/building/{id}	30
DELETE /locations/building/{id}	31
GET /locations/floor	31
POST /locations/floor	31
GET /locations/floor/{id}	31
PUT /locations/floor/{id}	32
DELETE /locations/floor/{id}	32
POST /locations/floorplan	32
POST /locations/import/ekahau.....	32
GET /locations/site	32
POST /locations/site	33
GET /locations/site/{id}	33
PUT /locations/site/{id}	33
DELETE /locations/site/{id}.....	33
GET /locations/tree	34
GET /locations/tree/devices.....	34
GET /locations/tree/maps	34
Device	34
GET /devices	35
POST /devices/:advanced-onboard.....	35
POST /devices/:check-ownership.....	35
POST /devices/:cli	35
POST /devices/:delete	36
POST /devices/:manage.....	36
POST /devices/:onboard.....	36
POST /devices/:reboot	36
POST /devices/:unmanage	37
GET /devices/{id}	37
DELETE /devices/{id}.....	37
POST /devices/{id}/:cli	37
POST /devices/{id}/:manage	38
POST /devices/{id}/:reboot	38
POST /devices/{id}/:reset	38
POST /devices/{id}/:unmanage	38
GET /devices/{id}/alarms.....	38

POST /devices/{id}/bounce-port	39
GET /devices/{id}/client-monitor	39
PUT /devices/{id}/client-monitor	39
DELETE /devices/{id}/client-monitor	39
GET /devices/{id}/config/vlan-attributes	40
POST /devices/{id}/config/vlan-attributes	40
DELETE /devices/{id}/config/vlan-attributes	40
PATCH /devices/{id}/config/vlan-attributes/{vlan_id}	40
GET /devices/{id}/config/vlan-ipv4-intf	40
POST /devices/{id}/config/vlan-ipv4-intf	41
DELETE /devices/{id}/config/vlan-ipv4-intf	41
PATCH /devices/{id}/config/vlan-ipv4-intf/{ipv4IntId}	41
GET /devices/{id}/config/vlan-ipv4-static	41
POST /devices/{id}/config/vlan-ipv4-static	42
DELETE /devices/{id}/config/vlan-ipv4-static	42
PATCH /devices/{id}/config/vlan-ipv4-static/{ipv4StaticRouteId}	42
PUT /devices/{id}/description	42
GET /devices/{id}/ftm-settings	42
POST /devices/{id}/config/ftm-settings	43
DELETE /devices/{id}/config/ftm-settings	43
GET /devices/{id}/gallery-image	43
GET /devices/{id}/geolocation	43
GET /devices/{id}/history/cpu-mem	44
PUT /devices/{id}/hostname	44
GET /devices/{id}/ibeacon	44
GET /devices/{id}/installation-report	44
GET /devices/{id}/interfaces/wifi	45
GET /devices/{id}/iot	45
POST /devices/{id}/iot/:disable	45
POST /devices/{id}/iot/:enable	45
GET /devices/{id}/location	45
PUT /devices/{id}/location	46
DELETE /devices/{id}/location	46
POST /devices/{id}/monitor/:refresh	46
GET /devices/{id}/monitor/ipv4-routing	46
GET /devices/{id}/monitor/ipv4-routing-timeline	47
GET /devices/{id}/monitor/refresh/status	47
GET /devices/{id}/monitor/vlan-attr	47
GET /devices/{id}/monitor/vlan-ipv4-intf	47
GET /devices/{id}/network-policy	48
PUT /devices/{id}/network-policy	48
DELETE /devices/{id}/network-policy	48
GET /devices/{id}/radio-operating-mode	48
PUT /devices/{id}/radio-operating-mode	49
POST /devices/{id}/ssid/override	49
GET /devices/{id}/ssid/status	49
POST /devices/{id}/ssid/status/:change	49
POST /devices/{id}/thread/commissioner/:start	49
POST /devices/{id}/thread/commissioner/:stop	50
POST /devices/client-monitor/:assign	50

POST /devices/ client-monitor/:revoke	50
POST /devices/client-monitor/:query	50
POST /devices/country-code/:assign	51
GET /devices/{id}/digital-twin	51
PUT /devices/ibeacon.....	51
POST /devices/location/:assign	51
POST /devices/location/:query	52
POST /devices/location/:revoke.....	52
POST /devices/network-policy/:assign.....	52
POST /devices/network-policy/:query	52
POST /devices/network-policy/:revoke	52
GET /devices/network-policy/{policyId}.....	53
POST /devices/os/:change.....	53
GET /devices/radio-information.....	53
PUT /devices/radius-proxy/:assign.....	53
DELETE /devices/radius-proxy/:revoke	54
GET /devices/stats.....	54
Network Policy	54
GET /network-policies	54
POST /network-policies	54
GET /network-policies/{id}	55
PUT /network-policies/{id}.....	55
DELETE /network-policies/{id}.....	55
GET /network-policies/{id}/ssids	55
POST /network-policies/{id}/ssids/:add	56
POST /network-policies/{id}/ssids/:remove.....	56
Client.....	56
GET /clients/{id}.....	56
GET /clients/active.....	56
PUT /clients/alias.....	57
GET /clients/active/count.....	57
GET /clients/byMac/{client_mac}	57
DELETE /clients/byMac/{client_mac}.....	57
GET /clients/summary	58
GET /clients/usage.....	58
Application.....	58
GET /applications.....	58
GET /applications/{id}/clients/top{n}.....	58
GET /applications/top{n}	59
Alert.....	59
GET /alert-policies	59
POST /alert-policies	59
GET /alert-policies/{id}	60
PUT /alert-policies/{id}.....	60
DELETE /alert-policies/{id}.....	60
GET /alert-policies/{id}/rules/{alert_rule_id}.....	60
PUT /alert-policies/{id}/rules/{alert_rule_id}	61

POST /alert-policies/{id}/rules/{alert_rule_id}/:disable	61
PUT /alert-policies/{id}/rules/{alert_rule_id}/:enable	61
GET /alert-policies/available-sites	61
GET /alert-subscriptions/emails	61
POST /alert-subscriptions/emails	62
POST /alert-subscriptions/emails/:delete	62
GET /alert-subscriptions/emails/{id}	62
PUT /alert-subscriptions/emails/{id}	62
DELETE /alert-subscriptions/emails/{id}	62
POST /alert-subscriptions/emails/{id}/:verify	63
GET /alert-subscriptions/webhooks	63
POST /alert-subscriptions/webhooks	63
POST /alert-subscriptions/webhooks/:delete	63
GET /alert-subscriptions/webhooks/{id}	64
PUT /alert-subscriptions/webhooks/{id}	64
DELETE /alert-subscriptions/webhooks/{id}	64
GET /alerts	64
POST /alerts/:acknowledge	64
GET /alerts/count-by-{group}	65
POST /alerts/report	65
GET /alerts/reports/{id}	65
Log	65
GET /logs/accounting	66
GET /logs/audit	66
GET /logs/audit/full-descriptions/{id}	66
POST /logs/audit/reports	66
GET /logs/audit/reports/{id}	67
GET /logs/auth	67
GET /logs/credential	67
GET /logs/email	67
GET /logs/sms	68
Notification	68
GET /subscriptions/webhook	68
POST /subscriptions/webhook	68
DELETE /subscriptions/webhook/{id}	69
NOS	69
Configuration - Deployment	69
GET /deployments	69
POST /deployments	69
GET /deployments/{id}	69
PUT /deployments/{id}	70
DELETE /deployments/{id}	70
GET /deployments/{id}/status	70
POST /deployments/firmware-metadatas	70
GET /deployments/overview	71
GET /deployments/status	71

Configuration - Basic.....	71
GET /vlan-profiles	71
POST /vlan-profiles	72
POST /vlan-profiles/:delete	72
GET /vlan-profiles/{id}	72
DELETE /vlan-profiles/{id}	72
PATCH /vlan-profiles/{id}	72
Configuration - User Management.....	73
GET /email-templates	73
GET /endusers	73
POST /endusers	73
PUT /endusers/{id}	73
DELETE /endusers/{id}	74
POST /endusers/{id}/:regenerate-password	74
GET /pcgs/key-based	74
POST /pcgs/key-based	74
DELETE /pcgs/key-based/network-policy-{policyId}	75
POST /pcgs/key-based/network-policy-{policyId}/:onboard	75
POST /pcgs/key-based/network-policy-{policyId}/keys/:email	75
POST /pcgs/key-based/network-policy-{policyId}/keys/:generate	75
GET /pcgs/key-based/network-policy-{policyId}/port-assignments	75
POST /pcgs/key-based/network-policy-{policyId}/port-assignments	76
GET /pcgs/key-based/network-policy-{policyId}/users	76
PUT /pcgs/key-based/network-policy-{policyId}/users	76
POST /pcgs/key-based/network-policy-{policyId}/users	76
DELETE /pcgs/key-based/network-policy-{policyId}/users	76
GET /sms-templates	77
GET /usergroups	77
POST /usergroups	77
PUT /usergroups/{id}	77
DELETE /usergroups/{id}	77
Configuration - Policy	78
GET /ccgs	78
POST /ccgs	78
GET /ccgs/{id}	78
PUT /ccgs/{id}	78
DELETE /ccgs/{id}	79
GET /classification-rules	79
POST /classification-rules	79
GET /classification-rules/{id}	79
PUT /classification-rules/{id}	79
DELETE /classification-rules/{id}	80
GET /client-monitor-profiles	80
POST /client-monitor-profile	80
GET /client-monitor-profile/{id}	80
PUT /client-monitor-profile/{id}	81
DELETE /client-monitor-profile/{id}	81
GET /iot-profiles	81

POST /iot-profiles	81
GET /iot-profiles/{id}	81
PUT /iot-profiles/{id}	82
DELETE /iot-profiles/{id}	82
GET /ip-firewall-policies	82
POST /ip-firewall-policies	82
GET /ip-firewall-policies/{id}	82
PUT /ip-firewall-policies/{id}	83
DELETE /ip-firewall-policies/{id}	83
POST /ip-firewall-policies/{id}/attach	83
POST /ip-firewall-policies/{id}/detach	83
GET /l3-address-profiles	83
POST /l3-address-profiles	83
GET /l3-address-profiles/{id}	84
PUT /l3-address-profiles/{id}	84
DELETE /l3-address-profiles/{id}	84
GET /mac-firewall-policies	84
POST /mac-firewall-policies	84
GET /mac-firewall-policies/{id}	85
PUT /mac-firewall-policies/{id}	85
DELETE /mac-firewall-policies/{id}	85
POST /mac-firewall-policies/{id}/attach	85
POST /mac-firewall-policies/{id}/detach	85
GET /mac-object-profiles	85
POST /mac-object-profiles	86
GET /mac-object-profiles/{id}	86
PUT /mac-object-profiles/{id}	86
DELETE /mac-object-profiles/{id}	86
GET /radio-operating-modes/{id}	86
GET /radio-profiles	86
POST /radio-profiles	87
GET /radio-profiles/{id}	87
PUT /radio-profiles/{id}	87
DELETE /radio-profiles/{id}	87
GET /radio-profiles/channel-selection/{channel-selection-id}	88
PUT /radio-profiles/channel-selection/{channel-selection-id}	88
GET /radio-profiles/mac-ouis	88
POST /radio-profiles/mac-ouis	88
GET /radio-profiles/mac-ouis/{mac-oui-id}	88
PUT /radio-profiles/mac-ouis/{mac-oui-id}	89
DELETE /radio-profiles/mac-ouis/{mac-oui-id}	89
GET /radio-profiles/miscellaneous/{radio-misc-id}	89
PUT /radio-profiles/miscellaneous/{radio-misc-id}	89
GET /radio-profiles/neighborhood-analysis/{neigh-analysis-id}	90
PUT /radio-profiles/neighborhood-analysis/{neigh-analysis-id}	90
GET /radio-profiles/radio-usage-opt/{radio-usage-opt-id}	90
PUT /radio-profiles/radio-usage-opt/{radio-usage-opt-id}	90
GET /radio-profiles/sensor-scan/{sensor-scan-id}	91
PUT /radio-profiles/sensor-scan/{sensor-scan-id}	91
GET /radio-profiles/wmm-qos/{radio-qos-id}	91

PUT /radio-profiles/wmm-qos/{radio-qos-id}.....	91
GET /ssids.....	91
POST /ssids/{id}/:rename	92
POST /ssids/{id}/client-monitor-profile/:attach.....	92
POST /ssids/{id}/cwp/:attach	92
POST /ssids/{id}/cwp/:disable	92
POST /ssids/{id}/cwp/:enable.....	92
PUT /ssids/{id}/mode/dot1x.....	93
PUT /ssids/{id}/mode/open.....	93
PUT /ssids/{id}/mode/ppsk	93
PUT /ssids/{id}/mode/psk	93
PUT /ssids/{id}/mode/wep	93
PUT /ssids/{id}/psk/password	94
POST /ssids/{id}/radius-client-profile.....	94
POST /ssids/{id}/radius-server-group/:attach.....	94
POST /ssids/{id}/user-profile-assignment	94
POST /ssids/{id}/user-profile/:attach	94
GET /ssids/advanced-settings/{id}	95
PUT /ssids/advanced-settings/{id}	95
GET /user-profile-assignments.....	95
POST /user-profile-assignments.....	95
GET /user-profile-assignments/{id}.....	95
DELETE /user-profile-assignments/{id}	95
GET /user-profiles.....	96
POST /user-profiles.....	96
GET /user-profiles/{id}.....	96
PUT /user-profiles/{id}.....	96
DELETE /user-profiles/{id}	97
POST /user-profiles/{id}/ip-firewall-policies/:attach	97
POST /user-profiles/{id}/ip-firewall-policies/:detach.....	97
POST /user-profiles/{id}/mac-firewall-policies/:attach.....	97
POST /user-profiles/{id}/,ac-firewall-policies/:detach	97
Configuration - Network	98
GET /network-services.....	98
POST /network-services	98
DELETE /network-services/{id}.....	98
GET /tunnel-concentrators.....	98
POST /tunnel-concentrators.....	98
GET /tunnel-concentrators/{id}.....	99
PUT /tunnel-concentrators/{id}.....	99
DELETE /tunnel-concentrators/{id}	99
Configuration - Authentication.....	99
GET /ad-servers	99
GET /cwps	100
GET /ldap-servers	100
POST /ldap-servers	100
GET /ldap-servers/{id}	100
PUT /ldap-servers/{id}.....	101

DELETE /ldap-servers/{id}.....	101
GET /radius-client-objects	101
POST /radius-client-objects	101
GET /radius-client-objects/{id}	101
PUT /radius-client-objects/{id}	102
DELETE /radius-client-objects/{id}.....	102
GET /radius-proxies	102
POST /radius-proxies	102
GET /radius-proxies/{id}	102
PUT /radius-proxies/{id}	103
DELETE /radius-proxies/{id}.....	103
GET /radius-proxies/devices.....	103
GET /radius-servers/external	103
POST /radius-servers/external	104
GET /radius-servers/external/{id}	104
PUT /radius-servers/external/{id}	104
DELETE /radius-servers/external/{id}.....	104
GET /radius-servers/internal	104
POST /radius-servers/internal	105
DELETE /radius-servers/internal.....	105
GET /radius-servers/internal/{id}	105
PUT /radius-servers/internal/{id}	105
DELETE /radius-servers/internal/{id}.....	106
GET /radius-servers/internal/devices.....	106
Configuration - Certificate.....	106
GET /certificates	106
Copilot – Connectivity Experience.....	106
GET /copilot/connectivity/client-type	107
GET /copilot/connectivity/locations.....	107
GET /copilot/connectivity/wired/events.....	107
GET /copilot/connectivity/wired/experience	107
GET /copilot/connectivity/wired/hardware	107
GET /copilot/connectivity/wired/locations/hardware	108
GET /copilot/connectivity/wired/quality-index	108
GET /copilot/connectivity/wireless/apps.....	108
GET /copilot/connectivity/wireless/events.....	108
GET /copilot/connectivity/wireless/experience.....	109
GET /copilot/connectivity/wireless/locations/events	109
GET /copilot/connectivity/wireless/locations/performance	109
GET /copilot/connectivity/wireless/locations/quality-index	109
GET /copilot/connectivity/wireless/locations/time-to-connect	110
GET /copilot/connectivity/wireless/performance	110
GET /copilot/connectivity/wireless/quality-index	110
GET /copilot/connectivity/wireless/time-to-connect	110
GET /copilot/connectivity/wireless/views	111
Copilot – Anomalies.....	111
GET /copilot/anomalies/adverse-traffic/device-stats.....	111
GET / copilot/anomalies/adverse-traffic/packet-counts	111

GET /copilot/anomalies/anomalies-by-category	112
GET /copilot/anomalies/device-by-location	112
GET /copilot/anomalies/device-with-locations.....	112
PUT /copilot/anomalies/devices/feedback.....	112
PUT /copilot/anomalies/devices/update-action	113
GET /copilot/anomalies/dfs-recurrence/channel-stats	113
GET /copilot/anomalies/dfs-recurrence/count-stats	113
GET /copilot/anomalies/hardware-health/client-list.....	113
GET /copilot/anomalies/hardware-health/stats	113
GET /copilot/anomalies/locations.....	114
GET /copilot/anomalies/poeflapping/ldp-cdp-info	114
GET /copilot/anomalies/poeflapping/stats	114
GET /copilot/anomalies/poeflapping/trends	114
GET /copilot/anomalies/notifications	115
GET /copilot/anomalies/port-efficiency/speed-duplex-stats	115
GET /copilot/anomalies/port-efficiency/stats	115
GET /copilot/anomalies/wifi-capacity/client-list	115
GET /copilot/anomalies/wifi-capacity/stats.....	116
GET /copilot/anomalies/report	116
PUT /copilot/anomalies/update-action	116
PUT / copilot/anomalies/update-device-action	116
GET /copilot/anomalies/wifi-efficiency/client-list	117
GET /copilot/anomalies/wifi-efficiency/stats	117
GET /copilot/assurance-scans/overview	117
Packet Capture	117
GET /packetcaptures	117
POST /packetcaptures	118
GET /packetcaptures/{id}	118
Delete /packetcaptures/{id}	118
POST /packetcaptures/{id}/:stop	118
POST /packetcaptures/{id}/:upload	119
GET /packetcaptures/files	119
Network Scorecard	119
GET /network-scorecard/clientHealth/{id}	119
GET /network-scorecard/deviceHealth/{id}.....	119
GET /network-scorecard/networkHealth/{id}.....	120
GET /network-scorecard/serviceHealth/{id}.....	120
GET /network-scorecard/wifiHealth/{id}	120
Essentials - ExtremeLocation	121
GET /essentials/eloc/clients/{client-mac}/last-known-location	121
Misc - Metadata – Country	121
GET /countries	121
GET /countries/{countryAlpha2Code}/states	121
GET /countries/{id}/:validate	122
Thread.....	122
GET /thread/networks.....	122

GET /thread/routers	122
GET /thread/topology.....	122
AFC-endpoint.....	122
GET /afcserver	122
GET /afcserver/{id}	123
GET /afcserver/diagnostics/{sn}.....	123
GET /ap/afc/interface/details/{sn}.....	123
POST /ap/spectrum	123
GET /aps/afc/query	123
POST /aps/afc/update	123
GET /site/afc/schedule	124
PUT /site/afc/schedule	124
POST /site/afc/schedule	124
POST /site/spectrum	124
APPENDIX – A	124
API call list based on Roles	124
Administrator.....	124
Operator	124
Monitor.....	125
Installer	129
Observer	134
Help Desk.....	138
Application Operator	139
Guest Management.....	140
APPENDIX – B	142
API call list based on Permission.....	142
logout.....	142
auth.....	142
auth:r	142
token:new.....	142
perm:check.....	142
lro.....	142
lro:r	142
account	142
account:switch.....	143
account:r.....	143
viq:backup.....	143
user-me:r	143
user:r.....	143
hiq	143
hiq:r.....	144
org.....	144
org:new.....	144
org:del.....	144
org:rename	144
hiq.ctx	144

hiq.ctx:r	145
hiq.ctx:w	145
device.....	145
device:r	147
device:list	148
device:view	148
device:new.....	148
device:del.....	148
device:cli	148
device:deploy.....	148
device:manage.....	148
device:unmanage	148
device:reboot.....	148
device:reset	149
device:thread-commissioner	149
client	149
client:r	149
locations	149
locations:r	150
network-policy.....	150
policy:ssid	150
network-policy:r	151
network-scorecard	151
network-scorecard:r	151
ssid.....	151
ssid:r.....	152
pcg:key.....	152
pcg:key:r	152
subscriptions-webhook	152
subscriptions-webhook:r	152
ccg.....	152
ccg:r	153
log	153
log:r.....	153
cwp	153
cwp:r.....	153
sms-tmpl	153
sms-tmpl:r.....	154
class-rule.....	154
class-rule:r	154
user-profile	154
user-profile:r.....	154
tunnel-concentrator	154
tunnel-concentrator:r.....	155
radius-proxy.....	155
radius-proxy:r	155
radius-server.....	155
radius-server:r	155
usergroup.....	156
usergroup:r	156

deployment	156
deployment:r	156
ad-server	156
ad-server:r	156
alert	156
alert:r	157
alert-policies	157
alert-policies:r	157
alert-subscriptions	157
alert-subscriptions:r	158
app	158
application:r	158
l3-address-profile	158
l3-address-profile:r	158
vlan-profile	158
vlan-profile:r	159
enduser	159
enduser:r	159
radius-client-object	159
radius-client-object:r	159
ldap-server	159
ldap-server:r	159
email-template	160
email-template:r	160
certificate	160
certificate:r	160
radio-profile	160
radio-profile:r	161
iot-profile	161
iot-profile:r	161
client-monitor-profile	161
client-monitor-profile:r	161
copilot-connectivity-wired:r	161
copilot-connectivity-wireless:r	162
copilot-anomalies:r	162
licenses	163
licenses:r	163
copilot-assurance-scans:r	163
packet-capture	163
packet-capture:r	163
country	163
country:r	163
cas	163
cas:r	164
cas-policies	164
cas-policies:r	164
cas-metadata:r	164
cns-subscriptions	164
cns-subscriptions:r	164

Introduction

This document will list each category of XIQ APIs and all the API calls under those categories. Laid out as it is laid out on the api.extremecloudiq.com Swagger page. Under each category, the document will list the category permissions that can be used for the API calls in that category. Most categories have two permissions for the category. The first permission will match or be similar to the category's name. Example - **device** for the devices category. This permission will give access to all the GET, POST, PUT, PATCH, and DELETE API calls in that category. The second permission will be named the same as the first but followed with a **:r**. Example - **device:r** for the devices category. This permission will give access to only the GET API calls in that category.

This document will also list any additional permissions available for a particular API call. This would allow for a token to be created only to be able to perform a specific API call without having permission to do all API calls within the category. Example – **device:list** under the [GET /devices](#) API call. This would allow the token only to be able to view the list of devices using that API call but not be able to perform any of the other GET API calls in the devices category.

This document also notes which Roles have access to each of the API call.

In addition, there is [Appendix - A](#) that lists the different roles with a list of the API calls available to those roles by default as well as [Appendix – B](#) that lists the different permissions with a list of the API calls available with that permission.

Authentication

No default permissions for this category

POST /login

No permissions needed – This call uses basic auth to generate a token. This token will have access to APIs based on the user's role.

POST /logout

Permissions:

"logout" – revokes currently used token

Roles:

"Operator",
"Help Desk",
"Monitor",
"Administrator",
"Installer",
"Observer",
"Guest Management"

Authorization

Permissions:

"auth" – Permission for all API calls in the Authorization Section

"auth:r" – Permission for all GET API calls in the Authorization Section

POST /auth/apitoken

Permissions:

"token:new" – Permission to generate a new token.

NOTE: new tokens can only be granted permissions that the currently used token has.

Also included with *"auth"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer"

POST /auth/apitoken/:validate

Permissions:

No Specific permission - included with “*auth*”

Roles:

"Operator",
"Administrator"

GET /auth/apitoken/info

Permissions:

No Specific permission - included with “*auth*” and “*auth:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

GET /auth/permissions

Permissions:

No Specific permission - included with “*auth*” and “*auth:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /auth/permissions/:check

Permissions:

“perm:check” – Allows token to check permissions needed for any API call

Also included with “*auth*”

Roles

"Operator",
"Administrator"

Operation

Permissions:

"lro" – Permission for all API calls in the Operation Section

"lor:r" – Permission for all GET API calls in the Operation Section

GET /operations/{operationId}

Permissions:

No Specific permission - included with “lro” and “lro:r”

Roles:

"Operator",
"Administrator"

DELETE /operations/{operationId}

Permissions:

No Specific permission - included with “lro”

Roles:

"Operator",
"Administrator"

POST /operations/{operationId}/:cancel

Permissions:

No Specific permission - included with “lro”

Roles:

"Operator",
"Administrator"

Account

"account" – Permission for all API calls in the Account Section

"account:r" – Permission for all GET API calls in the Account Section

POST /account/:switch

Permissions:

"account:switch" – Allows user to switch to external account

Also included with “account”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

GET /account/external

Permissions:

No Specific permission - included with “*account*” and “*account:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

GET /account/home

Permissions:

No Specific permission - included with “*account*” and “*account:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

GET /account/viq

Permissions:

No Specific permission - included with “*account*” and “*account:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

POST /account/viq/:backup

Permissions:

“**viq:backup**” – Permission to backup the viq.

Also included with “*account*”

Roles:

"Operator",
"Administrator"

GET /account/viq/default-device-password

Permissions:

No Specific permission - included with “*account*” and “*account:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

PUT /account/viq/default-device-password

Permissions:

No Specific permission - included with “*account*”

Roles:

"Operator",
"Administrator"

GET /account/viq/download

Permissions:

No Specific permission - included with “*account*” and “*account:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

POST /account/viq/export

Permissions:

No Specific permission - included with “*account*”

Roles:

"Operator",
"Administrator"

GET /account/viq/export-import-status

Permissions:

No Specific permission - included with “*account*” and “*account:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

POST /account/viq/import

Permissions:

No Specific permission - included with “*account*”

Roles:

"Operator",
"Administrator"

Users

Permissions:

"user" – Permission for all API calls in the User Section

"user:r" – Permission for all GET API calls in the User Section

GET /users

Permissions:

No Specific permission - included with “*user*” and “*user:r*”

Roles:

"Operator",
"Administrator",
"Monitor"

POST /users

Permissions:

No Specific permission - included with “*user*”

Roles:

"Administrator"

GET /users/{id}

Permissions:

No Specific permission - included with “user” and “user:r”

Roles:

"Operator",
"Administrator",
"Monitor"

DELETE /users/{id}

Permissions:

No Specific permission - included with “user”

Roles:

"Administrator"

PATCH /users/{id}

Permissions:

No Specific permission - included with “user”

Roles:

"Administrator"

GET /users/external

Permissions:

No Specific permission - included with “user” and “user:r”

Roles:

"Operator",
"Administrator",
"Monitor"

POST /users/external

Permissions:

No Specific permission - included with “user”

Roles:

"Administrator"

GET /users/external/{id}

Permissions:

No Specific permission - included with “user” and “user:r”

Roles:

"Operator",
"Administrator",
"Monitor"

DELETE /users/external/{id}

Permissions:

No Specific permission - included with *"user"*

Roles:

"Administrator"

PATCH /users/external/{id}

Permissions:

No Specific permission - included with *"user"*

Roles:

"Administrator"

GET /users/me

Permissions:

"user-me:r" – Permission to view details on yourself

Roles:

"Operator",
"Administrator",
"Monitor"

HIQ

Permissions:

"hiq" – Permission for all API calls in the HIQ Section

"hiq:r" – Permission for all GET API calls in the HIQ Section

GET /hiq/context

Permissions:

"hiq.ctx" – Permission for control HIQ Context (HIQ account only).

"hiq.ctx:r" – Permission to read HIQ Context (HIQ account only).

Also included with *"hiq"* and *"hiq:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /hiq/context

Permissions:

"hiq.ctx" – Permission for control HIQ Context (HIQ account only).
"hiq.ctx:w" – Permission to switch HIQ Context (HIQ account only).

Also included with "hiq"

Roles:

"Operator",
"Administrator",
"Installer"

GET /hiq/context/creating

Permissions:

"hiq.ctx" – Permission for control HIQ Context (HIQ account only).
"hiq.ctx:r" – Permission to read HIQ Context (HIQ account only).

Also included with "hiq" and "hiq:r"

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /hiq/context/creating

Permissions:

"hiq.ctx" – Permission for full control HIQ Context (HIQ account only).
"hiq.ctx:w" – Permission to switch HIQ Context (HIQ account only).

Also included with "hiq"

Roles:

"Operator",
"Administrator",

"Installer"

GET /hiq/context/reading

Permissions:

"hiq.ctx" – Permission for control HIQ Context (HIQ account only).

"hiq.ctx:r" – Permission to read HIQ Context (HIQ account only).

Also included with **"hiq"** and **"hiq:r"**

Roles:

"Operator",

"Help Desk",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /hiq/context/reading

Permissions:

"hiq.ctx" – Permission for control HIQ Context (HIQ account only).

"hiq.ctx:w" – Permission to switch HIQ Context (HIQ account only).

Also included with **"hiq"**

Roles:

"Operator",

"Administrator",

"Installer"

GET /hiq/organizations

Permissions:

"org" – Permission for full control HIQ organizations (HIQ account only).

Also included with **"hiq"** and **"hiq:r"**

Roles:

"Operator",

"Help Desk",

"Administrator",

"Monitor",

"Installer",

"Observer"

POST /hiq/organizations

Permissions:

"org" – Permission for full control HIQ organizations (HIQ account only).

"org:new" – Permission to create HIQ organization (HIQ account only).

Also included with *"hiq"*

Roles:

"Operator",

"Administrator"

DELETE /hiq/organizations/{id}

Permissions:

"org" – Permission for full control HIQ organizations (HIQ account only).

"org:del" – Permission to delete HIQ organization (HIQ account only).

Also included with *"hiq"*

Roles:

"Operator",

"Administrator"

POST /hiq/organizations/{id}/:rename

Permissions:

"org" – Permission for full control HIQ organizations (HIQ account only).

"org:rename" – Permission to rename HIQ organization (HIQ account only).

Also included with *"hiq"*

Roles:

"Operator",

"Administrator"

GET /hiq/status

Permissions:

No Specific permission - included with *"hiq"* and *"hiq:r"*

Roles:

"Operator",

"Help Desk",

"Administrator",

"Monitor",

"Installer",
"Observer"

Location

Permissions:

"locations" – Permission for all API calls in the Location Section

"locations:r" – Permission for all GET API calls in the Location Section

POST /locations

Permissions:

No Specific permission - included with "*locations*"

Roles:

"Operator",
"Administrator"
"Installer"

POST /locations/:init

Permissions:

No Specific permission - included with "*locations*"

Roles:

"Operator",
"Administrator"
"Installer"

PUT /locations/{id}

Permissions:

No Specific permission - included with "*locations*"

Roles:

"Operator",
"Administrator"
"Installer"

DELETE /locations/{id}

Permissions:

No Specific permission - included with "*locations*"

Roles:

"Operator",
"Administrator"

"Installer"

GET /locations/building

Permissions:

No Specific permission - included with *"locations"* and *"locations:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /locations/building

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

GET /locations/building/{id}

Permissions:

No Specific permission - included with *"locations"* and *"locations:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /locations/building/{id}

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"

"Installer"

DELETE /locations/building/{id}

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",

"Administrator"

"Installer"

GET /locations/floor

Permissions:

No Specific permission - included with *"locations"* and *"locations:r"*

Roles:

"Operator",

"Help Desk",

"Administrator",

"Monitor",

"Installer",

"Observer"

POST /locations/floor

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",

"Administrator"

"Installer"

GET /locations/floor/{id}

Permissions:

No Specific permission - included with *"locations"* and *"locations:r"*

Roles:

"Operator",

"Help Desk",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /locations/floor/{id}

Permissions:

No Specific permission - included with “*locations*”

Roles:

"Operator",
"Administrator"
"Installer"

DELETE /locations/floor/{id}

Permissions:

No Specific permission - included with “*locations*”

Roles:

"Operator",
"Administrator"
"Installer"

POST /locations/floorplan

Permissions:

No Specific permission - included with “*locations*”

Roles:

"Operator",
"Administrator"
"Installer"

POST /locations/import/ekahau

Permissions:

No Specific permission - included with “*locations*”

Roles:

"Operator",
"Administrator"
"Installer"

GET /locations/site

Permissions:

No Specific permission - included with “*locations*” and “*locations:r*”

Roles:

"Operator",

"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /locations/site

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

GET /locations/site/{id}

Permissions:

No Specific permission - included with *"locations"* and *"locations:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /locations/site/{id}

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

DELETE /locations/site/{id}

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

GET /locations/tree

Permissions:

No Specific permission - included with “*locations*” and “*locations:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /locations/tree/devices

Permissions:

No Specific permission - included with “*locations*” and “*locations:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /locations/tree/maps

Permissions:

No Specific permission - included with “*locations*” and “*locations:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

Device

Permissions:

"device" – Permission for all API calls in the Device Section

"device:r" – Permission for all GET API calls in the Device Section

GET /devices

Permissions:

"device:list" – Permission to get the list of devices

Also included with *"device"* and *"device:r"*

Roles:

**"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"**

POST /devices/:advanced-onboard

Permissions:

No Specific permission - included with *"device"*

Roles:

**"Operator",
"Administrator",
"Installer"**

POST /devices/:check-ownership

Permissions:

No Specific permission - included with *"device"*

Roles:

**"Operator",
"Administrator",
"Installer"**

POST /devices/:cli

Permissions:

"device:cli" – Permission to send cli commands to device(s)

Also included with *"device"*

Roles:

**"Operator",
"Administrator",
"Installer"**

POST /devices/:delete

Permissions:

"device:del" – Permission to delete device(s)

Also included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/:manage

Permissions:

"device:mange" – Permission to change management on device(s) to MANAGED

Also included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/:onboard

Permissions:

"device:new" – Permission to onboard device(s)

Also included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/:reboot

Permissions:

"device:reboot" – Permission to reboot device(s)

Also included with *"device"*

Roles:

"Operator",
"Administrator",

"Installer"

POST /devices/:unmanage

Permissions:

"device:mange" – Permission to change management on device(s) to UNMANAGED

Also included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}

Permissions:

"device:view" – Permission to view details of a device

Also included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

DELETE /devices/{id}

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/:cli

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/manage

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/reboot

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/reset

Permissions:

“device:reset” – Permission to reset a device to factory default

Also included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/unmanage

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/alarms

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /devices/{id}/bounce-port

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/client-monitor

Permissions:

No Specific permission - included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /devices/{id}/client-monitor

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

DELETE /devices/{id}/client-monitor

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/config/vlan-attributes

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /devices/{id}/config/vlan-attributes

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

DELETE /devices/{id}/config/vlan-attributes

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

PATCH /devices/{id}/config/vlan-attributes/{vlan_id}

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/config/vlan-ipv4-intf

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /devices/{id}/config/vlan-ipv4-intf

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

DELETE /devices/{id}/config/vlan-ipv4-intf

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

PATCH /devices/{id}/config/vlan-ipv4-intf/{ipv4IntId}

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/config/vlan-ipv4-static

Permissions:

No Specific permission - included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /devices/{id}/config/vlan-ipv4-static

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

DELETE /devices/{id}/config/vlan-ipv4-static

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

PATCH /devices/{id}/config/vlan-ipv4-static/{ipv4StaticRouteId}

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

PUT /devices/{id}/description

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/ftm-settings

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",

"Administrator",
"Monitor",
"Installer",
"Observer"

POST /devices/{id}/config/ftm-settings

Permissions:

No Specific permission - included with "*device*"

Roles:

"Operator",
"Administrator",
"Installer"

DELETE /devices/{id}/config/ftm-settings

Permissions:

No Specific permission - included with "*device*"

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/gallery-image

Permissions:

No Specific permission - included with "*device*" and "*device:r*"

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /devices/{id}/geolocation

Permissions:

No Specific permission - included with "*device*" and "*device:r*"

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /devices/{id}/history/cpu-mem

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /devices/{id}/hostname

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/ibeacon

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /devices/{id}/installation-report

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /devices/{id}/interfaces/wifi

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /devices/{id}/iot

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /devices/{id}/iot:disable

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/iot:enable

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/location

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /devices/{id}/location

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

DELETE /devices/{id}/location

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/monitor/:refresh

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/monitor/ipv4-routing

Permissions:

No Specific permission - included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",

“Observer”

GET /devices/{id}/monitor/ipv4-routing-timeline

Permissions:

No Specific permission - included with “device” and “device:r”

Roles:

"Operator",
"Administrator",
“Monitor”,
“Installer”,
“Observer”

GET /devices/{id}/monitor/refresh/status

Permissions:

No Specific permission - included with “device” and “device:r”

Roles:

"Operator",
"Administrator",
“Monitor”,
“Installer”,
“Observer”

GET /devices/{id}/monitor/vlan-attr

Permissions:

No Specific permission - included with “device” and “device:r”

Roles:

"Operator",
"Administrator",
“Monitor”,
“Installer”,
“Observer”

GET /devices/{id}/monitor/vlan-ipv4-intf

Permissions:

No Specific permission - included with “device” and “device:r”

Roles:

"Operator",
"Administrator",
“Monitor”,
“Installer”,

“Observer”

GET /devices/{id}/network-policy

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
“Monitor”,
“Installer”,
“Observer”

PUT /devices/{id}/network-policy

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
“Installer”

DELETE /devices/{id}/network-policy

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
“Installer”

GET /devices/{id}/radio-operating-mode

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
“Monitor”,
“Installer”,
“Observer”

PUT /devices/{id}/radio-operating-mode

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/ssid/:override

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/ssid/status

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /devices/{id}/ssid/status/:change

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/thread/commissioner/:start

Permissions:

“device:thread-commissioner” – Permission to change thread commissioner to device(s)

Also included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/thread/commissioner/:stop

Permissions:

"device:thread-commissioner" – Permission to change thread commissioner to device(s)

Also included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/client-monitor/:assign

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/client-monitor/:revoke

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/client-monitor/:query

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/country-code/:assign

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/digital-twin

Permissions:

"device:view" – Permission to view details of a device

Also included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /devices/ibeacon

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/location/:assign

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/location/:query

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/location/:revoke

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/network-policy/:assign

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/network-policy/:query

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/network-policy/:revoke

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/network-policy/{policyId}

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /devices/os/:change

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/radio-information

Permissions:

"device:list" – Permission to get the list of devices

Also included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /devices/radius-proxy/:assign

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

DELETE /devices/radius-proxy/:revoke

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/stats

Permissions:

"device:view" – Permission to view details of a device

Also included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

Network Policy

Permissions:

"network-policy" – Permission for all API calls in the Network Policy Section

"network-policy:r" – Permission for all GET API calls in the Network Policy Section

GET /network-policies

Permissions:

No Specific permission - included with “*network-policy*” and “*network-policy:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /network-policies

Permissions:

No Specific permission - included with “*network-policy*”

Roles:

"Operator",
"Administrator"

GET /network-policies/{id}

Permissions:

No Specific permission - included with *"network-policy"* and *"network-policy:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /network-policies/{id}

Permissions:

No Specific permission - included with *"network-policy"*

Roles:

"Operator",
"Administrator"

DELETE /network-policies/{id}

Permissions:

No Specific permission - included with *"network-policy"*

Roles:

"Operator",
"Administrator"

GET /network-policies/{id}/ssids

Permissions:

No Specific permission - included with *"network-policy"* and *"network-policy:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /network-policies/{id}/ssids/:add

Permissions:

"policy:ssid" – SSID management on network-policy

Also included with *"network-policy"*

Roles:

"Operator",
"Administrator"

POST /network-policies/{id}/ssids/:remove

Permissions:

"policy:ssid" – SSID management on network-policy

Also included with *"network-policy"*

Roles:

"Operator",
"Administrator"

Client

Permissions:

"client" – Permission for all API calls in the Client Section

"client:r" – Permission for all GET API calls in the Client Section

GET /clients/{id}

Permissions:

No Specific permission - included with *"client"* and *"client:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /clients/active

Permissions:

No Specific permission - included with *"client"* and *"client:r"*

Roles:

"Operator",

"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /clients/alias

Permissions:

No Specific permission - included with *"client"*

Roles:

"Operator",
"Administrator"

GET /clients/active/count

Permissions:

No Specific permission - included with *"client"* and *"client:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /clients/byMac/{client_mac}

Permissions:

No Specific permission - included with *"client"* and *"client:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

DELETE /clients/byMac/{client_mac}

Permissions:

No Specific permission - included with *"client"*

Roles:

"Operator",

"Administrator"

GET /clients/summary

Permissions:

No Specific permission - included with *"client"* and *"client:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /clients/usage

Permissions:

No Specific permission - included with *"client"* and *"client:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

Application

Permissions:

"app" – Permission for all API calls in the Application Section

"application:r" – Permission for all GET API calls in the Application Section

GET /applications

Permissions:

No Specific permission - included with *"app"* and *"application:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

GET /applications/{id}/clients/top{n}

Permissions:

No Specific permission - included with “app” and “application:r”

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

GET /applications/top{n}

Permissions:

No Specific permission - included with “app” and “application:r”

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

Alert

No default permissions for this category

GET /alert-policies

Permissions:

“alert-policies” – Permission for full control of alert polices.

“alert-policies:r” – Permission to read alert polices.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /alert-policies

Permissions:

“alert-policies” – Permission for full control of alert polices.

Roles:

"Operator",
"Administrator"

GET /alert-policies/{id}

Permissions:

"alert-policies" – Permission for full control of alert polices.

"alert-policies:r" – Permission to read alert polices.

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /alert-policies/{id}

Permissions:

"alert-policies" – Permission for full control of alert polices.

Roles:

"Operator",

"Administrator"

DELETE /alert-policies/{id}

Permissions:

"alert-policies" – Permission for full control of alert polices.

Roles:

"Operator",

"Administrator"

GET /alert-policies/{id}/rules/{alert_rule_id}

Permissions:

"alert-policies" – Permission for full control of alert polices.

"alert-policies:r" – Permission to read alert polices.

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /alert-policies/{id}/rules/{alert_rule_id}

Permissions:

"alert-policies" – Permission for full control of alert polices.

Roles:

"Operator",
"Administrator"

POST /alert-policies/{id}/rules/{alert_rule_id}/:disable

Permissions:

"alert-policies" – Permission for full control of alert polices.

Roles:

"Operator",
"Administrator"

PUT /alert-policies/{id}/rules/{alert_rule_id}/:enable

Permissions:

"alert-policies" – Permission for full control of alert polices.

Roles:

"Operator",
"Administrator"

GET /alert-policies/available-sites

Permissions:

"alert-policies" – Permission for full control of alert polices.

"alert-policies:r" – Permission to read alert polices.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /alert-subscriptions/emails

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

"alert-subscriptions:r" – Permission to read alert subscriptions.

Roles:

"Operator",

"Administrator",
"Monitor",
"Installer",
"Observer"

POST /alert-subscriptions/emails

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

POST /alert-subscriptions/emails/:delete

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

GET /alert-subscriptions/emails/{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

"alert-subscriptions:r" – Permission to read alert subscriptions.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /alert-subscriptions/emails/{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

DELETE /alert-subscriptions/emails/{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

POST /alert-subscriptions/emails/{id}/verify

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

GET /alert-subscriptions/webhooks

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

"alert-subscriptions:r" – Permission to read alert subscriptions.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /alert-subscriptions/webhooks

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

POST /alert-subscriptions/webhooks/:delete

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

GET /alert-subscriptions/webhooks /{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

"alert-subscriptions:r" – Permission to read alert subscriptions.

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /alert-subscriptions/webhooks /{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",

"Administrator"

DELETE /alert-subscriptions/webhooks /{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",

"Administrator"

GET /alerts

Permissions:

"alert" – Permission for full control of alerts.

"alert:r" – Permission to read alerts.

Roles:

"Operator",

"Help Desk",

"Administrator",

"Monitor",

"Installer",

"Observer"

POST /alerts/:acknowledge

Permissions:

"alert" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

GET /alerts/count-by-{group}

Permissions:

"alert" – Permission for full control of alerts.

"alert:r" – Permission to read alerts.

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /alerts/report

Permissions:

"alert" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

GET /alerts/reports/{id}

Permissions:

"alert" – Permission for full control of alerts.

"alert:r" – Permission to read alerts.

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

Log

Permissions:

"log" – Permission for all API calls in the Log Section

"log:r" – Permission for all GET API calls in the Log Section

GET /logs/accounting

Permissions:

No Specific permission - included with *"log"* and *"log:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

GET /logs/audit

Permissions:

No Specific permission - included with *"log"* and *"log:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

GET /logs/audit/full-descriptions/{id}

Permissions:

No Specific permission - included with *"log"* and *"log:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

POST /logs/audit/reports

Permissions:

No Specific permission - included with *"log"*

Roles:

"Operator",
"Administrator"

GET /logs/audit/reports/{id}

Permissions:

No Specific permission - included with *"log"* and *"log:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

GET /logs/auth

Permissions:

No Specific permission - included with *"log"* and *"log:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

GET /logs/credential

Permissions:

No Specific permission - included with *"log"* and *"log:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

GET /logs/email

Permissions:

No Specific permission - included with *"log"* and *"log:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

GET /logs/sms

Permissions:

No Specific permission - included with "log" and "log:r"

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

Notification

Permissions:

" **subscriptions-webhook**" – Permission for all API calls in the Notification Section

" **subscriptions-webhook:r**" – Permission for all GET API calls in the Notification Section

GET /subscriptions/webhook

Permissions:

No Specific permission - included with "subscriptions-webhook" and "subscriptions-webhook:r"

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /subscriptions/webhook

Permissions:

No Specific permission - included with "subscriptions-webhook"

Roles:

"Operator",

"Administrator"

DELETE /subscriptions/webhook/{id}

Permissions:

No Specific permission - included with “*subscriptions-webhook*”

Roles:

"Operator",

"Administrator"

NOS

No default permissions for this category

Configuration - Deployment

Permissions:

" **deployment**" – Permission for all API calls in the Configuration - Deployment Section

" **deployment:r**" – Permission for all GET API calls in the Configuration – Deployment Section

GET /deployments

Permissions:

No Specific permission - included with “*deployment*” and “*deployment:r*”

Roles:

"Operator",

"Help Desk",

"Administrator",

"Monitor",

"Installer",

"Observer",

"Guest Management"

POST /deployments

Permissions:

No Specific permission - included with “*deployment*”

Roles:

"Operator",

"Administrator"

GET /deployments/{id}

Permissions:

No Specific permission - included with “*deployment*” and “*deployment:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

PUT /deployments/{id}

Permissions:

No Specific permission - included with “*deployment*”

Roles:

"Operator",
"Administrator"

DELETE /deployments/{id}

Permissions:

No Specific permission - included with “*deployment*”

Roles:

"Operator",
"Administrator"

GET /deployments/{id}/status

Permissions:

No Specific permission - included with “*deployment*” and “*deployment:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

POST /deployments/firmware-metadatas

Permissions:

No Specific permission - included with “*deployment*”

Roles:

"Operator",
"Administrator"

GET /deployments/overview

Permissions:

No Specific permission - included with *"deployment"* and *"deployment:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

GET /deployments/status

Permissions:

No Specific permission - included with *"deployment"* and *"deployment:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

Configuration - Basic

Permissions:

"vlan-profile" – Permission for all API calls in the Configuration - Basic Section

"vlan-profile:r" – Permission for all GET API calls in the Configuration – Basic Section

GET /vlan-profiles

Permissions:

No Specific permission - included with *"vlan-profile"* and *"vlan-profile:r"*

Roles:

"Operator",

"Administrator",
"Monitor",
"Observer"

POST /vlan-profiles

Permissions:

No Specific permission - included with *"vlan-profile"*

Roles:

"Operator",
"Administrator"

POST /vlan-profiles/:delete

Permissions:

No Specific permission - included with *"vlan-profile"*

Roles:

"Operator",
"Administrator"

GET /vlan-profiles/{id}

Permissions:

No Specific permission - included with *"vlan-profile"* and *"vlan-profile:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

DELETE /vlan-profiles/{id}

Permissions:

No Specific permission - included with *"vlan-profile"*

Roles:

"Operator",
"Administrator"

PATCH /vlan-profiles/{id}

Permissions:

No Specific permission - included with *"vlan-profile"*

Roles:

"Operator",
"Administrator"

Configuration - User Management

No default permissions for this category

GET /email-templates

Permissions:

"email-template" – Permission for full of email template.

"email-template:r" – Permission to read email templates

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

GET /endusers

Permissions:

"enduser" – Permission for full control of end users.

"enduser:r" – Permission to read end users

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Observer",
"Guest Management"

POST /endusers

Permissions:

"enduser" – Permission for full control of end users.

Roles:

"Operator",
"Administrator",
"Guest Management"

PUT /endusers/{id}

Permissions:

"enduser" – Permission for full control of end users.

Roles:

"Operator",
"Administrator",
"Guest Management"

DELETE /endusers/{id}

Permissions:

"enduser" – Permission for full control of end users.

Roles:

"Operator",
"Administrator",
"Guest Management"

POST /endusers/{id}/:regenerate-password

Permissions:

"enduser" – Permission for full control of end users.

Roles:

"Operator",
"Administrator",
"Guest Management"

GET /pcgs/key-based

Permissions:

"pcg:key" – Permission for full control of PCG key based.

"pcg:key:r" – Permission to read PCG key based

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /pcgs/key-based

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",
"Administrator"

DELETE /pcgs/key-based/network-policy-{policyId}

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",
"Administrator"

POST /pcgs/key-based/network-policy-{policyId}/:onboard

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",
"Administrator"

POST /pcgs/key-based/network-policy-{policyId}/keys/:email

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",
"Administrator"

POST /pcgs/key-based/network-policy-{policyId}/keys/:generate

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",
"Administrator"

GET /pcgs/key-based/network-policy-{policyId}/port-assignments

Permissions:

"pcg:key" – Permission for full control of PCG key based.

"pcg:key:r" – Permission to read PCG key based

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /pcgs/key-based/network-policy-{policyId}/port-assignments

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",
"Administrator"

GET /pcgs/key-based/network-policy-{policyId}/users

Permissions:

"pcg:key" – Permission for full control of PCG key based.

"pcg:key:r" – Permission to read PCG key based

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

PUT /pcgs/key-based/network-policy-{policyId}/users

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",
"Administrator"

POST /pcgs/key-based/network-policy-{policyId}/users

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",
"Administrator"

DELETE /pcgs/key-based/network-policy-{policyId}/users

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",
"Administrator"

GET /sms-templates

Permissions:

"sms-tmpl" – Permission for full control of SMS template.

"sms-tmpl:r" – Permission to read SMS template

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

GET /usergroups

Permissions:

"usergroup" – Permission for full control of user groups.

"usergroup:r" – Permission to read user groups

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

POST /usergroups

Permissions:

"usergroup" – Permission for full control of user groups.

Roles:

"Operator",

"Administrator"

PUT /usergroups/{id}

Permissions:

"usergroup" – Permission for full control of user groups.

Roles:

"Operator",

"Administrator"

DELETE /usergroups/{id}

Permissions:

"usergroup" – Permission for full control of user groups.

Roles:

"Operator",
"Administrator"

Configuration - Policy

No default permissions for this category

GET /ccgs

Permissions:

"ccg" – Permission for full control of CCG.

"ccg:r" – Permission to read CCG

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /ccgs

Permissions:

"ccg" – Permission for full control of CCG.

Roles:

"Operator",
"Administrator"

GET /ccgs/{id}

Permissions:

"ccg" – Permission for full control of CCG.

"ccg:r" – Permission to read CCG

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

PUT /ccgs/{id}

Permissions:

"ccg" – Permission for full control of CCG.

Roles:

"Operator",
"Administrator"

DELETE /ccgs/{id}

Permissions:

"ccg" – Permission for full control of CCG.

Roles:

"Operator",

"Administrator"

GET /classification-rules

Permissions:

"class-rule" – Permission for full control of classification rule.

"class-rule:r" – Permission to read classification rule

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

POST /classification-rules

Permissions:

"class-rule" – Permission for full control of classification rule.

Roles:

"Operator",

"Administrator"

GET /classification-rules/{id}

Permissions:

"class-rule" – Permission for full control of classification rule.

"class-rule:r" – Permission to read classification rule

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

PUT /classification-rules/{id}

Permissions:

"class-rule" – Permission for full control of classification rule.

Roles:

"Operator",
"Administrator"

DELETE /classification-rules/{id}

Permissions:

"class-rule" – Permission for full control of classification rule.

Roles:

"Operator",
"Administrator"

GET /client-monitor-profiles

Permissions:

"client-monitor-profile" – Permission for full control of client monitor profiles

"client-monitor-profile:r" – Permission to read client monitor profiles

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer",
"Installer"

POST /client-monitor-profile

Permissions:

"client-monitor-profile" – Permission for full control of client monitor profiles

Roles:

"Operator",
"Administrator"

GET /client-monitor-profile/{id}

Permissions:

"client-monitor-profile" – Permission for full control of client monitor profiles

"client-monitor-profile:r" – Permission to read client monitor profiles

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer",

"Installer"

PUT /client-monitor-profile/{id}

Permissions:

"client-monitor-profile" – Permission for full control of client monitor profiles

Roles:

"Operator",

"Administrator"

DELETE /client-monitor-profile/{id}

Permissions:

"client-monitor-profile" – Permission for full control of client monitor profiles

Roles:

"Operator",

"Administrator"

GET /iot-profiles

Permissions:

"iot-profile" – Permission for full control of iot-profiles.

"iot-profile:r" – Permission to read iot-profiles.

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

POST /iot-profiles

Permissions:

"iot-profile" – Permission for full control of iot-profiles.

Roles:

"Operator",

"Administrator"

GET /iot-profiles/{id}

Permissions:

"iot-profile" – Permission for full control of iot-profiles.

"iot-profile:r" – Permission to read iot-profiles.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /iot-profiles/{id}

Permissions:

"iot-profile" – Permission for full control of iot-profiles.

Roles:

"Operator",
"Administrator"

DELETE /iot-profiles/{id}

Permissions:

"iot-profile" – Permission for full control of iot-profiles.

Roles:

"Operator",
"Administrator"

GET /ip-firewall-policies

Permissions:

NOT SET!

Roles:

NOT SET!

POST /ip-firewall-policies

Permissions:

NOT SET!

Roles:

NOT SET!

GET /ip-firewall-policies/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

PUT /ip-firewall-policies/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

DELETE /ip-firewall-policies/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

POST /ip-firewall-policies/{id}/attach

Permissions:

NOT SET!

Roles:

NOT SET!

POST /ip-firewall-policies/{id}/detach

Permissions:

NOT SET!

Roles:

NOT SET!

GET /l3-address-profiles

Permissions:

"l3-address-profile" – Permission for full control of L3 address profile.

"l3-address-profile:r" – Permission to read L3 address profile

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

POST /l3-address-profiles

Permissions:

"l3-address-profile" – Permission for full control of L3 address profile.

Roles:

"Operator",
"Administrator"

GET /l3-address-profiles/{id}

Permissions:

"l3-address-profile" – Permission for full control of L3 address profile.

"l3-address-profile:r" – Permission to read L3 address profile

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

PUT /l3-address-profiles/{id}

Permissions:

"l3-address-profile" – Permission for full control of L3 address profile.

Roles:

"Operator",
"Administrator"

DELETE /l3-address-profiles/{id}

Permissions:

"l3-address-profile" – Permission for full control of L3 address profile.

Roles:

"Operator",
"Administrator"

GET /mac-firewall-policies

Permissions:

NOT SET!

Roles:

NOT SET!

POST /mac-firewall-policies

Permissions:

NOT SET!

Roles:
NOT SET!

GET /mac-firewall-policies/{id}

Permissions:
NOT SET!

Roles:
NOT SET!

PUT /mac-firewall-policies/{id}

Permissions:
NOT SET!

Roles:
NOT SET!

DELETE /mac-firewall-policies/{id}

Permissions:
NOT SET!

Roles:
NOT SET!

POST /mac-firewall-policies/{id}/:attach

Permissions:
NOT SET!

Roles:
NOT SET!

POST /mac-firewall-policies/{id}/:detach

Permissions:
NOT SET!

Roles:
NOT SET!

GET /mac-object-profiles

Permissions:
NOT SET!

Roles:

NOT SET!

POST /mac-object-profiles

Permissions:

NOT SET!

Roles:

NOT SET!

GET /mac-object-profiles/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

PUT /mac-object-profiles/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

DELETE /mac-object-profiles/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

GET /radio-operating-modes/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

GET /radio-profiles

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /radio-profiles

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",
"Administrator"

GET /radio-profiles/{id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /radio-profiles/{id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",
"Administrator",

DELETE /radio-profiles/{id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",
"Administrator"

GET /radio-profiles/channel-selection/{channel-selection-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /radio-profiles/channel-selection/{channel-selection-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",

"Administrator"

GET /radio-profiles/mac-ouis

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

POST /radio-profiles/mac-ouis

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",

"Administrator"

GET /radio-profiles/mac-ouis/{mac-oui-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /radio-profiles/mac-ouis/{mac-oui-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",
"Administrator"

DELETE /radio-profiles/mac-ouis/{mac-oui-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",
"Administrator"

GET /radio-profiles/miscellaneous/{radio-misc-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /radio-profiles/miscellaneous/{radio-misc-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",
"Administrator"

GET /radio-profiles/neighborhood-analysis/{neigh-analysis-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /radio-profiles/neighborhood-analysis/{neigh-analysis-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",
"Administrator"

GET /radio-profiles/radio-usage-opt/{radio-usage-opt-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /radio-profiles/radio-usage-opt/{radio-usage-opt-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",
"Administrator"

GET /radio-profiles/sensor-scan/{sensor-scan-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /radio-profiles/sensor-scan/{sensor-scan-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",

"Administrator"

GET /radio-profiles/wmm-qos/{radio-qos-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /radio-profiles/wmm-qos/{radio-qos-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",

"Administrator"

GET /ssids

Permissions:

"ssid" – Permission for full control of SSID

"ssid:r" – Permission to read SSID

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /ssids/{id}/:rename

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

POST /ssids/{id}/client-monitor-profile/:attach

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

POST /ssids/{id}/cwp/:attach

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

POST /ssids/{id}/cwp/:disable

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

POST /ssids/{id}/cwp/:enable

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

PUT /ssids/{id}/mode/dot1x

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

PUT /ssids/{id}/mode/open

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

PUT /ssids/{id}/mode/ppsk

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

PUT /ssids/{id}/mode/psk

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

PUT /ssids/{id}/mode/wep

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

PUT /ssids/{id}/psk/password

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

POST /ssids/{id}/radius-client-profile

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

POST /ssids/{id}/radius-server-group/:attach

Attach radius server group to an SSID

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

POST /ssids/{id}/user-profile-assignment

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

POST /ssids/{id}/user-profile/:attach

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

GET /ssids/advanced-settings/{id}

Permissions:

"ssid" – Permission for full control of SSID

"ssid:r" – Permission to read SSID

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /ssids/advanced-settings/{id}

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

GET /user-profile-assignments

Permissions:

NOT SET!

Roles:

NOT SET!

POST /user-profile-assignments

Permissions:

NOT SET!

Roles:

NOT SET!

GET /user-profile-assignments/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

DELETE /user-profile-assignments/{id}

Permissions:

NOT SET!

Roles:
NOT SET!

GET /user-profiles

Permissions:

"user-profile" – Permission for full control of user profile

"user-profile:r" – Permission to read user profile

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

POST /user-profiles

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",

"Administrator"

GET /user-profiles/{id}

Permissions:

"user-profile" – Permission for full control of user profile

"user-profile:r" – Permission to read user profile

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /user-profiles/{id}

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",
"Administrator"

DELETE /user-profiles/{id}

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",
"Administrator"

POST /user-profiles/{id}/ip-firewall-policies/:attach

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",
"Administrator"

POST /user-profiles/{id}/ip-firewall-policies/:detach

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",
"Administrator"

POST /user-profiles/{id}/mac-firewall-policies/:attach

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",
"Administrator"

POST /user-profiles/{id}/ac-firewall-policies/:detach

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",
"Administrator"

Configuration - Network

No default permissions for this category

GET /network-services

Permissions:

NOT SET!

Roles:

NOT SET!

POST /network-services

Permissions:

NOT SET!

Roles:

NOT SET!

DELETE /network-services/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

GET /tunnel-concentrators

Permissions:

"tunnel-concentrator" – Permission for full control of tunnel concentrator

"tunnel-concentrator:r" – Permission to read tunnel concentrator

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

POST /tunnel-concentrators

Permissions:

"tunnel-concentrator" – Permission for full control of tunnel concentrator

Roles:

"Operator",
"Administrator"

GET /tunnel-concentrators/{id}

Permissions:

"**tunnel-concentrator**" – Permission for full control of tunnel concentrator

"**tunnel-concentrator:r**" – Permission to read tunnel concentrator

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /tunnel-concentrators/{id}

Permissions:

"**tunnel-concentrator**" – Permission for full control of tunnel concentrator

Roles:

"Operator",
"Administrator"

DELETE /tunnel-concentrators/{id}

Permissions:

"**tunnel-concentrator**" – Permission for full control of tunnel concentrator

Roles:

"Operator",
"Administrator"

Configuration - Authentication

No default permissions for this category

GET /ad-servers

Permissions:

"**ad-server**" – Permission for full control of AD server

"**ad-server:r**" – Permission to read AD server

Roles:

"Operator",
"Administrator",

"Monitor",
"Observer"

GET /cwps

Permissions:

"cwp" – Permission for full control of captive web portals

"cwp:r" – Permission to read captive web portals

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

GET /ldap-servers

Permissions:

"ldap-server" – Permission for full control of LDAP server

"ldap-server:r" – Permission to read LDAP server

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /ldap-servers

Permissions:

"ldap-server" – Permission for full control of LDAP server

Roles:

"Operator",
"Administrator"

GET /ldap-servers/{id}

Permissions:

"ldap-server" – Permission for full control of LDAP server

"ldap-server:r" – Permission to read LDAP server

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

PUT /ldap-servers/{id}

Permissions:

"ldap-server" – Permission for full control of LDAP server

Roles:

"Operator",

"Administrator"

DELETE /ldap-servers/{id}

Permissions:

"ldap-server" – Permission for full control of LDAP server

Roles:

"Operator",

"Administrator"

GET /radius-client-objects

Permissions:

"radius-client-object" – Permission for full control of RADIUS client object

"radius-client-object:r" – Permission to read RADIUS client object

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

POST /radius-client-objects

Permissions:

"radius-client-object" – Permission for full control of RADIUS client object

Roles:

"Operator",

"Administrator"

GET /radius-client-objects/{id}

Permissions:

"radius-client-object" – Permission for full control of RADIUS client object

"radius-client-object:r" – Permission to read RADIUS client object

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /radius-client-objects/{id}

Permissions:

"radius-client-object" – Permission for full control of RADIUS client object

Roles:

"Operator",
"Administrator"

DELETE /radius-client-objects/{id}

Permissions:

"radius-client-object" – Permission for full control of RADIUS client object

Roles:

"Operator",
"Administrator"

GET /radius-proxies

Permissions:

"radius-proxy" – Permission for full control of RADIUS proxy

"radius-proxy:r" – Permission to read RADIUS proxy

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /radius-proxies

Permissions:

"radius-proxy" – Permission for full control of RADIUS proxy

Roles:

"Operator",
"Administrator"

GET /radius-proxies/{id}

Permissions:

"radius-proxy" – Permission for full control of RADIUS proxy

"radius-proxy:r" – Permission to read RADIUS proxy

Roles:

**"Operator",
"Administrator",
"Monitor",
"Observer"**

PUT /radius-proxies/{id}

Permissions:

"radius-proxy" – Permission for full control of RADIUS proxy

Roles:

**"Operator",
"Administrator"**

DELETE /radius-proxies/{id}

Permissions:

"radius-proxy" – Permission for full control of RADIUS proxy

Roles:

**"Operator",
"Administrator"**

GET /radius-proxies/devices

Permissions:

"radius-proxy" – Permission for full control of RADIUS proxy

"radius-proxy:r" – Permission to read RADIUS proxy

Roles:

**"Operator",
"Administrator",
"Monitor",
"Observer"**

GET /radius-servers/external

Permissions:

"radius-server" – Permission for full control of RADIUS server

"radius-server:r" – Permission to read RADIUS server

Roles:

**"Operator",
"Administrator",**

"Monitor",
"Installer",
"Observer"

POST /radius-servers/external

Permissions:

"radius-server" – Permission for full control of RADIUS server

Roles:

"Operator",
"Administrator"

GET /radius-servers/external/{id}

Permissions:

"radius-server" – Permission for full control of RADIUS server

"radius-server:r" – Permission to read RADIUS server

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /radius-servers/external/{id}

Permissions:

"radius-server" – Permission for full control of RADIUS server

Roles:

"Operator",
"Administrator"

DELETE /radius-servers/external/{id}

Permissions:

"radius-server" – Permission for full control of RADIUS server

Roles:

"Operator",
"Administrator"

GET /radius-servers/internal

Permissions:

"radius-server" – Permission for full control of RADIUS server

"radius-server:r" – Permission to read RADIUS server

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /radius-servers/internal

Permissions:

"radius-server" – Permission for full control of RADIUS server

Roles:

"Operator",
"Administrator"

DELETE /radius-servers/internal

Permissions:

"radius-server" – Permission for full control of RADIUS server

Roles:

"Operator",
"Administrator"

GET /radius-servers/internal/{id}

Permissions:

"radius-server" – Permission for full control of RADIUS server

"radius-server:r" – Permission to read RADIUS server

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /radius-servers/internal/{id}

Permissions:

"radius-server" – Permission for full control of RADIUS server

Roles:

"Operator",

"Administrator"

DELETE /radius-servers/internal/{id}

Permissions:

"radius-server" – Permission for full control of RADIUS server

Roles:

"Operator",

"Administrator"

GET /radius-servers/internal/devices

Permissions:

"radius-server" – Permission for full control of RADIUS server

"radius-server:r" – Permission to read RADIUS server

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

Configuration - Certificate

Permissions:

"certificate" – Permission for all API calls in the Configuration - Certificate Section

"certificate:r" – Permission for all GET API calls in the Configuration – Certificate Section

GET /certificates

Permissions:

No Specific permission - included with "certificate" and "certificate:r"

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

Copilot – Connectivity Experience

No default permissions for this category

GET /copilot/connectivity/client-type

Permissions:

NOT SET!

Roles:

NOT SET!

GET /copilot/connectivity/locations

Permissions:

NOT SET!

Roles:

NOT SET!

GET /copilot/connectivity/wired/events

Permissions:

"copilot-connectivity-wired:r" – Permission to read copilot wired connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wired/experience

Permissions:

"copilot-connectivity-wired:r" – Permission to read copilot wired connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wired/hardware

Permissions:

"copilot-connectivity-wired:r" – Permission to read copilot wired connectivity

Roles:

"Operator",

"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wired/locations/hardware

Permissions:

"copilot-connectivity-wired:r" – Permission to read copilot wired connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wired/quality-index

Permissions:

"copilot-connectivity-wired:r" – Permission to read copilot wired connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/apps

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/events

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/experience

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/locations/events

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/locations/performance

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/locations/quality-index

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/locations/time-to-connect

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/performance

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/quality-index

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/time-to-connect

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/views

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

Copilot – Anomalies

Permissions:

" copilot-anomalies:r" – Permission for all GET API calls in the Copilot Anomalies Section

GET /copilot/anomalies/adverse-traffic/device-stats

Permissions:

No Specific permission - included with *"copilot-anomalies:r"*

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET / copilot/anomalies/adverse-traffic/packet-counts

Permissions:

No Specific permission - included with *"copilot-anomalies:r"*

Roles:

"Operator",
"Monitor",
"Administrator",

"Observer",
"Guest Management"

GET /copilot/anomalies/anomalies-by-category

Permissions:

No Specific permission - included with *"copilot-anomalies:r"*

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/device-by-location

Permissions:

No Specific permission - included with *"copilot-anomalies:r"*

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/device-with-locations

Permissions:

No Specific permission - included with *"copilot-anomalies:r"*

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

PUT /copilot/anomalies/devices/feedback

Permissions:

NOT SET!

Roles:

NOT SET!

PUT /copilot/anomalies/devices/update-action

Permissions:

NOT SET!

Roles:

NOT SET!

GET /copilot/anomalies/dfs-recurrence/channel-stats

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/dfs-recurrence/count-stats

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/hardware-health/client-list

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/hardware-health/stats

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/locations

Permissions:

"copilot-anomalies:r" – Permission to read copilot anomalies

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/poeflapping/lldp-cdp-info

Permissions:

No Specific permission - included with "copilot-anomalies:r"

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/poeflapping/stats

Permissions:

No Specific permission - included with "copilot-anomalies:r"

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/poeflapping/trends

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

[GET /copilot/anomalies/notifications](#)

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

[GET /copilot/anomalies/port-efficiency/speed-duplex-stats](#)

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

[GET /copilot/anomalies/port-efficiency/stats](#)

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

[GET /copilot/anomalies/wifi-capacity/client-list](#)

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/wifi-capacity/stats

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/report

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

PUT /copilot/anomalies/update-action

Permissions:

NOT SET!

Roles:

NOT SET!

PUT / copilot/anomalies/update-device-action

Permissions:

NOT SET!

Roles:

NOT SET!

[GET /copilot/anomalies/wifi-efficiency/client-list](#)

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

[GET /copilot/anomalies/wifi-efficiency/stats](#)

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

[GET /copilot/assurance-scans/overview](#)

Permissions:

“copilot-assurance-scans:r” – Permission to read access to Copilot Assurance scan

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

Packet Capture

Permissions:

"packet-capture " – Permission for all API calls in the Packet Capture Section

"packet-capture:r" – Permission for all GET API calls in the Packet Capture Section

[GET /packetcaptures](#)

Permissions:

No Specific permission - included with “*packet-capture*” and “*packet-capture:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer"
"Observer"

POST /packetcaptures

Permissions:

No Specific permission - included with *"packet-capture"*

Roles:

"Operator",
"Help Desk",
"Administrator"

GET /packetcaptures/{id}

Permissions:

No Specific permission - included with *"packet-capture"* and *"packet-capture:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer"
"Observer"

Delete /packetcaptures/{id}

Permissions:

No Specific permission - included with *"packet-capture"*

Roles:

"Operator",
"Help Desk",
"Administrator"

POST /packetcaptures/{id}/:stop

Permissions:

No Specific permission - included with *"packet-capture"*

Roles:

"Operator",
"Help Desk",
"Administrator"

POST /packetcaptures/{id}/:upload

Permissions:

No Specific permission - included with *"packet-capture"*

Roles:

"Operator",
"Help Desk",
"Administrator"

GET /packetcaptures/files

Permissions:

No Specific permission - included with *"packet-capture"* and *"packet-capture:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer"
"Observer"

Network Scorecard

Permissions:

"network-scorecard" – Permission for all API calls in the Network Scorecard Section

"network-scorecard:r" – Permission for all GET API calls in the Network Scorecard Section

GET /network-scorecard/clientHealth/{id}

Permissions:

No Specific permission - included with *"network-scorecard"* and *"network-scorecard:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /network-scorecard/deviceHealth/{id}

Permissions:

No Specific permission - included with “*network-scorecard*” and “*network-scorecard:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /network-scorecard/networkHealth/{id}

Permissions:

No Specific permission - included with “*network-scorecard*” and “*network-scorecard:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /network-scorecard/serviceHealth/{id}

Permissions:

No Specific permission - included with “*network-scorecard*” and “*network-scorecard:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /network-scorecard/wifiHealth/{id}

Permissions:

No Specific permission - included with “*network-scorecard*” and “*network-scorecard:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

Essentials - ExtremeLocation

No default permissions for this category

GET /essentials/eloc/clients/{client-mac}/last-known-location

Permissions:

NOT SET!

Roles:

NOT SET!

Misc - Metadata – Country

Permissions:

"country" – Permission for all API calls in the Metadata-Country Section

"country:r" – Permission for all GET API calls in the Metadata-Country Section

GET /countries

Permissions:

No Specific permission - included with *"country"* and *"country:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer"
"Observer"

GET /countries/{countryAlpha2Code}/states

Permissions:

No Specific permission - included with *"country"* and *"country:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer"
"Observer"

GET /countries/{id}/:validate

Permissions:

No Specific permission - included with “country” and “country:r”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer"
"Observer"

Thread

GET /thread/networks

Permissions:

NOT SET!

Roles:

NOT SET!

GET /thread/routers

Permissions:

NOT SET!

Roles:

NOT SET!

GET /thread/topology

Permissions:

NOT SET!

Roles:

NOT SET!

AFC-endpoint

GET /afcserver

Permissions:

NOT SET!

Roles:
NOT SET!

GET /afcserver/{id}

Permissions:
NOT SET!

Roles:
NOT SET!

GET /afcserver/diagnostics/{sn}

Permissions:
NOT SET!

Roles:
NOT SET!

GET /ap/afc/interface/details/{sn}

Permissions:
NOT SET!

Roles:
NOT SET!

POST /ap/spectrum

Permissions:
NOT SET!

Roles:
NOT SET!

GET /aps/afc/query

Permissions:
NOT SET!

Roles:
NOT SET!

POST /aps/afc/update

Permissions:
NOT SET!

Roles:
NOT SET!

GET /site/afc/schedule

Permissions:
NOT SET!

Roles:
NOT SET!

PUT /site/afc/schedule

Permissions:
NOT SET!

Roles:
NOT SET!

POST /site/afc/schedule

Permissions:
NOT SET!

Roles:
NOT SET!

POST /site/spectrum

Permissions:
NOT SET!

Roles:
NOT SET!

APPENDIX – A

API call list based on Roles

Administrator

All available API calls

Operator

All available API calls **except** for the following:

POST /users

DELETE /users/{id}
PATCH /users/{id}
POST /users/external
DELETE /users/external/{id}
PATCH /users/external/{id}

Monitor

POST /logout
POST /auth/apitoken
GET /auth/apitoken/info
GET /auth/permissions
POST /auth/permissions/:check
GET /operations/{operationId}
POST /account/:switch
GET /account/external
GET /account/home
GET /account/viq
GET /account/viq/default-device-password
GET /account/viq/download
GET /account/viq/export-import-status
GET /users
GET /users/{id}
GET /users/external
GET /users/external/{id}
GET /users/me
GET /hiq/context
GET /hiq/context/creating
GET /hiq/context/reading
GET /hiq/organizations
GET /hiq/status
GET /locations/building
GET /locations/building/{id}
GET /locations/floor
GET /locations/floor/{id}
GET /locations/site
GET /locations/site/{id}
GET /locations/tree
GET /locations/tree/devices
GET /locations/tree/maps
GET /devices
GET /devices/{id}
GET /devices/{id}/alarms
GET /devices/{id}/client-monitor

GET /devices/{id}/config/vlan-attributes
GET /devices/{id}/config/vlan-ipv4-intf
GET /devices/{id}/config/vlan-ipv4-static
GET /devices/{id}/ftm-settings
GET /devices/{id}/gallery-image
GET /devices/{id}/geolocation
GET /devices/{id}/history/cpu-mem
GET /devices/{id}/ibeacon
GET /devices/{id}/installation-report
GET /devices/{id}/interfaces/wifi
GET /devices/{id}/iot
GET /devices/{id}/location
GET /devices/{id}/monitor/ipv4-routing
GET /devices/{id}/monitor/ipv4-routing-timeline
GET /devices/{id}/monitor/refresh/status
GET /devices/{id}/monitor/vlan-attr
GET /devices/{id}/monitor/vlan-ipv4-intf
GET /devices/{id}/network-policy
GET /devices/{id}/radio-operating-mode
GET /devices/{id}/ssid/status
GET /devices/digital-twin
GET /devices/network-policy/{policyId}
GET /devices/radio-information
GET /devices/stats
GET /network-policies
GET /network-policies/{id}
GET /network-policies/{id}/ssids
GET /clients/{id}
GET /clients/active
GET /clients/active/count
GET /clients/byMac/{clientMac}
GET /clients/summary
GET /clients/usage
GET /applications
GET /applications/{id}/clients/top{n}
GET /applications/top{n}
GET /alert-policies
GET /alert-policies/{id}
GET /alert-policies/{policyId}/rules/{ruleId}
GET /alert-policies/available-sites
GET /alert-subscriptions/emails
GET /alert-subscriptions/emails/{id}
GET /alert-subscriptions/webhooks
GET /alert-subscriptions/webhooks/{id}

GET /alerts
GET /alerts/count-by-`{ group }`
GET /alerts/reports/`{ id }`
GET /logs/accounting
GET /logs/audit
GET /logs/audit/full-descriptions/`{ id }`
GET /logs/audit/reports/`{ id }`
GET /logs/auth
GET /logs/credential
GET /logs/email
GET /logs/sms
GET /subscriptions/webhook
GET /deployments
GET /deployments/`{ deploymentId }`
GET /deployments/`{ deploymentId }`/status
GET /deployments/overview
GET /deployments/status
GET /vlan-profiles
GET /vlan-profiles/`{ id }`
GET /email-templates
GET /endusers
GET /pcgs/key-based
GET /pcgs/key-based/network-policy-`{ policyId }`/port-assignments
GET /pcgs/key-based/network-policy-`{ policyId }`/users
GET /sms-templates
GET /usergroups
GET /ccgs
GET /ccgs/`{ id }`
GET /classification-rules
GET /classification-rules/`{ id }`
GET /client-monitor-profiles
GET /client-monitor-profiles/`{ id }`
GET /iot-profiles
GET /iot-profiles/`{ id }`
GET /l3-address-profiles
GET /l3-address-profiles/`{ id }`
GET /radio-profiles
GET /radio-profiles/`{ id }`
GET /radio-profiles/channel-selection/`{ id }`
GET /radio-profiles/mac-ouis
GET /radio-profiles/mac-ouis/`{ id }`
GET /radio-profiles/miscellaneous/`{ id }`
GET /radio-profiles/neighborhood-analysis/`{ id }`
GET /radio-profiles/radio-usage-opt/`{ id }`

GET /radio-profiles/sensor-scan/{id}
GET /radio-profiles/wmm-qos/{id}
GET /ssids
GET /ssids/advanced-settings/{id}
GET /user-profiles
GET /user-profiles/{id}
GET /tunnel-concentrators
GET /tunnel-concentrators/{id}
GET /ad-servers
GET /cwps
GET /ldap-servers
GET /ldap-servers/{id}
GET /radius-client-objects
GET /radius-client-objects/{id}
GET /radius-proxies
GET /radius-proxies/{id}
GET /radius-proxies/devices
GET /radius-servers/external
GET /radius-servers/external/{id}
GET /radius-servers/internal
GET /radius-servers/internal/{id}
GET /radius-servers/internal/devices
GET /certificates
GET /copilot/connectivity/wired/events
GET /copilot/connectivity/wired/experience
GET /copilot/connectivity/wired/hardware
GET /copilot/connectivity/wired/locations/hardware
GET /copilot/connectivity/wired/quality-index
GET /copilot/connectivity/wireless/apps
GET /copilot/connectivity/wireless/events
GET /copilot/connectivity/wireless/experience
GET /copilot/connectivity/wireless/locations/events
GET /copilot/connectivity/wireless/locations/performance
GET /copilot/connectivity/wireless/locations/quality-index
GET /copilot/connectivity/wireless/locations/time-to-connect
GET /copilot/connectivity/wireless/performance
GET /copilot/connectivity/wireless/quality-index
GET /copilot/connectivity/wireless/time-to-connect
GET /copilot/connectivity/wireless/views
GET /copilot/anomalies/adverse-traffic/device-stats
GET /copilot/anomalies/adverse-traffic/packet-counts
GET /copilot/anomalies/anomalies-by-category
GET /copilot/anomalies/devices-by-location
GET /copilot/anomalies/devices-with-locations

GET /copilot/anomalies/dfs-recurrence/channel-stats
GET /copilot/anomalies/dfs-recurrence/count-stats
GET /copilot/anomalies/hardware-health/client-list
GET /copilot/anomalies/hardware-health/stats
GET /copilot/anomalies/locations
GET /copilot/anomalies/notifications
GET /copilot/anomalies/poeflapping/lldp-cdp-info
GET /copilot/anomalies/poeflapping/stats
GET /copilot/anomalies/poeflapping/trends
GET /copilot/anomalies/port-efficiency/speed-duplex-stats
GET /copilot/anomalies/port-efficiency/stats
GET /copilot/anomalies/report
GET /copilot/anomalies/wifi-capacity/client-list
GET /copilot/anomalies/wifi-capacity/stats
GET /copilot/anomalies/wifi-efficiency/client-list
GET /copilot/anomalies/wifi-efficiency/stats
GET /copilot/assurance-scans/overview
GET /packetcaptures
GET /packetcaptures/{id}
GET /packetcaptures/files
GET /network-scorecard/clientHealth/{locationId}
GET /network-scorecard/deviceHealth/{locationId}
GET /network-scorecard/networkHealth/{locationId}
GET /network-scorecard/servicesHealth/{locationId}
GET /network-scorecard/wifiHealth/{locationId}
GET /countries
GET /countries/{countryAlpha2Code}/states
GET /countries/{countryCode}:/validate

Installer

POST /logout
POST /auth/apitoken
POST /auth/permissions/:check
GET /operations/{operationId}
POST /account/:switch
GET /account/external
GET /account/home
GET /account/viq
GET /account/viq/default-device-password
GET /account/viq/download
GET /account/viq/export-import-status
GET /users/me
GET /hiq/context
PUT /hiq/context

GET /hiq/context/creating
PUT /hiq/context/creating
GET /hiq/context/reading
PUT /hiq/context/reading
GET /hiq/organizations
GET /hiq/status
POST /locations
POST /locations/:init
PUT /locations/{id}
DELETE /locations/{id}
GET /locations/building
POST /locations/building
GET /locations/building/{id}
PUT /locations/building/{id}
DELETE /locations/building/{id}
GET /locations/floor
POST /locations/floor
GET /locations/floor/{id}
PUT /locations/floor/{id}
DELETE /locations/floor/{id}
POST /locations/floorplan
POST /locations/import/ekahau
GET /locations/site
POST /locations/site
GET /locations/site/{id}
PUT /locations/site/{id}
DELETE /locations/site/{id}
GET /locations/tree
GET /locations/tree/devices
GET /locations/tree/maps
GET /devices
POST /devices/:advanced-onboard
POST /devices/:check-ownership
POST /devices/:cli
POST /devices/:delete
POST /devices/:manage
POST /devices/:onboard
POST /devices/:reboot
POST /devices/:unmanage
GET /devices/{id}
DELETE /devices/{id}
POST /devices/{id}/:cli
POST /devices/{id}/:manage
POST /devices/{id}/:reboot

POST /devices/{id}/:reset
POST /devices/{id}/:unmanage
GET /devices/{id}/alarms
POST /devices/{id}/bounce-port
GET /devices/{id}/client-monitor
PUT /devices/{id}/client-monitor
DELETE /devices/{id}/client-monitor
GET /devices/{id}/config/vlan-attributes
POST /devices/{id}/config/vlan-attributes
DELETE /devices/{id}/config/vlan-attributes
PATCH /devices/{id}/config/vlan-attributes/{vlanId}
GET /devices/{id}/config/vlan-ipv4-intf
POST /devices/{id}/config/vlan-ipv4-intf
DELETE /devices/{id}/config/vlan-ipv4-intf
PATCH /devices/{id}/config/vlan-ipv4-intf/{ipv4InterfaceId}
GET /devices/{id}/config/vlan-ipv4-static
POST /devices/{id}/config/vlan-ipv4-static
DELETE /devices/{id}/config/vlan-ipv4-static
PATCH /devices/{id}/config/vlan-ipv4-static/{ipv4StaticRouteId}
PUT /devices/{id}/description
GET /devices/{id}/ftm-settings
PUT /devices/{id}/ftm-settings
DELETE /devices/{id}/ftm-settings
GET /devices/{id}/gallery-image
GET /devices/{id}/geolocation
GET /devices/{id}/history/cpu-mem
PUT /devices/{id}/hostname
GET /devices/{id}/ibeacon
GET /devices/{id}/installation-report
GET /devices/{id}/interfaces/wifi
GET /devices/{id}/iot
POST /devices/{id}/iot/:disable
POST /devices/{id}/iot/:enable
GET /devices/{id}/location
PUT /devices/{id}/location
DELETE /devices/{id}/location
POST /devices/{id}/monitor/:refresh
GET /devices/{id}/monitor/ipv4-routing
GET /devices/{id}/monitor/ipv4-routing-timeline
GET /devices/{id}/monitor/refresh/status
GET /devices/{id}/monitor/vlan-attr
GET /devices/{id}/monitor/vlan-ipv4-intf
GET /devices/{id}/network-policy
PUT /devices/{id}/network-policy

DELETE /devices/{id}/network-policy
GET /devices/{id}/radio-operating-mode
PUT /devices/{id}/radio-operating-mode
POST /devices/{id}/ssid/override
GET /devices/{id}/ssid/status
POST /devices/{id}/ssid/status/change
POST /devices/{id}/thread/commissioner/start
POST /devices/{id}/thread/commissioner/stop
POST /devices/client-monitor/assign
POST /devices/client-monitor/revoke
POST /devices/client-monitor/query
POST /devices/country-code/assign
GET /devices/digital-twin
PUT /devices/ibeacon
POST /devices/location/assign
POST /devices/location/query
POST /devices/location/revoke
POST /devices/network-policy/assign
POST /devices/network-policy/query
POST /devices/network-policy/revoke
GET /devices/network-policy/{policyId}
POST /devices/os/change
GET /devices/radio-information
PUT /devices/radius-proxy/assign
DELETE /devices/radius-proxy/revoke
GET /devices/stats
GET /network-policies
GET /network-policies/{id}
GET /network-policies/{id}/ssids
GET /clients/{id}
GET /clients/active
GET /clients/active/count
GET /clients/byMac/{clientMac}
GET /clients/summary
GET /clients/usage
GET /alert-policies
GET /alert-policies/{id}
GET /alert-policies/{policyId}/rules/{ruleId}
GET /alert-policies/available-sites
GET /alert-subscriptions/emails
GET /alert-subscriptions/emails/{id}
GET /alert-subscriptions/webhooks
GET /alert-subscriptions/webhooks/{id}
GET /alerts

GET /alerts/count-by-`{ group }`
GET /alerts/reports/`{ id }`
GET /logs/accounting
GET /logs/audit
GET /logs/audit/full-descriptions/`{ id }`
GET /logs/audit/reports/`{ id }`
GET /logs/auth
GET /logs/credential
GET /logs/email
GET /logs/sms
GET /deployments
GET /deployments/`{ deploymentId }`
GET /deployments/`{ deploymentId }`/status
GET /deployments/overview
GET /deployments/status
GET /client-monitor-profiles
GET /client-monitor-profiles/`{ id }`
GET /iot-profiles
GET /iot-profiles/`{ id }`
GET /radio-profiles
GET /radio-profiles/`{ id }`
GET /radio-profiles/channel-selection/`{ id }`
GET /radio-profiles/mac-ouis
GET /radio-profiles/mac-ouis/`{ id }`
GET /radio-profiles/miscellaneous/`{ id }`
GET /radio-profiles/neighborhood-analysis/`{ id }`
GET /radio-profiles/radio-usage-opt/`{ id }`
GET /radio-profiles/sensor-scan/`{ id }`
GET /radio-profiles/wmm-qos/`{ id }`
GET /ssids
GET /ssids/advanced-settings/`{ id }`
GET /user-profiles
GET /user-profiles/`{ id }`
GET /tunnel-concentrators
GET /tunnel-concentrators/`{ id }`
GET /radius-client-objects
GET /radius-client-objects/`{ id }`
GET /radius-servers/external
GET /radius-servers/external/`{ id }`
GET /radius-servers/internal
GET /radius-servers/internal/`{ id }`
GET /radius-servers/internal/devices
GET /certificates
GET /packetcaptures

GET /packetcaptures/{id}
GET /packetcaptures/files
GET /network-scorecard/clientHealth/{locationId}
GET /network-scorecard/deviceHealth/{locationId}
GET /network-scorecard/networkHealth/{locationId}
GET /network-scorecard/servicesHealth/{locationId}
GET /network-scorecard/wifiHealth/{locationId}
GET /countries
GET /countries/{countryAlpha2Code}/states
GET /countries/{countryCode}/:validate

Observer

POST /logout
GET /auth/apitoken/info
GET /auth/permissions
POST /auth/permissions/:check
GET /operations/{operationId}
POST /account/:switch
GET /account/external
GET /account/home
GET /account/viq
GET /account/viq/default-device-password
GET /account/viq/download
GET /account/viq/export-import-status
GET /users/me
GET /hiq/context
GET /hiq/context/creating
GET /hiq/context/reading
GET /hiq/organizations
GET /hiq/status
GET /locations/building
GET /locations/building/{id}
GET /locations/floor
GET /locations/floor/{id}
GET /locations/site
GET /locations/site/{id}
GET /locations/tree
GET /locations/tree/devices
GET /locations/tree/maps
GET /devices
GET /devices/{id}
GET /devices/{id}/alarms
GET /devices/{id}/client-monitor
GET /devices/{id}/config/vlan-attributes

GET /devices/{id}/config/vlan-ipv4-intf
GET /devices/{id}/config/vlan-ipv4-static
GET /devices/{id}/ftm-settings
GET /devices/{id}/gallery-image
GET /devices/{id}/geolocation
GET /devices/{id}/history/cpu-mem
GET /devices/{id}/ibeacon
GET /devices/{id}/installation-report
GET /devices/{id}/interfaces/wifi
GET /devices/{id}/iot
GET /devices/{id}/location
GET /devices/{id}/monitor/ipv4-routing
GET /devices/{id}/monitor/ipv4-routing-timeline
GET /devices/{id}/monitor/refresh/status
GET /devices/{id}/monitor/vlan-attr
GET /devices/{id}/monitor/vlan-ipv4-intf
GET /devices/{id}/network-policy
GET /devices/{id}/radio-operating-mode
GET /devices/{id}/ssid/status
GET /devices/digital-twin
GET /devices/network-policy/{policyId}
GET /devices/radio-information
GET /devices/stats
GET /network-policies
GET /network-policies/{id}
GET /network-policies/{id}/ssids
GET /clients/{id}
GET /clients/active
GET /clients/active/count
GET /clients/byMac/{clientMac}
GET /clients/summary
GET /clients/usage
GET /applications
GET /applications/{id}/clients/top{n}
GET /applications/top{n}
GET /alert-policies
GET /alert-policies/{id}
GET /alert-policies/{policyId}/rules/{ruleId}
GET /alert-policies/available-sites
GET /alert-subscriptions/emails
GET /alert-subscriptions/emails/{id}
GET /alert-subscriptions/webhooks
GET /alert-subscriptions/webhooks/{id}
GET /alerts

GET /alerts/count-by-{group}
GET /alerts/reports/{id}
GET /logs/accounting
GET /logs/audit
GET /logs/audit/full-descriptions/{id}
GET /logs/audit/reports/{id}
GET /logs/auth
GET /logs/credential
GET /logs/email
GET /logs/sms
GET /subscriptions/webhook
GET /deployments
GET /deployments/{deploymentId}
GET /deployments/{deploymentId}/status
GET /deployments/overview
GET /deployments/status
GET /vlan-profiles
GET /vlan-profiles/{id}
GET /email-templates
GET /endusers
GET /pcgs/key-based
GET /pcgs/key-based/network-policy-{policyId}/port-assignments
GET /pcgs/key-based/network-policy-{policyId}/users
GET /sms-templates
GET /usergroups
GET /ccgs
GET /ccgs/{id}
GET /classification-rules
GET /classification-rules/{id}
GET /client-monitor-profiles
GET /client-monitor-profiles/{id}
GET /iot-profiles
GET /iot-profiles/{id}
GET /l3-address-profiles
GET /l3-address-profiles/{id}
GET /radio-profiles
GET /radio-profiles/{id}
GET /radio-profiles/channel-selection/{id}
GET /radio-profiles/mac-ouis
GET /radio-profiles/mac-ouis/{id}
GET /radio-profiles/miscellaneous/{id}
GET /radio-profiles/neighborhood-analysis/{id}
GET /radio-profiles/radio-usage-opt/{id}
GET /radio-profiles/sensor-scan/{id}

GET /radio-profiles/wmm-qos/{id}
GET /ssids
GET /ssids/advanced-settings/{id}
GET /user-profiles
GET /user-profiles/{id}
GET /tunnel-concentrators
GET /tunnel-concentrators/{id}
GET /ad-servers
GET /cwps
GET /ldap-servers
GET /ldap-servers/{id}
GET /radius-client-objects
GET /radius-client-objects/{id}
GET /radius-proxies
GET /radius-proxies/{id}
GET /radius-proxies/devices
GET /radius-servers/external
GET /radius-servers/external/{id}
GET /radius-servers/internal
GET /radius-servers/internal/{id}
GET /radius-servers/internal/devices
GET /certificates
GET /copilot/connectivity/wired/events
GET /copilot/connectivity/wired/experience
GET /copilot/connectivity/wired/hardware
GET /copilot/connectivity/wired/locations/hardware
GET /copilot/connectivity/wired/quality-index
GET /copilot/connectivity/wireless/apps
GET /copilot/connectivity/wireless/events
GET /copilot/connectivity/wireless/experience
GET /copilot/connectivity/wireless/locations/events
GET /copilot/connectivity/wireless/locations/performance
GET /copilot/connectivity/wireless/locations/quality-index
GET /copilot/connectivity/wireless/locations/time-to-connect
GET /copilot/connectivity/wireless/performance
GET /copilot/connectivity/wireless/quality-index
GET /copilot/connectivity/wireless/time-to-connect
GET /copilot/connectivity/wireless/views
GET /copilot/anomalies/adverse-traffic/device-stats
GET /copilot/anomalies/adverse-traffic/packet-counts
GET /copilot/anomalies/anomalies-by-category
GET /copilot/anomalies/devices-by-location
GET /copilot/anomalies/devices-with-locations
GET /copilot/anomalies/dfs-recurrence/channel-stats

GET /copilot/anomalies/dfs-recurrence/count-stats
GET /copilot/anomalies/hardware-health/client-list
GET /copilot/anomalies/hardware-health/stats
GET /copilot/anomalies/locations
GET /copilot/anomalies/notifications
GET /copilot/anomalies/poeflapping/lldp-cdp-info
GET /copilot/anomalies/poeflapping/stats
GET /copilot/anomalies/poeflapping/trends
GET /copilot/anomalies/port-efficiency/speed-duplex-stats
GET /copilot/anomalies/port-efficiency/stats
GET /copilot/anomalies/report
GET /copilot/anomalies/wifi-capacity/client-list
GET /copilot/anomalies/wifi-capacity/stats
GET /copilot/anomalies/wifi-efficiency/client-list
GET /copilot/anomalies/wifi-efficiency/stats
GET /copilot/assurance-scans/overview
GET /packetcaptures
GET /packetcaptures/{id}
GET /packetcaptures/files
GET /network-scorecard/clientHealth/{locationId}
GET /network-scorecard/deviceHealth/{locationId}
GET /network-scorecard/networkHealth/{locationId}
GET /network-scorecard/servicesHealth/{locationId}
GET /network-scorecard/wifiHealth/{locationId}
GET /countries
GET /countries/{countryAlpha2Code}/states
GET /countries/{countryCode}/:validate

Help Desk

POST /logout
POST /auth/permissions/:check
GET /operations/{operationId}
POST /account/:switch
GET /account/external
GET /account/home
GET /account/viq
GET /account/viq/default-device-password
GET /account/viq/download
GET /account/viq/export-import-status
GET /users/me
GET /hiq/context
GET /hiq/context/creating
GET /hiq/context/reading
GET /hiq/organizations

GET /hiq/status
GET /locations/building
GET /locations/building/{id}
GET /locations/floor
GET /locations/floor/{id}
GET /locations/site
GET /locations/site/{id}
GET /locations/tree
GET /locations/tree/devices
GET /locations/tree/maps
GET /clients/{id}
GET /clients/active
GET /clients/active/count
GET /clients/byMac/{clientMac}
GET /clients/summary
GET /clients/usage
GET /alerts
GET /alerts/count-by-{group}
GET /alerts/reports/{id}
GET /deployments
GET /deployments/{deploymentId}
GET /deployments/{deploymentId}/status
GET /deployments/overview
GET /deployments/status
GET /endusers
GET /packetcaptures
POST /packetcaptures
GET /packetcaptures/{id}
DELETE /packetcaptures/{id}
POST /packetcaptures/{id}/:stop
POST /packetcaptures/{id}/:upload
GET /packetcaptures/files
GET /countries
GET /countries/{countryAlpha2Code}/states
GET /countries/{countryCode}/:validate

Application Operator

GET /logs/accounting
GET /logs/audit
GET /logs/audit/full-descriptions/{id}
GET /logs/audit/reports/{id}
GET /logs/auth
GET /logs/credential
GET /logs/email

GET /logs/sms

Guest Management

POST /logout

POST /auth/permissions/:check

GET /operations/{operationId}

POST /account/:switch

GET /account/external

GET /account/home

GET /account/viq

GET /account/viq/default-device-password

GET /account/viq/download

GET /account/viq/export-import-status

GET /deployments

GET /deployments/{deploymentId}

GET /deployments/{deploymentId}/status

GET /deployments/overview

GET /deployments/status

GET /endusers

POST /endusers

PUT /endusers/{id}

DELETE /endusers/{id}

POST /endusers/{id}/:regenerate-password

GET /usergroups

GET /copilot/connectivity/wired/events

GET /copilot/connectivity/wired/experience

GET /copilot/connectivity/wired/hardware

GET /copilot/connectivity/wired/locations/hardware

GET /copilot/connectivity/wired/quality-index

GET /copilot/connectivity/wireless/apps

GET /copilot/connectivity/wireless/events

GET /copilot/connectivity/wireless/experience

GET /copilot/connectivity/wireless/locations/events

GET /copilot/connectivity/wireless/locations/performance

GET /copilot/connectivity/wireless/locations/quality-index

GET /copilot/connectivity/wireless/locations/time-to-connect

GET /copilot/connectivity/wireless/performance

GET /copilot/connectivity/wireless/quality-index

GET /copilot/connectivity/wireless/time-to-connect

GET /copilot/connectivity/wireless/views

GET /copilot/anomalies/adverse-traffic/device-stats

GET /copilot/anomalies/adverse-traffic/packet-counts

GET /copilot/anomalies/anomalies-by-category

GET /copilot/anomalies/devices-by-location

GET /copilot/anomalies/devices-with-locations
GET /copilot/anomalies/dfs-recurrence/channel-stats
GET /copilot/anomalies/dfs-recurrence/count-stats
GET /copilot/anomalies/hardware-health/client-list
GET /copilot/anomalies/hardware-health/stats
GET /copilot/anomalies/locations
GET /copilot/anomalies/notifications
GET /copilot/anomalies/poeflapping/ldp-cdp-info
GET /copilot/anomalies/poeflapping/stats
GET /copilot/anomalies/poeflapping/trends
GET /copilot/anomalies/port-efficiency/speed-duplex-stats
GET /copilot/anomalies/port-efficiency/stats
GET /copilot/anomalies/report
GET /copilot/anomalies/wifi-capacity/client-list
GET /copilot/anomalies/wifi-capacity/stats
GET /copilot/anomalies/wifi-efficiency/client-list
GET /copilot/anomalies/wifi-efficiency/stats
GET /copilot/assurance-scans/overview

APPENDIX – B

API call list based on Permission

logout

POST /logout

auth

POST /auth/permissions/:check

POST /auth/apitoken

POST /auth/apitoken/:validate

GET /auth/permissions

GET /auth/apitoken/info

auth:r

GET /auth/permissions

GET /auth/apitoken/info

token:new

POST /auth/apitoken

perm:check

POST /auth/permissions/:check

lro

POST /operations/{operationId}/:cancel

GET /operations/{operationId}

DELETE /operations/{operationId}

lro:r

GET /operations/{operationId}

account

GET /account/viq/default-device-password
PUT /account/viq/default-device-password
POST /account/viq/import
POST /account/viq/export
POST /account/viq/:backup
POST /account/:switch
GET /account/viq
GET /account/viq/export-import-status
GET /account/viq/download
GET /account/home
GET /account/external

account:switch

POST /account/:switch

account:r

GET /account/viq/default-device-password
GET /account/viq
GET /account/viq/export-import-status
GET /account/viq/download
GET /account/home
GET /account/external

viq:backup

POST /account/viq/:backup

user-me:r

GET /users/me

user:r

GET /users
GET /users/external
GET /users/{id}
GET /users/external/{id}
GET /users/me

hiq

GET /hiq/context
PUT /hiq/context
GET /hiq/context/reading
PUT /hiq/context/reading
GET /hiq/context/creating
PUT /hiq/context/creating
GET /hiq/organizations
POST /hiq/organizations
POST /hiq/organizations/{id}/:rename
GET /hiq/status
DELETE /hiq/organizations/{id}

hiq:r

GET /hiq/context
GET /hiq/context/reading
GET /hiq/context/creating
GET /hiq/organizations
GET /hiq/status

org

GET /hiq/organizations
POST /hiq/organizations
POST /hiq/organizations/{id}/:rename
DELETE /hiq/organizations/{id}

org:new

POST /hiq/organizations

org:del

DELETE /hiq/organizations/{id}

org:rename

POST /hiq/organizations/{id}/:rename

hiq.ctx

GET /hiq/context
PUT /hiq/context

GET /hiq/context/reading
PUT /hiq/context/reading
GET /hiq/context/creating
PUT /hiq/context/creating

hiq.ctx:r

GET /hiq/context
GET /hiq/context/reading
GET /hiq/context/creating

hiq.ctx:w

PUT /hiq/context
PUT /hiq/context/reading
PUT /hiq/context/creating

device

GET /devices/{id}/radio-operating-mode
PUT /devices/{id}/radio-operating-mode
GET /devices/{id}/network-policy
PUT /devices/{id}/network-policy
DELETE /devices/{id}/network-policy
GET /devices/{id}/location
PUT /devices/{id}/location
DELETE /devices/{id}/location
PUT /devices/{id}/hostname
GET /devices/{id}/ftm-settings
PUT /devices/{id}/ftm-settings
DELETE /devices/{id}/ftm-settings
PUT /devices/{id}/description
GET /devices/{id}/client-monitor
PUT /devices/{id}/client-monitor
DELETE /devices/{id}/client-monitor
PUT /devices/radius-proxy/:assign
PUT /devices/ibeacon
POST /devices/{id}/thread/commissioner/:stop
POST /devices/{id}/thread/commissioner/:start
POST /devices/{id}/ssid/status/:change
POST /devices/{id}/ssid/:override
POST /devices/{id}/monitor/:refresh
POST /devices/{id}/iot/:enable

POST /devices/{id}/iot:disable
GET /devices/{id}/config/vlan-ipv4-static
POST /devices/{id}/config/vlan-ipv4-static
DELETE /devices/{id}/config/vlan-ipv4-static
GET /devices/{id}/config/vlan-ipv4-intf
POST /devices/{id}/config/vlan-ipv4-intf
DELETE /devices/{id}/config/vlan-ipv4-intf
GET /devices/{id}/config/vlan-attributes
POST /devices/{id}/config/vlan-attributes
DELETE /devices/{id}/config/vlan-attributes
POST /devices/{id}/bounce-port
POST /devices/{id}/:unmanage
POST /devices/{id}/:reset
POST /devices/{id}/:reboot
POST /devices/{id}/:manage
POST /devices/{id}/:cli
POST /devices/os/:change
POST /devices/network-policy/:revoke
POST /devices/network-policy/:query
POST /devices/network-policy/:assign
POST /devices/location/:revoke
POST /devices/location/:query
POST /devices/location/:assign
POST /devices/country-code/:assign
POST /devices/client-monitor/:revoke
POST /devices/client-monitor/:query
POST /devices/client-monitor/:assign
POST /devices/:unmanage
POST /devices/:reboot
POST /devices/:onboard
POST /devices/:manage
POST /devices/:delete
POST /devices/:cli
POST /devices/:check-ownership
POST /devices/:advanced-onboard
PATCH /devices/{id}/config/vlan-ipv4-static/{ipv4StaticRouteId}
PATCH /devices/{id}/config/vlan-ipv4-intf/{ipv4InterfaceId}
PATCH /devices/{id}/config/vlan-attributes/{vlanId}
GET /devices
GET /devices/{id}
DELETE /devices/{id}
GET /devices/{id}/ssid/status
GET /devices/{id}/monitor/vlan-ipv4-intf
GET /devices/{id}/monitor/vlan-attr

GET /devices/{id}/monitor/refresh/status
GET /devices/{id}/monitor/ipv4-routing
GET /devices/{id}/monitor/ipv4-routing-timeline
GET /devices/{id}/iot
GET /devices/{id}/interfaces/wifi
GET /devices/{id}/installation-report
GET /devices/{id}/ibeacon
GET /devices/{id}/history/cpu-mem
GET /devices/{id}/geolocation
GET /devices/{id}/gallery-image
GET /devices/{id}/alarms
GET /devices/stats
GET /devices/radio-information
GET /devices/network-policy/{policyId}
GET /devices/digital-twin
DELETE /devices/radius-proxy/:revoke

device:r

GET /devices/{id}/radio-operating-mode
GET /devices/{id}/network-policy
GET /devices/{id}/location
GET /devices/{id}/ftm-settings
GET /devices/{id}/client-monitor
GET /devices/{id}/config/vlan-ipv4-static
GET /devices/{id}/config/vlan-ipv4-intf
GET /devices/{id}/config/vlan-attributes
GET /devices
GET /devices/{id}
GET /devices/{id}/ssid/status
GET /devices/{id}/monitor/vlan-ipv4-intf
GET /devices/{id}/monitor/vlan-attr
GET /devices/{id}/monitor/refresh/status
GET /devices/{id}/monitor/ipv4-routing
GET /devices/{id}/monitor/ipv4-routing-timeline
GET /devices/{id}/iot
GET /devices/{id}/interfaces/wifi
GET /devices/{id}/installation-report
GET /devices/{id}/ibeacon
GET /devices/{id}/history/cpu-mem
GET /devices/{id}/geolocation
GET /devices/{id}/gallery-image
GET /devices/{id}/alarms
GET /devices/stats

GET /devices/radio-information
GET /devices/network-policy/{policyId}
GET /devices/digital-twin

device:list

GET /devices

device:view

GET /devices/{id}
GET /devices/stats
GET /devices/radio-information
GET /devices/digital-twin

device:new

POST /devices/:onboard

device:del

POST /devices/:delete

device:cli

POST /devices/:cli

device:deploy

Permission not used

device:manage

POST /devices/:manage

device:unmanage

POST /devices/:unmanage

device:reboot

POST /devices/:reboot

device:reset

POST /devices/{id}/:reset

device:thread-commissioner

POST /devices/{id}/thread/commissioner/:stop

POST /devices/{id}/thread/commissioner/:start

client

PUT /clients/alias

GET /clients/{id}

GET /clients/usage

GET /clients/summary

GET /clients/byMac/{clientMac}

DELETE /clients/byMac/{clientMac}

GET /clients/active

GET /clients/active/count

client:r

GET /clients/{id}

GET /clients/usage

GET /clients/summary

GET /clients/byMac/{clientMac}

GET /clients/active

GET /clients/active/count

locations

PUT /locations/{id}

DELETE /locations/{id}

GET /locations/site/{id}

PUT /locations/site/{id}

DELETE /locations/site/{id}

GET /locations/floor/{id}

PUT /locations/floor/{id}

DELETE /locations/floor/{id}

GET /locations/building/{id}

PUT /locations/building/{id}

DELETE /locations/building/{id}

POST /locations
GET /locations/site
POST /locations/site
POST /locations/import/ekahau
GET /locations/floor
POST /locations/floor
POST /locations/floorplan
GET /locations/building
POST /locations/building
POST /locations/:init
GET /locations/tree
GET /locations/tree/maps
GET /locations/tree/devices

locations:r

GET /locations/site/{id}
GET /locations/floor/{id}
GET /locations/building/{id}
GET /locations/site
GET /locations/floor
GET /locations/building
GET /locations/tree
GET /locations/tree/maps
GET /locations/tree/devices

network-policy

GET /network-policies/{id}
PUT /network-policies/{id}
DELETE /network-policies/{id}
GET /network-policies
POST /network-policies
POST /network-policies/{id}/ssids:remove
POST /network-policies/{id}/ssids:add
GET /network-policies/{id}/ssids

policy:ssid

POST /network-policies/{id}/ssids:remove
POST /network-policies/{id}/ssids:add

network-policy:r

GET /network-policies/{id}
GET /network-policies
GET /network-policies/{id}/ssids

network-scorecard

GET /network-scorecard/wifiHealth/{locationId}
GET /network-scorecard/servicesHealth/{locationId}
GET /network-scorecard/networkHealth/{locationId}
GET /network-scorecard/deviceHealth/{locationId}
GET /network-scorecard/clientHealth/{locationId}

network-scorecard:r

GET /network-scorecard/wifiHealth/{locationId}
GET /network-scorecard/servicesHealth/{locationId}
GET /network-scorecard/networkHealth/{locationId}
GET /network-scorecard/deviceHealth/{locationId}
GET /network-scorecard/clientHealth/{locationId}

ssid

PUT /ssids/{id}/psk/password
PUT /ssids/{id}/mode/wep
PUT /ssids/{id}/mode/psk
PUT /ssids/{id}/mode/ppsk
PUT /ssids/{id}/mode/open
PUT /ssids/{id}/mode/dot1x
GET /ssids/advanced-settings/{id}
PUT /ssids/advanced-settings/{id}
POST /ssids/{id}/user-profile/:attach
POST /ssids/{id}/user-profile-assignment/:attach
POST /ssids/{id}/radius-server-group/:attach
POST /ssids/{id}/radius-client-profile/:attach
POST /ssids/{id}/cwp/:enable
POST /ssids/{id}/cwp/:disable
POST /ssids/{id}/cwp/:attach
POST /ssids/{id}/client-monitor-profile/:attach
POST /ssids/{id}/:rename
GET /ssids

ssid:r

GET /ssids/advanced-settings/{id}
GET /ssids

pcg:key

GET /pcgs/key-based/network-policy-{policyId}/users
PUT /pcgs/key-based/network-policy-{policyId}/users
POST /pcgs/key-based/network-policy-{policyId}/users
DELETE /pcgs/key-based/network-policy-{policyId}/users
GET /pcgs/key-based
POST /pcgs/key-based
GET /pcgs/key-based/network-policy-{policyId}/port-assignments
POST /pcgs/key-based/network-policy-{policyId}/port-assignments
POST /pcgs/key-based/network-policy-{policyId}/keys/:generate
POST /pcgs/key-based/network-policy-{policyId}/keys/:email
POST /pcgs/key-based/network-policy-{policyId}/:onboard
DELETE /pcgs/key-based/network-policy-{policyId}

pcg:key:r

GET /pcgs/key-based/network-policy-{policyId}/users
GET /pcgs/key-based
GET /pcgs/key-based/network-policy-{policyId}/port-assignments

subscriptions-webhook

GET /subscriptions/webhook
POST /subscriptions/webhook
DELETE /subscriptions/webhook/{id}

subscriptions-webhook:r

GET /subscriptions/webhook

ccg

GET /ccgs/{id}
PUT /ccgs/{id}
DELETE /ccgs/{id}
GET /ccgs
POST /ccgs

ccg:r

GET /ccgs/{id}

GET /ccgs

log

POST /logs/audit/reports

GET /logs/sms

GET /logs/email

GET /logs/credential

GET /logs/auth

GET /logs/audit

GET /logs/audit/reports/{id}

GET /logs/audit/full-descriptions/{id}

GET /logs/accounting

log:r

GET /logs/sms

GET /logs/email

GET /logs/credential

GET /logs/auth

GET /logs/audit

GET /logs/audit/reports/{id}

GET /logs/audit/full-descriptions/{id}

GET /logs/accounting

cwp

GET /cwps

cwp:r

GET /cwps

sms-tmpl

GET /sms-templates

sms-tmpl:r

GET /sms-templates

class-rule

GET /classification-rules/{id}

PUT /classification-rules/{id}

DELETE /classification-rules/{id}

GET /classification-rules

POST /classification-rules

class-rule:r

GET /classification-rules/{id}

GET /classification-rules

user-profile

GET /user-profiles/{id}

PUT /user-profiles/{id}

DELETE /user-profiles/{id}

GET /user-profiles

POST /user-profiles

POST /user-profiles/{id}/mac-firewall-policies/:detach

POST /user-profiles/{id}/mac-firewall-policies/:attach

POST /user-profiles/{id}/ip-firewall-policies/:detach

POST /user-profiles/{id}/ip-firewall-policies/:attach

user-profile:r

GET /user-profiles/{id}

GET /user-profiles

tunnel-concentrator

GET /tunnel-concentrators/{id}

PUT /tunnel-concentrators/{id}

DELETE /tunnel-concentrators/{id}

GET /tunnel-concentrators

POST /tunnel-concentrators

tunnel-concentrator:r

GET /tunnel-concentrators/{id}
GET /tunnel-concentrators

radius-proxy

GET /radius-proxies/{id}
PUT /radius-proxies/{id}
DELETE /radius-proxies/{id}
GET /radius-proxies
POST /radius-proxies
GET /radius-proxies/devices

radius-proxy:r

GET /radius-proxies/{id}
GET /radius-proxies
GET /radius-proxies/devices

radius-server

GET /radius-servers/internal/{id}
PUT /radius-servers/internal/{id}
DELETE /radius-servers/internal/{id}
GET /radius-servers/external/{id}
PUT /radius-servers/external/{id}
DELETE /radius-servers/external/{id}
GET /radius-servers/internal
POST /radius-servers/internal
DELETE /radius-servers/internal
GET /radius-servers/external
POST /radius-servers/external
GET /radius-servers/internal/devices

radius-server:r

GET /radius-servers/internal/{id}
GET /radius-servers/external/{id}
GET /radius-servers/internal
GET /radius-servers/external
GET /radius-servers/internal/devices

usergroup

PUT /usergroups/{id}
DELETE /usergroups/{id}
GET /usergroups
POST /usergroups

usergroup:r

GET /usergroups

deployment

GET /deployments/{deploymentId}
PUT /deployments/{deploymentId}
DELETE /deployments/{deploymentId}
GET /deployments
POST /deployments
POST /deployments/firmware-metadatas
GET /deployments/{deploymentId}/status
GET /deployments/status
GET /deployments/overview

deployment:r

GET /deployments/{deploymentId}
GET /deployments
GET /deployments/{deploymentId}/status
GET /deployments/status
GET /deployments/overview

ad-server

GET /ad-servers

ad-server:r

GET /ad-servers

alert

POST /alerts/reports
POST /alerts/:acknowledge

GET /alerts
GET /alerts/reports/{id}
GET /alerts/count-by-{group}

alert:r

GET /alerts
GET /alerts/reports/{id}
GET /alerts/count-by-{group}

alert-policies

GET /alert-policies/{policyId}/rules/{ruleId}
PUT /alert-policies/{policyId}/rules/{ruleId}
GET /alert-policies/{id}
PUT /alert-policies/{id}
DELETE /alert-policies/{id}
GET /alert-policies
POST /alert-policies
POST /alert-policies/{policyId}/rules/{ruleId}/:enable
POST /alert-policies/{policyId}/rules/{ruleId}/:disable
GET /alert-policies/available-sites

alert-policies:r

GET /alert-policies/{policyId}/rules/{ruleId}
GET /alert-policies/{id}
GET /alert-policies
GET /alert-policies/available-sites

alert-subscriptions

GET /alert-subscriptions/webhooks/{id}
PUT /alert-subscriptions/webhooks/{id}
DELETE /alert-subscriptions/webhooks/{id}
GET /alert-subscriptions/emails/{id}
PUT /alert-subscriptions/emails/{id}
DELETE /alert-subscriptions/emails/{id}
GET /alert-subscriptions/webhooks
POST /alert-subscriptions/webhooks
POST /alert-subscriptions/webhooks/:delete
GET /alert-subscriptions/emails
POST /alert-subscriptions/emails

POST /alert-subscriptions/emails/{id}/:verify
POST /alert-subscriptions/emails/:delete

alert-subscriptions:r

GET /alert-subscriptions/webhooks/{id}
GET /alert-subscriptions/emails/{id}
GET /alert-subscriptions/webhooks
GET /alert-subscriptions/emails

app

GET /applications
GET /applications/{id}/clients/top{n}
GET /applications/top{n}

application:r

GET /applications
GET /applications/{id}/clients/top{n}
GET /applications/top{n}

l3-address-profile

GET /l3-address-profiles/{id}
PUT /l3-address-profiles/{id}
DELETE /l3-address-profiles/{id}
GET /l3-address-profiles
POST /l3-address-profiles

l3-address-profile:r

GET /l3-address-profiles/{id}
GET /l3-address-profiles

vlan-profile

GET /vlan-profiles
POST /vlan-profiles
POST /vlan-profiles/:delete
GET /vlan-profiles/{id}
DELETE /vlan-profiles/{id}
PATCH /vlan-profiles/{id}

vlan-profile:r

GET /vlan-profiles
GET /vlan-profiles/{id}

enduser

PUT /endusers/{id}
DELETE /endusers/{id}
GET /endusers
POST /endusers
POST /endusers/{id}/:regenerate-password

enduser:r

GET /endusers

radius-client-object

GET /radius-client-objects/{id}
PUT /radius-client-objects/{id}
DELETE /radius-client-objects/{id}
GET /radius-client-objects
POST /radius-client-objects

radius-client-object:r

GET /radius-client-objects/{id}
GET /radius-client-objects

ldap-server

GET /ldap-servers/{id}
PUT /ldap-servers/{id}
DELETE /ldap-servers/{id}
GET /ldap-servers
POST /ldap-servers

ldap-server:r

GET /ldap-servers/{id}

GET /ldap-servers

email-template

GET /email-templates

email-template:r

GET /email-templates

certificate

GET /certificates

certificate:r

GET /certificates

radio-profile

GET /radio-profiles/{id}

PUT /radio-profiles/{id}

DELETE /radio-profiles/{id}

GET /radio-profiles/wmm-qos/{id}

PUT /radio-profiles/wmm-qos/{id}

GET /radio-profiles/sensor-scan/{id}

PUT /radio-profiles/sensor-scan/{id}

GET /radio-profiles/radio-usage-opt/{id}

PUT /radio-profiles/radio-usage-opt/{id}

GET /radio-profiles/neighborhood-analysis/{id}

PUT /radio-profiles/neighborhood-analysis/{id}

GET /radio-profiles/miscellaneous/{id}

PUT /radio-profiles/miscellaneous/{id}

GET /radio-profiles/mac-ouis/{id}

PUT /radio-profiles/mac-ouis/{id}

DELETE /radio-profiles/mac-ouis/{id}

GET /radio-profiles/channel-selection/{id}

PUT /radio-profiles/channel-selection/{id}

GET /radio-profiles

POST /radio-profiles

GET /radio-profiles/mac-ouis

POST /radio-profiles/mac-ouis

radio-profile:r

```
GET /radio-profiles/{id}
GET /radio-profiles/wmm-qos/{id}
GET /radio-profiles/sensor-scan/{id}
GET /radio-profiles/radio-usage-opt/{id}
GET /radio-profiles/neighborhood-analysis/{id}
GET /radio-profiles/miscellaneous/{id}
GET /radio-profiles/mac-ouis/{id}
GET /radio-profiles/channel-selection/{id}
GET /radio-profiles
GET /radio-profiles/mac-ouis
```

iot-profile

```
GET /iot-profiles/{id}
PUT /iot-profiles/{id}
DELETE /iot-profiles/{id}
GET /iot-profiles
POST /iot-profiles
```

iot-profile:r

```
GET /iot-profiles/{id}
GET /iot-profiles
```

client-monitor-profile

```
GET /client-monitor-profiles/{id}
PUT /client-monitor-profiles/{id}
DELETE /client-monitor-profiles/{id}
GET /client-monitor-profiles
POST /client-monitor-profiles
```

client-monitor-profile:r

```
GET /client-monitor-profiles/{id}
GET /client-monitor-profiles
```

copilot-connectivity-wired:r

```
GET /copilot/connectivity/wired/quality-index
GET /copilot/connectivity/wired/locations/hardware
```

GET /copilot/connectivity/wired/hardware
GET /copilot/connectivity/wired/experience
GET /copilot/connectivity/wired/events

[copilot-connectivity-wireless:r](#)

GET /copilot/connectivity/wireless/views
GET /copilot/connectivity/wireless/time-to-connect
GET /copilot/connectivity/wireless/quality-index
GET /copilot/connectivity/wireless/performance
GET /copilot/connectivity/wireless/locations/time-to-connect
GET /copilot/connectivity/wireless/locations/quality-index
GET /copilot/connectivity/wireless/locations/performance
GET /copilot/connectivity/wireless/locations/events
GET /copilot/connectivity/wireless/experience
GET /copilot/connectivity/wireless/events
GET /copilot/connectivity/wireless/apps

[copilot-anomalies:r](#)

GET /copilot/anomalies/wifi-efficiency/stats
GET /copilot/anomalies/wifi-efficiency/client-list
GET /copilot/anomalies/wifi-capacity/stats
GET /copilot/anomalies/wifi-capacity/client-list
GET /copilot/anomalies/report
GET /copilot/anomalies/port-efficiency/stats
GET /copilot/anomalies/port-efficiency/speed-duplex-stats
GET /copilot/anomalies/poeflapping/trends
GET /copilot/anomalies/poeflapping/stats
GET /copilot/anomalies/poeflapping/lldp-cdp-info
GET /copilot/anomalies/notifications
GET /copilot/anomalies/locations
GET /copilot/anomalies/hardware-health/stats
GET /copilot/anomalies/hardware-health/client-list
GET /copilot/anomalies/dfs-recurrence/count-stats
GET /copilot/anomalies/dfs-recurrence/channel-stats
GET /copilot/anomalies/devices-with-locations
GET /copilot/anomalies/devices-by-location
GET /copilot/anomalies/anomalies-by-category
GET /copilot/anomalies/adverse-traffic/packet-counts
GET /copilot/anomalies/adverse-traffic/device-stats

licenses

Permission not used

licenses:r

Permission not used

copilot-assurance-scans:r

GET /copilot/assurance-scans/overview

packet-capture

GET /packetcaptures

POST /packetcaptures

POST /packetcaptures/{id}/:upload

POST /packetcaptures/{id}/:stop

GET /packetcaptures/{id}

DELETE /packetcaptures/{id}

GET /packetcaptures/files

packet-capture:r

GET /packetcaptures

GET /packetcaptures/{id}

GET /packetcaptures/files

country

GET /countries

GET /countries/{countryCode}/:validate

GET /countries/{countryAlpha2Code}/states

country:r

GET /countries

GET /countries/{countryCode}/:validate

GET /countries/{countryAlpha2Code}/states

cas

Permission not used

[cas:r](#)

Permission not used

[cas-policies](#)

Permission not used

[cas-policies:r](#)

Permission not used

[cas-metadata:r](#)

Permission not used

[cns-subscriptions](#)

Permission not used

[cns-subscriptions:r](#)

Permission not used