



XIQ API – Permission Requirements and User Roles

Revisions History

Rev	Revision Summary	By Whom	Publish Date
24r4	24r4 updates	Tim	June 3,2024
24r5	24r5 updates	Tim	July 3, 2024
24r6	24r6 updates	Tim	Oct 10, 2024
25r1	25r1 updates	Tim	Jan 7, 2025

Table of Contents

Universal Compute Platform	18
GET /upc/{id}/engines/installed	18
Authentication	18
POST /login	18
POST /logout.....	18
Authorization	18
POST /auth/apitoken	18
POST /auth/apitoken/:validate	19
GET /auth/apitoken/info	19
GET /auth/permissions.....	19
POST /auth/permissions/:check.....	19
GET /operations/{operationId}.....	20
DELETE /operations/{operationId}	20
POST /operations/{operationId}/:cancel.....	20
Account.....	20
POST /account/:switch	20
GET /account/external	21
GET /account/home	21
GET /account/viq	21
POST /account/viq/:backup.....	22
GET /account/viq/default-device-password	22
PUT /account/viq/default-device-password	22
GET /account/viq/download	22
POST /account/viq/export.....	23
GET /account/viq/export-import-status	23
POST /account/viq/import	23
Users.....	23
GET /users.....	24
POST /users.....	24
GET /users/{id}.....	24
DELETE /users/{id}	24
PATCH /users/{id}	24
GET /users/external.....	25
POST /users/external.....	25
GET /users/external/{id}.....	25
DELETE /users/external/{id}	25
PATCH /users/external/{id}	25
GET /users/me	25
HIQ.....	26
GET /hiq/context	26
PUT /hiq/context	26
GET /hiq/context/creating.....	26
PUT /hiq/context/creating	27
GET /hiq/context/reading	27

PUT /hiq/context/reading	27
GET /hiq/organizations	28
POST /hiq/organizations	28
DELETE /hiq/organizations/{id}	28
POST /hiq/organizations/{id}/:rename	29
GET /hiq/status	29
Location	29
POST /locations	29
POST /locations/:init	29
PUT /locations/{id}	30
DELETE /locations/{id}	30
GET /locations/building	30
POST /locations/building	30
GET /locations/building/{id}	31
PUT /locations/building/{id}	31
DELETE /locations/building/{id}	31
GET /locations/floor	31
POST /locations/floor	32
GET /locations/floor/{id}	32
PUT /locations/floor/{id}	32
DELETE /locations/floor/{id}	32
POST /locations/floorplan	32
POST /locations/import/ekahau	33
GET /locations/site	33
POST /locations/site	33
GET /locations/site/{id}	33
PUT /locations/site/{id}	34
DELETE /locations/site/{id}	34
GET /locations/tree	34
GET /locations/tree/devices	34
GET /locations/tree/maps	35
Device	35
GET /devices	35
POST /devices/:advanced-onboard	35
POST /devices/:check-ownership	36
POST /devices/:cli	36
POST /devices/:delete	36
POST /devices/:manage	36
POST /devices/:onboard	37
POST /devices/:reboot	37
POST /devices/:unmanage	37
GET /devices/{id}	37
DELETE /devices/{id}	38
POST /devices/{id}/:cli	38
POST /devices/{id}/:manage	38
POST /devices/{id}/:reboot	38
POST /devices/{id}/:reset	38
POST /devices/{id}/:unmanage	39

GET /devices/{id}/alarms	39
POST /devices/{id}/bounce-port	39
GET /devices/{id}/client-monitor	39
PUT /devices/{id}/client-monitor	40
DELETE /devices/{id}/client-monitor	40
PUT /devices/{id}/description	40
GET /devices/{id}/ftm-settings	40
POST /devices/{id}/config/ftm-settings	41
DELETE /devices/{id}/config/ftm-settings	41
GET /devices/{id}/gallery-image	41
GET /devices/{id}/geolocation	41
GET /devices/{id}/history/cpu-mem	41
PUT /devices/{id}/hostname	42
GET /devices/{id}/ibeacon	42
GET /devices/{id}/installation-report	42
GET /devices/{id}/interfaces/wifi	42
GET /devices/{id}/iot	43
POST /devices/{id}/iot/:disable	43
POST /devices/{id}/iot/:enable	43
GET /devices/{id}/location	43
PUT /devices/{id}/location	44
DELETE /devices/{id}/location	44
POST /devices/{id}/monitor/:refresh	44
GET /devices/{id}/monitor/refresh/status	44
GET /devices/{id}/network-policy	44
PUT /devices/{id}/network-policy	45
DELETE /devices/{id}/network-policy	45
GET /devices/{id}/radio-operating-mode	45
PUT /devices/{id}/radio-operating-mode	45
POST /devices/{id}/ssid/:override	46
GET /devices/{id}/ssid/status	46
POST /devices/{id}/ssid/status/:change	46
POST /devices/{id}/thread/commissioner/:start	46
POST /devices/{id}/thread/commissioner/:stop	47
POST /devices/client-monitor/:assign	47
POST /devices/client-monitor/:revoke	47
POST /devices/client-monitor/:query	47
POST /devices/country-code/:assign	47
GET /devices/{id}/digital-twin	48
PUT /devices/ibeacon	48
POST /devices/location/:assign	48
POST /devices/location/:query	48
POST /devices/location/:revoke	49
POST /devices/network-policy/:assign	49
POST /devices/network-policy/:query	49
POST /devices/network-policy/:revoke	49
GET /devices/network-policy/{policyId}	49
POST /devices/os/:change	50
GET /devices/radio-information	50
PUT /devices/radius-proxy/:assign	50

DELETE /devices/radius-proxy/:revoke	50
GET /devices/stats	51
Network Policy	51
GET /network-policies	51
POST /network-policies	51
GET /network-policies/{id}	51
PUT /network-policies/{id}	52
DELETE /network-policies/{id}	52
GET /network-policies/{id}/ssids	52
POST /network-policies/{id}/ssids/:add	52
POST /network-policies/{id}/ssids/:remove	53
Client	53
GET /clients/{id}	53
GET /clients/active	53
PUT /clients/alias	53
GET /clients/active/count	54
GET /clients/byMac/{client_mac}	54
DELETE /clients/byMac/{client_mac}	54
GET /clients/summary	54
GET /clients/usage	55
Application	55
GET /applications	55
GET /applications/{id}/clients/top{n}	55
GET /applications/top{n}	56
Alert	56
GET /alert-policies	56
POST /alert-policies	56
GET /alert-policies/{id}	56
PUT /alert-policies/{id}	57
DELETE /alert-policies/{id}	57
GET /alert-policies/{id}/rules/{alert_rule_id}	57
PUT /alert-policies/{id}/rules/{alert_rule_id}	57
POST /alert-policies/{id}/rules/{alert_rule_id}/:disable	57
PUT /alert-policies/{id}/rules/{alert_rule_id}/:enable	58
GET /alert-policies/available-sites	58
GET /alert-subscriptions/emails	58
POST /alert-subscriptions/emails	58
POST /alert-subscriptions/emails/:delete	59
GET /alert-subscriptions/emails/{id}	59
PUT /alert-subscriptions/emails/{id}	59
DELETE /alert-subscriptions/emails/{id}	59
POST /alert-subscriptions/emails/{id}/:verify	59
GET /alert-subscriptions/webhooks	60
POST /alert-subscriptions/webhooks	60
POST /alert-subscriptions/webhooks/:delete	60
GET /alert-subscriptions/webhooks/{id}	60
PUT /alert-subscriptions/webhooks/{id}	61

DELETE /alert-subscriptions/webhooks /{id}	61
GET /alerts	61
POST /alerts/:acknowledge	61
GET /alerts/count-by-{group}	61
POST /alerts/report	62
GET /alerts/reports/{id}	62
Log	62
GET /logs/accounting	62
GET /logs/audit	63
GET /logs/audit/full-descriptions/{id}	63
POST /logs/audit/reports	63
GET /logs/audit/reports/{id}	63
GET /logs/auth	64
GET /logs/credential	64
GET /logs/email	64
GET /logs/sms	64
Notification	65
GET /subscriptions/webhook	65
POST /subscriptions/webhook	65
DELETE /subscriptions/webhook/{id}	65
NOS	66
Configuration - Deployment	66
GET /deployments	66
POST /deployments	66
GET /deployments/{id}	66
PUT /deployments/{id}	67
DELETE /deployments/{id}	67
GET /deployments/{id}/status	67
POST /deployments/firmware-metadatas	67
GET /deployments/overview	67
GET /deployments/status	68
Configuration - Basic	68
GET /vlan-profiles	68
POST /vlan-profiles	68
POST /vlan-profiles/:delete	69
GET /vlan-profiles/{id}	69
DELETE /vlan-profiles/{id}	69
PATCH /vlan-profiles/{id}	69
Configuration - User Management	69
GET /email-templates	69
GET /endusers	70
POST /endusers	70
PUT /endusers/{id}	70
DELETE /endusers/{id}	70
POST /endusers/{id}/regenerate-password	71
GET /pcgs/key-based	71

POST /pcgs/key-based	71
DELETE /pcgs/key-based/network-policy-{policyId}	71
POST /pcgs/key-based/network-policy-{policyId}/:onboard	72
POST /pcgs/key-based/network-policy-{policyId}/keys/:email	72
POST /pcgs/key-based/network-policy-{policyId}/keys/:generate	72
GET /pcgs/key-based/network-policy-{policyId}/port-assignments	72
POST /pcgs/key-based/network-policy-{policyId}/port-assignments	72
GET /pcgs/key-based/network-policy-{policyId}/users	73
PUT /pcgs/key-based/network-policy-{policyId}/users	73
POST /pcgs/key-based/network-policy-{policyId}/users	73
DELETE /pcgs/key-based/network-policy-{policyId}/users	73
GET /sms-templates	73
GET /usergroups	74
POST /usergroups	74
PUT /usergroups/{id}	74
DELETE /usergroups/{id}	74
Configuration - Policy	74
GET /ccgs	75
POST /ccgs	75
GET /ccgs/{id}	75
PUT /ccgs/{id}	75
DELETE /ccgs/{id}	75
GET /classification-rules	76
POST /classification-rules	76
GET /classification-rules/{id}	76
PUT /classification-rules/{id}	76
DELETE /classification-rules/{id}	76
GET /client-monitor-profiles	77
POST /client-monitor-profile	77
GET /client-monitor-profile/{id}	77
PUT /client-monitor-profile/{id}	77
DELETE /client-monitor-profile/{id}	78
GET /hotspot-profiles	78
POST /hotspot-profiles	78
GET /hotspot-profiles/{id}	78
PUT /hotspot-profiles/{id}	79
DELETE /hotspot-profiles/{id}	79
GET /hotspot-service-provider-profiles	79
POST /hotspot-service-provider-profiles	79
GET /hotspot-service-provider-profiles/{id}	79
PUT /hotspot-service-provider-profiles/{id}	80
DELETE /hotspot-service-provider-profiles/{id}	80
GET /iot-profiles	80
POST /iot-profiles	80
GET /iot-profiles/{id}	81
PUT /iot-profiles/{id}	81
DELETE /iot-profiles/{id}	81
GET /ip-firewall-policies	81
POST /ip-firewall-policies	81

GET /ip-firewall-policies/{id}	82
PUT /ip-firewall-policies/{id}	82
DELETE /ip-firewall-policies/{id}	82
POST /ip-firewall-policies/{id}/:attach	82
POST /ip-firewall-policies/{id}/:detach	82
GET /l3-address-profiles	82
POST /l3-address-profiles	83
GET /l3-address-profiles/{id}	83
PUT /l3-address-profiles/{id}	83
DELETE /l3-address-profiles/{id}	83
GET /mac-firewall-policies	83
POST /mac-firewall-policies	84
GET /mac-firewall-policies/{id}	84
PUT /mac-firewall-policies/{id}	84
DELETE /mac-firewall-policies/{id}	84
POST /mac-firewall-policies/{id}/:attach	84
POST /mac-firewall-policies/{id}/:detach	84
GET /mac-object-profiles	85
POST /mac-object-profiles	85
GET /mac-object-profiles/{id}	85
PUT /mac-object-profiles/{id}	85
DELETE /mac-object-profiles/{id}	85
GET /radio-operating-modes/{id}	85
GET /radio-profiles	86
POST /radio-profiles	86
GET /radio-profiles/{id}	86
PUT /radio-profiles/{id}	86
DELETE /radio-profiles/{id}	87
GET /radio-profiles/channel-selection/{channel-selection-id}	87
PUT /radio-profiles/channel-selection/{channel-selection-id}	87
GET /radio-profiles/mac-ouis	87
POST /radio-profiles/mac-ouis	87
GET /radio-profiles/mac-ouis/{mac-oui-id}	88
PUT /radio-profiles/mac-ouis/{mac-oui-id}	88
DELETE /radio-profiles/mac-ouis/{mac-oui-id}	88
GET /radio-profiles/miscellaneous/{radio-misc-id}	88
PUT /radio-profiles/miscellaneous/{radio-misc-id}	89
GET /radio-profiles/neighborhood-analysis/{neigh-analysis-id}	89
PUT /radio-profiles/neighborhood-analysis/{neigh-analysis-id}	89
GET /radio-profiles/radio-usage-opt/{radio-usage-opt-id}	89
PUT /radio-profiles/radio-usage-opt/{radio-usage-opt-id}	90
GET /radio-profiles/sensor-scan/{sensor-scan-id}	90
PUT /radio-profiles/sensor-scan/{sensor-scan-id}	90
GET /radio-profiles/wmm-qos/{radio-qos-id}	90
PUT /radio-profiles/wmm-qos/{radio-qos-id}	90
GET /ssids	91
POST /ssids/{id}/:rename	91
POST /ssids/{id}/client-monitor-profile/:attach	91
POST /ssids/{id}/cwp/:attach	91
POST /ssids/{id}/cwp/:disable	91

POST /ssids/{id}/cwp/:enable.....	92
PUT /ssids/{id}/mode/dot1x.....	92
PUT /ssids/{id}/mode/open.....	92
PUT /ssids/{id}/mode/psk	92
PUT /ssids/{id}/mode/psk	92
PUT /ssids/{id}/mode/wep.....	93
PUT /ssids/{id}/psk/password	93
POST /ssids/{id}/radius-client-profile	93
POST /ssids/{id}/radius-server-group/:attach	93
POST /ssids/{id}/user-profile-assignment	93
POST /ssids/{id}/user-profile/:attach	94
GET /ssids/advanced-settings/{id}	94
PUT /ssids/advanced-settings/{id}	94
GET /user-profile-assignments	94
POST /user-profile-assignments	94
GET /user-profile-assignments/{id}.....	95
DELETE /user-profile-assignments/{id}	95
GET /user-profiles.....	95
POST /user-profiles.....	95
GET /user-profiles/{id}.....	95
PUT /user-profiles/{id}.....	96
DELETE /user-profiles/{id}	96
POST /user-profiles/{id}/ip-firewall-policies/:attach	96
POST /user-profiles/{id}/ip-firewall-policies/:detach.....	96
POST /user-profiles/{id}/mac-firewall-policies/:attach.....	96
POST /user-profiles/{id}/ac-firewall-policies/:detach	97
Configuration - Network	97
GET /network-services.....	97
POST /network-services	97
DELETE /network-services/{id}.....	97
GET /tunnel-concentrators	97
POST /tunnel-concentrators.....	98
GET /tunnel-concentrators/{id}.....	98
PUT /tunnel-concentrators/{id}.....	98
DELETE /tunnel-concentrators/{id}	98
Configuration - Authentication.....	98
GET /ad-servers	99
GET /cwps	99
GET /ldap-servers	99
POST /ldap-servers	99
GET /ldap-servers/{id}	100
PUT /ldap-servers/{id}.....	100
DELETE /ldap-servers/{id}.....	100
GET /radius-client-objects	100
POST /radius-client-objects	100
GET /radius-client-objects/{id}.....	101
PUT /radius-client-objects/{id}.....	101
DELETE /radius-client-objects/{id}.....	101

GET /radius-proxies	101
POST /radius-proxies	102
GET /radius-proxies/{id}	102
PUT /radius-proxies/{id}	102
DELETE /radius-proxies/{id}	102
GET /radius-proxies/devices	102
GET /radius-servers/external	103
POST /radius-servers/external	103
GET /radius-servers/external/{id}	103
PUT /radius-servers/external/{id}	103
DELETE /radius-servers/external/{id}	104
GET /radius-servers/internal	104
POST /radius-servers/internal	104
DELETE /radius-servers/internal	104
GET /radius-servers/internal/{id}	104
PUT /radius-servers/internal/{id}	105
DELETE /radius-servers/internal/{id}	105
GET /radius-servers/internal/devices	105
Configuration - Certificate.....	105
GET /certificates	105
Copilot – Connectivity Experience.....	106
GET /copilot/connectivity/client-type	106
GET /copilot/connectivity/locations	106
GET /copilot/connectivity/wired/events	106
GET /copilot/connectivity/wired/experience	106
GET /copilot/connectivity/wired/hardware	107
GET /copilot/connectivity/wired/locations/hardware	107
GET /copilot/connectivity/wired/quality-index	107
GET /copilot/connectivity/wireless/apps	107
GET /copilot/connectivity/wireless/events	108
GET /copilot/connectivity/wireless/experience	108
GET /copilot/connectivity/wireless/locations/events	108
GET /copilot/connectivity/wireless/locations/performance	108
GET /copilot/connectivity/wireless/locations/quality-index	109
GET /copilot/connectivity/wireless/locations/time-to-connect	109
GET /copilot/connectivity/wireless/performance	109
GET /copilot/connectivity/wireless/quality-index	109
GET /copilot/connectivity/wireless/time-to-connect	110
GET /copilot/connectivity/wireless/views	110
Copilot – Anomalies.....	110
GET /copilot/anomalies/adverse-traffic/device-stats	110
GET /copilot/anomalies/adverse-traffic/packet-counts	111
GET /copilot/anomalies/anomalies-by-category	111
GET /copilot/anomalies/device-by-location	111
GET /copilot/anomalies/device-with-locations	111
PUT /copilot/anomalies/devices/feedback	112
PUT /copilot/anomalies/devices/update-action	112
GET /copilot/anomalies/dfs-recurrence/channel-stats	112

GET /copilot/anomalies/dfs-recurrence/count-stats	112
GET /copilot/anomalies/exclude-vlans	112
GET /copilot/anomalies/exclude-vlans-csv	113
GET /copilot/anomalies/exclude-vlans-list	113
GET /copilot/anomalies/hardware-health/client-list	113
GET /copilot/anomalies/hardware-health/cpu-mem-stats	113
GET /copilot/anomalies/hardware-health/stats	113
GET /copilot/anomalies/locations	114
GET /copilot/anomalies/missing-vlan/count	114
GET /copilot/anomalies/notifications	114
GET /copilot/anomalies/poeflapping/ldp-cdp-info	114
GET /copilot/anomalies/poeflapping/stats	115
GET /copilot/anomalies/poeflapping/trends	115
GET /copilot/anomalies/port-efficiency/speed-duplex-stats	115
GET /copilot/anomalies/port-efficiency/stats	115
GET /copilot/anomalies/wifi-capacity/client-list	116
GET /copilot/anomalies/wifi-capacity/stats	116
GET /copilot/anomalies/report	116
PUT /copilot/anomalies/update-action	116
PUT /copilot/anomalies/update-device-action	117
GET /copilot/anomalies/wifi-efficiency/client-list	117
GET /copilot/anomalies/wifi-efficiency/stats	117
GET /copilot/assurance-scans/overview	117
Packet Capture	118
GET /packetcaptures	118
POST /packetcaptures	118
GET /packetcaptures/{id}	118
Delete /packetcaptures/{id}	118
POST /packetcaptures/{id}/stop	119
POST /packetcaptures/{id}/upload	119
GET /packetcaptures/files	119
Network Scorecard	119
GET /network-scorecard/clientHealth/{id}	119
GET /network-scorecard/deviceHealth/{id}	120
GET /network-scorecard/networkHealth/{id}	120
GET /network-scorecard/serviceHealth/{id}	120
GET /network-scorecard/wifiHealth/{id}	120
Essentials - ExtremeLocation	121
GET /essentials/eloc/clients/{client-mac}/last-known-location	121
Misc - Metadata – Country	121
GET /countries	121
GET /countries/{countryAlpha2Code}/states	121
GET /countries/{id}/validate	122
Thread	122
GET /thread/networks	122
GET /thread/routers	122

GET /thread/topology.....	122
AFC-endpoint.....	123
GET /afcserver	123
GET /afcserver/{id}	123
GET /afcserver/statistics/{id}.....	123
GET /afcserver/diagnostics/{sn}.....	123
GET /ap/afc/interface/details/{sn}.....	123
POST /ap/spectrum	123
GET /aps/afc/query	124
POST /aps/afc/update	124
GET /site/afc/schedule	124
PUT /site/afc/schedule	124
POST /site/afc/schedule	124
POST /site/spectrum	124
RTTS-endpoint	125
POST /rtts-endpoint.....	125
POST /rtts-endpoint.....	125
APPENDIX – A.....	125
API call list based on Roles	125
Administrator.....	125
Operator	125
Monitor.....	125
Installer	130
Observer	134
Help Desk.....	139
Application Operator	140
Guest Management.....	140
APPENDIX – B.....	144
API call list based on Permission.....	144
logout.....	144
auth.....	144
auth:r	144
token:new	144
perm:check	144
lro	144
lro:r	144
account	144
account:switch.....	145
account:r.....	145
viq:backup.....	145
user-me:r	145
user:r.....	145
hiq	145
hiq:r.....	146
org.....	146
org:new.....	146

org:del.....	146
org:rename	146
hiq.ctx	146
hiq.ctx:r.....	147
hiq.ctx:w	147
device.....	147
device:r	149
device:list.....	149
device:view	149
device:new.....	149
device:del.....	149
device:cli	150
device:deploy.....	150
device:manage.....	150
device:unmanage	150
device:reboot.....	150
device:reset	150
device:thread-commissioner.....	150
client	150
client:r.....	151
locations	151
locations:r	151
network-policy.....	152
policy:ssid	152
network-policy:r	152
network-scorecard	152
network-scorecard:r	152
ssid	153
ssid:r.....	153
pcg:key.....	153
pcg:key:r	153
subscriptions-webhook	154
subscriptions-webhook:r	154
ccg.....	154
ccg:r	154
log	154
log:r.....	154
cwp	155
cwp:r.....	155
sms-tmpl.....	155
sms-tmpl:r.....	155
class-rule.....	155
class-rule:r	155
user-profile	155
user-profile:r.....	156
tunnel-concentrator	156
tunnel-concentrator:r.....	156
radius-proxy.....	156
radius-proxy:r	156
radius-server.....	156

radius-server:r	157
usergroup.....	157
usergroup:r	157
deployment	157
deployment:r	158
ad-server.....	158
ad-server:r	158
alert.....	158
alert:r	158
alert-policies	158
alert-policies:r	159
alert-subscriptions	159
alert-subscriptions:r	159
app	159
application:r.....	159
l3-address-profile	160
l3-address-profile:r	160
vlan-profile.....	160
vlan-profile:r	160
enduser.....	160
enduser:r	160
radius-client-object.....	160
radius-client-object:r	161
ldap-server.....	161
ldap-server:r	161
email-template	161
email-template:r.....	161
certificate	161
certificate:r	161
radio-profile.....	161
radio-profile:r	162
iot-profile	162
iot-profile:r	163
client-monitor-profile	163
client-monitor-profile:r	163
copilot-connectivity-wired:r	163
copilot-connectivity-wireless:r	163
copilot-anomalies:r.....	163
licenses	164
licenses:r.....	164
copilot-assurance-scans:r	164
packet-capture.....	164
packet-capture:r	165
country.....	165
country:r	165
cas	165
cas:r.....	165
cas-policies.....	165
cas-policies:r	165
cas-metadata:r.....	165

cns-subscriptions	166
cns-subscriptions:r.....	166

Introduction

This document will list each category of XIQ APIs and all the API calls under those categories. Laid out as it is laid out on the api.extremecloudiq.com Swagger page. Under each category, the document will list the category permissions that can be used for the API calls in that category. Most categories have two permissions for the category. The first permission will match or be similar to the category's name. Example - **device** for the devices category. This permission will give access to all the GET, POST, PUT, PATCH, and DELETE API calls in that category. The second permission will be named the same as the first but followed with a **:r**. Example - **device:r** for the devices category. This permission will give access to only the GET API calls in that category.

This document will also list any additional permissions available for a particular API call. This would allow for a token to be created only to be able to perform a specific API call without having permission to do all API calls within the category. Example – **device:list** under the [GET /devices](#) API call. This would allow the token only to be able to view the list of devices using that API call but not be able to perform any of the other GET API calls in the devices category.

This document also notes which Roles have access to each of the API call.

In addition, there is [Appendix - A](#) that lists the different roles with a list of the API calls available to those roles by default as well as [Appendix – B](#) that lists the different permissions with a list of the API calls available with that permission.

Universal Compute Platform

No default permissions for this category

GET /upc/{id}/engines/installed

Permissions:

NOT SET!

Roles:

NOT SET!

Authentication

No default permissions for this category

POST /login

No permissions needed – This call uses basic auth to generate a token. This token will have access to APIs based on the user's role.

POST /logout

Permissions:

"logout" – revokes currently used token

Roles:

"Operator",

"Help Desk",

"Monitor",

"Administrator",

"Installer",

"Observer",

"Guest Management"

Authorization

Permissions:

"auth" – Permission for all API calls in the Authorization Section

"auth:r" – Permission for all GET API calls in the Authorization Section

POST /auth/apitoken

Permissions:

"token:new" – Permission to generate a new token.

NOTE: new tokens can only be granted permissions that the currently used token has.

Also included with “auth”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer"

POST /auth/apitoken/:validate

Permissions:

No Specific permission - included with “auth”

Roles:

"Operator",
"Administrator"

GET /auth/apitoken/info

Permissions:

No Specific permission - included with “auth” and “auth:r”

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

GET /auth/permissions

Permissions:

No Specific permission - included with “auth” and “auth:r”

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /auth/permissions/:check

Permissions:

“perm:check” – Allows token to check permissions needed for any API call

Also included with “auth”

Roles

"Operator",
"Administrator"

Operation

Permissions:

"lro" – Permission for all API calls in the Operation Section

"lro:r" – Permission for all GET API calls in the Operation Section

GET /operations/{operationId}

Permissions:

No Specific permission - included with *"lro"* and *"lro:r"*

Roles:

"Operator",
"Administrator"

DELETE /operations/{operationId}

Permissions:

No Specific permission - included with *"lro"*

Roles:

"Operator",
"Administrator"

POST /operations/{operationId}/:cancel

Permissions:

No Specific permission - included with *"lro"*

Roles:

"Operator",
"Administrator"

Account

"account" – Permission for all API calls in the Account Section

"account:r" – Permission for all GET API calls in the Account Section

POST /account/:switch

Permissions:

"account:switch" – Allows user to switch to external account

Also included with *"account"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Application Operator",
"Guest Management"

GET /account/external

Permissions:

No Specific permission - included with *"account"* and *"account:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Application Operator",
"Guest Management"

GET /account/home

Permissions:

No Specific permission - included with *"account"* and *"account:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Application Operator",
"Guest Management"

GET /account/viq

Permissions:

No Specific permission - included with *"account"* and *"account:r"*

Roles:

"Operator",

"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Application Operator",
"Guest Management"

POST /account/viq/:backup

Permissions:

"viq:backup" – Permission to backup the viq.

Also included with *"account"*

Roles:

"Operator",
"Administrator"

GET /account/viq/default-device-password

Permissions:

No Specific permission - included with *"account"* and *"account:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Application Operator",
"Guest Management"

PUT /account/viq/default-device-password

Permissions:

No Specific permission - included with *"account"*

Roles:

"Operator",
"Administrator"

GET /account/viq/download

Permissions:

No Specific permission - included with *"account"* and *"account:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Application Operator",
"Guest Management"

POST /account/viq/export

Permissions:

No Specific permission - included with *"account"*

Roles:

"Operator",
"Administrator"

GET /account/viq/export-import-status

Permissions:

No Specific permission - included with *"account"* and *"account:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Application Operator",
"Guest Management"

POST /account/viq/import

Permissions:

No Specific permission - included with *"account"*

Roles:

"Operator",
"Administrator"

Users

Permissions:

"user" – Permission for all API calls in the User Section

"user:r" – Permission for all GET API calls in the User Section

GET /users

Permissions:

No Specific permission - included with *"user"* and *"user:r"*

Roles:

"Operator",
"Administrator",
"Monitor"

POST /users

Permissions:

No Specific permission - included with *"user"*

Roles:

"Administrator"

GET /users/{id}

Permissions:

No Specific permission - included with *"user"* and *"user:r"*

Roles:

"Operator",
"Administrator",
"Monitor"

DELETE /users/{id}

Permissions:

No Specific permission - included with *"user"*

Roles:

"Administrator"

PATCH /users/{id}

Permissions:

No Specific permission - included with *"user"*

Roles:

"Administrator"

GET /users/external

Permissions:

No Specific permission - included with “user” and “user:r”

Roles:

"Operator",
"Administrator",
"Monitor"

POST /users/external

Permissions:

No Specific permission - included with “user”

Roles:

"Administrator"

GET /users/external/{id}

Permissions:

No Specific permission - included with “user” and “user:r”

Roles:

"Operator",
"Administrator",
"Monitor"

DELETE /users/external/{id}

Permissions:

No Specific permission - included with “user”

Roles:

"Administrator"

PATCH /users/external/{id}

Permissions:

No Specific permission - included with “user”

Roles:

"Administrator"

GET /users/me

Permissions:

“user-me:r” – Permission to view details on yourself

Roles:

"Operator",
"Administrator",
"Monitor"

HIQ

Permissions:

"hiq" – Permission for all API calls in the HIQ Section

"hiq:r" – Permission for all GET API calls in the HIQ Section

GET /hiq/context

Permissions:

"hiq.ctx" – Permission for control HIQ Context (HIQ account only).

"hiq.ctx:r" – Permission to read HIQ Context (HIQ account only).

Also included with "hiq" and "hiq:r"

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /hiq/context

Permissions:

"hiq.ctx" – Permission for control HIQ Context (HIQ account only).

"hiq.ctx:w" – Permission to switch HIQ Context (HIQ account only).

Also included with "hiq"

Roles:

"Operator",
"Administrator",
"Installer"

GET /hiq/context/creating

Permissions:

"hiq.ctx" – Permission for control HIQ Context (HIQ account only).

"hiq.ctx:r" – Permission to read HIQ Context (HIQ account only).

Also included with “*hiq*” and “*hiq:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /hiq/context/creating

Permissions:

“**hiq.ctx**” – Permission for full control HIQ Context (HIQ account only).
“**hiq.ctx:w**” – Permission to switch HIQ Context (HIQ account only).

Also included with “*hiq*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /hiq/context/reading

Permissions:

“**hiq.ctx**” – Permission for control HIQ Context (HIQ account only).
“**hiq.ctx:r**” – Permission to read HIQ Context (HIQ account only).

Also included with “*hiq*” and “*hiq:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /hiq/context/reading

Permissions:

“**hiq.ctx**” – Permission for control HIQ Context (HIQ account only).
“**hiq.ctx:w**” – Permission to switch HIQ Context (HIQ account only).

Also included with “*hiq*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /hiq/organizations

Permissions:

"org" – Permission for full control HIQ organizations (HIQ account only).

Also included with *"hiq"* and *"hiq:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /hiq/organizations

Permissions:

"org" – Permission for full control HIQ organizations (HIQ account only).

"org:new" – Permission to create HIQ organization (HIQ account only).

Also included with *"hiq"*

Roles:

"Operator",
"Administrator"

DELETE /hiq/organizations/{id}

Permissions:

"org" – Permission for full control HIQ organizations (HIQ account only).

"org:del" – Permission to delete HIQ organization (HIQ account only).

Also included with *"hiq"*

Roles:

"Operator",
"Administrator"

POST /hiq/organizations/{id}/:rename

Permissions:

"org" – Permission for full control HIQ organizations (HIQ account only).

"org:rename" – Permission to rename HIQ organization (HIQ account only).

Also included with *"hiq"*

Roles:

"Operator",

"Administrator"

GET /hiq/status

Permissions:

No Specific permission - included with *"hiq"* and *"hiq:r"*

Roles:

"Operator",

"Help Desk",

"Administrator",

"Monitor",

"Installer",

"Observer"

Location

Permissions:

"locations" – Permission for all API calls in the Location Section

"locations:r" – Permission for all GET API calls in the Location Section

POST /locations

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",

"Administrator"

"Installer"

POST /locations/:init

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

PUT /locations/{id}

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

DELETE /locations/{id}

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

GET /locations/building

Permissions:

No Specific permission - included with *"locations"* and *"locations:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /locations/building

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

GET /locations/building/{id}

Permissions:

No Specific permission - included with “locations” and “locations:r”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /locations/building/{id}

Permissions:

No Specific permission - included with “locations”

Roles:

"Operator",
"Administrator"
"Installer"

DELETE /locations/building/{id}

Permissions:

No Specific permission - included with “locations”

Roles:

"Operator",
"Administrator"
"Installer"

GET /locations/floor

Permissions:

No Specific permission - included with “locations” and “locations:r”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /locations/floor

Permissions:

No Specific permission - included with “*locations*”

Roles:

"Operator",
"Administrator"
"Installer"

GET /locations/floor/{id}

Permissions:

No Specific permission - included with “*locations*” and “*locations:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /locations/floor/{id}

Permissions:

No Specific permission - included with “*locations*”

Roles:

"Operator",
"Administrator"
"Installer"

DELETE /locations/floor/{id}

Permissions:

No Specific permission - included with “*locations*”

Roles:

"Operator",
"Administrator"
"Installer"

POST /locations/floorplan

Permissions:

No Specific permission - included with “*locations*”

Roles:

"Operator",
"Administrator"
"Installer"

POST /locations/import/ekahau

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

GET /locations/site

Permissions:

No Specific permission - included with *"locations"* and *"locations:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /locations/site

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

GET /locations/site/{id}

Permissions:

No Specific permission - included with *"locations"* and *"locations:r"*

Roles:

"Operator",
"Help Desk",

"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /locations/site/{id}

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

DELETE /locations/site/{id}

Permissions:

No Specific permission - included with *"locations"*

Roles:

"Operator",
"Administrator"
"Installer"

GET /locations/tree

Permissions:

No Specific permission - included with *"locations"* and *"locations:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /locations/tree/devices

Permissions:

No Specific permission - included with *"locations"* and *"locations:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",

"Installer",
"Observer"

GET /locations/tree/maps

Permissions:

No Specific permission - included with *"locations"* and *"locations:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

Device

Permissions:

"device" – Permission for all API calls in the Device Section

"device:r" – Permission for all GET API calls in the Device Section

GET /devices

Permissions:

"device:list" – Permission to get the list of devices

Also included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /devices/:advanced-onboard

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/:check-ownership

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/:cli

Permissions:

“device:cli” – Permission to send cli commands to device(s)

Also included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/:delete

Permissions:

“device:del” – Permission to delete device(s)

Also included with “*device*”

Roles:

"Operator",
"Administrator",
“Installer”

POST /devices/:manage

Permissions:

“device:mange” – Permission to change management on device(s) to MANAGED

Also included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/:onboard

Permissions:

"device:new" – Permission to onboard device(s)

Also included with *"device"*

Roles:

**"Operator",
"Administrator",
"Installer"**

POST /devices/:reboot

Permissions:

"device:reboot" – Permission to reboot device(s)

Also included with *"device"*

Roles:

**"Operator",
"Administrator",
"Installer"**

POST /devices/:unmanage

Permissions:

"device:mange" – Permission to change management on device(s) to UNMANAGED

Also included with *"device"*

Roles:

**"Operator",
"Administrator",
"Installer"**

GET /devices/{id}

Permissions:

"device:view" – Permission to view details of a device

Also included with *"device"* and *"device:r"*

Roles:

**"Operator",
"Administrator",**

"Monitor",
"Installer",
"Observer"

DELETE /devices/{id}

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/:cli

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/:manage

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/:reboot

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/:reset

Permissions:

"device:reset" – Permission to reset a device to factory default

Also included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/unmanage

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/alarms

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /devices/{id}/bounce-port

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/client-monitor

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",

"Monitor",
"Installer",
"Observer"

PUT /devices/{id}/client-monitor

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

DELETE /devices/{id}/client-monitor

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

PUT /devices/{id}/description

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/ftm-settings

Permissions:

No Specific permission - included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /devices/{id}/config/ftm-settings

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

DELETE /devices/{id}/config/ftm-settings

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/gallery-image

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /devices/{id}/geolocation

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /devices/{id}/history/cpu-mem

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /devices/{id}/hostname

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/ibeacon

Permissions:

No Specific permission - included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /devices/{id}/installation-report

Permissions:

No Specific permission - included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /devices/{id}/interfaces/wifi

Permissions:

No Specific permission - included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /devices/{id}/iot

Permissions:

No Specific permission - included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /devices/{id}/iot/:disable

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/iot/:enable

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/location

Permissions:

No Specific permission - included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /devices/{id}/location

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

DELETE /devices/{id}/location

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/monitor/:refresh

Permissions:

No Specific permission - included with “*device*”

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/monitor/refresh/status

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /devices/{id}/network-policy

Permissions:

No Specific permission - included with “*device*” and “*device:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /devices/{id}/network-policy

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

DELETE /devices/{id}/network-policy

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/radio-operating-mode

Permissions:

No Specific permission - included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /devices/{id}/radio-operating-mode

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",

"Installer"

POST /devices/{id}/ssid/:override

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/ssid/status

Permissions:

No Specific permission - included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /devices/{id}/ssid/status/:change

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/thread/commissioner/:start

Permissions:

"device:thread-commissioner" – Permission to change thread commissioner to device(s)

Also included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/{id}/thread/commissioner/:stop

Permissions:

"device:thread-commissioner" – Permission to change thread commissioner to device(s)

Also included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/client-monitor/:assign

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/client-monitor/:revoke

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/client-monitor/:query

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/country-code/:assign

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/{id}/digital-twin

Permissions:

"device:view" – Permission to view details of a device

Also included with *"device"* and *"device:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /devices/ibeacon

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/location/:assign

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/location/:query

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",

"Installer"

POST /devices/location/:revoke

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/network-policy/:assign

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/network-policy/:query

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

POST /devices/network-policy/:revoke

Permissions:

No Specific permission - included with *"device"*

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/network-policy/{policyId}

Permissions:

No Specific permission - included with *"device"* and *"device:r"*

Roles:

"Operator",

"Administrator",
"Monitor",
"Installer",
"Observer"

POST /devices/os/:change

Permissions:

No Specific permission - included with "*device*"

Roles:

"Operator",
"Administrator",
"Installer"

GET /devices/radio-information

Permissions:

"**device:list**" – Permission to get the list of devices

Also included with "*device*" and "*device:r*"

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /devices/radius-proxy/:assign

Permissions:

No Specific permission - included with "*device*"

Roles:

"Operator",
"Administrator",
"Installer"

DELETE /devices/radius-proxy/:revoke

Permissions:

No Specific permission - included with "*device*"

Roles:

"Operator",
"Administrator",

“Installer”

GET /devices/stats

Permissions:

“device:view” – Permission to view details of a device

Also included with *“device”* and *“device:r”*

Roles:

"Operator",
"Administrator",
“Monitor”,
"Installer",
“Observer”

Network Policy

Permissions:

"network-policy" – Permission for all API calls in the Network Policy Section

"network-policy:r" – Permission for all GET API calls in the Network Policy Section

GET /network-policies

Permissions:

No Specific permission - included with *“network-policy”* and *“network-policy:r”*

Roles:

"Operator",
"Administrator",
“Monitor”,
“Installer”,
“Observer”

POST /network-policies

Permissions:

No Specific permission - included with *“network-policy”*

Roles:

"Operator",
"Administrator"

GET /network-policies/{id}

Permissions:

No Specific permission - included with *“network-policy”* and *“network-policy:r”*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /network-policies/{id}

Permissions:

No Specific permission - included with *"network-policy"*

Roles:

"Operator",
"Administrator"

DELETE /network-policies/{id}

Permissions:

No Specific permission - included with *"network-policy"*

Roles:

"Operator",
"Administrator"

GET /network-policies/{id}/ssids

Permissions:

No Specific permission - included with *"network-policy"* and *"network-policy:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /network-policies/{id}/ssids/:add

Permissions:

"policy:ssid" – SSID management on network-policy

Also included with *"network-policy"*

Roles:

"Operator",
"Administrator"

POST /network-policies/{id}/ssids/:remove

Permissions:

"policy:ssid" – SSID management on network-policy

Also included with *"network-policy"*

Roles:

"Operator",

"Administrator"

Client

Permissions:

"client" – Permission for all API calls in the Client Section

"client:r" – Permission for all GET API calls in the Client Section

GET /clients/{id}

Permissions:

No Specific permission - included with *"client"* and *"client:r"*

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

GET /clients/active

Permissions:

No Specific permission - included with *"client"* and *"client:r"*

Roles:

"Operator",

"Help Desk",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /clients/alias

Permissions:

No Specific permission - included with *"client"*

Roles:

"Operator",
"Administrator"

GET /clients/active/count

Permissions:

No Specific permission - included with *"client"* and *"client:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /clients/byMac/{client_mac}

Permissions:

No Specific permission - included with *"client"* and *"client:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

DELETE /clients/byMac/{client_mac}

Permissions:

No Specific permission - included with *"client"*

Roles:

"Operator",
"Administrator"

GET /clients/summary

Permissions:

No Specific permission - included with *"client"* and *"client:r"*

Roles:

"Operator",
"Administrator",

"Monitor",
"Installer",
"Observer"

GET /clients/usage

Permissions:

No Specific permission - included with *"client"* and *"client:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

Application

Permissions:

"app" – Permission for all API calls in the Application Section

"application:r" – Permission for all GET API calls in the Application Section

GET /applications

Permissions:

No Specific permission - included with *"app"* and *"application:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

GET /applications/{id}/clients/top{n}

Permissions:

No Specific permission - included with *"app"* and *"application:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

GET /applications/top{n}

Permissions:

No Specific permission - included with “app” and “application:r”

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

Alert

No default permissions for this category

GET /alert-policies

Permissions:

“alert-policies” – Permission for full control of alert polices.

“alert-policies:r” – Permission to read alert polices.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /alert-policies

Permissions:

“alert-policies” – Permission for full control of alert polices.

Roles:

"Operator",
"Administrator"

GET /alert-policies/{id}

Permissions:

“alert-policies” – Permission for full control of alert polices.

“alert-policies:r” – Permission to read alert polices.

Roles:

"Operator",
"Administrator",

**"Monitor",
"Installer",
"Observer"**

PUT /alert-policies/{id}

Permissions:

"alert-policies" – Permission for full control of alert policies.

Roles:

**"Operator",
"Administrator"**

DELETE /alert-policies/{id}

Permissions:

"alert-policies" – Permission for full control of alert policies.

Roles:

**"Operator",
"Administrator"**

GET /alert-policies/{id}/rules/{alert_rule_id}

Permissions:

"alert-policies" – Permission for full control of alert policies.

"alert-policies:r" – Permission to read alert policies.

Roles:

**"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"**

PUT /alert-policies/{id}/rules/{alert_rule_id}

Permissions:

"alert-policies" – Permission for full control of alert policies.

Roles:

**"Operator",
"Administrator"**

POST /alert-policies/{id}/rules/{alert_rule_id}/:disable

Permissions:

"alert-policies" – Permission for full control of alert polices.

Roles:

"Operator",
"Administrator"

PUT /alert-policies/{id}/rules/{alert_rule_id}/enable

Permissions:

"alert-policies" – Permission for full control of alert polices.

Roles:

"Operator",
"Administrator"

GET /alert-policies/available-sites

Permissions:

"alert-policies" – Permission for full control of alert polices.

"alert-policies:r" – Permission to read alert polices.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /alert-subscriptions/emails

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

"alert-subscriptions:r" – Permission to read alert subscriptions.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /alert-subscriptions/emails

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

**"Operator",
"Administrator"**

POST /alert-subscriptions/emails/:delete

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

**"Operator",
"Administrator"**

GET /alert-subscriptions/emails/{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

"alert-subscriptions:r" – Permission to read alert subscriptions.

Roles:

**"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"**

PUT /alert-subscriptions/emails/{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

**"Operator",
"Administrator"**

DELETE /alert-subscriptions/emails/{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

**"Operator",
"Administrator"**

POST /alert-subscriptions/emails/{id}:verify

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

GET /alert-subscriptions/webhooks

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.
"alert-subscriptions:r" – Permission to read alert subscriptions.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /alert-subscriptions/webhooks

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

POST /alert-subscriptions/webhooks/:delete

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

GET /alert-subscriptions/webhooks/{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.
"alert-subscriptions:r" – Permission to read alert subscriptions.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /alert-subscriptions/webhooks /{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

DELETE /alert-subscriptions/webhooks /{id}

Permissions:

"alert-subscriptions" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

GET /alerts

Permissions:

"alert" – Permission for full control of alerts.

"alert:r" – Permission to read alerts.

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /alerts/:acknowledge

Permissions:

"alert" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

GET /alerts/count-by-{group}

Permissions:

"alert" – Permission for full control of alerts.

"alert:r" – Permission to read alerts.

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /alerts/report

Permissions:

"alert" – Permission for full control of alert subscriptions.

Roles:

"Operator",
"Administrator"

GET /alerts/reports/{id}

Permissions:

"alert" – Permission for full control of alerts.

"alert:r" – Permission to read alerts.

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

Log

Permissions:

"log" – Permission for all API calls in the Log Section

"log:r" – Permission for all GET API calls in the Log Section

GET /logs/accounting

Permissions:

No Specific permission - included with "log" and "log:r"

Roles:

"Operator",
"Administrator",
"Monitor",

'Installer',
"Observer",
"Application Operator"

GET /logs/audit

Permissions:

No Specific permission - included with "log" and "log:r"

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

GET /logs/audit/full-descriptions/{id}

Permissions:

No Specific permission - included with "log" and "log:r"

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

POST /logs/audit/reports

Permissions:

No Specific permission - included with "log"

Roles:

"Operator",
"Administrator"

GET /logs/audit/reports/{id}

Permissions:

No Specific permission - included with "log" and "log:r"

Roles:

"Operator",
"Administrator",

"Monitor",
'Installer',
"Observer",
"Application Operator"

GET /logs/auth

Permissions:

No Specific permission - included with *"log"* and *"log:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

GET /logs/credential

Permissions:

No Specific permission - included with *"log"* and *"log:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

GET /logs/email

Permissions:

No Specific permission - included with *"log"* and *"log:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

GET /logs/sms

Permissions:

No Specific permission - included with *"log"* and *"log:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
'Installer',
"Observer",
"Application Operator"

Notification

Permissions:

" **subscriptions-webhook**" – Permission for all API calls in the Notification Section

" **subscriptions-webhook:r**" – Permission for all GET API calls in the Notification Section

GET /subscriptions/webhook

Permissions:

No Specific permission - included with "*subscriptions-webhook*" and "*subscriptions-webhook:r*"

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /subscriptions/webhook

Permissions:

No Specific permission - included with "*subscriptions-webhook*"

Roles:

"Operator",
"Administrator"

DELETE /subscriptions/webhook/{id}

Permissions:

No Specific permission - included with "*subscriptions-webhook*"

Roles:

"Operator",
"Administrator"

NOS

No default permissions for this category

Configuration - Deployment

Permissions:

"**deployment**" – Permission for all API calls in the Configuration - Deployment Section

"**deployment:r**" – Permission for all GET API calls in the Configuration – Deployment Section

GET /deployments

Permissions:

No Specific permission - included with "*deployment*" and "*deployment:r*"

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

POST /deployments

Permissions:

No Specific permission - included with "*deployment*"

Roles:

"Operator",
"Administrator"

GET /deployments/{id}

Permissions:

No Specific permission - included with "*deployment*" and "*deployment:r*"

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

PUT /deployments/{id}

Permissions:

No Specific permission - included with “*deployment*”

Roles:

"Operator",
"Administrator"

DELETE /deployments/{id}

Permissions:

No Specific permission - included with “*deployment*”

Roles:

"Operator",
"Administrator"

GET /deployments/{id}/status

Permissions:

No Specific permission - included with “*deployment*” and “*deployment:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

POST /deployments/firmware-metadatas

Permissions:

No Specific permission - included with “*deployment*”

Roles:

"Operator",
"Administrator"

GET /deployments/overview

Permissions:

No Specific permission - included with “*deployment*” and “*deployment:r*”

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

GET /deployments/status

Permissions:

No Specific permission - included with *"deployment"* and *"deployment:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer",
"Guest Management"

Configuration - Basic

Permissions:

"vlan-profile" – Permission for all API calls in the Configuration - Basic Section

"vlan-profile:r" – Permission for all GET API calls in the Configuration – Basic Section

GET /vlan-profiles

Permissions:

No Specific permission - included with *"vlan-profile"* and *"vlan-profile:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /vlan-profiles

Permissions:

No Specific permission - included with *"vlan-profile"*

Roles:

"Operator",
"Administrator"

POST /vlan-profiles/:delete

Permissions:

No Specific permission - included with “*vlan-profile*”

Roles:

"Operator",
"Administrator"

GET /vlan-profiles/{id}

Permissions:

No Specific permission - included with “*vlan-profile*” and “*vlan-profile:r*”

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

DELETE /vlan-profiles/{id}

Permissions:

No Specific permission - included with “*vlan-profile*”

Roles:

"Operator",
"Administrator"

PATCH /vlan-profiles/{id}

Permissions:

No Specific permission - included with “*vlan-profile*”

Roles:

"Operator",
"Administrator"

Configuration - User Management

No default permissions for this category

GET /email-templates

Permissions:

"email-template" – Permission for full of email template.

"email-template:r" – Permission to read email templates

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

GET /endusers

Permissions:

"enduser" – Permission for full control of end users.

"enduser:r" – Permission to read end users

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Observer",
"Guest Management"

POST /endusers

Permissions:

"enduser" – Permission for full control of end users.

Roles:

"Operator",
"Administrator",
"Guest Management"

PUT /endusers/{id}

Permissions:

"enduser" – Permission for full control of end users.

Roles:

"Operator",
"Administrator",
"Guest Management"

DELETE /endusers/{id}

Permissions:

"enduser" – Permission for full control of end users.

Roles:

"Operator",
"Administrator",
"Guest Management"

POST /endusers/{id}/regenerate-password

Permissions:

"enduser" – Permission for full control of end users.

Roles:

"Operator",
"Administrator",
"Guest Management"

GET /pcgs/key-based

Permissions:

"pcg:key" – Permission for full control of PCG key based.
"pcg:key:r" – Permission to read PCG key based

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /pcgs/key-based

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",
"Administrator"

DELETE /pcgs/key-based/network-policy-{policyId}

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",
"Administrator"

POST /pcgs/key-based/network-policy-{policyId}/:onboard

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",
"Administrator"

POST /pcgs/key-based/network-policy-{policyId}/keys/:email

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",
"Administrator"

POST /pcgs/key-based/network-policy-{policyId}/keys/:generate

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",
"Administrator"

GET /pcgs/key-based/network-policy-{policyId}/port-assignments

Permissions:

"pcg:key" – Permission for full control of PCG key based.

"pcg:key:r" – Permission to read PCG key based

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /pcgs/key-based/network-policy-{policyId}/port-assignments

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",
"Administrator"

GET /pcgs/key-based/network-policy-{policyId}/users

Permissions:

"pcg:key" – Permission for full control of PCG key based.

"pcg:key:r" – Permission to read PCG key based

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

PUT /pcgs/key-based/network-policy-{policyId}/users

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",

"Administrator"

POST /pcgs/key-based/network-policy-{policyId}/users

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",

"Administrator"

DELETE /pcgs/key-based/network-policy-{policyId}/users

Permissions:

"pcg:key" – Permission for full control of PCG key based.

Roles:

"Operator",

"Administrator"

GET /sms-templates

Permissions:

"sms-tmpl" – Permission for full control of SMS template.

"sms-tmpl:r" – Permission to read SMS template

Roles:

"Operator",

"Administrator",

"Monitor",
"Observer"

GET /usergroups

Permissions:

"usergroup" – Permission for full control of user groups.

"usergroup:r" – Permission to read user groups

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /usergroups

Permissions:

"usergroup" – Permission for full control of user groups.

Roles:

"Operator",
"Administrator"

PUT /usergroups/{id}

Permissions:

"usergroup" – Permission for full control of user groups.

Roles:

"Operator",
"Administrator"

DELETE /usergroups/{id}

Permissions:

"usergroup" – Permission for full control of user groups.

Roles:

"Operator",
"Administrator"

Configuration - Policy

No default permissions for this category

GET /ccgs

Permissions:

"ccg" – Permission for full control of CCG.

"ccg:r" – Permission to read CCG

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

POST /ccgs

Permissions:

"ccg" – Permission for full control of CCG.

Roles:

"Operator",

"Administrator"

GET /ccgs/{id}

Permissions:

"ccg" – Permission for full control of CCG.

"ccg:r" – Permission to read CCG

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

PUT /ccgs/{id}

Permissions:

"ccg" – Permission for full control of CCG.

Roles:

"Operator",

"Administrator"

DELETE /ccgs/{id}

Permissions:

"ccg" – Permission for full control of CCG.

Roles:

"Operator",

"Administrator"

GET /classification-rules

Permissions:

"class-rule" – Permission for full control of classification rule.

"class-rule:r" – Permission to read classification rule

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

POST /classification-rules

Permissions:

"class-rule" – Permission for full control of classification rule.

Roles:

"Operator",

"Administrator"

GET /classification-rules/{id}

Permissions:

"class-rule" – Permission for full control of classification rule.

"class-rule:r" – Permission to read classification rule

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

PUT /classification-rules/{id}

Permissions:

"class-rule" – Permission for full control of classification rule.

Roles:

"Operator",

"Administrator"

DELETE /classification-rules/{id}

Permissions:

"class-rule" – Permission for full control of classification rule.

Roles:

"Operator",
"Administrator"

GET /client-monitor-profiles

Permissions:

"client-monitor-profile" – Permission for full control of client monitor profiles

"client-monitor-profile:r" – Permission to read client monitor profiles

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer",
"Installer"

POST /client-monitor-profile

Permissions:

"client-monitor-profile" – Permission for full control of client monitor profiles

Roles:

"Operator",
"Administrator"

GET /client-monitor-profile/{id}

Permissions:

"client-monitor-profile" – Permission for full control of client monitor profiles

"client-monitor-profile:r" – Permission to read client monitor profiles

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer",
"Installer"

PUT /client-monitor-profile/{id}

Permissions:

"client-monitor-profile" – Permission for full control of client monitor profiles

Roles:

"Operator",
"Administrator"

DELETE /client-monitor-profile/{id}

Permissions:

"client-monitor-profile" – Permission for full control of client monitor profiles

Roles:

"Operator",
"Administrator"

GET /hotspot-profiles

Permissions:

"hotspot-profile" – Permission for full control of hotspot-profiles.

"hotspot-profile:r" – Permission to read hotspot-profiles.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /hotspot-profiles

Permissions:

"hotspot-profile" – Permission for full control of hotspot-profiles.

Roles:

"Operator",
"Administrator"

GET /hotspot-profiles/{id}

Permissions:

"hotspot-profile" – Permission for full control of hotspot-profiles.

"hotspot-profile:r" – Permission to read hotspot-profiles.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /hotspot-profiles/{id}

Permissions:

"hotspot-profile" – Permission for full control of hotspot-profiles.

Roles:

"Operator",
"Administrator"

DELETE /hotspot-profiles/{id}

Permissions:

"hotspot-profile" – Permission for full control of hotspot-profiles.

Roles:

"Operator",
"Administrator"

GET /hotspot-service-provider-profiles

Permissions:

"hotspot-service-provider-profile" – Permission for full control of hotspot-service-provider-profiles.

"hotspot-service-provider-profile:r" – Permission to read hotspot-service-provider-profiles.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /hotspot-service-provider-profiles

Permissions:

"hotspot-service-provider-profile" – Permission for full control of hotspot-service-provider-profiles.

Roles:

"Operator",
"Administrator"

GET /hotspot-service-provider-profiles/{id}

Permissions:

"hotspot-service-provider-profile" – Permission for full control of hotspot-service-provider-profiles.

"hotspot-service-provider-profile:r" – Permission to read hotspot-service-provider-profiles.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /hotspot-service-provider-profiles/{id}

Permissions:

"hotspot-service-provider-profile" – Permission for full control of hotspot-service-provider-profiles.

Roles:

"Operator",
"Administrator"

DELETE /hotspot-service-provider-profiles/{id}

Permissions:

"hotspot-service-provider-profile" – Permission for full control of hotspot-service-provider-profiles.

Roles:

"Operator",
"Administrator"

GET /iot-profiles

Permissions:

"iot-profile" – Permission for full control of iot-profiles.

"iot-profile:r" – Permission to read iot-profiles.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /iot-profiles

Permissions:

"iot-profile" – Permission for full control of iot-profiles.

Roles:

"Operator",
"Administrator"

GET /iot-profiles/{id}

Permissions:

"iot-profile" – Permission for full control of iot-profiles.

"iot-profile:r" – Permission to read iot-profiles.

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /iot-profiles/{id}

Permissions:

"iot-profile" – Permission for full control of iot-profiles.

Roles:

"Operator",
"Administrator"

DELETE /iot-profiles/{id}

Permissions:

"iot-profile" – Permission for full control of iot-profiles.

Roles:

"Operator",
"Administrator"

GET /ip-firewall-policies

Permissions:

NOT SET!

Roles:

NOT SET!

POST /ip-firewall-policies

Permissions:

NOT SET!

Roles:

NOT SET!

GET /ip-firewall-policies/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

PUT /ip-firewall-policies/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

DELETE /ip-firewall-policies/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

POST /ip-firewall-policies/{id}/:attach

Permissions:

NOT SET!

Roles:

NOT SET!

POST /ip-firewall-policies/{id}/:detach

Permissions:

NOT SET!

Roles:

NOT SET!

GET /l3-address-profiles

Permissions:

"l3-address-profile" – Permission for full control of L3 address profile.

"l3-address-profile:r" – Permission to read L3 address profile

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /l3-address-profiles

Permissions:

"l3-address-profile" – Permission for full control of L3 address profile.

Roles:

"Operator",
"Administrator"

GET /l3-address-profiles/{id}

Permissions:

"l3-address-profile" – Permission for full control of L3 address profile.

"l3-address-profile:r" – Permission to read L3 address profile

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

PUT /l3-address-profiles/{id}

Permissions:

"l3-address-profile" – Permission for full control of L3 address profile.

Roles:

"Operator",
"Administrator"

DELETE /l3-address-profiles/{id}

Permissions:

"l3-address-profile" – Permission for full control of L3 address profile.

Roles:

"Operator",
"Administrator"

GET /mac-firewall-policies

Permissions:

NOT SET!

Roles:
NOT SET!

POST /mac-firewall-policies

Permissions:
NOT SET!

Roles:
NOT SET!

GET /mac-firewall-policies/{id}

Permissions:
NOT SET!

Roles:
NOT SET!

PUT /mac-firewall-policies/{id}

Permissions:
NOT SET!

Roles:
NOT SET!

DELETE /mac-firewall-policies/{id}

Permissions:
NOT SET!

Roles:
NOT SET!

POST /mac-firewall-policies/{id}/attach

Permissions:
NOT SET!

Roles:
NOT SET!

POST /mac-firewall-policies/{id}/detach

Permissions:
NOT SET!

Roles:
NOT SET!

GET /mac-object-profiles

Permissions:
NOT SET!

Roles:
NOT SET!

POST /mac-object-profiles

Permissions:
NOT SET!

Roles:
NOT SET!

GET /mac-object-profiles/{id}

Permissions:
NOT SET!

Roles:
NOT SET!

PUT /mac-object-profiles/{id}

Permissions:
NOT SET!

Roles:
NOT SET!

DELETE /mac-object-profiles/{id}

Permissions:
NOT SET!

Roles:
NOT SET!

GET /radio-operating-modes/{id}

Permissions:
NOT SET!

Roles:

NOT SET!

GET /radio-profiles

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

POST /radio-profiles

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",

"Administrator"

GET /radio-profiles/{id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /radio-profiles/{id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",

"Administrator",

DELETE /radio-profiles/{id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",

"Administrator"

GET /radio-profiles/channel-selection/{channel-selection-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /radio-profiles/channel-selection/{channel-selection-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",

"Administrator"

GET /radio-profiles/mac-ouis

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

POST /radio-profiles/mac-ouis

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",
"Administrator"

GET /radio-profiles/mac-ouis/{mac-oui-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /radio-profiles/mac-ouis/{mac-oui-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",
"Administrator"

DELETE /radio-profiles/mac-ouis/{mac-oui-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",
"Administrator"

GET /radio-profiles/miscellaneous/{radio-misc-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",
"Administrator",

"Monitor",
"Installer",
"Observer"

PUT /radio-profiles/miscellaneous/{radio-misc-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",
"Administrator"

GET /radio-profiles/neighborhood-analysis/{neigh-analysis-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /radio-profiles/neighborhood-analysis/{neigh-analysis-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",
"Administrator"

GET /radio-profiles/radio-usage-opt/{radio-usage-opt-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /radio-profiles/radio-usage-opt/{radio-usage-opt-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",

"Administrator"

GET /radio-profiles/sensor-scan/{sensor-scan-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /radio-profiles/sensor-scan/{sensor-scan-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",

"Administrator"

GET /radio-profiles/wmm-qos/{radio-qos-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

"radio-profile:r" – Permission to read radio profiles

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /radio-profiles/wmm-qos/{radio-qos-id}

Permissions:

"radio-profile" – Permission for full control of radio profiles

Roles:

"Operator",
"Administrator"

GET /ssids

Permissions:

"ssid" – Permission for full control of SSID

"ssid:r" – Permission to read SSID

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

POST /ssids/{id}/:rename

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

POST /ssids/{id}/client-monitor-profile/:attach

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

POST /ssids/{id}/cwp/:attach

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

POST /ssids/{id}/cwp/:disable

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

POST /ssids/{id}/cwp/:enable

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

PUT /ssids/{id}/mode/dot1x

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

PUT /ssids/{id}/mode/open

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

PUT /ssids/{id}/mode/ppsk

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",
"Administrator"

PUT /ssids/{id}/mode/psk

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

PUT /ssids/{id}/mode/wep

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

PUT /ssids/{id}/psk/password

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

POST /ssids/{id}/radius-client-profile

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

POST /ssids/{id}/radius-server-group/:attach

Attach radius server group to an SSID

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

POST /ssids/{id}/user-profile-assignment

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

POST /ssids/{id}/user-profile/:attach

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

GET /ssids/advanced-settings/{id}

Permissions:

"ssid" – Permission for full control of SSID

"ssid:r" – Permission to read SSID

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

PUT /ssids/advanced-settings/{id}

Permissions:

"ssid" – Permission for full control of SSID

Roles:

"Operator",

"Administrator"

GET /user-profile-assignments

Permissions:

NOT SET!

Roles:

NOT SET!

POST /user-profile-assignments

Permissions:

NOT SET!

Roles:

NOT SET!

GET /user-profile-assignments/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

DELETE /user-profile-assignments/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

GET /user-profiles

Permissions:

"user-profile" – Permission for full control of user profile

"user-profile:r" – Permission to read user profile

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

POST /user-profiles

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",

"Administrator"

GET /user-profiles/{id}

Permissions:

"user-profile" – Permission for full control of user profile

"user-profile:r" – Permission to read user profile

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",
"Observer"

PUT /user-profiles/{id}

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",
"Administrator"

DELETE /user-profiles/{id}

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",
"Administrator"

POST /user-profiles/{id}/ip-firewall-policies/:attach

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",
"Administrator"

POST /user-profiles/{id}/ip-firewall-policies/:detach

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",
"Administrator"

POST /user-profiles/{id}/mac-firewall-policies/:attach

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",
"Administrator"

POST /user-profiles/{id}/ac-firewall-policies/:detach

Permissions:

"user-profile" – Permission for full control of user profile

Roles:

"Operator",

"Administrator"

Configuration - Network

No default permissions for this category

GET /network-services

Permissions:

NOT SET!

Roles:

NOT SET!

POST /network-services

Permissions:

NOT SET!

Roles:

NOT SET!

DELETE /network-services/{id}

Permissions:

NOT SET!

Roles:

NOT SET!

GET /tunnel-concentrators

Permissions:

"tunnel-concentrator" – Permission for full control of tunnel concentrator

"tunnel-concentrator:r" – Permission to read tunnel concentrator

Roles:

"Operator",

"Administrator",

"Monitor",
"Installer",
"Observer"

POST /tunnel-concentrators

Permissions:

"tunnel-concentrator" – Permission for full control of tunnel concentrator

Roles:

"Operator",
"Administrator"

GET /tunnel-concentrators/{id}

Permissions:

"tunnel-concentrator" – Permission for full control of tunnel concentrator

"tunnel-concentrator:r" – Permission to read tunnel concentrator

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /tunnel-concentrators/{id}

Permissions:

"tunnel-concentrator" – Permission for full control of tunnel concentrator

Roles:

"Operator",
"Administrator"

DELETE /tunnel-concentrators/{id}

Permissions:

"tunnel-concentrator" – Permission for full control of tunnel concentrator

Roles:

"Operator",
"Administrator"

Configuration - Authentication

No default permissions for this category

GET /ad-servers

Permissions:

"ad-server" – Permission for full control of AD server

"ad-server:r" – Permission to read AD server

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

GET /cwps

Permissions:

"cwp" – Permission for full control of captive web portals

"cwp:r" – Permission to read captive web portals

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

GET /ldap-servers

Permissions:

"ldap-server" – Permission for full control of LDAP server

"ldap-server:r" – Permission to read LDAP server

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

POST /ldap-servers

Permissions:

"ldap-server" – Permission for full control of LDAP server

Roles:

"Operator",

"Administrator"

GET /ldap-servers/{id}

Permissions:

"ldap-server" – Permission for full control of LDAP server

"ldap-server:r" – Permission to read LDAP server

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

PUT /ldap-servers/{id}

Permissions:

"ldap-server" – Permission for full control of LDAP server

Roles:

"Operator",

"Administrator"

DELETE /ldap-servers/{id}

Permissions:

"ldap-server" – Permission for full control of LDAP server

Roles:

"Operator",

"Administrator"

GET /radius-client-objects

Permissions:

"radius-client-object" – Permission for full control of RADIUS client object

"radius-client-object:r" – Permission to read RADIUS client object

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

POST /radius-client-objects

Permissions:

"radius-client-object" – Permission for full control of RADIUS client object

Roles:

"Operator",
"Administrator"

GET /radius-client-objects/{id}

Permissions:

"radius-client-object" – Permission for full control of RADIUS client object
"radius-client-object:r" – Permission to read RADIUS client object

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /radius-client-objects/{id}

Permissions:

"radius-client-object" – Permission for full control of RADIUS client object

Roles:

"Operator",
"Administrator"

DELETE /radius-client-objects/{id}

Permissions:

"radius-client-object" – Permission for full control of RADIUS client object

Roles:

"Operator",
"Administrator"

GET /radius-proxies

Permissions:

"radius-proxy" – Permission for full control of RADIUS proxy
"radius-proxy:r" – Permission to read RADIUS proxy

Roles:

"Operator",
"Administrator",
"Monitor",
"Observer"

POST /radius-proxies

Permissions:

"radius-proxy" – Permission for full control of RADIUS proxy

Roles:

"Operator",

"Administrator"

GET /radius-proxies/{id}

Permissions:

"radius-proxy" – Permission for full control of RADIUS proxy

"radius-proxy:r" – Permission to read RADIUS proxy

Roles:

"Operator",

"Administrator",

"Monitor",

"Observer"

PUT /radius-proxies/{id}

Permissions:

"radius-proxy" – Permission for full control of RADIUS proxy

Roles:

"Operator",

"Administrator"

DELETE /radius-proxies/{id}

Permissions:

"radius-proxy" – Permission for full control of RADIUS proxy

Roles:

"Operator",

"Administrator"

GET /radius-proxies/devices

Permissions:

"radius-proxy" – Permission for full control of RADIUS proxy

"radius-proxy:r" – Permission to read RADIUS proxy

Roles:

"Operator",

"Administrator",

"Monitor",

“Observer”

GET /radius-servers/external

Permissions:

“radius-server” – Permission for full control of RADIUS server

“radius-server:r” – Permission to read RADIUS server

Roles:

"Operator",

"Administrator",

"Monitor",

“Installer”,

“Observer”

POST /radius-servers/external

Permissions:

“radius-server” – Permission for full control of RADIUS server

Roles:

"Operator",

"Administrator”

GET /radius-servers/external/{id}

Permissions:

“radius-server” – Permission for full control of RADIUS server

“radius-server:r” – Permission to read RADIUS server

Roles:

"Operator",

"Administrator",

"Monitor",

“Installer”,

“Observer”

PUT /radius-servers/external/{id}

Permissions:

“radius-server” – Permission for full control of RADIUS server

Roles:

"Operator",

"Administrator”

DELETE /radius-servers/external/{id}

Permissions:

"radius-server" – Permission for full control of RADIUS server

Roles:

"Operator",

"Administrator"

GET /radius-servers/internal

Permissions:

"radius-server" – Permission for full control of RADIUS server

"radius-server:r" – Permission to read RADIUS server

Roles:

"Operator",

"Administrator",

"Monitor",

"Installer",

"Observer"

POST /radius-servers/internal

Permissions:

"radius-server" – Permission for full control of RADIUS server

Roles:

"Operator",

"Administrator"

DELETE /radius-servers/internal

Permissions:

"radius-server" – Permission for full control of RADIUS server

Roles:

"Operator",

"Administrator"

GET /radius-servers/internal/{id}

Permissions:

"radius-server" – Permission for full control of RADIUS server

"radius-server:r" – Permission to read RADIUS server

Roles:

"Operator",

"Administrator",
"Monitor",
"Installer",
"Observer"

PUT /radius-servers/internal/{id}

Permissions:

"radius-server" – Permission for full control of RADIUS server

Roles:

"Operator",
"Administrator"

DELETE /radius-servers/internal/{id}

Permissions:

"radius-server" – Permission for full control of RADIUS server

Roles:

"Operator",
"Administrator"

GET /radius-servers/internal/devices

Permissions:

"radius-server" – Permission for full control of RADIUS server

"radius-server:r" – Permission to read RADIUS server

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

Configuration - Certificate

Permissions:

" certificate" – Permission for all API calls in the Configuration - Certificate Section

" certificate:r" – Permission for all GET API calls in the Configuration – Certificate Section

GET /certificates

Permissions:

No Specific permission - included with "certificate" and "certificate:r"

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

Copilot – Connectivity Experience

No default permissions for this category

GET /copilot/connectivity/client-type

Permissions:
NOT SET!

Roles:

NOT SET!

GET /copilot/connectivity/locations

Permissions:
NOT SET!

Roles:

NOT SET!

GET /copilot/connectivity/wired/events

Permissions:
"copilot-connectivity-wired:r" – Permission to read copilot wired connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wired/experience

Permissions:
"copilot-connectivity-wired:r" – Permission to read copilot wired connectivity

Roles:

"Operator",
"Monitor",

"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wired/hardware

Permissions:

"copilot-connectivity-wired:r" – Permission to read copilot wired connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wired/locations/hardware

Permissions:

"copilot-connectivity-wired:r" – Permission to read copilot wired connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wired/quality-index

Permissions:

"copilot-connectivity-wired:r" – Permission to read copilot wired connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/apps

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",

"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/events

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/experience

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/locations/events

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/locations/performance

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",

**"Monitor",
"Administrator",
"Observer",
"Guest Management"**

GET /copilot/connectivity/wireless/locations/quality-index

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

**"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"**

GET /copilot/connectivity/wireless/locations/time-to-connect

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

**"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"**

GET /copilot/connectivity/wireless/performance

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

**"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"**

GET /copilot/connectivity/wireless/quality-index

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/time-to-connect

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/connectivity/wireless/views

Permissions:

"copilot-connectivity-wireless:r" – Permission to read copilot wireless connectivity

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

Copilot – Anomalies

Permissions:

" copilot-anomalies:r" – Permission for all GET API calls in the Copilot Anomalies Section

GET /copilot/anomalies/adverse-traffic/device-stats

Permissions:

No Specific permission - included with *"copilot-anomalies:r"*

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/adverse-traffic/packet-counts

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/anomalies-by-category

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/device-by-location

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/device-with-locations

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

PUT /copilot/anomalies/devices/feedback

Permissions:

NOT SET!

Roles:

NOT SET!

PUT /copilot/anomalies/devices/update-action

Permissions:

NOT SET!

Roles:

NOT SET!

GET /copilot/anomalies/dfs-recurrence/channel-stats

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/dfs-recurrence/count-stats

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/exclude-vlans

Permissions:

NOT SET!

Roles:

NOT SET!

GET /copilot/anomalies/exclude-vlans-csv

Permissions:

NOT SET!

Roles:

NOT SET!

GET /copilot/anomalies/exclude-vlans-list

Permissions:

NOT SET!

Roles:

NOT SET!

GET /copilot/anomalies/hardware-health/client-list

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/hardware-health/cpu-mem-stats

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/hardware-health/stats

Permissions:

No Specific permission - included with “*copilot-anomalies:r*”

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/locations

Permissions:

"copilot-anomalies:r" – Permission to read copilot anomalies

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/missing-vlan/count

Permissions:

No Specific permission - included with "copilot-anomalies:r"

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/notifications

Permissions:

No Specific permission - included with "copilot-anomalies:r"

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/poeflapping/lldp-cdp-info

Permissions:

No Specific permission - included with "copilot-anomalies:r"

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/poeflapping/stats

Permissions:

No Specific permission - included with "*copilot-anomalies:r*"

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/poeflapping/trends

Permissions:

No Specific permission - included with "*copilot-anomalies:r*"

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/port-efficiency/speed-duplex-stats

Permissions:

No Specific permission - included with "*copilot-anomalies:r*"

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/port-efficiency/stats

Permissions:

No Specific permission - included with "*copilot-anomalies:r*"

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/wifi-capacity/client-list

Permissions:

No Specific permission - included with *"copilot-anomalies:r"*

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/wifi-capacity/stats

Permissions:

No Specific permission - included with *"copilot-anomalies:r"*

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/report

Permissions:

No Specific permission - included with *"copilot-anomalies:r"*

Roles:

"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

PUT /copilot/anomalies/update-action

Permissions:

NOT SET!

Roles:
NOT SET!

PUT /copilot/anomalies/update-device-action

Permissions:
NOT SET!

Roles:
NOT SET!

GET /copilot/anomalies/wifi-efficiency/client-list

Permissions:
No Specific permission - included with “*copilot-anomalies:r*”

Roles:
"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/anomalies/wifi-efficiency/stats

Permissions:
No Specific permission - included with “*copilot-anomalies:r*”

Roles:
"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

GET /copilot/assurance-scans/overview

Permissions:
“**copilot-assurance-scans:r**” – Permission to read access to Copilot Assurance scan

Roles:
"Operator",
"Monitor",
"Administrator",
"Observer",
"Guest Management"

Packet Capture

Permissions:

"packet-capture " – Permission for all API calls in the Packet Capture Section

"packet-capture:r" – Permission for all GET API calls in the Packet Capture Section

GET /packetcaptures

Permissions:

No Specific permission - included with *"packet-capture"* and *"packet-capture:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer"
"Observer"

POST /packetcaptures

Permissions:

No Specific permission - included with *"packet-capture"*

Roles:

"Operator",
"Help Desk",
"Administrator"

GET /packetcaptures/{id}

Permissions:

No Specific permission - included with *"packet-capture"* and *"packet-capture:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer"
"Observer"

Delete /packetcaptures/{id}

Permissions:

No Specific permission - included with *"packet-capture"*

Roles:

"Operator",
"Help Desk",
"Administrator"

POST /packetcaptures/{id}/:stop

Permissions:

No Specific permission - included with *"packet-capture"*

Roles:

"Operator",
"Help Desk",
"Administrator"

POST /packetcaptures/{id}/:upload

Permissions:

No Specific permission - included with *"packet-capture"*

Roles:

"Operator",
"Help Desk",
"Administrator"

GET /packetcaptures/files

Permissions:

No Specific permission - included with *"packet-capture"* and *"packet-capture:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer",
"Observer"

Network Scorecard

Permissions:

"network-scorecard " – Permission for all API calls in the Network Scorecard Section

"network-scorecard:r" – Permission for all GET API calls in the Network Scorecard Section

GET /network-scorecard/clientHealth/{id}

Permissions:

No Specific permission - included with *"network-scorecard"* and *"network-scorecard:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /network-scorecard/deviceHealth/{id}

Permissions:

No Specific permission - included with *"network-scorecard"* and *"network-scorecard:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /network-scorecard/networkHealth/{id}

Permissions:

No Specific permission - included with *"network-scorecard"* and *"network-scorecard:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /network-scorecard/serviceHealth/{id}

Permissions:

No Specific permission - included with *"network-scorecard"* and *"network-scorecard:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

GET /network-scorecard/wifiHealth/{id}

Permissions:

No Specific permission - included with *"network-scorecard"* and *"network-scorecard:r"*

Roles:

"Operator",
"Administrator",
"Monitor",
"Installer",
"Observer"

Essentials - ExtremeLocation

No default permissions for this category

GET /essentials/eloc/clients/{client-mac}/last-known-location

Permissions:
NOT SET!

Roles:

NOT SET!

Misc - Metadata – Country

Permissions:

"country" – Permission for all API calls in the Metadata-Country Section

"country:r" – Permission for all GET API calls in the Metadata-Country Section

GET /countries

Permissions:

No Specific permission - included with *"country"* and *"country:r"*

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer"
"Observer"

GET /countries/{countryAlpha2Code}/states

Permissions:

No Specific permission - included with *"country"* and *"country:r"*

Roles:

"Operator",
"Help Desk",

"Administrator",
"Monitor",
"Installer"
"Observer"

GET /countries/{id}/:validate

Permissions:

No Specific permission - included with "*country*" and "*country:r*"

Roles:

"Operator",
"Help Desk",
"Administrator",
"Monitor",
"Installer"
"Observer"

Thread

GET /thread/networks

Permissions:

NOT SET!

Roles:

NOT SET!

GET /thread/routers

Permissions:

NOT SET!

Roles:

NOT SET!

GET /thread/topology

Permissions:

NOT SET!

Roles:

NOT SET!

AFC-endpoint

GET /afcserver

Permissions:
NOT SET!

Roles:
NOT SET!

GET /afcserver/{id}

Permissions:
NOT SET!

Roles:
NOT SET!

GET /afcserver/statistics/{id}

Permissions:
NOT SET!

Roles:
NOT SET!

GET /afcserver/diagnostics/{sn}

Permissions:
NOT SET!

Roles:
NOT SET!

GET /ap/afc/interface/details/{sn}

Permissions:
NOT SET!

Roles:
NOT SET!

POST /ap/spectrum

Permissions:
NOT SET!

Roles:

NOT SET!

GET /aps/afc/query

Permissions:

NOT SET!

Roles:

NOT SET!

POST /aps/afc/update

Permissions:

NOT SET!

Roles:

NOT SET!

GET /site/afc/schedule

Permissions:

NOT SET!

Roles:

NOT SET!

PUT /site/afc/schedule

Permissions:

NOT SET!

Roles:

NOT SET!

POST /site/afc/schedule

Permissions:

NOT SET!

Roles:

NOT SET!

POST /site/spectrum

Permissions:

NOT SET!

Roles:
NOT SET!

RTTS-endpoint

POST /rtts-endpoint
Permissions:
NOT SET!

Roles:
NOT SET!

POST /rtts-endpoint
Permissions:
NOT SET!

Delete:
NOT SET!

APPENDIX – A

API call list based on Roles

Administrator

All available API calls

Operator

All available API calls **except** for the following:

POST /users
DELETE /users/{id}
PATCH /users/{id}
POST /users/external
DELETE /users/external/{id}
PATCH /users/external/{id}

Monitor

POST /logout
POST /auth/apitoken
GET /auth/apitoken/info
GET /auth/permissions
POST /auth/permissions/:check
GET /operations/{operationId}

POST /account/:switch
GET /account/external
GET /account/home
GET /account/viq
GET /account/viq/default-device-password
GET /account/viq/download
GET /account/viq/export-import-status
GET /users
GET /users/{id}
GET /users/external
GET /users/external/{id}
GET /users/me
GET /hiq/context
GET /hiq/context/creating
GET /hiq/context/reading
GET /hiq/organizations
GET /hiq/status
GET /locations/building
GET /locations/building/{id}
GET /locations/floor
GET /locations/floor/{id}
GET /locations/site
GET /locations/site/{id}
GET /locations/tree
GET /locations/tree/devices
GET /locations/tree/maps
GET /devices
GET /devices/{id}
GET /devices/{id}/alarms
GET /devices/{id}/client-monitor
GET /devices/{id}/ftm-settings
GET /devices/{id}/gallery-image
GET /devices/{id}/geolocation
GET /devices/{id}/history/cpu-mem
GET /devices/{id}/ibeacon
GET /devices/{id}/installation-report
GET /devices/{id}/interfaces/wifi
GET /devices/{id}/iot
GET /devices/{id}/location
GET /devices/{id}/monitor/refresh/status
GET /devices/{id}/network-policy
GET /devices/{id}/radio-operating-mode
GET /devices/{id}/ssid/status
GET /devices/digital-twin

GET /devices/network-policy/{policyId}
GET /devices/radio-information
GET /devices/stats
GET /network-policies
GET /network-policies/{id}
GET /network-policies/{id}/ssids
GET /clients/{id}
GET /clients/active
GET /clients/active/count
GET /clients/byMac/{clientMac}
GET /clients/summary
GET /clients/usage
GET /applications
GET /applications/{id}/clients/top{n}
GET /applications/top{n}
GET /alert-policies
GET /alert-policies/{id}
GET /alert-policies/{policyId}/rules/{ruleId}
GET /alert-policies/available-sites
GET /alert-subscriptions/emails
GET /alert-subscriptions/emails/{id}
GET /alert-subscriptions/webhooks
GET /alert-subscriptions/webhooks/{id}
GET /alerts
GET /alerts/count-by-{group}
GET /alerts/reports/{id}
GET /logs/accounting
GET /logs/audit
GET /logs/audit/full-descriptions/{id}
GET /logs/audit/reports/{id}
GET /logs/auth
GET /logs/credential
GET /logs/email
GET /logs/sms
GET /subscriptions/webhook
GET /deployments
GET /deployments/{deploymentId}
GET /deployments/{deploymentId}/status
GET /deployments/overview
GET /deployments/status
GET /vlan-profiles
GET /vlan-profiles/{id}
GET /email-templates
GET /endusers

GET /pcgs/key-based
GET /pcgs/key-based/network-policy-**{policyId}**/port-assignments
GET /pcgs/key-based/network-policy-**{policyId}**/users
GET /sms-templates
GET /usergroups
GET /ccgs
GET /ccgs/**{id}**
GET /classification-rules
GET /classification-rules/**{id}**
GET /client-monitor-profiles
GET /client-monitor-profiles/**{id}**
GET /hotspot-profiles
GET /hotspot-profiles/**{id}**
GET /hotspot-service-provider-profiles
GET /hotspot-service-provider-profiles/**{id}**
GET /iot-profiles
GET /iot-profiles/**{id}**
GET /l3-address-profiles
GET /l3-address-profiles/**{id}**
GET /radio-profiles
GET /radio-profiles/**{id}**
GET /radio-profiles/channel-selection/**{id}**
GET /radio-profiles/mac-ouis
GET /radio-profiles/mac-ouis/**{id}**
GET /radio-profiles/miscellaneous/**{id}**
GET /radio-profiles/neighborhood-analysis/**{id}**
GET /radio-profiles/radio-usage-opt/**{id}**
GET /radio-profiles/sensor-scan/**{id}**
GET /radio-profiles/wmm-qos/**{id}**
GET /ssids
GET /ssids/advanced-settings/**{id}**
GET /user-profiles
GET /user-profiles/**{id}**
GET /tunnel-concentrators
GET /tunnel-concentrators/**{id}**
GET /ad-servers
GET /cwps
GET /ldap-servers
GET /ldap-servers/**{id}**
GET /radius-client-objects
GET /radius-client-objects/**{id}**
GET /radius-proxies
GET /radius-proxies/**{id}**
GET /radius-proxies/devices

GET /radius-servers/external
GET /radius-servers/external/{id}
GET /radius-servers/internal
GET /radius-servers/internal/{id}
GET /radius-servers/internal/devices
GET /certificates
GET /copilot/connectivity/wired/events
GET /copilot/connectivity/wired/experience
GET /copilot/connectivity/wired/hardware
GET /copilot/connectivity/wired/locations/hardware
GET /copilot/connectivity/wired/quality-index
GET /copilot/connectivity/wireless/apps
GET /copilot/connectivity/wireless/events
GET /copilot/connectivity/wireless/experience
GET /copilot/connectivity/wireless/locations/events
GET /copilot/connectivity/wireless/locations/performance
GET /copilot/connectivity/wireless/locations/quality-index
GET /copilot/connectivity/wireless/locations/time-to-connect
GET /copilot/connectivity/wireless/performance
GET /copilot/connectivity/wireless/quality-index
GET /copilot/connectivity/wireless/time-to-connect
GET /copilot/connectivity/wireless/views
GET /copilot/anomalies/adverse-traffic/device-stats
GET /copilot/anomalies/adverse-traffic/packet-counts
GET /copilot/anomalies/anomalies-by-category
GET /copilot/anomalies/devices-by-location
GET /copilot/anomalies/devices-with-locations
GET /copilot/anomalies/dfs-recurrence/channel-stats
GET /copilot/anomalies/dfs-recurrence/count-stats
GET /copilot/anomalies/excluded-vlans-list
GET /copilot/anomalies/hardware-health/client-list
GET /copilot/anomalies/hardware-health/cpu-mem-stats
GET /copilot/anomalies/hardware-health/stats
GET /copilot/anomalies/locations
GET /copilot/anomalies/missing-vlan/count
GET /copilot/anomalies/notifications
GET /copilot/anomalies/poeflapping/lldp-cdp-info
GET /copilot/anomalies/poeflapping/stats
GET /copilot/anomalies/poeflapping/trends
GET /copilot/anomalies/port-efficiency/speed-duplex-stats
GET /copilot/anomalies/port-efficiency/stats
GET /copilot/anomalies/report
GET /copilot/anomalies/wifi-capacity/client-list
GET /copilot/anomalies/wifi-capacity/stats

GET /copilot/anomalies/wifi-efficiency/client-list
GET /copilot/anomalies/wifi-efficiency/stats
GET /copilot/assurance-scans/overview
GET /packetcaptures
GET /packetcaptures/{id}
GET /packetcaptures/files
GET /network-scorecard/clientHealth/{locationId}
GET /network-scorecard/deviceHealth/{locationId}
GET /network-scorecard/networkHealth/{locationId}
GET /network-scorecard/servicesHealth/{locationId}
GET /network-scorecard/wifiHealth/{locationId}
GET /countries
GET /countries/{countryAlpha2Code}/states
GET /countries/{countryCode}/:validate

Installer

POST /logout
POST /auth/apitoken
POST /auth/permissions/:check
GET /operations/{operationId}
POST /account/:switch
GET /account/external
GET /account/home
GET /account/viq
GET /account/viq/default-device-password
GET /account/viq/download
GET /account/viq/export-import-status
GET /users/me
GET /hiq/context
PUT /hiq/context
GET /hiq/context/creating
PUT /hiq/context/creating
GET /hiq/context/reading
PUT /hiq/context/reading
GET /hiq/organizations
GET /hiq/status
POST /locations
POST /locations/:init
PUT /locations/{id}
DELETE /locations/{id}
GET /locations/building
POST /locations/building
GET /locations/building/{id}
PUT /locations/building/{id}

DELETE /locations/building/{id}
GET /locations/floor
POST /locations/floor
GET /locations/floor/{id}
PUT /locations/floor/{id}
DELETE /locations/floor/{id}
POST /locations/floorplan
POST /locations/import/ekahau
GET /locations/site
POST /locations/site
GET /locations/site/{id}
PUT /locations/site/{id}
DELETE /locations/site/{id}
GET /locations/tree
GET /locations/tree/devices
GET /locations/tree/maps
GET /devices
POST /devices/:advanced-onboard
POST /devices/:check-ownership
POST /devices/:cli
POST /devices/:delete
POST /devices/:manage
POST /devices/:onboard
POST /devices/:reboot
POST /devices/:unmanage
GET /devices/{id}
DELETE /devices/{id}
POST /devices/{id}/:cli
POST /devices/{id}/:manage
POST /devices/{id}/:reboot
POST /devices/{id}/:reset
POST /devices/{id}/:unmanage
GET /devices/{id}/alarms
POST /devices/{id}/bounce-port
GET /devices/{id}/client-monitor
PUT /devices/{id}/client-monitor
DELETE /devices/{id}/client-monitor
PUT /devices/{id}/description
GET /devices/{id}/ftm-settings
PUT /devices/{id}/ftm-settings
DELETE /devices/{id}/ftm-settings
GET /devices/{id}/gallery-image
GET /devices/{id}/geolocation
GET /devices/{id}/history/cpu-mem

PUT /devices/{id}/hostname
GET /devices/{id}/ibeacon
GET /devices/{id}/installation-report
GET /devices/{id}/interfaces/wifi
GET /devices/{id}/iot
POST /devices/{id}/iot/disable
POST /devices/{id}/iot/enable
GET /devices/{id}/location
PUT /devices/{id}/location
DELETE /devices/{id}/location
POST /devices/{id}/monitor/refresh
GET /devices/{id}/monitor/refresh/status
GET /devices/{id}/network-policy
PUT /devices/{id}/network-policy
DELETE /devices/{id}/network-policy
GET /devices/{id}/radio-operating-mode
PUT /devices/{id}/radio-operating-mode
POST /devices/{id}/ssid/override
GET /devices/{id}/ssid/status
POST /devices/{id}/ssid/status/change
POST /devices/{id}/thread/commissioner/start
POST /devices/{id}/thread/commissioner/stop
POST /devices/client-monitor/assign
POST /devices/client-monitor/revoke
POST /devices/client-monitor/query
POST /devices/country-code/assign
GET /devices/digital-twin
PUT /devices/ibeacon
POST /devices/location/assign
POST /devices/location/query
POST /devices/location/revoke
POST /devices/network-policy/assign
POST /devices/network-policy/query
POST /devices/network-policy/revoke
GET /devices/network-policy/{policyId}
POST /devices/os/change
GET /devices/radio-information
PUT /devices/radius-proxy/assign
DELETE /devices/radius-proxy/revoke
GET /devices/stats
GET /network-policies
GET /network-policies/{id}
GET /network-policies/{id}/ssids
GET /clients/{id}

GET /clients/active
GET /clients/active/count
GET /clients/byMac/{clientMac}
GET /clients/summary
GET /clients/usage
GET /alert-policies
GET /alert-policies/{id}
GET /alert-policies/{policyId}/rules/{ruleId}
GET /alert-policies/available-sites
GET /alert-subscriptions/emails
GET /alert-subscriptions/emails/{id}
GET /alert-subscriptions/webhooks
GET /alert-subscriptions/webhooks/{id}
GET /alerts
GET /alerts/count-by-{group}
GET /alerts/reports/{id}
GET /logs/accounting
GET /logs/audit
GET /logs/audit/full-descriptions/{id}
GET /logs/audit/reports/{id}
GET /logs/auth
GET /logs/credential
GET /logs/email
GET /logs/sms
GET /deployments
GET /deployments/{deploymentId}
GET /deployments/{deploymentId}/status
GET /deployments/overview
GET /deployments/status
GET /client-monitor-profiles
GET /client-monitor-profiles/{id}
GET /hotspot-profiles
GET /hotspot-profiles/{id}
GET /hotspot-service-provider-profiles
GET /hotspot-service-provider-profiles/{id}
GET /iot-profiles
GET /iot-profiles/{id}
GET /radio-profiles
GET /radio-profiles/{id}
GET /radio-profiles/channel-selection/{id}
GET /radio-profiles/mac-ouis
GET /radio-profiles/mac-ouis/{id}
GET /radio-profiles/miscellaneous/{id}
GET /radio-profiles/neighborhood-analysis/{id}

GET /radio-profiles/radio-usage-opt/{id}
GET /radio-profiles/sensor-scan/{id}
GET /radio-profiles/wmm-qos/{id}
GET /ssids
GET /ssids/advanced-settings/{id}
GET /user-profiles
GET /user-profiles/{id}
GET /tunnel-concentrators
GET /tunnel-concentrators/{id}
GET /radius-client-objects
GET /radius-client-objects/{id}
GET /radius-servers/external
GET /radius-servers/external/{id}
GET /radius-servers/internal
GET /radius-servers/internal/{id}
GET /radius-servers/internal/devices
GET /certificates
GET /packetcaptures
GET /packetcaptures/{id}
GET /packetcaptures/files
GET /network-scorecard/clientHealth/{locationId}
GET /network-scorecard/deviceHealth/{locationId}
GET /network-scorecard/networkHealth/{locationId}
GET /network-scorecard/servicesHealth/{locationId}
GET /network-scorecard/wifiHealth/{locationId}
GET /countries
GET /countries/{countryAlpha2Code}/states
GET /countries/{countryCode}:/validate

Observer

POST /logout
GET /auth/apitoken/info
GET /auth/permissions
POST /auth/permissions/:check
GET /operations/{operationId}
POST /account/:switch
GET /account/external
GET /account/home
GET /account/viq
GET /account/viq/default-device-password
GET /account/viq/download
GET /account/viq/export-import-status
GET /users/me
GET /hiq/context

GET /hiq/context/creating
GET /hiq/context/reading
GET /hiq/organizations
GET /hiq/status
GET /locations/building
GET /locations/building/{id}
GET /locations/floor
GET /locations/floor/{id}
GET /locations/site
GET /locations/site/{id}
GET /locations/tree
GET /locations/tree/devices
GET /locations/tree/maps
GET /devices
GET /devices/{id}
GET /devices/{id}/alarms
GET /devices/{id}/client-monitor
GET /devices/{id}/ftm-settings
GET /devices/{id}/gallery-image
GET /devices/{id}/geolocation
GET /devices/{id}/history/cpu-mem
GET /devices/{id}/ibeacon
GET /devices/{id}/installation-report
GET /devices/{id}/interfaces/wifi
GET /devices/{id}/iot
GET /devices/{id}/location
GET /devices/{id}/monitor/refresh/status
GET /devices/{id}/network-policy
GET /devices/{id}/radio-operating-mode
GET /devices/{id}/ssid/status
GET /devices/digital-twin
GET /devices/network-policy/{policyId}
GET /devices/radio-information
GET /devices/stats
GET /network-policies
GET /network-policies/{id}
GET /network-policies/{id}/ssids
GET /clients/{id}
GET /clients/active
GET /clients/active/count
GET /clients/byMac/{clientMac}
GET /clients/summary
GET /clients/usage
GET /applications

GET /applications/{id}/clients/top{n}
GET /applications/top{n}
GET /alert-policies
GET /alert-policies/{id}
GET /alert-policies/{policyId}/rules/{ruleId}
GET /alert-policies/available-sites
GET /alert-subscriptions/emails
GET /alert-subscriptions/emails/{id}
GET /alert-subscriptions/webhooks
GET /alert-subscriptions/webhooks/{id}
GET /alerts
GET /alerts/count-by-{group}
GET /alerts/reports/{id}
GET /logs/accounting
GET /logs/audit
GET /logs/audit/full-descriptions/{id}
GET /logs/audit/reports/{id}
GET /logs/auth
GET /logs/credential
GET /logs/email
GET /logs/sms
GET /subscriptions/webhook
GET /deployments
GET /deployments/{deploymentId}
GET /deployments/{deploymentId}/status
GET /deployments/overview
GET /deployments/status
GET /vlan-profiles
GET /vlan-profiles/{id}
GET /email-templates
GET /endusers
GET /pcgs/key-based
GET /pcgs/key-based/network-policy-{policyId}/port-assignments
GET /pcgs/key-based/network-policy-{policyId}/users
GET /sms-templates
GET /usergroups
GET /ccgs
GET /ccgs/{id}
GET /classification-rules
GET /classification-rules/{id}
GET /client-monitor-profiles
GET /client-monitor-profiles/{id}
GET /hotspot-profiles
GET /hotspot-profiles/{id}

GET /hotspot-service-provider-profiles
GET /hotspot-service-provider-profiles/{id}
GET /iot-profiles
GET /iot-profiles/{id}
GET /l3-address-profiles
GET /l3-address-profiles/{id}
GET /radio-profiles
GET /radio-profiles/{id}
GET /radio-profiles/channel-selection/{id}
GET /radio-profiles/mac-ouis
GET /radio-profiles/mac-ouis/{id}
GET /radio-profiles/miscellaneous/{id}
GET /radio-profiles/neighborhood-analysis/{id}
GET /radio-profiles/radio-usage-opt/{id}
GET /radio-profiles/sensor-scan/{id}
GET /radio-profiles/wmm-qos/{id}
GET /ssids
GET /ssids/advanced-settings/{id}
GET /user-profiles
GET /user-profiles/{id}
GET /tunnel-concentrators
GET /tunnel-concentrators/{id}
GET /ad-servers
GET /cwps
GET /ldap-servers
GET /ldap-servers/{id}
GET /radius-client-objects
GET /radius-client-objects/{id}
GET /radius-proxies
GET /radius-proxies/{id}
GET /radius-proxies/devices
GET /radius-servers/external
GET /radius-servers/external/{id}
GET /radius-servers/internal
GET /radius-servers/internal/{id}
GET /radius-servers/internal/devices
GET /certificates
GET /copilot/connectivity/wired/events
GET /copilot/connectivity/wired/experience
GET /copilot/connectivity/wired/hardware
GET /copilot/connectivity/wired/locations/hardware
GET /copilot/connectivity/wired/quality-index
GET /copilot/connectivity/wireless/apps
GET /copilot/connectivity/wireless/events

GET /copilot/connectivity/wireless/experience
GET /copilot/connectivity/wireless/locations/events
GET /copilot/connectivity/wireless/locations/performance
GET /copilot/connectivity/wireless/locations/quality-index
GET /copilot/connectivity/wireless/locations/time-to-connect
GET /copilot/connectivity/wireless/performance
GET /copilot/connectivity/wireless/quality-index
GET /copilot/connectivity/wireless/time-to-connect
GET /copilot/connectivity/wireless/views
GET /copilot/anomalies/adverse-traffic/device-stats
GET /copilot/anomalies/adverse-traffic/packet-counts
GET /copilot/anomalies/anomalies-by-category
GET /copilot/anomalies/devices-by-location
GET /copilot/anomalies/devices-with-locations
GET /copilot/anomalies/dfs-recurrence/channel-stats
GET /copilot/anomalies/dfs-recurrence/count-stats
GET /copilot/anomalies/excluded-vlans-list
GET /copilot/anomalies/hardware-health/client-list
GET /copilot/anomalies/hardware-health/cpu-mem-stats
GET /copilot/anomalies/hardware-health/stats
GET /copilot/anomalies/locations
GET /copilot/anomalies/missing-vlan/count
GET /copilot/anomalies/notifications
GET /copilot/anomalies/poeflapping/ldp-cdp-info
GET /copilot/anomalies/poeflapping/stats
GET /copilot/anomalies/poeflapping/trends
GET /copilot/anomalies/port-efficiency/speed-duplex-stats
GET /copilot/anomalies/port-efficiency/stats
GET /copilot/anomalies/report
GET /copilot/anomalies/wifi-capacity/client-list
GET /copilot/anomalies/wifi-capacity/stats
GET /copilot/anomalies/wifi-efficiency/client-list
GET /copilot/anomalies/wifi-efficiency/stats
GET /copilot/assurance-scans/overview
GET /packetcaptures
GET /packetcaptures/{id}
GET /packetcaptures/files
GET /network-scorecard/clientHealth/{locationId}
GET /network-scorecard/deviceHealth/{locationId}
GET /network-scorecard/networkHealth/{locationId}
GET /network-scorecard/servicesHealth/{locationId}
GET /network-scorecard/wifiHealth/{locationId}
GET /countries
GET /countries/{countryAlpha2Code}/states

GET /countries/{countryCode}/:validate

Help Desk

POST /logout

POST /auth/permissions/:check

GET /operations/{operationId}

POST /account/:switch

GET /account/external

GET /account/home

GET /account/viq

GET /account/viq/default-device-password

GET /account/viq/download

GET /account/viq/export-import-status

GET /users/me

GET /hiq/context

GET /hiq/context/creating

GET /hiq/context/reading

GET /hiq/organizations

GET /hiq/status

GET /locations/building

GET /locations/building/{id}

GET /locations/floor

GET /locations/floor/{id}

GET /locations/site

GET /locations/site/{id}

GET /locations/tree

GET /locations/tree/devices

GET /locations/tree/maps

GET /clients/{id}

GET /clients/active

GET /clients/active/count

GET /clients/byMac/{clientMac}

GET /clients/summary

GET /clients/usage

GET /alerts

GET /alerts/count-by-{group}

GET /alerts/reports/{id}

GET /deployments

GET /deployments/{deploymentId}

GET /deployments/{deploymentId}/status

GET /deployments/overview

GET /deployments/status

GET /endusers

GET /packetcaptures

POST /packetcaptures
GET /packetcaptures/{id}
DELETE /packetcaptures/{id}
POST /packetcaptures/{id}/:stop
POST /packetcaptures/{id}/:upload
GET /packetcaptures/files
GET /countries
GET /countries/{countryAlpha2Code}/states
GET /countries/{countryCode}/:validate

Application Operator

POST /account/:switch
GET /account/external
GET /account/home
GET /account/viq
GET /account/viq/default-device-password
GET /account/viq/download
GET /account/viq/export-import-status
GET /logs/accounting
GET /logs/audit
GET /logs/audit/full-descriptions/{id}
GET /logs/audit/reports/{id}
GET /logs/auth
GET /logs/credential
GET /logs/email
GET /logs/sms

Guest Management

POST /logout
POST /auth/permissions/:check
GET /operations/{operationId}
POST /account/:switch
GET /account/external
GET /account/home
GET /account/viq
GET /account/viq/default-device-password
GET /account/viq/download
GET /account/viq/export-import-status
GET /deployments
GET /deployments/{deploymentId}
GET /deployments/{deploymentId}/status
GET /deployments/overview
GET /deployments/status

GET /endusers
POST /endusers
PUT /endusers/{id}
DELETE /endusers/{id}
POST /endusers/{id}/:regenerate-password
GET /usergroups
GET /copilot/connectivity/wired/events
GET /copilot/connectivity/wired/experience
GET /copilot/connectivity/wired/hardware
GET /copilot/connectivity/wired/locations/hardware
GET /copilot/connectivity/wired/quality-index
GET /copilot/connectivity/wireless/apps
GET /copilot/connectivity/wireless/events
GET /copilot/connectivity/wireless/experience
GET /copilot/connectivity/wireless/locations/events
GET /copilot/connectivity/wireless/locations/performance
GET /copilot/connectivity/wireless/locations/quality-index
GET /copilot/connectivity/wireless/locations/time-to-connect
GET /copilot/connectivity/wireless/performance
GET /copilot/connectivity/wireless/quality-index
GET /copilot/connectivity/wireless/time-to-connect
GET /copilot/connectivity/wireless/views
GET /copilot/anomalies/adverse-traffic/device-stats
GET /copilot/anomalies/adverse-traffic/packet-counts
GET /copilot/anomalies/anomalies-by-category
GET /copilot/anomalies/devices-by-location
GET /copilot/anomalies/devices-with-locations
GET /copilot/anomalies/dfs-recurrence/channel-stats
GET /copilot/anomalies/dfs-recurrence/count-stats
GET /copilot/anomalies/excluded-vlans-list
GET /copilot/anomalies/hardware-health/client-list
GET /copilot/anomalies/hardware-health/cpu-mem-stats
GET /copilot/anomalies/hardware-health/stats
GET /copilot/anomalies/locations
GET /copilot/anomalies/missing-vlan/count
GET /copilot/anomalies/notifications
GET /copilot/anomalies/poeflapping/lldp-cdp-info
GET /copilot/anomalies/poeflapping/stats
GET /copilot/anomalies/poeflapping/trends
GET /copilot/anomalies/port-efficiency/speed-duplex-stats
GET /copilot/anomalies/port-efficiency/stats
GET /copilot/anomalies/report
GET /copilot/anomalies/wifi-capacity/client-list
GET /copilot/anomalies/wifi-capacity/stats

GET /copilot/anomalies/wifi-efficiency/client-list
GET /copilot/anomalies/wifi-efficiency/stats
GET /copilot/assurance-scans/overviewGET /endusers
POST /endusers
PUT /endusers/{id}
DELETE /endusers/{id}
POST /endusers/{id}/:regenerate-password
GET /usergroups
GET /copilot/connectivity/wired/events
GET /copilot/connectivity/wired/experience
GET /copilot/connectivity/wired/hardware
GET /copilot/connectivity/wired/locations/hardware
GET /copilot/connectivity/wired/quality-index
GET /copilot/connectivity/wireless/apps
GET /copilot/connectivity/wireless/events
GET /copilot/connectivity/wireless/experience
GET /copilot/connectivity/wireless/locations/events
GET /copilot/connectivity/wireless/locations/performance
GET /copilot/connectivity/wireless/locations/quality-index
GET /copilot/connectivity/wireless/locations/time-to-connect
GET /copilot/connectivity/wireless/performance
GET /copilot/connectivity/wireless/quality-index
GET /copilot/connectivity/wireless/time-to-connect
GET /copilot/connectivity/wireless/views
GET /copilot/anomalies/adverse-traffic/device-stats
GET /copilot/anomalies/adverse-traffic/packet-counts
GET /copilot/anomalies/anomalies-by-category
GET /copilot/anomalies/devices-by-location
GET /copilot/anomalies/devices-with-locations
GET /copilot/anomalies/dfs-recurrence/channel-stats
GET /copilot/anomalies/dfs-recurrence/count-stats
GET /copilot/anomalies/hardware-health/client-list
GET /copilot/anomalies/hardware-health/stats
GET /copilot/anomalies/locations
GET /copilot/anomalies/notifications
GET /copilot/anomalies/poeflapping/lldp-cdp-info
GET /copilot/anomalies/poeflapping/stats
GET /copilot/anomalies/poeflapping/trends
GET /copilot/anomalies/port-efficiency/speed-duplex-stats
GET /copilot/anomalies/port-efficiency/stats
GET /copilot/anomalies/report
GET /copilot/anomalies/wifi-capacity/client-list
GET /copilot/anomalies/wifi-capacity/stats
GET /copilot/anomalies/wifi-efficiency/client-list

GET /copilot/anomalies/wifi-efficiency/stats

GET /copilot/assurance-scans/overview

APPENDIX – B

API call list based on Permission

logout

POST /logout

auth

POST /auth/permissions/:check

POST /auth/apitoken

POST /auth/apitoken/:validate

GET /auth/permissions

GET /auth/apitoken/info

auth:r

GET /auth/permissions

GET /auth/apitoken/info

token:new

POST /auth/apitoken

perm:check

POST /auth/permissions/:check

lro

POST /operations/{operationId}/:cancel

GET /operations/{operationId}

DELETE /operations/{operationId}

lro:r

GET /operations/{operationId}

account

GET /account/viq/default-device-password
PUT /account/viq/default-device-password
POST /account/viq/import
POST /account/viq/export
POST /account/viq/:backup
POST /account/:switch
GET /account/viq
GET /account/viq/export-import-status
GET /account/viq/download
GET /account/home
GET /account/external

account:switch

POST /account/:switch

account:r

GET /account/viq/default-device-password
GET /account/viq
GET /account/viq/export-import-status
GET /account/viq/download
GET /account/home
GET /account/external

viq:backup

POST /account/viq/:backup

user-me:r

GET /users/me

user:r

GET /users
GET /users/external
GET /users/{id}
GET /users/external/{id}
GET /users/me

hiq

GET /hiq/context
PUT /hiq/context
GET /hiq/context/reading
PUT /hiq/context/reading
GET /hiq/context/creating
PUT /hiq/context/creating
GET /hiq/organizations
POST /hiq/organizations
POST /hiq/organizations/{id}/:rename
GET /hiq/status
DELETE /hiq/organizations/{id}

hiq:r

GET /hiq/context
GET /hiq/context/reading
GET /hiq/context/creating
GET /hiq/organizations
GET /hiq/status

org

GET /hiq/organizations
POST /hiq/organizations
POST /hiq/organizations/{id}/:rename
DELETE /hiq/organizations/{id}

org:new

POST /hiq/organizations

org:del

DELETE /hiq/organizations/{id}

org:rename

POST /hiq/organizations/{id}/:rename

hiq.ctx

GET /hiq/context
PUT /hiq/context

GET /hiq/context/reading
PUT /hiq/context/reading
GET /hiq/context/creating
PUT /hiq/context/creating

hiq.ctx:r

GET /hiq/context
GET /hiq/context/reading
GET /hiq/context/creating

hiq.ctx:w

PUT /hiq/context
PUT /hiq/context/reading
PUT /hiq/context/creating

device

GET /devices/{id}/radio-operating-mode
PUT /devices/{id}/radio-operating-mode
GET /devices/{id}/network-policy
PUT /devices/{id}/network-policy
DELETE /devices/{id}/network-policy
GET /devices/{id}/location
PUT /devices/{id}/location
DELETE /devices/{id}/location
PUT /devices/{id}/hostname
GET /devices/{id}/ftm-settings
PUT /devices/{id}/ftm-settings
DELETE /devices/{id}/ftm-settings
PUT /devices/{id}/description
GET /devices/{id}/client-monitor
PUT /devices/{id}/client-monitor
DELETE /devices/{id}/client-monitor
PUT /devices/radius-proxy/:assign
PUT /devices/ibeacon
POST /devices/{id}/thread/commissioner/:stop
POST /devices/{id}/thread/commissioner/:start
POST /devices/{id}/ssid/status/:change
POST /devices/{id}/ssid/:override
POST /devices/{id}/monitor/:refresh
POST /devices/{id}/iot/:enable

POST /devices/{id}/iot/:disable
POST /devices/{id}/bounce-port
POST /devices/{id}/:unmanage
POST /devices/{id}/:reset
POST /devices/{id}/:reboot
POST /devices/{id}/:manage
POST /devices/{id}/:cli
POST /devices/os/:change
POST /devices/network-policy/:revoke
POST /devices/network-policy/:query
POST /devices/network-policy/:assign
POST /devices/location/:revoke
POST /devices/location/:query
POST /devices/location/:assign
POST /devices/country-code/:assign
POST /devices/client-monitor/:revoke
POST /devices/client-monitor/:query
POST /devices/client-monitor/:assign
POST /devices/:unmanage
POST /devices/:reboot
POST /devices/:onboard
POST /devices/:manage
POST /devices/:delete
POST /devices/:cli
POST /devices/:check-ownership
POST /devices/:advanced-onboard
GET /devices
GET /devices/{id}
DELETE /devices/{id}
GET /devices/{id}/ssid/status
GET /devices/{id}/monitor/refresh/status
GET /devices/{id}/iot
GET /devices/{id}/interfaces/wifi
GET /devices/{id}/installation-report
GET /devices/{id}/ibeacon
GET /devices/{id}/history/cpu-mem
GET /devices/{id}/geolocation
GET /devices/{id}/gallery-image
GET /devices/{id}/alarms
GET /devices/stats
GET /devices/radio-information
GET /devices/network-policy/{policyId}
GET /devices/digital-twin
DELETE /devices/radius-proxy/:revoke

device:r

GET /devices/{id}/radio-operating-mode
GET /devices/{id}/network-policy
GET /devices/{id}/location
GET /devices/{id}/ftm-settings
GET /devices/{id}/client-monitor
GET /devices
GET /devices/{id}
GET /devices/{id}/ssid/status
GET /devices/{id}/monitor/refresh/status
GET /devices/{id}/iot
GET /devices/{id}/interfaces/wifi
GET /devices/{id}/installation-report
GET /devices/{id}/ibeacon
GET /devices/{id}/history/cpu-mem
GET /devices/{id}/geolocation
GET /devices/{id}/gallery-image
GET /devices/{id}/alarms
GET /devices/stats
GET /devices/radio-information
GET /devices/network-policy/{policyId}
GET /devices/digital-twin

device:list

GET /devices

device:view

GET /devices/{id}
GET /devices/stats
GET /devices/radio-information
GET /devices/digital-twin

device:new

POST /devices/:onboard

device:del

POST /devices/:delete

device:cli

POST /devices/:cli

device:deploy

Permission not used

device:manage

POST /devices/:manage

device:unmanage

POST /devices/:unmanage

device:reboot

POST /devices/:reboot

device:reset

POST /devices/{id}:/reset

device:thread-commissioner

POST /devices/{id}/thread/commissioner/:stop

POST /devices/{id}/thread/commissioner/:start

client

PUT /clients/alias

GET /clients/{id}

GET /clients/usage

GET /clients/summary

GET /clients/byMac/{clientMac}

DELETE /clients/byMac/{clientMac}

GET /clients/active

GET /clients/active/count

client:r

GET /clients/{id}
GET /clients/usage
GET /clients/summary
GET /clients/byMac/{clientMac}
GET /clients/active
GET /clients/active/count

locations

PUT /locations/{id}
DELETE /locations/{id}
GET /locations/site/{id}
PUT /locations/site/{id}
DELETE /locations/site/{id}
GET /locations/floor/{id}
PUT /locations/floor/{id}
DELETE /locations/floor/{id}
GET /locations/building/{id}
PUT /locations/building/{id}
DELETE /locations/building/{id}
POST /locations
GET /locations/site
POST /locations/site
POST /locations/import/ekahau
POST /locations/floorplan
GET /locations/floor
POST /locations/floor
GET /locations/building
POST /locations/building
POST /locations/:init
GET /locations/tree
GET /locations/tree/maps
GET /locations/tree/devices

locations:r

GET /locations/site/{id}
GET /locations/floor/{id}
GET /locations/building/{id}
GET /locations/site
GET /locations/floor

GET /locations/building
GET /locations/tree
GET /locations/tree/maps
GET /locations/tree/devices

network-policy

GET /network-policies/{id}
PUT /network-policies/{id}
DELETE /network-policies/{id}
GET /network-policies
POST /network-policies
POST /network-policies/{id}/ssids/remove
POST /network-policies/{id}/ssids/add
GET /network-policies/{id}/ssids

policy:ssid

POST /network-policies/{id}/ssids/remove
POST /network-policies/{id}/ssids/add

network-policy:r

GET /network-policies/{id}
GET /network-policies
GET /network-policies/{id}/ssids

network-scorecard

GET /network-scorecard/wifiHealth/{locationId}
GET /network-scorecard/servicesHealth/{locationId}
GET /network-scorecard/networkHealth/{locationId}
GET /network-scorecard/deviceHealth/{locationId}
GET /network-scorecard/clientHealth/{locationId}

network-scorecard:r

GET /network-scorecard/wifiHealth/{locationId}
GET /network-scorecard/servicesHealth/{locationId}
GET /network-scorecard/networkHealth/{locationId}
GET /network-scorecard/deviceHealth/{locationId}
GET /network-scorecard/clientHealth/{locationId}

ssid

PUT /ssids/{id}/psk/password
PUT /ssids/{id}/mode/wep
PUT /ssids/{id}/mode/psk
PUT /ssids/{id}/mode/ppsk
PUT /ssids/{id}/mode/open
PUT /ssids/{id}/mode/dot1x
GET /ssids/advanced-settings/{id}
PUT /ssids/advanced-settings/{id}
POST /ssids/{id}/user-profile/:attach
POST /ssids/{id}/user-profile-assignment/:attach
POST /ssids/{id}/radius-server-group/:attach
POST /ssids/{id}/radius-client-profile/:attach
POST /ssids/{id}/cwp/enable
POST /ssids/{id}/cwp/disable
POST /ssids/{id}/cwp/attach
POST /ssids/{id}/client-monitor-profile/:attach
POST /ssids/{id}/:rename
GET /ssids

ssid:r

GET /ssids/advanced-settings/{id}
GET /ssids

pcg:key

GET /pcgs/key-based/network-policy-{policyId}/users
PUT /pcgs/key-based/network-policy-{policyId}/users
POST /pcgs/key-based/network-policy-{policyId}/users
DELETE /pcgs/key-based/network-policy-{policyId}/users
GET /pcgs/key-based
POST /pcgs/key-based
GET /pcgs/key-based/network-policy-{policyId}/port-assignments
POST /pcgs/key-based/network-policy-{policyId}/port-assignments
POST /pcgs/key-based/network-policy-{policyId}/keys/:generate
POST /pcgs/key-based/network-policy-{policyId}/keys/:email
POST /pcgs/key-based/network-policy-{policyId}/:onboard
DELETE /pcgs/key-based/network-policy-{policyId}

pcg:key:r

GET /pcgs/key-based/network-policy-**{policyId}**/users
GET /pcgs/key-based
GET /pcgs/key-based/network-policy-**{policyId}**/port-assignments

subscriptions-webhook

GET /subscriptions/webhook
POST /subscriptions/webhook
DELETE /subscriptions/webhook/**{id}**

subscriptions-webhook:r

GET /subscriptions/webhook

ccg

GET /ccgs/**{id}**
PUT /ccgs/**{id}**
DELETE /ccgs/**{id}**
GET /ccgs
POST /ccgs

ccg:r

GET /ccgs/**{id}**
GET /ccgs

log

POST /logs/audit/reports
GET /logs/sms
GET /logs/email
GET /logs/credential
GET /logs/auth
GET /logs/audit
GET /logs/audit/reports/**{id}**
GET /logs/audit/full-descriptions/**{id}**
GET /logs/accounting

log:r

GET /logs/sms
GET /logs/email

GET /logs/credential
GET /logs/auth
GET /logs/audit
GET /logs/audit/reports/{id}
GET /logs/audit/full-descriptions/{id}
GET /logs/accounting

cwp

GET /cwps

cwp:r

GET /cwps

sms-tmpl

GET /sms-templates

sms-tmpl:r

GET /sms-templates

class-rule

GET /classification-rules/{id}
PUT /classification-rules/{id}
DELETE /classification-rules/{id}
GET /classification-rules
POST /classification-rules

class-rule:r

GET /classification-rules/{id}
GET /classification-rules

user-profile

GET /user-profiles/{id}
PUT /user-profiles/{id}
DELETE /user-profiles/{id}
GET /user-profiles

POST /user-profiles
POST /user-profiles/{id}/mac-firewall-policies/:detach
POST /user-profiles/{id}/mac-firewall-policies/:attach
POST /user-profiles/{id}/ip-firewall-policies/:detach
POST /user-profiles/{id}/ip-firewall-policies/:attach

user-profile:r

GET /user-profiles/{id}
GET /user-profiles

tunnel-concentrator

GET /tunnel-concentrators/{id}
PUT /tunnel-concentrators/{id}
DELETE /tunnel-concentrators/{id}
GET /tunnel-concentrators
POST /tunnel-concentrators

tunnel-concentrator:r

GET /tunnel-concentrators/{id}
GET /tunnel-concentrators

radius-proxy

GET /radius-proxies/{id}
PUT /radius-proxies/{id}
DELETE /radius-proxies/{id}
GET /radius-proxies
POST /radius-proxies
GET /radius-proxies/devices

radius-proxy:r

GET /radius-proxies/{id}
GET /radius-proxies
GET /radius-proxies/devices

radius-server

GET /radius-servers/internal/{id}
PUT /radius-servers/internal/{id}

DELETE /radius-servers/internal/{id}
GET /radius-servers/external/{id}
PUT /radius-servers/external/{id}
DELETE /radius-servers/external/{id}
GET /radius-servers/internal
POST /radius-servers/internal
DELETE /radius-servers/internal
GET /radius-servers/external
POST /radius-servers/external
GET /radius-servers/internal/devices

radius-server:r

GET /radius-servers/internal/{id}
GET /radius-servers/external/{id}
GET /radius-servers/internal
GET /radius-servers/external
GET /radius-servers/internal/devices

usergroup

PUT /usergroups/{id}
DELETE /usergroups/{id}
GET /usergroups
POST /usergroups

usergroup:r

GET /usergroups

deployment

GET /deployments/{deploymentId}
PUT /deployments/{deploymentId}
DELETE /deployments/{deploymentId}
GET /deployments
POST /deployments
POST /deployments/firmware-metadatas
GET /deployments/{deploymentId}/status
GET /deployments/status
GET /deployments/overview

deployment:r

GET /deployments/{deploymentId}
GET /deployments
GET /deployments/{deploymentId}/status
GET /deployments/status
GET /deployments/overview

ad-server

GET /ad-servers

ad-server:r

GET /ad-servers

alert

POST /alerts/reports
POST /alerts/:acknowledge
GET /alerts
GET /alerts/reports/{id}
GET /alerts/count-by-{group}

alert:r

GET /alerts
GET /alerts/reports/{id}
GET /alerts/count-by-{group}

alert-policies

GET /alert-policies/{policyId}/rules/{ruleId}
PUT /alert-policies/{policyId}/rules/{ruleId}
GET /alert-policies/{id}
PUT /alert-policies/{id}
DELETE /alert-policies/{id}
GET /alert-policies
POST /alert-policies
POST /alert-policies/{policyId}/rules/{ruleId}:/enable
POST /alert-policies/{policyId}/rules/{ruleId}:/disable
GET /alert-policies/available-sites

alert-policies:r

GET /alert-policies/{policyId}/rules/{ruleId}
GET /alert-policies/{id}
GET /alert-policies
GET /alert-policies/available-sites

alert-subscriptions

GET /alert-subscriptions/webhooks/{id}
PUT /alert-subscriptions/webhooks/{id}
DELETE /alert-subscriptions/webhooks/{id}
GET /alert-subscriptions/emails/{id}
PUT /alert-subscriptions/emails/{id}
DELETE /alert-subscriptions/emails/{id}
GET /alert-subscriptions/webhooks
POST /alert-subscriptions/webhooks
POST /alert-subscriptions/webhooks/:delete
GET /alert-subscriptions/emails
POST /alert-subscriptions/emails
POST /alert-subscriptions/emails/{id}/:verify
POST /alert-subscriptions/emails/:delete

alert-subscriptions:r

GET /alert-subscriptions/webhooks/{id}
GET /alert-subscriptions/emails/{id}
GET /alert-subscriptions/webhooks
GET /alert-subscriptions/emails

app

GET /applications
GET /applications/{id}/clients/top{n}
GET /applications/top{n}

application:r

GET /applications
GET /applications/{id}/clients/top{n}
GET /applications/top{n}

l3-address-profile

GET /l3-address-profiles/{id}
PUT /l3-address-profiles/{id}
DELETE /l3-address-profiles/{id}
GET /l3-address-profiles
POST /l3-address-profiles

l3-address-profile:r

GET /l3-address-profiles/{id}
GET /l3-address-profiles

vlan-profile

GET /vlan-profiles
POST /vlan-profiles
POST /vlan-profiles/:delete
GET /vlan-profiles/{id}
DELETE /vlan-profiles/{id}
PATCH /vlan-profiles/{id}

vlan-profile:r

GET /vlan-profiles
GET /vlan-profiles/{id}

enduser

PUT /endusers/{id}
DELETE /endusers/{id}
GET /endusers
POST /endusers
POST /endusers/{id}:/regenerate-password

enduser:r

GET /endusers

radius-client-object

GET /radius-client-objects/{id}
PUT /radius-client-objects/{id}

DELETE /radius-client-objects/{id}
GET /radius-client-objects
POST /radius-client-objects

radius-client-object:r

GET /radius-client-objects/{id}
GET /radius-client-objects

ldap-server

GET /ldap-servers/{id}
PUT /ldap-servers/{id}
DELETE /ldap-servers/{id}
GET /ldap-servers
POST /ldap-servers

ldap-server:r

GET /ldap-servers/{id}
GET /ldap-servers

email-template

GET /email-templates

email-template:r

GET /email-templates

certificate

GET /certificates

certificate:r

GET /certificates

radio-profile

GET /radio-profiles/{id}
PUT /radio-profiles/{id}

DELETE /radio-profiles/{id}
GET /radio-profiles/wmm-qos/{id}
PUT /radio-profiles/wmm-qos/{id}
GET /radio-profiles/sensor-scan/{id}
PUT /radio-profiles/sensor-scan/{id}
GET /radio-profiles/radio-usage-opt/{id}
PUT /radio-profiles/radio-usage-opt/{id}
GET /radio-profiles/neighborhood-analysis/{id}
PUT /radio-profiles/neighborhood-analysis/{id}
GET /radio-profiles/miscellaneous/{id}
PUT /radio-profiles/miscellaneous/{id}
GET /radio-profiles/mac-ouis/{id}
PUT /radio-profiles/mac-ouis/{id}
DELETE /radio-profiles/mac-ouis/{id}
GET /radio-profiles/channel-selection/{id}
PUT /radio-profiles/channel-selection/{id}
GET /radio-profiles
POST /radio-profiles
GET /radio-profiles/mac-ouis
POST /radio-profiles/mac-ouis

radio-profile:r

GET /radio-profiles/{id}
GET /radio-profiles/wmm-qos/{id}
GET /radio-profiles/sensor-scan/{id}
GET /radio-profiles/radio-usage-opt/{id}
GET /radio-profiles/neighborhood-analysis/{id}
GET /radio-profiles/miscellaneous/{id}
GET /radio-profiles/mac-ouis/{id}
GET /radio-profiles/channel-selection/{id}
GET /radio-profiles
GET /radio-profiles/mac-ouis

iot-profile

GET /iot-profiles/{id}
PUT /iot-profiles/{id}
DELETE /iot-profiles/{id}
GET /iot-profiles
POST /iot-profiles

iot-profile:r

GET /iot-profiles/{id}
GET /iot-profiles

client-monitor-profile

GET /client-monitor-profiles/{id}
PUT /client-monitor-profiles/{id}
DELETE /client-monitor-profiles/{id}
GET /client-monitor-profiles
POST /client-monitor-profiles

client-monitor-profile:r

GET /client-monitor-profiles/{id}
GET /client-monitor-profiles

copilot-connectivity-wired:r

GET /copilot/connectivity/wired/quality-index
GET /copilot/connectivity/wired/locations/hardware
GET /copilot/connectivity/wired/hardware
GET /copilot/connectivity/wired/experience
GET /copilot/connectivity/wired/events

copilot-connectivity-wireless:r

GET /copilot/connectivity/wireless/views
GET /copilot/connectivity/wireless/time-to-connect
GET /copilot/connectivity/wireless/quality-index
GET /copilot/connectivity/wireless/performance
GET /copilot/connectivity/wireless/locations/time-to-connect
GET /copilot/connectivity/wireless/locations/quality-index
GET /copilot/connectivity/wireless/locations/performance
GET /copilot/connectivity/wireless/locations/events
GET /copilot/connectivity/wireless/experience
GET /copilot/connectivity/wireless/events
GET /copilot/connectivity/wireless/apps

copilot-anomalies:r

GET /copilot/anomalies/wifi-efficiency/stats

GET /copilot/anomalies/wifi-efficiency/client-list
GET /copilot/anomalies/wifi-capacity/stats
GET /copilot/anomalies/wifi-capacity/client-list
GET /copilot/anomalies/report
GET /copilot/anomalies/port-efficiency/stats
GET /copilot/anomalies/port-efficiency/speed-duplex-stats
GET /copilot/anomalies/poeflapping/trends
GET /copilot/anomalies/poeflapping/stats
GET /copilot/anomalies/poeflapping/lldp-cdp-info
GET /copilot/anomalies/notifications
GET /copilot/anomalies/missing-vlan/count
GET /copilot/anomalies/locations
GET /copilot/anomalies/hardware-health/stats
GET /copilot/anomalies/hardware-health/cpu-mem-stats
GET /copilot/anomalies/hardware-health/client-list
GET /copilot/anomalies/excluded-vlans-list
GET /copilot/anomalies/dfs-recurrence/count-stats
GET /copilot/anomalies/dfs-recurrence/channel-stats
GET /copilot/anomalies/devices-with-locations
GET /copilot/anomalies/devices-by-location
GET /copilot/anomalies/anomalies-by-category
GET /copilot/anomalies/adverse-traffic/packet-counts
GET /copilot/anomalies/adverse-traffic/device-stats

licenses

Permission not used

licenses:r

Permission not used

copilot-assurance-scans:r

GET /copilot/assurance-scans/overview

packet-capture

GET /packetcaptures
POST /packetcaptures
POST /packetcaptures/{id}/upload
POST /packetcaptures/{id}/stop
GET /packetcaptures/{id}

DELETE /packetcaptures/{id}
GET /packetcaptures/files

packet-capture:r

GET /packetcaptures
GET /packetcaptures/{id}
GET /packetcaptures/files

country

GET /countries
GET /countries/{countryCode}/:validate
GET /countries/{countryAlpha2Code}/states

country:r

GET /countries
GET /countries/{countryCode}/:validate
GET /countries/{countryAlpha2Code}/states

cas

Permission not used

cas:r

Permission not used

cas-policies

Permission not used

cas-policies:r

Permission not used

cas-metadata:r

Permission not used

cns-subscriptions

Permission not used

cns-subscriptions:r

Permission not used