

On This Page

Graph API Version

v3.2

Page

This represents a Facebook Page. The `/page-id` node returns a single `page`.

Related Guides

- [Adding Content without Publishing](#)
- [Scheduling Page Posts](#)
- [Backdating Content](#)

To manage a child Page's location use the `/page/locations` edge.

Reading

Returns a Page.

Permissions

For pages that are published, you need:

- An App or User access token to view fields from fully public pages.
- A User access token to view fields from restricted pages that this person is able to view (such as those restrict to certain demographics like location or age, or those only viewable by Page admins).
- A [Page access token](#) can also be used to view those restricted fields. A Page access token is required to view any User information for any objects owned by a Page.
- You need to be the Admin of the root page for child pages in order to read the `global_brand_children` edge for a page.
- The `source` field will not be returned for Page-owned videos unless the User making the request is an admin of the owning Page.

For pages that are not published, you need:

- To have the Admin role for the page
- A Page access token

Example

HTTP PHP SDK JavaScript SDK Android SDK iOS SDK cURL Graph API Explorer

```
/* PHP SDK v5.0.0 */
/* make the API call */
try {
    // Returns a `Facebook\FacebookResponse` object
    $response = $fb->get(
        '/{page-id}/locations',
        '{access-token}'
    );
} catch(Facebook\Exceptions\FacebookResponseException $e) {
    echo 'Graph returned an error: ' . $e->getMessage();
    exit;
} catch(Facebook\Exceptions\FacebookSDKException $e) {
    echo 'Facebook SDK returned an error: ' . $e->getMessage();
    exit;
}
$GraphNode = $response->getGraphNode();
/* handle the result */
```

If you want to learn how to use the Graph API, read our [Using Graph API guide](#).

Feature Permissions

Name	Description
Page Public Content Access	This is a required feature permission

Parameters

Name	Description
<code>account_linking_token</code> UTF-8 encoded string	Short lived account linking token (5 mins expiry) to get the PSID for a user-page pair

Fields

Field	Description
id numeric string	Page ID. No access token is required to access this field <div>Core</div>
about string	Information about the Page
access_token string	The Page's access token. Only returned if the User making the request has a role (other than Live Contributor) on the Page. If your business requires two-factor authentication, the User must also be authenticated
ad_campaign AdCampaign	The Page's currently running promotion campaign
affiliation string	Affiliation of this person. Applicable to Pages representing people
app_id id	App ID for app-owned Pages and app Pages
app_links AppLinks	AppLinks data associated with the Page's URL
artists_we_like string	Artists the band likes. Applicable to Bands
attire string	Dress code of the business. Applicable to Restaurants or Nightlife. Can be one of Casual, Dressy or Unspecified
awards string	The awards information of the film. Applicable to Films
band_interests string	Band interests. Applicable to Bands
band_members string	Members of the band. Applicable to Bands

Field	Description
best_page Page	The best available Page on Facebook for the concept represented by this Page. The best available Page takes into account authenticity and the number of likes
bio string	Biography of the band. Applicable to Bands
birthday string	Birthday of this person. Applicable to Pages representing people
booking_agent string	Booking agent of the band. Applicable to Bands
built string	Year vehicle was built. Applicable to Vehicles
business	The Business associated with this Page. Requires business_management permissions, and a page or user access token. The person requesting the access token must be an admin of the page.
can_checkin bool	Whether this page has checkin functionality enabled
can_post bool	Whether the current session user can post on this Page
category string	The Page's category. e.g. Product/Service, Computers/Technology <div>Core</div>
category_list list<PageCategory>	The Page's sub-categories
checkins unsigned int32	Number of checkins at a place represented by a Page <div>Core</div>
company_overview string	The company overview. Applicable to Companies
connected_instagram_account ShadowIGUser	Instagram account connected to page via page settings

Field	Description
contact_address MailingAddress	The mailing or contact address for this page. This field will be blank if the contact address is the same as the physical address
context OpenGraphContext	Social context for this Page
copyright_attribution_insights CopyrightAttributionInsights	Insight metrics that measures performance of copyright attribution. An example metric would be number of incremental followers from attribution
copyright_whitelisted_ig_partners list<string>	Whitelisted Instagram usernames that will not be reported in copyright match systems
country_page_likes unsigned int32	If this is a Page in a Global Pages hierarchy, the number of people who are being directed to this Page
cover CoverPhoto	Information about the page's cover photo
culinary_team string	Culinary team of the business. Applicable to Restaurants or Nightlife
current_location string	Current location of the Page
description string	The description of the Page <div>Core</div>
description_html string	The description of the Page in raw HTML
directed_by string	The director of the film. Applicable to Films
display_subtext string	Subtext about the Page being viewed
displayed_message_response_time string	Page estimated message response time displayed to user
emails list<string>	The emails listed in the About section of a Page

Field	Description
engagement Engagement	The social sentence and like count information for this Page. This is the same info used for the like button
fan_count unsigned int32	The number of users who like the Page. For Global Pages this is the count for all Pages across the brand
featured_video Video	Video featured by the Page
features string	Features of the vehicle. Applicable to Vehicles
food_styles list<string>	The restaurant's food styles. Applicable to Restaurants
founded string	When the company was founded. Applicable to Pages in the Company category
general_info string	General information provided by the Page
general_manager string	General manager of the business. Applicable to Restaurants or Nightlife
genre string	The genre of the film. Applicable to Films
global_brand_page_name string	The name of the Page with country codes appended for Global Pages. Only visible to the Page admin
global_brand_root_id numeric string	This brand's global Root ID
has_added_app bool	Indicates whether this Page has added the app making the query in a Page tab
has_whatsapp_number bool	has whatsapp number
hometown string	Hometown of the band. Applicable to Bands

Field	Description
hours map<string, string>	Indicates a single range of opening hours for a day. Each day can have 2 different hours ranges. The keys in the map are in the form of {day}_{number}_{status} . {day} should be the first 3 characters of the day of the week, {number} should be either 1 or 2 to allow for the two different hours ranges per day. {status} should be either open or close to delineate the start or end of a time range. An example would be mon_1_open with value 17:00 and mon_1_close with value 21:15 which would represent a single opening range of 5pm to 9:15pm on Mondays. If one specific day is open 24 hours, the range should be specified as 00:00 to 24:00 . If the place is open 24/7, is_always_open field should be set directly
impressum string	Legal information about the Page publishers
influences string	Influences on the band. Applicable to Bands
instagram_business_account ShadowIGUser	Instagram account linked to page during Instagram business conversion flow
instant_articles_review_status enum	Indicates the current Instant Articles review status for this page
is_always_open bool	Indicates whether this location is always open
is_chain bool	Indicates whether location is part of a chain
is_community_page bool	Indicates whether the Page is a community Page
is_eligible_for_branded_content bool	Indicates whether the page is eligible for the branded content tool
is_messenger_bot_get_started_enabled bool	Indicates whether the page is a Messenger Platform Bot with Get Started button enabled

Field	Description
<code>is_messenger_platform_bot</code> bool	Indicates whether the page is a Messenger Platform Bot
<code>is_owned</code> bool	Indicates whether page is owned
<code>is_permanently_closed</code> bool	Whether the business corresponding to this Page is permanently closed
<code>is_published</code> bool	Indicates whether the Page is published and visible to non-admins
<code>is_unclaimed</code> bool	Indicates whether the Page is unclaimed
<code>is_verified</code> bool	<p>Deprecated, use "verification_status". Pages with a large number of followers can be manually verified by Facebook as [having an authentic identity] (https://www.facebook.com/help/196050490547892). This field indicates whether the page is verified by this process</p> <div>Deprecated</div>
<code>is_webhooks_subscribed</code> bool	Indicates whether the application is subscribed for real time updates from this page
<code>keywords</code> null	<p>Deprecated. Returns null</p> <div>Deprecated</div>
<code>leadgen_form_preview_details</code> LeadGenFormPreviewDetails	The details needed to generate an accurate preview of a lead gen form
<code>leadgen_has_crm_integration</code> bool	Indicates whether this page hasApp subscribes page leads realtime update
<code>leadgen_has_fat_ping_crm_integration</code> bool	Indicates whether this pagehas App that subscribes page leads realtime update via fat ping
<code>leadgen_tos_acceptance_time</code> datetime	Indicates the time when the TOS for running LeadGen Ads on the page was accepted
<code>leadgen_tos_accepted</code> bool	Indicates whether a user has accepted the TOS for running LeadGen Ads on the Page

Field	Description
<code>leadgen_tos_accepting_user</code> User	Indicates the user who accepted the TOS for running LeadGen Ads on the page
<code>link</code> string	The Page's Facebook URL Core
<code>location</code> Location	The location of this place. Applicable to all Places
<code>members</code> string	Members of this org. Applicable to Pages representing Team Orgs
<code>merchant_id</code> string	The instant workflow merchant id associated with the Page
<code>merchant_review_status</code> enum	Review status of the Page against FB commerce policies, this status decides whether the Page can use component flow
<code>messenger_ads_default_icebreakers</code> list<string>	The default ice breakers for a certain page
<code>messenger_ads_default_page_welcome_message</code> MessengerDestinationPageWelcomeMessage	The default page welcome message for Click to Messenger Ads
<code>messenger_ads_default_quick_replies</code> list<string>	The default quick replies for a certain page
<code>messenger_ads_quick_replies_type</code> enum	Indicates what type this page is and we will generate different sets of quick replies based on it
<code>mission</code> string	The company mission. Applicable to Companies
<code>mpg</code> string	MPG of the vehicle. Applicable to Vehicles
<code>name</code> string	The name of the Page Core Default
<code>name_with_location_descriptor</code> string	The name of the Page with its location and/or global brand descriptor. Only visible to a page admin. Non-page admins will get the same value as <code>name</code> .

Field	Description
network string	The TV network for the TV show. Applicable to TV Shows
new_like_count unsigned int32	The number of people who have liked the Page, since the last login. Only visible to a page admin
offer_eligible bool	Offer eligibility status. Only visible to a page admin
overall_star_rating float	Overall page rating based on rating survey from users on a scale of 1-5. This value is normalized and is not guaranteed to be a strict average of user ratings. If there are 0 or a small number of ratings, this field will not be returned.
page_about_story PageAboutStory	A Page About Story is a document located in your Page's About section. It tells your Page's story with rich text and images and can be updated as your story evolves
page_token string	page token
parent_page Page	Parent Page for this Page
parking PageParking	Parking information. Applicable to Businesses and Places
payment_options PagePaymentOptions	Payment options accepted by the business. Applicable to Restaurants or Nightlife
personal_info string	Personal information. Applicable to Pages representing People
personal_interests string	Personal interests. Applicable to Pages representing People
pharma_safety_info string	Pharmacy safety information. Applicable to Pharmaceutical companies
phone string	Phone number provided by a Page

Field	Description
<code>place_type</code> enum	For places, the category of the place
<code>plot_outline</code> string	The plot outline of the film. Applicable to Films
<code>preferred_audience</code> Targeting	Group of tags describing the preferred audience of ads created for the Page
<code>press_contact</code> string	Press contact information of the band. Applicable to Bands
<code>price_range</code> string	Price range of the business. Applicable to Restaurants or Nightlife. Can be one of \$, \$\$, \$\$\$, \$\$\$\$ or Unspecified
<code>privacy_info_url</code> string	Privacy url in page info section
<code>produced_by</code> string	The producer of the film. Applicable to Films
<code>products</code> string	The products of this company. Applicable to Companies
<code>promotion_eligible</code> bool	Boosted posts eligibility status. Only visible to a page admin
<code>promotion_ineligible_reason</code> string	Reason for which boosted posts are not eligible. Only visible to a page admin
<code>public_transit</code> string	Public transit to the business. Applicable to Restaurants or Nightlife
<code>rating_count</code> unsigned int32	Number of ratings for the page (limited to ratings that are publicly accessible)
<code>recipient</code> numeric string	Messenger page scope id associated with page and a user using <code>account_linking_token</code>
<code>record_label</code> string	Record label of the band. Applicable to Bands
<code>release_date</code> string	The film's release date. Applicable to Films

Field	Description
<code>restaurant_services</code> PageRestaurantServices	Services the restaurant provides. Applicable to Restaurants
<code>restaurant_specialties</code> PageRestaurantSpecialties	The restaurant's specialties. Applicable to Restaurants
<code>schedule</code> string	The air schedule of the TV show. Applicable to TV Shows
<code>screenplay_by</code> string	The screenwriter of the film. Applicable to Films
<code>season</code> string	The season information of the TV Show. Applicable to TV Shows
<code>single_line_address</code> string	The page address, if any, in a simple single line format.
<code>starring</code> string	The cast of the film. Applicable to Films
<code>start_info</code> PageStartInfo	Information about when the entity represented by the Page was started
<code>store_code</code> string	Unique store code for this location Page
<code>store_location_descriptor</code> string	Location Page's store location descriptor
<code>store_number</code> unsigned int32	Unique store number for this location Page
<code>studio</code> string	The studio for the film production. Applicable to Films
<code>supports_instant_articles</code> bool	Indicates whether this Page supports Instant Articles
<code>talking_about_count</code> unsigned int32	The number of people talking about this Page
<code>unread_message_count</code> unsigned int32	Unread message count for the Page. Only visible to a page admin

Field	Description
unread_notif_count unsigned int32	Number of unread notifications. Only visible to a page admin
unseen_message_count unsigned int32	Unseen message count for the Page. Only visible to a page admin
username string	The alias of the Page. For example, for www.facebook.com/platform the username is 'platform' Core
verification_status string	Showing whether this Page is verified and in what color e.g. blue verified, gray verified or not verified
voip_info VoipInfo	Voip info
website string	The URL of the Page's website
were_here_count unsigned int32	The number of visits to this Page's location. If the Page setting <i>Show map, check-ins and star ratings on the Page</i> (under <i>Page Settings</i> > <i>Page Info</i> > <i>Address</i>) is disabled, then this value will also be disabled
whatsapp_number string	whatsapp number
written_by string	The writer of the TV show. Applicable to TV Shows

Edges

Edge	Description
admin_notes	Notes of this page
agencies	Businesses that have agency permissions on the Page
albums	Photo albums for this Page

Edge	Description
<code>asset3ds</code>	The 3D assets the page owns
<code>assigned_users</code>	Users assigned to this page
<code>audio_media_copyrights</code>	The music copyrights owned by this page (using alacorn)
<code>blocked</code>	User or Page Profiles blocked from this Page
<code>broadcast_messages</code>	A paginated list of PageBroadcast nodes.
<code>business_activities</code>	The business activities related to this page
<code>businessprojects</code>	Business projects
<code>businesssettinglogs</code>	Business setting logs
<code>call_to_actions</code>	The call-to-action created by this Page
<code>canvas_elements</code>	The canvas elements associated with this page
<code>canvases</code>	The canvas documents associated with this page
<code>change_proposals</code>	Page pending change proposals, only visible to a page admin
<code>claimed_urls</code>	Claimed URLs for Instant Articles that are associated with this Facebook Page
<code>conversations</code>	This Page's conversations
<code>copyright_whitelisted_partners</code>	Whitelisted pages and users that will not be reported in the copyright match systems
<code>crosspost_pending_approval_pages</code>	Pages that have not given approval for crossposting
<code>crosspost_whitelisted_pages</code>	Pages whitelisted for crossposting
<code>custom_labels</code>	custom labels
<code>events</code>	Returns the Events on a Page.
<code>featured_videos_collection</code>	Featured Videos for this Page
<code>feed</code>	The feed of posts (including status updates) and links published by this page, or by others on this page.

Edge	Description
<code>global_brand_children</code>	Children Pages of a Global Pages root Page. Both default and root Page can return children Pages
<code>insights</code>	This Page's Insights data
<code>insights_exports</code>	List of all insights reports from a Page
<code>instagram_accounts</code>	Linked Instagram accounts for this Page
<code>instant_articles</code>	Instant articles associated with this Page
<code>instant_articles_insights</code>	Instant Article Aggregated Insights
<code>labels</code>	Labels of the Page
<code>leadgen_conditional_questions_group</code>	Creates conditional question
<code>leadgen_context_cards</code>	A library of leadgen context cards that can be reused across forms
<code>leadgen_draft_forms</code>	A library of lead generation draft forms created for this page
<code>leadgen_forms</code>	A library of lead generation forms created for this page.
<code>leadgen_legal_content</code>	A library of leadgen legal content that can be reused across forms.
<code>leadgen_qualifiers</code>	List of qualifiers available on a page, includes advertiser customized qualifiers.
<code>leadgen_whitelisted_users</code>	List of all whitelisted users of a page.
<code>likes</code>	The Pages that this Page has liked
<code>live_encoders</code>	Live encoders owned by this Page
<code>live_videos</code>	Live videos from this page
<code>locations</code>	The location Pages that are children of this Page
<code>media_fingerprints</code>	Media fingerprints from this page
<code>messaging_feature_review</code>	Feature status of the page that has been granted through feature review that show up in the page settings

Edge	Description
<code>messenger_ads_page_welcome_messages</code>	Messenger page welcome messages created for a certain page
<code>messenger_profile</code>	messenger profile
<code>milestones</code>	This Page's milestones
<code>music_video_media_copyrights</code>	music video copyrights owned by this page
<code>nativeoffers</code>	The native offers created by this Page
<code>page_backed_instagram_accounts</code>	Linked Page Backed Instagram accounts for this Page
<code>personas</code>	Messenger Platform Bot personas for the Page
<code>photos</code>	This Page's photos
<code>picture</code>	This Page's profile picture
<code>place_topics</code>	The place topic associated with the categories of the page
<code>posts</code>	The feed of posts (including status updates) and links published by this page, or by others on this page.
<code>product_catalogs</code>	Product catalogs owned by this page
<code>promotable_posts</code>	The feed of posts (including status updates) and links published by this page, or by others on this page.
<code>published_posts</code>	All published posts by this page
<code>ratings</code>	Open Graph ratings given to this Page
<code>restaurant_orders</code>	Food & Drink orders placed to the restaurant
<code>roles</code>	The Page's Admins
<code>saved_filters</code>	Filters saved in Page Publishing Tools
<code>saved_message_responses</code>	All message responses that are saved by a page
<code>scheduled_posts</code>	All posts that are scheduled to a future date by a page

Edge	Description
<code>screennames</code>	External accounts. Applicable to Pages representing people
<code>seasons</code>	Seasons for this show page
<code>secondary_receivers</code>	Secondary Receivers for a page
<code>settings</code>	Controllable settings for this page
<code>show_playlists</code>	Playlists for this show page
<code>subscribed_apps</code>	Applications that have real time update subscriptions for this Page. Note that we will only return information about the current app
<code>tabs</code>	This Page's tabs and the apps in them
<code>tagged</code>	The photos, videos, and posts in which the Page has been tagged. A derivative of /feeds
<code>thread_owner</code>	App which owns a thread for Handover Protocol
<code>thread_settings</code>	Messenger platform configs for the page
<code>threads</code>	A messages thread in Facebook Messenger
<code>tours</code>	tours
<code>upcoming_changes</code>	Page upcoming changes. Only visible to a page admin
<code>video_broadcasts</code>	Video broadcasts from this page
<code>video_copyright_rules</code>	Video copyright rules from this page
<code>video_copyrights</code>	Video copyrights from this page
<code>video_lists</code>	Video Playlists for this Page
<code>video_media_copyrights</code>	Video copyrights from this page using alacorn
<code>videos</code>	Videos for this Page
<code>videos_you_can_use</code>	Provides a list of videos the Page can use for crossposting. Owners of these videos have granted permission for the Page to crosspost them.

Edge	Description
<code>visitor_posts</code>	Shows all public posts published by page visitors on the page
<code>notes</code>	A Facebook Note created by a user or page.
<code>notifications</code>	page/notifications API
<code>questions</code>	Graph API Reference Question /question

Validation Rules

Error	Description
100	Invalid parameter
200	Permissions error
210	User not visible
110	Invalid user id
159	Invalid protocol, must be https
190	Invalid OAuth 2.0 Access Token
278	Reading advertisements requires an access token with the extended permission ads_read
3001	Invalid query
294	Managing advertisements requires an access token with the extended permission for ads_management
270	This Ads API request is not allowed for apps with development access level (Development access is by default for all apps, please request for upgrade). Make sure that the access token belongs to a user that is both admin of the app and admin of the ad account

Creating

To create a Page, your app must be whitelisted to use the Pages API. You can apply through your Facebook representative.

You can make a POST request to **personas** edge from the following paths:

- `/[page_id]/personas`

When posting to this edge, a Page will be created.

Parameters

Name	Description
name string	Name of a Persona <small>Required</small>
profile_picture_url URI	Profile picture of a Persona <small>Required</small>

Return Type

```
Struct {  
  id: numeric string,  
}
```

You can make a POST request to **leadgen_draft_forms** edge from the following paths:

- `/[page_id]/leadgen_draft_forms`

When posting to this edge, a Page will be created.

Parameters

Name	Description
block_display_for_non_targeted_viewer boolean	Whether to make the organic post invisible to viewers

Name	Description
context_card Object	Optional context card shown as the intro page <div>Supports Emoji</div>
context_card_id string	ID of optional context card shown as the intro page
custom_disclaimer Object	Customized disclaimer including title, body content with inline links, and consent checkboxes
follow_up_action_url string	The final destination URL that user will go to when clicking view website button
is_optimized_for_quality boolean	Default value: false Flag to indicate whether the form will be optimized for quality
legal_content_id string	ID of EntLeadGenLegalContent
locale enum {EN_US, IT_IT, FR_FR, ES_ES, ES_LA, DE_DE, EN_GB, PT_BR, ZH_TW, ZH_HK, TR_TR, AR_AR, CS_CZ, DA_DK, FI_FI, HE_IL, HI_IN, HU_HU, ID_ID, JA_JP, KO_KR, NB_NO, NL_NL, PL_PL, PT_PT, RO_RO, RU_RU, SV_SE, TH_TH, VI_VN, ZH_CN}	The locale of the form. Pre-defined questions renders in this locale
name string	The name that will help identity the form
privacy_policy JSON object	The url and link_text of the privacy policy of advertiser
question_page_custom_headline string	The custom headline for the question page within the form
questions list<Object>	An array of questions of the form
thank_you_page JSON object	Optional customized thank you page displayed post submission
tracking_parameters JSON object {string : string}	Map for additional tracking parameters to include with the form's field data

Return Type

This endpoint supports [read-after-write](#) and will read the node represented by [id](#) in the return type.

```
Struct {  
  id: numeric string,  
}
```

You can make a POST request to [leadgen_forms](#) edge from the following paths:

- [/{page_id}/leadgen_forms](#)

When posting to this edge, a Page will be created.

Parameters

Name	Description
allow_organic_lead_retrieval boolean	Default value: true Previously, this flag controlled whether any leads submitted in a non-Ad context were retrievable. Now this flag will not be considered and it will be deprecated entirely. To control visibility of Lead Forms in a non-Ad context you should use 'block_display_for_non_targeted_viewer'
block_display_for_non_targeted_viewer boolean	Whether to make the organic post invisible to viewers in non-Ad context
context_card Object	Optional context card shown as the intro page <div>Supports Emoji</div>
context_card_id LeadGen Context Card ID	ID of optional context card shown as the intro page
cover_photo file	Custom cover photo for context card
custom_disclaimer Object	Customized disclaimer including title, body content with inline links, and consent checkboxes

Name	Description
<code>follow_up_action_url</code> URI	The final destination URL that user will go to when clicking view website button
<code>is_for_canvas</code> boolean	Default value: <code>false</code> Flag to indicate that the form is going to be used under a canvas
<code>is_optimized_for_quality</code> boolean	Default value: <code>false</code> Flag to indicate whether the form will be optimized for quality
<code>legal_content_id</code> LeadGen Legal Content ID	ID of EntLeadGenLegalContent
<code>locale</code> enum {EN_US, IT_IT, FR_FR, ES_ES, ES_LA, DE_DE, EN_GB, PT_BR, ZH_TW, ZH_HK, TR_TR, AR_AR, CS_CZ, DA_DK, FI_FI, HE_IL, HI_IN, HU_HU, ID_ID, JA_JP, KO_KR, NB_NO, NL_NL, PL_PL, PT_PT, RO_RO, RU_RU, SV_SE, TH_TH, VI_VN, ZH_CN}	The locale of the form. Pre-defined questions renders in this locale
<code>name</code> string	The name that will help identity the form <div>Required</div>
<code>privacy_policy</code> Object	The url and link_text of the privacy policy of advertiser
<code>question_page_custom_headline</code> string	The custom headline for the question page within the form
<code>questions</code> list<Object>	An array of questions of the form <div>Required</div>
<code>thank_you_page</code> Object	Optional customized thank you page displayed post submission
<code>thank_you_page_id</code> LeadGen Thank You Page ID	ID of EntLeadGenThankYouPage
<code>tracking_parameters</code> JSON object {string : string}	Map for additional tracking parameters to include with the form's field data

Return Type

This endpoint supports [read-after-write](#) and will read the node represented by `id` in the return type.

```
Struct {  
  id: numeric string,  
}
```

You can make a POST request to `copyright_whitelisted_partners` edge from the following paths:

- `/[{page_id}]/copyright_whitelisted_partners`

When posting to this edge, a Page will be created.

Parameters

Name	Description
<code>partner_ids</code> array<user/page ID>	List of App Scoped User or Page IDs to whitelist
<code>urls</code> array<string>	List of string URLs of Users or Pages to whitelist

Return Type

This endpoint supports [read-after-write](#) and will read the node to which you POSTed.

```
Map {  
  numeric string: bool  
}
```

You can make a POST request to `copyright_whitelisted_ig_partners` edge from the following paths:

- `/[{page_id}]/copyright_whitelisted_ig_partners`

When posting to this edge, a Page will be created.

Parameters

Name	Description
usernames array<string>	List of Instagram usernames to whitelist <div>Required</div>

Return Type

This endpoint supports [read-after-write](#) and will read the node to which you POSTed.

```
Map {  
  string: bool  
}
```

You can make a POST request to **page_about_story** edge from the following paths:

- **/[page_id]/page_about_story**

When posting to this edge, a Page will be created.

Parameters

Name	Description
composed_text array<JSON object>	composed_text
cover_photo JSON object {string : int64}	cover_photo
entity_map array<JSON object>	entity_map
is_published boolean	is_published

Name	Description
<code>title</code> string	Default value: "" title

Return Type

This endpoint supports [read-after-write](#) and will read the node represented by `page_about_story_id` in the return type.

```
Struct {  
  page_about_story_id: numeric string,  
}
```

You can make a POST request to `feed` edge from the following paths:

- `/[{page_id}]/feed`

When posting to this edge, a Page will be created.

Example

HTTP PHP SDK JavaScript SDK Android SDK iOS SDK cURL Graph API Explorer

```
POST /v3.2/{page-id}/feed HTTP/1.1
```

```
Host: graph.facebook.com
```

```
message=This+is+a+test+value
```

If you want to learn how to use the Graph API, read our [Using Graph API guide](#).

Parameters

Name	Description
<code>actions</code>	actions

Name	Description
adaptive_type string	adaptive_type
album_id numeric string	album id
android_key_hash string	android key hash
animated_effect_id int64	animated_effect_id
application_id non-empty string	application id
asked_fun_fact_prompt_id int64	asked_fun_fact_prompt_id
asset3d_id int64	asset3d_id
associated_id numeric string or integer	associated id
attach_place_suggestion boolean	Default value: false attach place suggestion
attached_media list<Object>	attached media
audience_exp boolean	Default value: false audience exp
backdated_time datetime	backdated time
backdated_time_granularity enum{year, month, day, hour, min, none}	Default value: none backdated time granularity
call_to_action Object	call to action Supports Emoji
caption string	caption Supports Emoji

Name	Description
<code>checkin_entry_point</code> enum {BRANDING_CHECKIN, BRANDING_STATUS, BRANDING_PHOTO, BRANDING_OTHER}	Default value: <code>BRANDING_OTHER</code> checkin_entry_point
<code>child_attachments</code> list<Object>	child attachments <div>Supports Emoji</div>
<code>client_mutation_id</code> string	client mutation id
<code>composer_entry_picker</code> string	composer_entry_picker
<code>composer_entry_point</code> string	composer_entry_point
<code>composer_entry_time</code> int64	composer_entry_time
<code>composer_session_events_log</code> JSON-encoded string	composer_session_events_log
<code>composer_session_id</code> string	composer session id
<code>composer_source_surface</code> string	composer_source_surface
<code>composer_type</code> string	composer_type
<code>connection_class</code> string	connection class
<code>content_attachment</code> numeric string	content_attachment
<code>coordinates</code> JSON-encoded coordinate list	coordinates
<code>cta_link</code> string	cta_link

Name	Description
cta_type string	cta_type
description string	description <div>Supports Emoji</div>
direct_share_status int64	direct_share_status
enforce_link_ownership boolean	Default value: false enforce link ownership
expanded_height int64	expanded height
expanded_width int64	expanded width
feed_targeting feed target	feed targeting
formatting enum {PLAINTEXT, MARKDOWN}	formatting
fun_fact_prompt_id numeric string or integer	fun_fact_prompt_id
fun_fact_toastee_id int64	fun_fact_toastee_id
has_nickname boolean	has_nickname
height int64	height
holiday_card JSON-encoded string	holiday_card
home_checkin_city_id place tag	home checkin city id

Name	Description
image_crops dictionary { enum{191x100, 100x72, 400x150, 600x360, 100x100, 400x500, 90x160} : <list<list<int64>>> }	image crops
implicit_with_tags list<int>	implicit with tags
instant_game_entry_point_data string	instant_game_entry_point_data
ios_bundle_id string	ios bundle id
is_backout_draft boolean	is_backout_draft
is_boost_intended boolean	is_boost_intended
is_explicit_location boolean	is explicit location
is_explicit_share boolean	is explicit share
is_group_linking_post boolean	is_group_linking_post
is_photo_container boolean	is photo container
link URL	link
location_source_id numeric string or integer	location_source_id
manual_privacy boolean	Default value: false manual privacy
message UTF-8 string	message <div>Supports Emoji</div>

Name	Description
<code>multi_share_end_card</code> boolean	Default value: <code>true</code> multi share end card
<code>multi_share_optimized</code> boolean	Default value: <code>true</code> multi share optimized
<code>name</code> string	name <div>Supports Emoji</div>
<code>nectar_module</code> string	nectar module
<code>object_attachment</code> numeric string or integer	object attachment
<code>offer_like_post_id</code> numeric string or integer	offer_like_post_id
<code>og_action_type_id</code> numeric string or integer	og action type id
<code>og_hide_object_attachment</code> boolean	og hide object attachment
<code>og_icon_id</code> numeric string or integer	og icon id
<code>og_object_id</code> OG object ID or URL string	og object id
<code>og_phrase</code> UTF-8 string	og phrase <div>Supports Emoji</div>
<code>og_set_profile_badge</code> boolean	Default value: <code>false</code> og_set_profile_badge
<code>og_suggestion_mechanism</code> string	og suggestion mechanism
<code>page_recommendation</code> JSON-encoded string	page_recommendation
<code>picture</code> URL	picture

Name	Description
place place tag	place
place_attachment_setting enum {1, 2}	Default value: 2 place_attachment_setting
place_list JSON-encoded string	place_list
place_list_data array	place_list_data
post_surfaces_blacklist list<enum {1, 2, 3, 4, 5}>	post_surfaces_blacklist
posting_to_redspace enum {enabled, disabled}	Default value: disabled posting_to_redspace
privacy Privacy Parameter	privacy
prompt_id string	prompt_id
prompt_tracking_string string	prompt_tracking_string
properties	properties
proxied_app_id numeric string or integer	proxied app id
publish_event_id int64	publish_event_id
published boolean	Default value: true published
quote UTF-8 string	quote <div>Supports Emoji</div>
react_mode_metadata JSON-encoded string	This metadata is required for clip reacts feature
ref list<string>	Default value: Default ref

Name	Description
referenceable_image_ids list<numeric string or integer>	referenceable_image_ids
referral_id numeric string or integer	referral_id
sales_promo_id int64	sales_promo_id
scheduled_publish_time datetime	scheduled publish time
source URL	source
sponsor_id numeric string or integer	sponsor_id
sponsor_relationship int64	sponsor_relationship
suggested_place_id place tag	suggested place id
tags list<int>	tags
target_surface enum {STORY, TIMELINE}	Default value: "TIMELINE" target_surface
targeting target	targeting
text_format_metadata JSON-encoded string	text_format_metadata
text_format_preset_id numeric string or integer	text_format_preset_id
text_only_place string	text only place
throwback_camera_roll_media JSON-encoded string	throwback_camera_roll_media

Name	Description
<code>thumbnail</code> file	thumbnail
<code>time_since_original_post</code> int64	time since original post
<code>title</code> UTF-8 string	title <div>Supports Emoji</div>
<code>tracking_info</code> JSON-encoded string	tracking_info
<code>unpublished_content_type</code> enum {SCHEDULED, DRAFT, ADS_POST, INLINE_CREATED, PUBLISHED}	unpublished content type
<code>user_selected_tags</code> boolean	Default value: <code>false</code> user selected tags
<code>video_start_time_ms</code> int64	video_start_time_ms
<code>viewer_coordinates</code> JSON-encoded coordinate list	viewer coordinates
<code>width</code> int64	width

Return Type

This endpoint supports [read-after-write](#) and will read the node represented by `id` in the return type.

```
Struct {
  id: token with structure: Post ID,
  post_supports_client_mutation_id: bool,
}
```

You can make a POST request to `subscribed_apps` edge from the following paths:

- `/[{page_id}]/subscribed_apps`

When posting to this edge, a Page will be created.

Parameters

Name	Description
subscribed_fields array<enum {feed, mention, name, picture, category, description, conversations, branded_camera, feature_access_list, standby, messages, messaging_account_linking, messaging_checkout_updates, message_echoes, message_deliveries, messaging_game_plays, messaging_optins, messaging_optouts, messaging_payments, messaging_postbacks, messaging_pre_checkouts, message_reads, messaging_referrals, messaging_handovers, messaging_policy_enforcement, messaging_page_feedback, messaging_appointments, founded, company_overview, mission, products, general_info, leadgen, leadgen_fat, location, hours, parking, public_transit, page_about_story, phone, email, website, ratings, attire, payment_options, culinary_team, general_manager, price_range, awards, hometown, current_location, bio, affiliation, birthday, personal_info, personal_interests, publisher_subscriptions, members, checkins, page_upcoming_change, page_change_proposal, merchant_review, product_review, videos, live_videos, registration}>	Page Webhooks fields that you want to subscribe <div>Required</div>

Return Type

This endpoint supports [read-after-write](#) and will read the node to which you POSTed.

```
Struct {  
  success: bool,  
}
```

You can make a POST request to **roles** edge from the following paths:

- **`/ {page_id} / roles`**

When posting to this edge, a Page will be created.

Parameters

Name	Description
<code>admin_id</code> int	ID of the person to add
<code>tasks</code> array<enum {MANAGE, CREATE_CONTENT, MODERATE, MODERATE_COMMUNITY, MANAGE_JOBS, ADVERTISE, ANALYZE}>	Set the tasks of this person to any combination of <code>MANAGE</code> , <code>CREATE_CONTENT</code> , <code>MODERATE</code> , <code>MODERATE_COMMUNITY</code> , <code>ADVERTISE</code> and <code>ANALYZE</code>

Return Type

```
Struct {  
  success: bool,  
}
```

You can make a POST request to **owned_pages** edge from the following paths:

- **`/ {business_id} / owned_pages`**

When posting to this edge, a Page will be created.

Parameters

Name	Description
<code>ig_password</code> string	Instagram password for claiming the associated page

Name	Description
<code>page_id</code> Page ID	page id <div>Required</div>

Return Type

This endpoint supports [read-after-write](#) and will read the node to which you POSTed.

```
Struct {  
  access_status: string,  
}
```

You can make a POST request to `activities` edge from the following paths:

- `/[{page_id}]/activities`

When posting to this edge, a Page will be created.

Parameters

Name	Description
<code>advertiser_tracking_enabled</code> boolean	If it is set to 1, then the custom events will be logged to AdConv as onsite_conversion
<code>app_id</code> application ID	ID of the App which logs the event
<code>custom_events</code> list<CustomEvent>	Custom events to log. Please see our app events documentation for iOS and Android for more information
<code>page_scoped_user_id</code> int64	Specifies the page scoped User ID associated with the messenger bot that logs the event
<code>user_ref</code> string	The user_ref from checkbox plugin

Return Type

```
Struct {  
  success: bool,  
}
```

You may perform a POST request to the following edges from this node:

- `/{{page_id}}/messages`
- `/{{page_id}}/message_attachments`
- `/{{page_id}}/messenger_codes`
- `/{{page_id}}/pass_thread_control`
- `/{{page_id}}/request_thread_control`
- `/{{page_id}}/thread_settings`
- `/{{page_id}}/nlp_configs`
- `/{{page_id}}/leadgen_conditional_questions_group`
- `/{{page_id}}/live_encoders`
- `/{{page_id}}/videos`
- `/{{page_id}}/live_videos`
- `/{{page_id}}/copyright_manual_claims`
- `/{{page_id}}/video_copyrights`
- `/{{page_id}}/tabs`
- `/{{page_id}}/admin_notes`
- `/{{page_id}}/call_to_actions`
- `/{{page_id}}/labels`
- `/{{page_id}}/locations`
- `/{{page_id}}/picture`
- `/{{page_id}}/blocked`
- `/{{page_id}}/milestones`
- `/{{page_id}}/saved_message_responses`
- `/{{page_id}}/photos`
- `/{{page_id}}/settings`
- `/{{page_id}}/video_lists`
- `/{{page_id}}/albums`
- `/{{page_id}}/page_backed_instagram_accounts`
- `/{{page_id}}/canvases`
- `/{{page_id}}/canvas_elements`
- `/{{page_id}}/instant_articles`

- [/{page_id}/claimed_urls](#)
- [/{page_id}/video_copyright_rules](#)
- [/{page_id}/media_fingerprints](#)
- [/{page_id}/nativeoffers](#)
- [/{page_id}/messenger_profile](#)

Validation Rules

Error	Description
100	Invalid parameter
200	Permissions error
370	Invalid call to update this page
210	User not visible
368	The action attempted has been deemed abusive or is otherwise disallowed
371	Invalid Page location update
190	Invalid OAuth 2.0 Access Token
320	Photo edit failure
374	Invalid store location descriptor update since this Page is not a location Page.
160	Invalid geolocation type

Updating

You can update a Page by making a POST request to [/{page_id}/assigned_users](#).

Parameters

Name	Description

Name	Description
tasks array<enum {MANAGE, CREATE_CONTENT, MODERATE, MODERATE_COMMUNITY, MANAGE_JOBS, ADVERTISE, ANALYZE}>	Page permission tasks to assign this user
user int	Business user id or system user id <div>Required</div>

Return Type

This endpoint supports [read-after-write](#) and will read the node to which you POSTed.

```
Struct {  
  success: bool,  
}
```

You can update a Page by making a POST request to [/{page_id}](#).

Parameters

Name	Description
about string	Update the about field
accept_crossposting_handshake array<JSON object>	Accepts a pending crossposting request initiated by another Page
allow_spherical_photo boolean	Default value: false Indicates that we should allow this photo to be treated as a spherical photo. This param will only be used when uploading a new image file. This will not change the behavior unless the server is able to interpret the photo as spherical, such as via Photosphere XMP metadata. Regular non-spherical photos will still be treated as regular photos even if this parameter is true.

Name	Description
attire enum{Unspecified, Casual, Dressy}	Update the attire field
begin_crossposting_handshake array<JSON object>	Begins the video crossposting handshake with another page
bio string	Update the bio field
category_list list<numeric string>	Update the category_list field
company_overview string	Update the company_overview field
contact_address Object	Update the contact_address field
cover numeric string or integer	Update the cover field. This field can only be updated by the Page Admin or Page Editor with EDIT_PROFILE and business_management permissions .
culinary_team string	Update the culinary_team field
description string	Update the description field
directed_by string	Update the directed_by field
displayed_message_response_time string	Page estimated message response time displayed to user
emails list<string>	Update the emails field
focus_x float	Cover photo focus x
focus_y float	Cover photo focus y

Name	Description
food_styles list<enum{Afghani, American (New), American (Traditional), Asian Fusion, Barbeque, Brazilian, Breakfast, British, Brunch, Buffets, Burgers, Burmese, Cajun/Creole, Caribbean, Chinese, Creperies, Cuban, Delis, Diners, Ethiopian, Fast Food, Filipino, Fondue, Food Stands, French, German, Greek and Mediterranean, Hawaiian, Himalayan/Nepalese, Hot Dogs, Indian/Pakistani, Irish, Italian, Japanese, Korean, Latin American, Mexican, Middle Eastern, Moroccan, Pizza, Russian, Sandwiches, Seafood, Singaporean, Soul Food, Southern, Spanish/Basque, Steakhouses, Sushi Bars, Taiwanese, Tapas Bars, Tex-Mex, Thai, Turkish, Vegan, Vegetarian, Vietnamese}>	Update the food_styles field
general_info string	Update the general_info field
general_manager string	Update the general_manager field
genre string	Update the genre field
hours dictionary { string : <> }	Update the hours field
ignore_coordinate_warnings boolean	Ignore coordinate warnings when updating this Page's location
impressum string	Update the impressum field
instant_articles_submit_for_review boolean	Submit Instant Articles on the Page for review
is_always_open boolean	Is this location always open?
is_permanently_closed boolean	Update the is_permanently_closed field

Name	Description
<code>is_published</code> boolean	Update the <code>is_published</code> field
<code>is_webhooks_subscribed</code> boolean	Is the application subscribed for real time updates from this page?
<code>location</code> Object	Update the <code>location</code> field
<code>mission</code> string	Update the <code>mission</code> field
<code>no_feed_story</code> boolean	Default value: <code>false</code> Don't generate a feed story for the cover photo
<code>no_notification</code> boolean	Default value: <code>false</code> Don't generate a notification for the cover photo
<code>offset_x</code> integer	Default value: <code>50</code> Cover photo offset x
<code>offset_y</code> integer	Default value: <code>50</code> Cover photo offset y
<code>parking</code> dictionary { enum{street, lot, valet} : <boolean> }	Update the <code>parking</code> field
<code>payment_options</code> dictionary { enum{visa, amex, mastercard, discover, cash_only} : <boolean> }	Update the <code>payment_options</code> field
<code>phone</code> string	Update the <code>phone</code> field
<code>plot_outline</code> string	Update the <code>plot_outline</code> field
<code>price_range</code> string	Update the <code>price_range</code> field
<code>public_transit</code> string	Update the <code>public_transit</code> field

Name	Description
restaurant_services dictionary { enum{reserve, walkins, groups, kids, takeout, delivery, catering, waiter, outdoor} : <boolean> }	Update the restaurant_services field
restaurant_specialties dictionary { enum{breakfast, lunch, dinner, coffee, drinks} : <boolean> }	Update the restaurant_specialties field
scrape boolean	Re-scrape the website associated with this Page
service_details string	Details of services provided by page. Can include delivery status/area/hours for the page.
spherical_metadata JSON object	A set of params describing an uploaded spherical photo. This param will only be used when uploading a new image file. This field is not required; if it is not present we will try to generate spherical metadata from the metadata embedded in the image. If it is present, it takes precedence over any embedded metadata. Please click to the left to expand this list and see more information on each parameter. See also the Google Photo Sphere spec for more info on the meaning of the params: https://developers.google.com/streetview/spherical-metadata
start_info Object	Update the start_info field
store_location_descriptor string	Update the store_location_descriptor field
website URL	Update the website field
zoom_scale_x float	Cover photo zoom scale x
zoom_scale_y float	Cover photo zoom scale y

Return Type

This endpoint supports [read-after-write](#) and will read the node to which you POSTed.

```
Struct {
  success: bool,
}
```

You may perform a POST request to the following edges from this node:

- [/{page_id}/instant_articles_publish](#)
- [/{page_id}/leadgen_whitelisted_users](#)

Validation Rules

Error	Description
100	Invalid parameter
200	Permissions error
370	Invalid call to update this page
210	User not visible
368	The action attempted has been deemed abusive or is otherwise disallowed
371	Invalid Page location update
190	Invalid OAuth 2.0 Access Token
320	Photo edit failure
374	Invalid store location descriptor update since this Page is not a location Page.
160	Invalid geolocation type

Deleting

Delete a Facebook Page.

This is only available to select developers. Please contact your Facebook Partner for more information.

You can dissociate a Page from a Page by making a DELETE request to [/{page_id}/copyright_whitelisted_partners](#).

Parameters

Name	Description
partner_ids array<user/page ID>	List of App Scoped User or Page IDs to remove from the whitelist
urls array<string>	List of string URLs of Users or Pages to remove from the whitelist

Return Type

```
Map {  
  numeric string: bool  
}
```

You can dissociate a Page from a Page by making a DELETE request to [/{page_id}/copyright_whitelisted_ig_partners](#).

Parameters

Name	Description
usernames array<string>	List of Instagram usernames to remove from your whitelist <div>Required</div>

Return Type

```
Map {
  string: bool
}
```

You can dissociate a Page from a Page by making a DELETE request to [/{page_id}/locations](#).

Parameters

Name	Description
location_page_id location_page ID	Page ID for the page to delete <div>Required</div>
store_number int64	Store number for the page to delete

Return Type

```
Struct {
  success: bool,
}
```

You can dissociate a Page from a Page by making a DELETE request to [/{page_id}/roles](#).

Parameters

Name	Description
admin_id int	Admin ID <div>Required</div>

Return Type

```
Struct {
  success: bool,
}
```

You may perform a DELETE request to the following edges from this node:

- `/ {page_id} / tabs`
- `/ {page_id} / blocked`
- `/ {page_id} / subscribed_apps`
- `/ {page_id} / video_lists`
- `/ {page_id} / leadgen_whitelisted_users`
- `/ {page_id} / claimed_urls`
- `/ {page_id} / messenger_profile`

Validation Rules

Error	Description
200	Permissions error
190	Invalid OAuth 2.0 Access Token

Graph API

- Overview
- Using the Graph API
- FAQ
- Reference
- Achievement
- Achievement Type
- Album
- App Link Host
- App Request
- Application
- Application Context
- Async Session

Audience Insights Rule

Ct Cert Domain

Canvas

Canvas Button

Canvas Carousel

Canvas Footer

Canvas Header

Canvas Photo

Canvas Product Set

Canvas Store Locator

Canvas Text

Canvas Video

Certificates

Comment

Conversation

Debug Token

Doc

Domain

Education Experience

Event

Flight

Friend List

Generatepreviews

Group

Group Doc

Instagram Carousel

Instagram Comment

Instagram Media

Instagram User

Life Event

Link

Live Encoder

Live Video

Mailing Address

Message

Milestone

Native Offer

Notification

Object Comments

Object Likes

Object Private Replies

Object Reactions

Object Sharedposts

Open Graph Action Type

Open Graph Context

Open Graph Object Type

Oracle Transaction

Page

Admin Notes

Agencies

Albums

Asset3ds

Assigned Users

Audio Media Copyrights

Blocked

Broadcast Messages

Business Activities

Businessprojects

Businesssettinglogs

Call To Actions

Canvas Elements

Canvases

Change Proposals

Claimed Urls

Conversations

Copyright Whitelisted Partners

Crosspost Pending Approval Pages

Crosspost Whitelisted Pages

Custom Labels

Events

Featured Videos Collection

Feed

Global Brand Children

Insights

Insights Exports

Instagram Accounts

Instant Articles

Aggregate Insights API

Labels

Leadgen Conditional Questions Group

Leadgen Context Cards
Leadgen Draft Forms
Leadgen Forms
Leadgen Legal Content
Leadgen Qualifiers
Leadgen Whitelisted Users
Likes
Live Encoders
Live Videos
/page/locations
Media Fingerprints
Messaging Feature Review
Messenger Ads Page Welcome Messages
messenger_profile
Milestones
Music Video Media Copyrights
Nativeoffers
Note
Notifications
Page Backed Instagram Accounts
Personas
Photos
Picture
Place Topics
Product Catalogs
Published Posts
/question
Ratings
Restaurant Orders
Roles
Saved Filters
Saved Message Responses
Scheduled Posts
Screennames
Seasons
Secondary Receivers
Settings
Show Playlists
Subscribed Apps
Tabs

Tagged

Thread Owner

Thread Settings

Thread

Tours

Upcoming Changes

Video Broadcasts

Video Copyright Rules

Video Copyrights

Video Lists

Video Media Copyrights

Videos

Videos You Can Use

Visitor Posts

Page Admin Note

Page Call To Action

Page Change Proposal

Page Label

Page Upcoming Change

Page/insights

Payment

Photo

Place

Place Information

Place Tag

Place Topic

Post

Profile

Promotion Info

Rtb Dynamic Post

Request

Saved Message Response

Status

Test User

Thread

URL

User

User Context

Video

Video Copyright

Video Copyright Rule

Video List

Video Poll

Video Poll Option

With Asset3d

Work Experience

Webhooks

Advanced

Changelog

Server-Sent Events