Exercise 2:

Foundations of Mathematical, WS24

Zichao Wei

This is **exercise** 2 for Foundations of Mathematical, WS24. Generated on 2024-12-02 with 10 problems per section.

2025-06-02

1. Problems

1.1. Vector Arithmetic

1.1.1. Addition

Find the sum of the following vectors \mathbf{u} and \mathbf{v}

1.
$$\mathbf{u} = \begin{bmatrix} -5 \\ 7 \\ -10 \end{bmatrix}$$
, $\mathbf{v} = \begin{bmatrix} 6 \\ -10 \\ 1 \end{bmatrix}$

2.
$$\mathbf{u} = \begin{bmatrix} 9 \\ 2 \\ -8 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 6 \\ 1 \\ 3 \end{bmatrix}$$

3.
$$\mathbf{u} = \begin{bmatrix} -8 \\ 9 \\ -6 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -2 \\ -2 \\ 10 \end{bmatrix}$$

4.
$$\mathbf{u} = \begin{bmatrix} 10 \\ 5 \\ -8 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 3 \\ 6 \\ 4 \end{bmatrix}$$

5.
$$\mathbf{u} = \begin{bmatrix} -2\\10\\-5 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -1\\0\\-3 \end{bmatrix}$$

6.
$$\mathbf{u} = \begin{bmatrix} -6 \\ -8 \\ -6 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 2 \\ 8 \\ -6 \end{bmatrix}$$

7.
$$\mathbf{u} = \begin{bmatrix} 1 \\ 10 \\ 2 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -8 \\ 2 \\ -1 \end{bmatrix}$$

8.
$$\mathbf{u} = \begin{bmatrix} 5 \\ 9 \\ -3 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 6 \\ -5 \\ -2 \end{bmatrix}$$

9.
$$\mathbf{u} = \begin{bmatrix} 1 \\ 7 \\ -1 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 7 \\ -7 \\ -8 \end{bmatrix}$$

10.
$$\mathbf{u} = \begin{bmatrix} 6 \\ 2 \\ -10 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -5 \\ -1 \\ 3 \end{bmatrix}$$

1.1.2. Subtraction

Find the difference of the following vectors ${\bf u}$ and ${\bf v}$

1.
$$\mathbf{u} = \begin{bmatrix} 8 \\ -5 \\ 6 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 2 \\ -6 \\ -4 \end{bmatrix}$$

2.
$$\mathbf{u} = \begin{bmatrix} -10 \\ -2 \\ -7 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -3 \\ 10 \\ 4 \end{bmatrix}$$

3.
$$\mathbf{u} = \begin{bmatrix} 3 \\ 6 \\ 5 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 3 \\ 8 \\ 5 \end{bmatrix}$$

4.
$$\mathbf{u} = \begin{bmatrix} -9\\9\\9 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 8\\3\\8 \end{bmatrix}$$

5.
$$\mathbf{u} = \begin{bmatrix} 6 \\ 4 \\ -4 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -6 \\ 0 \\ -9 \end{bmatrix}$$

6.
$$\mathbf{u} = \begin{bmatrix} -7 \\ 5 \\ -2 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 7 \\ -2 \\ -7 \end{bmatrix}$$

7.
$$\mathbf{u} = \begin{bmatrix} -5 \\ 5 \\ -7 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -1 \\ -2 \\ -3 \end{bmatrix}$$

8.
$$\mathbf{u} = \begin{bmatrix} 5 \\ 8 \\ -6 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 9 \\ 4 \\ 3 \end{bmatrix}$$

9.
$$\mathbf{u} = \begin{bmatrix} 5 \\ 8 \\ 9 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 8 \\ -2 \\ -9 \end{bmatrix}$$

10.
$$\mathbf{u} = \begin{bmatrix} 8 \\ 4 \\ -8 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -7 \\ 0 \\ 10 \end{bmatrix}$$

1.1.3. Scalar Multiplication

Find the scalar product of the following vector \mathbf{u} and scalar k

1.
$$\mathbf{u} = \begin{bmatrix} 8 \\ -3 \\ 3 \end{bmatrix} - 2\mathbf{v}$$
.

2.
$$\mathbf{u} = \begin{bmatrix} -8 \\ 0 \\ -10 \end{bmatrix} 5\mathbf{v}.$$

3.
$$\mathbf{u} = \begin{bmatrix} 0 \\ 6 \\ -1 \end{bmatrix} 3\mathbf{v}$$
.

4.
$$\mathbf{u} = \begin{bmatrix} 0 \\ 0 \\ 0 \\ -2 \end{bmatrix} 5\mathbf{v}.$$

5.
$$\mathbf{u} = \begin{bmatrix} 4 \\ -7 \\ 5 \end{bmatrix} 0 \mathbf{v}$$
.

6.
$$\mathbf{u} = \begin{bmatrix} 8 \\ 1 \\ 5 \end{bmatrix} 2\mathbf{v}$$
.

7.
$$\mathbf{u} = \begin{bmatrix} -6\\7\\10 \end{bmatrix} 10\mathbf{v}$$
.

8.
$$\mathbf{u} = \begin{bmatrix} -4 \\ 10 \\ 1 \end{bmatrix} 1 \mathbf{v}.$$

9.
$$\mathbf{u} = \begin{bmatrix} 1 \\ -9 \\ 1 \end{bmatrix} -10\mathbf{v}.$$

10.
$$\mathbf{u} = \begin{bmatrix} -10 \\ -7 \\ 2 \end{bmatrix}$$
 7 \mathbf{v} .

1.2. Matrix Arithmetic

1.2.1. Addition

Find the sum of the following matrices A and B

1.
$$A = \begin{bmatrix} -6 & -1 & 6 \\ 3 & 9 & 8 \\ 6 & -4 & 3 \end{bmatrix}$$
 and $B = \begin{bmatrix} 5 & 0 & -9 \\ -7 & -3 & 2 \\ -7 & 1 & -2 \end{bmatrix}$

2.
$$A = \begin{bmatrix} -6 & 4 & 4 \\ 9 & -6 & -1 \\ -10 & -6 & -3 \end{bmatrix}$$
 and $B = \begin{bmatrix} -2 & 7 & -8 \\ 6 & -1 & 6 \\ -9 & 6 & 5 \end{bmatrix}$

3.
$$A = \begin{bmatrix} 1 & -3 & 8 \\ -4 & -6 & 9 \\ 1 & -9 & 0 \end{bmatrix}$$
 and $B = \begin{bmatrix} 2 & -1 & 0 \\ -8 & -1 & 5 \\ 6 & -5 & -6 \end{bmatrix}$

3.
$$A = \begin{bmatrix} 1 & -3 & 8 \\ -4 & -6 & 9 \\ 1 & -9 & 0 \end{bmatrix}$$
 and $B = \begin{bmatrix} 2 & -1 & 0 \\ -8 & -1 & 5 \\ 6 & -5 & -6 \end{bmatrix}$
4. $A = \begin{bmatrix} 0 & -2 & 9 \\ -3 & 4 & 9 \\ -8 & 5 & 1 \end{bmatrix}$ and $B = \begin{bmatrix} 4 & -3 & -4 \\ -8 & 8 & -10 \\ -5 & -3 & 1 \end{bmatrix}$

5.
$$A = \begin{bmatrix} 9 & -10 & -5 \\ 3 & -9 & 2 \\ -3 & 6 & -2 \end{bmatrix}$$
 and $B = \begin{bmatrix} -8 & 2 & -2 \\ 5 & -9 & 2 \\ -9 & -1 & 1 \end{bmatrix}$

6.
$$A = \begin{bmatrix} -10 & 3 & 1 \\ 5 & 6 & 8 \\ 4 & -5 & 4 \end{bmatrix}$$
 and $B = \begin{bmatrix} 1 & -8 & -2 \\ -10 & 9 & -8 \\ 5 & 0 & 7 \end{bmatrix}$

7.
$$A = \begin{bmatrix} -3 & -10 & -1 \\ -2 & 1 & -1 \\ -1 & 5 & 9 \end{bmatrix}$$
 and
$$B = \begin{bmatrix} -3 & 2 & 0 \\ 6 & -10 & 9 \\ -1 & -5 & 8 \end{bmatrix}$$

8.
$$A = \begin{bmatrix} 6 & 0 & 9 \\ -7 & 8 & 9 \\ 2 & 4 & 4 \end{bmatrix} \text{ and } B = \begin{bmatrix} -8 & -7 & -8 \\ 5 & -8 & 3 \\ 8 & 4 & -6 \end{bmatrix}$$

9.
$$A = \begin{bmatrix} 1 & -9 & -9 \\ -3 & -9 & 3 \\ -7 & -10 & 0 \end{bmatrix}$$
 and $B = \begin{bmatrix} -1 & -2 & -5 \\ 0 & -3 & 2 \\ 0 & -1 & -10 \end{bmatrix}$

10.
$$A = \begin{bmatrix} -5 & 0 & 4 \\ 8 & 8 & -4 \\ 6 & 8 & 8 \end{bmatrix}$$
 and $B = \begin{bmatrix} -3 & -6 & -5 \\ -2 & -1 & -7 \\ -7 & 5 & 1 \end{bmatrix}$

1.2.2. Subtraction

Find the difference of the following matrices A and B

1.
$$A = \begin{bmatrix} -2 & -9 & 5 \\ 6 & 5 & 9 \\ 7 & -5 & 0 \end{bmatrix}$$
 and $B = \begin{bmatrix} -1 & 7 & -4 \\ 8 & 4 & 5 \\ -9 & 8 & 6 \end{bmatrix}$

1.
$$A = \begin{bmatrix} -2 & -9 & 5 \\ 6 & 5 & 9 \\ 7 & -5 & 0 \end{bmatrix}$$
 and $B = \begin{bmatrix} -1 & 7 & -4 \\ 8 & 4 & 5 \\ -9 & 8 & 6 \end{bmatrix}$

2. $A = \begin{bmatrix} -1 & -4 & 9 \\ 1 & 4 & 5 \\ -1 & -3 & 1 \end{bmatrix}$ and $B = \begin{bmatrix} 4 & 6 & -1 \\ 4 & -9 & -3 \\ 8 & -10 & -5 \end{bmatrix}$

3. $A = \begin{bmatrix} 1 & 6 & 2 \\ 0 & -4 & -1 \\ 5 & -10 & -8 \end{bmatrix}$ and $B = \begin{bmatrix} 3 & -1 & 5 \\ 5 & 5 & 4 \\ 5 & -4 & -3 \end{bmatrix}$

3.
$$A = \begin{bmatrix} 1 & 6 & 2 \\ 0 & -4 & -1 \\ 5 & -10 & -8 \end{bmatrix}$$
 and $B = \begin{bmatrix} 3 & -1 & 5 \\ 5 & 5 & 4 \\ 5 & -4 & -3 \end{bmatrix}$

4.
$$A = \begin{bmatrix} 7 & -9 & 7 \\ -5 & -8 & -4 \\ -5 & -10 & -9 \end{bmatrix}$$
 and $B = \begin{bmatrix} 3 & -10 & 3 \\ 7 & 2 & -3 \\ 8 & -1 & -4 \end{bmatrix}$

4.
$$A = \begin{bmatrix} 7 & -9 & 7 \\ -5 & -8 & -4 \\ -5 & -10 & -9 \end{bmatrix}$$
 and $B = \begin{bmatrix} 3 & -10 & 3 \\ 7 & 2 & -3 \\ 8 & -1 & -4 \end{bmatrix}$

5. $A = \begin{bmatrix} 1 & 0 & -7 \\ -1 & -9 & -10 \\ -5 & -3 & 7 \end{bmatrix}$ and $B = \begin{bmatrix} -10 & -6 & 2 \\ -1 & -2 & 0 \\ -1 & -6 & -8 \end{bmatrix}$

6. $A = \begin{bmatrix} -9 & -4 & -10 \\ -5 & -7 & -3 \\ -2 & -9 & -10 \end{bmatrix}$ and $B = \begin{bmatrix} -5 & 4 & -9 \\ -6 & 1 & 7 \\ -5 & -9 & 4 \end{bmatrix}$

6.
$$A = \begin{bmatrix} -9 & -4 & -10 \\ -5 & -7 & -3 \\ -2 & -9 & -10 \end{bmatrix}$$
 and $B = \begin{bmatrix} -5 & 4 & -9 \\ -6 & 1 & 7 \\ -5 & -9 & 4 \end{bmatrix}$

7.
$$A = \begin{bmatrix} 4 & -2 & -9 \\ 9 & -7 & 8 \\ 4 & 3 & -10 \end{bmatrix}$$
 and
$$B = \begin{bmatrix} 8 & 1 & -5 \\ -10 & 2 & 2 \\ 7 & -1 & 0 \end{bmatrix}$$

8.
$$A = \begin{bmatrix} 2 & 7 & -9 \\ 8 & -5 & 1 \\ 5 & 7 & -3 \end{bmatrix}$$
 and $B = \begin{bmatrix} 4 & 5 & 8 \\ -10 & -9 & -10 \\ -8 & -9 & 1 \end{bmatrix}$

9.
$$A = \begin{bmatrix} 7 & 1 & -2 \\ 8 & -5 & 1 \\ 2 & -1 & 0 \end{bmatrix} \text{ and } B = \begin{bmatrix} -1 & -3 & -5 \\ -10 & 9 & 1 \\ 7 & 4 & -6 \end{bmatrix}$$
10.
$$A = \begin{bmatrix} 0 & -6 & 1 \\ -3 & 6 & 9 \\ -10 & 6 & -7 \end{bmatrix} \text{ and } B = \begin{bmatrix} 0 & 0 & -4 \\ -5 & -1 & 6 \\ -4 & -1 & -10 \end{bmatrix}$$

1.2.3. Multiplication

Find the product of the following matrices A and B

1.
$$A = \begin{bmatrix} -6 & -6 & -8 \\ 1 & 1 & 0 \\ 3 & 9 & -10 \end{bmatrix}$$
 and $B = \begin{bmatrix} -2 & -6 & -5 \\ 6 & -8 & 7 \\ -4 & 9 & -2 \end{bmatrix}$

2. $A = \begin{bmatrix} 4 & 0 & 8 \\ 4 & 0 & -1 \\ -6 & 9 & -7 \end{bmatrix}$ and $B = \begin{bmatrix} -3 & 6 & -1 \\ 2 & -7 & 3 \\ 5 & 6 & -9 \end{bmatrix}$

3. $A = \begin{bmatrix} 2 & -5 & -9 \\ -6 & -3 & -5 \\ 9 & -8 & 8 \end{bmatrix}$ and $B = \begin{bmatrix} 4 & 4 & 3 \\ -9 & -6 & -4 \\ -6 & 5 & -3 \end{bmatrix}$

4. $A = \begin{bmatrix} 7 & 6 & 8 \\ -9 & -6 & -5 \\ 4 & -2 & 3 \end{bmatrix}$ and $B = \begin{bmatrix} -10 & -3 & 3 \\ -1 & 2 & 4 \\ 1 & 4 & -1 \end{bmatrix}$

5. $A = \begin{bmatrix} -6 & 0 & -1 \\ -4 & 3 & -2 \\ -9 & -3 & -10 \end{bmatrix}$ and $B = \begin{bmatrix} -3 & 5 & 4 \\ 6 & 1 & -6 \\ -10 & 1 & 5 \end{bmatrix}$

6. $A = \begin{bmatrix} 0 & 9 & -7 \\ -4 & 5 & -5 \\ 7 & -9 & 0 \end{bmatrix}$ and $B = \begin{bmatrix} 7 & 3 & 2 \\ 6 & -9 & -7 \\ 6 & 0 & 7 \end{bmatrix}$

7. $A = \begin{bmatrix} 9 & 9 & -7 \\ -5 & 8 & 1 \\ -8 & 9 & -6 \end{bmatrix}$ and $B = \begin{bmatrix} -9 & 8 & 1 \\ 6 & -1 & 1 \\ -10 & 0 & 0 \end{bmatrix}$

8. $A = \begin{bmatrix} 3 & -3 & -5 \\ 1 & 5 & -6 \\ 2 & 1 & -9 \end{bmatrix}$ and $B = \begin{bmatrix} 3 & -3 & 1 \\ 0 & 0 & 8 \\ -1 & -4 & 7 \end{bmatrix}$

9. $A = \begin{bmatrix} 1 & -9 & -10 \\ 3 & 5 & -7 \\ -9 & -4 & -5 \end{bmatrix}$ and $B = \begin{bmatrix} -3 & -4 & -5 \\ -6 & 8 & -6 \\ -3 & 3 & 1 \end{bmatrix}$

10. $A = \begin{bmatrix} -4 & -6 & -1 \\ -5 & 5 & 7 \\ 2 & 3 & 5 \end{bmatrix}$ and $B = \begin{bmatrix} 2 & 7 & 9 \\ -4 & 2 & -8 \\ 7 & -7 & -9 \end{bmatrix}$

1.3. Matrix Properties

1.3.1. Properties

For each matrix A, find:

- a) rank(A)
- b) nullity(A)
- c) det(*A*)
- d) A^{-1} (if exists)
- e) basis of ker(A)

1.
$$A = \begin{bmatrix} 1 & -2 & -3 \\ 0 & 1 & 2 \\ -1 & 1 & 2 \end{bmatrix}$$

2.
$$A = \begin{bmatrix} 1 & 3 & 0 \\ 4 & 13 & 4 \\ -6 & -20 & -7 \end{bmatrix}$$

3.
$$A = \begin{bmatrix} 1 & 2 & 0 \\ 0 & 1 & -1 \\ 0 & 0 & 0 \end{bmatrix}$$
4.
$$A = \begin{bmatrix} 1 & 4 & 3 \\ 0 & 1 & 1 \\ 1 & 5 & 4 \end{bmatrix}$$

4.
$$A = \begin{bmatrix} 1 & 4 & 3 \\ 0 & 1 & 1 \\ 1 & 5 & 4 \end{bmatrix}$$

5.
$$A = \begin{bmatrix} 1 & 2 & -1 \\ 1 & 3 & 2 \\ -1 & -2 & 2 \end{bmatrix}$$

6.
$$A = \begin{bmatrix} 1 & 4 & -2 \\ 0 & 1 & -1 \\ 0 & 0 & 0 \end{bmatrix}$$

7.
$$A = \begin{bmatrix} 1 & 2 & -2 \\ 0 & 1 & 0 \\ -2 & -4 & 5 \end{bmatrix}$$
8.
$$A = \begin{bmatrix} 1 & 0 & -2 \\ -4 & 1 & 9 \\ 2 & 0 & -3 \end{bmatrix}$$
9.
$$A = \begin{bmatrix} -1 & 0 & -4 \\ -1 & -1 & -2 \\ 0 & 0 & 0 \end{bmatrix}$$

8.
$$A = \begin{bmatrix} 1 & 0 & -2 \\ -4 & 1 & 9 \\ 2 & 0 & -3 \end{bmatrix}$$

9.
$$A = \begin{bmatrix} -1 & 0 & -4 \\ -1 & -1 & -2 \\ 0 & 0 & 0 \end{bmatrix}$$

10.
$$A = \begin{bmatrix} -1 & 1 & 1 \\ 2 & -3 & -3 \\ 0 & 0 & 0 \end{bmatrix}$$

1.3.2. RREF

Find the Reduced Row Echelon Form of the following matrix A

1.
$$A = \begin{bmatrix} -1 & 1 & 0 \\ -2 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

2.
$$A = \begin{bmatrix} 1 & -3 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$
3.
$$A = \begin{bmatrix} 1 & 0 & 0 \\ -1 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

3.
$$A = \begin{bmatrix} 1 & 0 & 0 \\ -1 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

4.
$$A = \begin{bmatrix} 1 & 4 & 0 \\ 0 & 1 & 0 \\ 0 & -2 & 0 \end{bmatrix}$$

5.
$$A = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 2 \\ 0 & 0 & 1 \end{bmatrix}$$

6.
$$A = \begin{bmatrix} 1 & -1 & 0 \\ -2 & 3 & 1 \\ 0 & 0 & 0 \end{bmatrix}$$

7.
$$A = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 2 & 4 & 1 \end{bmatrix}$$

7.
$$A = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 2 & 4 & 1 \end{bmatrix}$$
8.
$$A = \begin{bmatrix} 1 & 0 & 0 \\ 1 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

9.
$$A = \begin{bmatrix} -1 & 2 & 0 \\ -3 & 5 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$
10.
$$A = \begin{bmatrix} 1 & -1 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

2. Solutions

2.1. Vector Arithmetic

2.1.1. Addition

$$\begin{bmatrix} 1 \\ -3 \\ -9 \end{bmatrix} \begin{bmatrix} 15 \\ 3 \\ -5 \end{bmatrix} \begin{bmatrix} -10 \\ 7 \\ 4 \end{bmatrix} \begin{bmatrix} 13 \\ 11 \\ -4 \end{bmatrix} \begin{bmatrix} -3 \\ 10 \\ -8 \end{bmatrix}$$
$$\begin{bmatrix} -4 \\ 0 \\ -12 \end{bmatrix} \begin{bmatrix} -7 \\ 12 \\ 1 \end{bmatrix} \begin{bmatrix} 11 \\ 4 \\ -5 \end{bmatrix} \begin{bmatrix} 8 \\ 0 \\ -9 \end{bmatrix} \begin{bmatrix} 1 \\ 1 \\ -7 \end{bmatrix}$$

2.1.2. Subtraction

$$\begin{bmatrix} 6 \\ 1 \\ 10 \end{bmatrix} \begin{bmatrix} -7 \\ -12 \\ -11 \end{bmatrix} \begin{bmatrix} 0 \\ -2 \\ 0 \end{bmatrix} \begin{bmatrix} -17 \\ 6 \\ 1 \end{bmatrix} \begin{bmatrix} 12 \\ 4 \\ 5 \end{bmatrix}$$
$$\begin{bmatrix} -14 \\ 7 \\ 5 \end{bmatrix} \begin{bmatrix} -4 \\ 7 \\ -4 \end{bmatrix} \begin{bmatrix} -4 \\ 4 \\ -9 \end{bmatrix} \begin{bmatrix} -3 \\ 10 \\ 18 \end{bmatrix} \begin{bmatrix} 15 \\ 4 \\ -18 \end{bmatrix}$$

2.1.3. Scalar Multiplication

1:
$$\begin{bmatrix} -16 \\ 6 \\ -6 \end{bmatrix}$$
 2: $\begin{bmatrix} -40 \\ 0 \\ -50 \end{bmatrix}$ 3: $\begin{bmatrix} 0 \\ 18 \\ -3 \end{bmatrix}$ 4: $\begin{bmatrix} 0 \\ 0 \\ -10 \end{bmatrix}$ 5: $\begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix}$ 6: $\begin{bmatrix} 16 \\ 2 \\ 10 \end{bmatrix}$ 7: $\begin{bmatrix} -60 \\ 70 \\ 100 \end{bmatrix}$ 8: $\begin{bmatrix} -4 \\ 10 \\ 1 \end{bmatrix}$ 9: $\begin{bmatrix} -10 \\ 90 \\ -10 \end{bmatrix}$ 10: $\begin{bmatrix} -70 \\ -49 \\ 14 \end{bmatrix}$

2.2. Matrix Arithmetic

2.2.1. Addition

$$1: \begin{bmatrix} -1 & -1 & -3 \\ -4 & 6 & 10 \\ -1 & -3 & 1 \end{bmatrix} 2: \begin{bmatrix} -8 & 11 & -4 \\ 15 & -7 & 5 \\ -19 & 0 & 2 \end{bmatrix} 3: \begin{bmatrix} 3 & -4 & 8 \\ -12 & -7 & 14 \\ 7 & -14 & -6 \end{bmatrix} 4: \begin{bmatrix} 4 & -5 & 5 \\ -11 & 12 & -1 \\ -13 & 2 & 2 \end{bmatrix} 5: \begin{bmatrix} 1 & -8 & -7 \\ 8 & -18 & 4 \\ -12 & 5 & -1 \end{bmatrix}$$

$$6: \begin{bmatrix} -9 & -5 & -1 \\ -5 & 15 & 0 \\ 9 & -5 & 11 \end{bmatrix} 7: \begin{bmatrix} -6 & -8 & -1 \\ 4 & -9 & 8 \\ -2 & 0 & 17 \end{bmatrix} 8: \begin{bmatrix} -2 & -7 & 1 \\ -2 & 0 & 12 \\ 10 & 8 & -2 \end{bmatrix} 9: \begin{bmatrix} 0 & -11 & -14 \\ -3 & -12 & 5 \\ -7 & -11 & -10 \end{bmatrix} 10: \begin{bmatrix} -8 & -6 & -1 \\ 6 & 7 & -11 \\ -1 & 13 & 9 \end{bmatrix}$$

2.2.2. Subtraction

$$1: \begin{bmatrix} -1 & -16 & 9 \\ -2 & 1 & 4 \\ 16 & -13 & -6 \end{bmatrix} 2: \begin{bmatrix} -5 & -10 & 10 \\ -3 & 13 & 8 \\ -9 & 7 & 6 \end{bmatrix} 3: \begin{bmatrix} -2 & 7 & -3 \\ -5 & -9 & -5 \\ 0 & -6 & -5 \end{bmatrix} 4: \begin{bmatrix} 4 & 1 & 4 \\ -12 & -10 & -1 \\ -13 & -9 & -5 \end{bmatrix} 5: \begin{bmatrix} 11 & 6 & -9 \\ 0 & -7 & -10 \\ -4 & 3 & 15 \end{bmatrix}$$

$$6: \begin{bmatrix} -4 & -8 & -1 \\ 1 & -8 & -10 \\ 3 & 0 & -14 \end{bmatrix} 7: \begin{bmatrix} -4 & -3 & -4 \\ 19 & -9 & 6 \\ -3 & 4 & -10 \end{bmatrix} 8: \begin{bmatrix} -2 & 2 & -17 \\ 18 & 4 & 11 \\ 13 & 16 & -4 \end{bmatrix} 9: \begin{bmatrix} 8 & 4 & 3 \\ 18 & -14 & 0 \\ -5 & -5 & 6 \end{bmatrix} 10: \begin{bmatrix} 0 & -6 & 5 \\ 2 & 7 & 3 \\ -6 & 7 & 3 \end{bmatrix}$$

2.2.3. Multiplication

1:
$$\begin{bmatrix} 8 & 12 & 4 \\ 4 & -14 & 2 \\ 88 & -180 & 68 \end{bmatrix}$$
 2: $\begin{bmatrix} 28 & 72 & -76 \\ -17 & 18 & 5 \\ 1 & -141 & 96 \end{bmatrix}$ 3: $\begin{bmatrix} 107 & -7 & 53 \\ 33 & -31 & 9 \\ 60 & 124 & 35 \end{bmatrix}$ 4: $\begin{bmatrix} -68 & 23 & 37 \\ 91 & -5 & -46 \\ -35 & -4 & 1 \end{bmatrix}$ 5: $\begin{bmatrix} 28 & -31 & -29 \\ 50 & -19 & -44 \\ 109 & -58 & -68 \end{bmatrix}$ 6: $\begin{bmatrix} 12 & -81 & -112 \\ -28 & -57 & -78 \\ -5 & 102 & 77 \end{bmatrix}$ 7: $\begin{bmatrix} 43 & 63 & 18 \\ 83 & -48 & 3 \\ 186 & -73 & 1 \end{bmatrix}$ 8: $\begin{bmatrix} 14 & 11 & -56 \\ 9 & 21 & -1 \\ 15 & 30 & -53 \end{bmatrix}$ 9: $\begin{bmatrix} 81 & -106 & 39 \\ -18 & 7 & -52 \\ 66 & -11 & 64 \end{bmatrix}$ 10: $\begin{bmatrix} 9 & -33 & 21 \\ 19 & -74 & -148 \\ 27 & -15 & -51 \end{bmatrix}$

2.3. Matrix Properties

2.3.1. Properties

Solution

Row Operations:

$$\begin{split} &\text{Step 1: } r_3 \coloneqq r_3 - (-1)r_1 \begin{bmatrix} 1 & -2 & -3 & | & 1 & 0 & 0 \\ 0 & 1 & 2 & | & 0 & 1 & 0 \\ 0 & -1 & -1 & | & 1 & 0 & 1 \end{bmatrix} \\ &\text{Step 2: } r_1 \coloneqq r_1 - (-2)r_2 \begin{bmatrix} 1 & 0 & 1 & | & 1 & 2 & 0 \\ 0 & 1 & 2 & | & 0 & 1 & 0 \\ 0 & 1 & 2 & | & 0 & 1 & 0 \\ 0 & -1 & -1 & | & 1 & 0 & 1 \end{bmatrix} \\ &\text{Step 3: } r_3 \coloneqq r_3 - (-1)r_2 \begin{bmatrix} 1 & 0 & 1 & | & 1 & 2 & 0 \\ 0 & 1 & 2 & | & 0 & 1 & 0 \\ 0 & 0 & 1 & | & 1 & 1 & 1 \end{bmatrix} \\ &\text{Step 4: } r_1 \coloneqq r_1 - r_3 \begin{bmatrix} 1 & 0 & 0 & | & 0 & 1 & -1 \\ 0 & 1 & 2 & | & 0 & 1 & 0 \\ 0 & 0 & 1 & | & 1 & 1 & 1 \end{bmatrix} \\ &\text{Step 5: } r_2 \coloneqq r_2 - (2)r_3 \begin{bmatrix} 1 & 0 & 0 & | & 0 & 1 & -1 \\ 0 & 1 & 0 & | & -2 & -1 & -2 \\ 0 & 0 & 1 & | & 1 & 1 & 1 \end{bmatrix} \end{split}$$

Results:

a)
$$rank(A) = 3$$

b)
$$nullity(A) = 0$$

c)
$$det(A) = 0$$

d)
$$A^{-1} = \begin{bmatrix} 1 & 2 & 0 \\ 0 & 1 & 0 \\ 1 & 1 & 1 \end{bmatrix}$$

e)
$$ker(A) = \{0\}$$

Solution

Row Operations:

$$\begin{split} &\text{Step 1: } r_2 \coloneqq r_2 - (4) r_1 \begin{bmatrix} 1 & 3 & 0 & | & 1 & 0 & 0 \\ 0 & 1 & 4 & | & -4 & 1 & 0 \\ -6 & -20 & -7 & | & 0 & 0 & 1 \end{bmatrix} \\ &\text{Step 2: } r_3 \coloneqq r_3 - (-6) r_1 \begin{bmatrix} 1 & 3 & 0 & | & 1 & 0 & 0 \\ 0 & 1 & 4 & | & -4 & 1 & 0 \\ 0 & -2 & -7 & | & 6 & 0 & 1 \end{bmatrix} \\ &\text{Step 3: } r_1 \coloneqq r_1 - (3) r_2 \begin{bmatrix} 1 & 0 & -12 & | & 13 & -3 & 0 \\ 0 & 1 & 4 & | & -4 & 1 & 0 \\ 0 & -2 & -7 & | & 6 & 0 & 1 \end{bmatrix} \\ &\text{Step 4: } r_3 \coloneqq r_3 - (-2) r_2 \begin{bmatrix} 1 & 0 & -12 & | & 13 & -3 & 0 \\ 0 & 1 & 4 & | & -4 & 1 & 0 \\ 0 & 0 & 1 & | & -2 & 2 & 1 \end{bmatrix} \\ &\text{Step 5: } r_1 \coloneqq r_1 - (-12) r_3 \begin{bmatrix} 1 & 0 & 0 & | & -11 & 21 & 12 \\ 0 & 1 & 4 & | & -4 & 1 & 0 \\ 0 & 0 & 1 & | & -2 & 2 & 1 \end{bmatrix} \end{split}$$

$$\text{Step 6: } r_2 \coloneqq r_2 - (4) r_3 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & | & -11 & 21 & 12 \\ 0 & 1 & 0 & | & 4 & -7 & -4 \\ 0 & 0 & 1 & | & -2 & 2 & 1 \end{bmatrix}$$

Results:

a)
$$rank(A) = 3$$

b)
$$\text{nullity}(A) = 0$$

c)
$$det(A) = 0$$

d)
$$A^{-1} = \begin{bmatrix} 1 & 3 & 2 \\ 0 & -3 & -2 \\ -1 & 2 & 1 \end{bmatrix}$$

e)
$$ker(A) = \{0\}$$

Solution

Row Operations:

$$\text{Step 1: } r_1 := r_1 - (2) r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 2 & | & 1 & -2 & 0 \\ 0 & 1 & -1 & | & 0 & 1 & 0 \\ 0 & 0 & 0 & | & 0 & 0 & 1 \end{bmatrix}$$

Results:

a)
$$rank(A) = 2$$

b)
$$nullity(A) = 1$$

c)
$$det(A) = 0$$

d)
$$A^{-1} = \text{does not exist}$$

e)
$$\ker(A) = \operatorname{span} \left\{ \begin{bmatrix} 0 \\ 1 \\ 1 \end{bmatrix} \right\}$$

Solution

Row Operations:

$$\text{Step 1: } r_3 \coloneqq r_3 - r_1 \begin{bmatrix} 1 & 4 & 3 & | & 1 & 0 & 0 \\ 0 & 1 & 1 & | & 0 & 1 & 0 \\ 0 & 1 & 1 & | & -1 & 0 & 1 \end{bmatrix}$$

$$\begin{aligned} \text{Step 1: } r_3 &\coloneqq r_3 - r_1 \begin{bmatrix} 1 & 4 & 3 & | & 1 & 0 & 0 \\ 0 & 1 & 1 & | & 0 & 1 & 0 \\ 0 & 1 & 1 & | & -1 & 0 & 1 \end{bmatrix} \\ \text{Step 2: } r_1 &\coloneqq r_1 - (4) r_2 \begin{bmatrix} 1 & 0 & -1 & | & 1 & -4 & 0 \\ 0 & 1 & 1 & | & 0 & 1 & 0 \\ 0 & 1 & 1 & | & -1 & 0 & 1 \end{bmatrix} \\ & \begin{bmatrix} 1 & 0 & -1 & | & 1 & -4 & 0 \end{bmatrix} \end{aligned}$$

$$\text{Step 3: } r_3 \coloneqq r_3 - r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & -1 & \mid & 1 & -4 & 0 \\ 0 & 1 & 1 & \mid & 0 & 1 & 0 \\ 0 & 0 & 0 & \mid & -1 & -1 & 1 \end{bmatrix}$$

a)
$$rank(A) = 2$$

b)
$$nullity(A) = 1$$

c)
$$det(A) = 0$$

d)
$$A^{-1} = \text{does not exist}$$

e)
$$\ker(A) = \operatorname{span} \left\{ \begin{bmatrix} 1 \\ -1 \\ 1 \end{bmatrix} \right\}$$

Row Operations:

$$\text{Step 1: } r_2 \coloneqq r_2 - r_1 \begin{bmatrix} 1 & 2 & -1 & | & 1 & 0 & 0 \\ 0 & 1 & 3 & | & -1 & 1 & 0 \\ -1 & -2 & 2 & | & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 2: } r_3 \coloneqq r_3 - (-1)r_1 \begin{bmatrix} \begin{smallmatrix} 1 & 2 & -1 & | & 1 & 0 & 0 \\ 0 & 1 & 3 & | & -1 & 1 & 0 \\ 0 & 0 & 1 & | & 1 & 0 & 1 \end{bmatrix}$$

$$\text{Step 3: } r_1 \coloneqq r_1 - (2) r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & -7 & \mid & 3 & -2 & 0 \\ 0 & 1 & 3 & \mid & -1 & 1 & 0 \\ 0 & 0 & 1 & \mid & 1 & 0 & 1 \end{bmatrix}$$

$$\text{Step 4: } r_1 \coloneqq r_1 - (-7) r_3 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & | & 10 & -2 & 7 \\ 0 & 1 & 3 & | & -1 & 1 & 0 \\ 0 & 0 & 1 & | & 1 & 0 & 1 \end{bmatrix}$$

$$\text{Step 5: } r_2 \coloneqq r_2 - (3) r_3 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & \mid & 10 & -2 & 7 \\ 0 & 1 & 0 & \mid & -4 & 1 & -3 \\ 0 & 0 & 1 & \mid & 1 & 0 & 1 \end{bmatrix}$$

Results:

a)
$$rank(A) = 3$$

b)
$$\text{nullity}(A) = 0$$

c)
$$det(A) = 0$$

d)
$$A^{-1} = \begin{bmatrix} 4 & -1 & 2 \\ -3 & 1 & -2 \\ 1 & 0 & 1 \end{bmatrix}$$

e)
$$ker(A) = \{0\}$$

Solution

Row Operations:

$$\text{Step 1: } r_1 \coloneqq r_1 - (4) r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 2 & \mid & 1 & -4 & 0 \\ 0 & 1 & -1 & \mid & 0 & 1 & 0 \\ 0 & 0 & 0 & \mid & 0 & 0 & 1 \end{bmatrix}$$

a)
$$rank(A) = 2$$

b)
$$\text{nullity}(A) = 1$$

c)
$$det(A) = 0$$

d)
$$A^{-1} = \text{does not exist}$$

e)
$$\ker(A) = \operatorname{span} \left\{ \begin{bmatrix} 0 \\ 1 \\ 1 \end{bmatrix} \right\}$$

Row Operations:

$$\text{Step 1: } r_3 \coloneqq r_3 - (-2)r_1 \begin{bmatrix} \begin{smallmatrix} 1 & 2 & -2 & | & 1 & 0 & 0 \\ 0 & 1 & 0 & | & 0 & 1 & 0 \\ 0 & 0 & 1 & | & 2 & 0 & 1 \end{bmatrix}$$

$$\text{Step 2: } r_1 \coloneqq r_1 - (2) r_2 \begin{bmatrix} 1 & 0 & -2 & | & 1 & -2 & 0 \\ 0 & 1 & 0 & | & 0 & 1 & 0 \\ 0 & 0 & 1 & | & 2 & 0 & 1 \end{bmatrix}$$

$$\text{Step 3: } r_1 \coloneqq r_1 - (-2)r_3 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & \mid & 5 & -2 & 2 \\ 0 & 1 & 0 & \mid & 0 & 1 & 0 \\ 0 & 0 & 1 & \mid & 2 & 0 & 1 \end{bmatrix}$$

Results:

a)
$$rank(A) = 3$$

b)
$$\text{nullity}(A) = 0$$

c)
$$det(A) = 0$$

d)
$$A^{-1} = \begin{bmatrix} 1 & 0 & 0 \\ -4 & 1 & -2 \\ 2 & 0 & 1 \end{bmatrix}$$

e)
$$ker(A) = \{0\}$$

Solution

Row Operations:

$$\begin{aligned} &\text{Step 1: } r_2 \coloneqq r_2 - (-4)r_1 \begin{bmatrix} 1 & 0 & -2 & | & 1 & 0 & 0 \\ 0 & 1 & 1 & | & 4 & 1 & 0 \\ 2 & 0 & -3 & | & 0 & 0 & 1 \end{bmatrix} \\ &\text{Step 2: } r_3 \coloneqq r_3 - (2)r_1 \begin{bmatrix} 1 & 0 & -2 & | & 1 & 0 & 0 \\ 0 & 1 & 1 & | & 4 & 1 & 0 \\ 0 & 0 & 1 & | & -2 & 0 & 1 \end{bmatrix} \\ & & & & & & & & & & & & & & & & & \\ & & & & & & & & & & & & & \\ & & & & & & & & & & & \\ & & & & & & & & & & & \\ & & & & & & & & & & \\ & & & & & & & & & & \\ & & & & & & & & & & \\ & & & & & & & & & \\ & & & & & & & & & \\ & & & & & & & & & \\ & & & & & & & & & \\ & & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & \\ & & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & & \\ & & \\ & &$$

$$\text{Step 2: } r_3 \coloneqq r_3 - (2) r_1 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & -2 & | & 1 & 0 & 0 \\ 0 & 1 & 1 & | & 4 & 1 & 0 \\ 0 & 0 & 1 & | & -2 & 0 & 1 \end{bmatrix}$$

$$\text{Step 3: } r_1 \coloneqq r_1 - (-2)r_3 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & | & -3 & 0 & 2 \\ 0 & 1 & 1 & | & 4 & 1 & 0 \\ 0 & 0 & 1 & | & -2 & 0 & 1 \end{bmatrix}$$

$$\text{Step 4: } r_2 \coloneqq r_2 - r_3 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & | & -3 & 0 & 2 \\ 0 & 1 & 0 & | & 6 & 1 & -1 \\ 0 & 0 & 1 & | & -2 & 0 & 1 \end{bmatrix}$$

a)
$$rank(A) = 3$$

b)
$$\text{nullity}(A) = 0$$

c)
$$det(A) = 0$$

d)
$$A^{-1} = \begin{bmatrix} 1 & 0 & 0 \\ 2 & 1 & 1 \\ -2 & 0 & 1 \end{bmatrix}$$

e)
$$ker(A) = \{0\}$$

Row Operations:

$$\text{Step 1: } r_1 := -1 \\ r_1 \begin{bmatrix} 1 & 0 & 4 & | & -1 & 0 & 0 \\ -1 & -1 & -2 & | & 0 & 1 & 0 \\ 0 & 0 & 0 & | & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 2: } r_2 \coloneqq r_2 - (-1)r_1 \begin{bmatrix} 1 & 0 & 4 & | & -1 & 0 & 0 \\ 0 & -1 & 2 & | & -1 & 1 & 0 \\ 0 & 0 & 0 & | & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 3: } r_2 \coloneqq -1 r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 4 & | & -1 & 0 & 0 \\ 0 & 1 & -2 & | & 1 & -1 & 0 \\ 0 & 0 & 0 & | & 0 & 0 & 1 \end{bmatrix}$$

Results:

- a) rank(A) = 2
- b) nullity(A) = 1
- c) det(A) = 0
- d) $A^{-1} = \text{does not exist}$

e)
$$\ker(A) = \operatorname{span} \left\{ \begin{bmatrix} 0 \\ 2 \\ 1 \end{bmatrix} \right\}$$

Solution

Row Operations:

$$\text{Step 1: } r_1 := -1 \\ r_1 \begin{bmatrix} 1 & -1 & -1 & | & -1 & 0 & 0 \\ 2 & -3 & -3 & | & 0 & 1 & 0 \\ 0 & 0 & 0 & | & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 2: } r_2 \coloneqq r_2 - (2) r_1 \begin{bmatrix} \begin{smallmatrix} 1 & -1 & -1 & | & -1 & 0 & 0 \\ 0 & -1 & -1 & | & 2 & 1 & 0 \\ 0 & 0 & 0 & | & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 3: } r_2 := -1 \\ r_2 \begin{bmatrix} 1 & -1 & -1 & | & -1 & 0 & 0 \\ 0 & 1 & 1 & | & -2 & -1 & 0 \\ 0 & 0 & 0 & | & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 4: } r_1 \coloneqq r_1 - (-1)r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & | & -3 & -1 & 0 \\ 0 & 1 & 1 & | & -2 & -1 & 0 \\ 0 & 0 & 0 & | & 0 & 0 & 1 \end{bmatrix}$$

- a) rank(A) = 2
- b) nullity(A) = 1
- c) det(A) = 0
- d) $A^{-1} = \text{does not exist}$

e)
$$\ker(A) = \operatorname{span} \left\{ \begin{bmatrix} 2 \\ -1 \\ 1 \end{bmatrix} \right\}$$

2.3.2. RREF

Solution

Elementary Row Operations:

- $\text{(1)} \ \ r_1 \coloneqq r_1 + (-1)r_2$
- $\begin{bmatrix} 1 & 0 & 0 \\ -2 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$
- $\text{(2)} \ \ r_2 \coloneqq r_2 (2) r_1$
 - $\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$

Result:

 $\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$

Solution

Elementary Row Operations:

- (1) $r_1 := r_1 r_2$
- $\begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$
- $\text{(2)}\ \, r_1 \coloneqq r_1 (2) r_2$
 - $\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$

Result:

 $\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$

Solution

Elementary Row Operations:

- $(1) \ \, r_2 \coloneqq r_2 + (-2)r_3$
- $\begin{bmatrix} 1 & 0 & 0 \\ -1 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$
- (2) $r_2 := r_2 r_1$
 - $\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

Elementary Row Operations:

(1) $r_1 := r_1 - (2)r_3$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & -2 & 0 \end{bmatrix}$$

 $(2) \ \, r_3 \coloneqq r_3 - (2) r_2$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

(3) $r_1 := r_1 + (-1)r_3$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

Result:

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

Solution

Elementary Row Operations:

(1) $r_3 := r_3 - r_1$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 2 \\ 1 & 0 & 1 \end{bmatrix}$$

 $(2) \ \, r_3 \coloneqq r_3 + (-2) r_1$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 2 \\ -1 & 0 & 1 \end{bmatrix}$$

(3) $r_3 := r_3 - r_1$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 2 \\ 0 & 0 & 1 \end{bmatrix}$$

Result:

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 2 \\ 0 & 0 & 1 \end{bmatrix}$$

Solution

Elementary Row Operations:

$$(1) \ \, r_2 \coloneqq r_2 - (2) r_1$$

$$\begin{bmatrix}
 1 & -1 & 0 \\
 0 & 1 & 1 \\
 0 & 0 & 0
 \end{bmatrix}$$

$$(2) \ \, r_1 \coloneqq r_1 + (-2) r_2$$

$$\begin{bmatrix} 1 & -3 & -2 \\ 0 & 1 & 1 \\ 0 & 0 & 0 \end{bmatrix}$$

$$\text{(3)}\ \, r_1 \coloneqq r_1 - (2) r_2$$

$$\begin{bmatrix} 1 & -1 & 0 \\ 0 & 1 & 1 \\ 0 & 0 & 0 \end{bmatrix}$$

Result:

$$\begin{bmatrix} 1 & -1 & 0 \\ 0 & 1 & 1 \\ 0 & 0 & 0 \end{bmatrix}$$

Solution

Elementary Row Operations:

$$\text{(1)}\ \, r_3\coloneqq r_3+(-2)r_1$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 4 & 1 \end{bmatrix}$$

$$(2) \ r_3 \coloneqq r_3 + (-2)r_2$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 2 & 1 \end{bmatrix}$$

$$\text{(3)}\ \, r_3 \coloneqq r_3 + (-2)r_2$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Result:

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Solution

Elementary Row Operations:

$$\text{(1)} \ \ r_3 \coloneqq r_3 + (-1)r_1$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 1 & 1 & 0 \\ -1 & 0 & 0 \end{bmatrix}$$

(2)
$$r_2 := r_2 - r_3$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ -1 & 0 & 0 \end{bmatrix}$$

(3)
$$r_3 := r_3 - r_1$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

Result:

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

Solution

Elementary Row Operations:

 $\text{(1)}\ \, r_2\coloneqq r_2+(-2)r_1$

$$\begin{bmatrix} -1 & 2 & 0 \\ -1 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

 $(2) \ \, r_1 \coloneqq r_1 + (-2) r_2$

$$\begin{bmatrix} 1 & 0 & 0 \\ -1 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

 $(3) \ \, r_2 \coloneqq r_2 - r_1$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

Result:

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

Solution

Elementary Row Operations:

 $(1) \ \, r_1 \coloneqq r_1 + (-2)r_3$

$$\begin{bmatrix} 1 & -1 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

 $(2) \ \, r_2 \coloneqq r_2 + (-1)r_3$

$$\begin{bmatrix} 1 & -1 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

(3) $r_1 := r_1 - r_2$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

Result:

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$