Exercise 3:

Foundations of Mathematical, WS24

Zichao Wei

This is **exercise** 3 for Foundations of Mathematical, WS24. Generated on 2024-12-09 with 10 problems per section.

2025-06-16

1. Problems

1.1. Vector Arithmetic

1.1.1. Addition

Find the sum of the following vectors \mathbf{u} and \mathbf{v}

1.
$$\mathbf{u} = \begin{bmatrix} 2 \\ 6 \\ -8 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -3 \\ -7 \\ 5 \end{bmatrix}$$

2.
$$\mathbf{u} = \begin{bmatrix} -3\\9\\0 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -1\\-4\\-8 \end{bmatrix}$$

3.
$$\mathbf{u} = \begin{bmatrix} 0 \\ 3 \\ 1 \\ -4 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -8 \\ -6 \\ -4 \\ -5 \end{bmatrix}$$

4.
$$\mathbf{u} = \begin{bmatrix} -4 \\ 8 \\ 8 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -6 \\ 9 \\ -8 \end{bmatrix}$$

5.
$$\mathbf{u} = \begin{bmatrix} 3 \\ 2 \\ 2 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -10 \\ 10 \\ -9 \end{bmatrix}$$

6.
$$\mathbf{u} = \begin{bmatrix} 9 \\ -10 \\ 10 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 4 \\ -4 \\ 10 \end{bmatrix}$$

7.
$$\mathbf{u} = \begin{bmatrix} -5 \\ -5 \\ -4 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 4 \\ -8 \\ -9 \end{bmatrix}$$

8.
$$\mathbf{u} = \begin{bmatrix} -6 \\ -10 \\ -5 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 6 \\ 9 \\ 10 \end{bmatrix}$$

9.
$$\mathbf{u} = \begin{bmatrix} -9\\2\\5 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 9\\-7\\-2 \end{bmatrix}$$

10.
$$\mathbf{u} = \begin{bmatrix} 8 \\ 6 \\ 1 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -7 \\ -3 \\ -10 \end{bmatrix}$$

1.1.2. Subtraction

Find the difference of the following vectors ${\bf u}$ and ${\bf v}$

1.
$$\mathbf{u} = \begin{bmatrix} -8 \\ -1 \\ 1 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 9 \\ 5 \\ -4 \end{bmatrix}$$

$$\mathbf{u} = \begin{bmatrix} -1 \\ 1 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 3 \\ -4 \end{bmatrix}$$

$$\mathbf{u} = \begin{bmatrix} 6 \\ 3 \\ -9 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 8 \\ -5 \\ 4 \end{bmatrix}$$

3.
$$\mathbf{u} = \begin{bmatrix} 2 \\ 2 \\ -6 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -9 \\ -8 \\ 10 \end{bmatrix}$$

4.
$$\mathbf{u} = \begin{bmatrix} -6 \\ 10 \\ -4 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -10 \\ -2 \\ 5 \end{bmatrix}$$

5.
$$\mathbf{u} = \begin{bmatrix} -3 \\ -4 \\ 2 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -3 \\ 8 \\ -5 \end{bmatrix}$$

2

6.
$$\mathbf{u} = \begin{bmatrix} -4 \\ 10 \\ 9 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 8 \\ 5 \\ -4 \end{bmatrix}$$

7.
$$\mathbf{u} = \begin{bmatrix} 6 \\ 7 \\ 9 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 10 \\ -5 \\ 0 \end{bmatrix}$$

8.
$$\mathbf{u} = \begin{bmatrix} 4 \\ 1 \\ -6 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} 7 \\ 0 \\ 6 \end{bmatrix}$$

9.
$$\mathbf{u} = \begin{bmatrix} -4 \\ 5 \\ -8 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -6 \\ 2 \\ 0 \end{bmatrix}$$

10.
$$\mathbf{u} = \begin{bmatrix} 9 \\ -4 \\ 3 \end{bmatrix}, \mathbf{v} = \begin{bmatrix} -6 \\ -7 \\ -9 \end{bmatrix}$$

1.1.3. Scalar Multiplication

Find the scalar product of the following vector \mathbf{u} and scalar k

1.
$$\mathbf{u} = \begin{bmatrix} -2 \\ -5 \\ -5 \end{bmatrix} -10\mathbf{v}$$
.

$$\mathbf{u} = \begin{bmatrix} 6 \\ 0 \\ -8 \end{bmatrix} - 7\mathbf{v}.$$

3.
$$\mathbf{u} = \begin{bmatrix} -10 \\ 4 \\ -7 \end{bmatrix} 2\mathbf{v}$$
.

4.
$$\mathbf{u} = \begin{bmatrix} 5 \\ 7 \\ -5 \end{bmatrix} 4\mathbf{v}$$
.

5.
$$\mathbf{u} = \begin{bmatrix} 7 \\ 10 \\ -6 \end{bmatrix} 7 \mathbf{v}.$$

6.
$$\mathbf{u} = \begin{bmatrix} -3 \\ 0 \\ 1 \end{bmatrix} \mathbf{7v}.$$

7.
$$\mathbf{u} = \begin{bmatrix} -1 \\ 1 \\ -7 \end{bmatrix} - 8\mathbf{v}.$$

8.
$$\mathbf{u} = \begin{bmatrix} -6 \\ 3 \\ 0 \end{bmatrix} - 7\mathbf{v}.$$

9.
$$\mathbf{u} = \begin{bmatrix} 1 \\ -7 \\ 1 \end{bmatrix} - 2\mathbf{v}$$
.

10.
$$\mathbf{u} = \begin{bmatrix} -4 \\ 10 \\ 1 \end{bmatrix} 9\mathbf{v}$$
.

1.2. Matrix Arithmetic

1.2.1. Addition

Find the sum of the following matrices *A* and *B*

1.
$$A = \begin{bmatrix} -6 & 8 & -6 \\ 7 & -6 & 3 \\ -5 & -2 & 5 \end{bmatrix}$$
 and $B = \begin{bmatrix} 1 & -10 & 3 \\ -8 & -3 & 4 \\ -7 & -1 & -5 \end{bmatrix}$

2.
$$A = \begin{bmatrix} -7 & 9 & 2 \\ -10 & 5 & -1 \\ 1 & -1 & 4 \end{bmatrix}$$
 and $B = \begin{bmatrix} -2 & 7 & 0 \\ -6 & 4 & -9 \\ -4 & -8 & -9 \end{bmatrix}$

3.
$$A = \begin{bmatrix} -10 & 5 & -1 \\ 5 & -1 & 1 \\ -3 & -4 & -3 \end{bmatrix}$$
 and $B = \begin{bmatrix} -3 & 8 & -10 \\ -9 & -10 & -2 \\ 5 & 7 & 3 \end{bmatrix}$

3.
$$A = \begin{bmatrix} -10 & 5 & -1 \\ 5 & -1 & 1 \\ -3 & -4 & -3 \end{bmatrix}$$
 and $B = \begin{bmatrix} -3 & 8 & -10 \\ -9 & -10 & -2 \\ 5 & 7 & 3 \end{bmatrix}$

4. $A = \begin{bmatrix} -7 & -2 & 2 \\ 0 & 7 & -5 \\ 3 & 0 & -6 \end{bmatrix}$ and $B = \begin{bmatrix} -4 & -8 & -6 \\ -2 & -4 & 4 \\ 6 & -10 & -6 \end{bmatrix}$

5.
$$A = \begin{bmatrix} 8 & 1 & 8 \\ -2 & -1 & -2 \\ -1 & 1 & -10 \end{bmatrix}$$
 and $B = \begin{bmatrix} -7 & -6 & -5 \\ 3 & 8 & 5 \\ -2 & -4 & -5 \end{bmatrix}$

6.
$$A = \begin{bmatrix} -4 & 9 & 8 \\ 1 & -7 & 0 \\ -5 & -4 & 4 \end{bmatrix}$$
 and
$$B = \begin{bmatrix} 1 & 3 & -1 \\ 7 & -1 & -10 \\ -5 & 9 & 9 \end{bmatrix}$$

7.
$$A = \begin{bmatrix} -8 & 1 & -2 \\ -2 & -9 & -4 \\ -7 & 3 & -3 \end{bmatrix}$$
 and
$$B = \begin{bmatrix} 3 & 1 & -3 \\ -2 & -3 & 3 \\ 3 & 2 & -3 \end{bmatrix}$$

8.
$$A = \begin{bmatrix} -6 & 3 & -7 \\ -8 & -10 & -4 \\ 0 & -1 & 6 \end{bmatrix} \text{ and } B = \begin{bmatrix} -7 & 7 & 2 \\ -2 & -10 & -5 \\ -5 & -7 & -8 \end{bmatrix}$$

9.
$$A = \begin{bmatrix} 3 & -6 & -4 \\ -7 & 1 & -4 \\ 8 & 7 & -2 \end{bmatrix}$$
 and $B = \begin{bmatrix} -1 & -5 & 2 \\ 0 & -9 & 1 \\ -1 & -9 & -9 \end{bmatrix}$

10.
$$A = \begin{bmatrix} -3 & -6 & -3 \\ -9 & -10 & -7 \\ 7 & -6 & 4 \end{bmatrix}$$
 and $B = \begin{bmatrix} -2 & -4 & -7 \\ -4 & -7 & -6 \\ 4 & 5 & -9 \end{bmatrix}$

1.2.2. Subtraction

Find the difference of the following matrices A and B

1.
$$A = \begin{bmatrix} -7 & -1 & 1 \\ -4 & -3 & -10 \\ 2 & -9 & 6 \end{bmatrix}$$
 and $B = \begin{bmatrix} -1 & 8 & -1 \\ 5 & 6 & -6 \\ 8 & 2 & 2 \end{bmatrix}$

2.
$$A = \begin{bmatrix} 8 & 6 & -7 \\ -6 & 2 & -1 \\ -6 & 7 & 2 \end{bmatrix}$$
 and $B = \begin{bmatrix} 2 & 6 & 3 \\ 5 & 8 & -7 \\ -6 & -8 & -9 \end{bmatrix}$
3. $A = \begin{bmatrix} -3 & -2 & 7 \\ -6 & 9 & 5 \\ 8 & 4 & 2 \end{bmatrix}$ and $B = \begin{bmatrix} 5 & -4 & -4 \\ -7 & 2 & -10 \\ 2 & -2 & 7 \end{bmatrix}$

3.
$$A = \begin{bmatrix} -3 & -2 & 7 \\ -6 & 9 & 5 \\ 8 & 4 & 2 \end{bmatrix}$$
 and $B = \begin{bmatrix} 5 & -4 & -4 \\ -7 & 2 & -10 \\ 2 & -2 & 7 \end{bmatrix}$

4.
$$A = \begin{bmatrix} -8 & -3 & -10 \\ -2 & 2 & -5 \\ -10 & 7 & -4 \end{bmatrix} \text{ and } B = \begin{bmatrix} -8 & -6 & 0 \\ -9 & 1 & -8 \\ -4 & -5 & -2 \end{bmatrix}$$
5.
$$A = \begin{bmatrix} -1 & 8 & -10 \\ -10 & -1 & -1 \\ 8 & 5 & -1 \end{bmatrix} \text{ and } B = \begin{bmatrix} -10 & -8 & -3 \\ -6 & 3 & -3 \\ 0 & -2 & -5 \end{bmatrix}$$

5.
$$A = \begin{bmatrix} -1 & 8 & -10 \\ -10 & -1 & -1 \\ 8 & 5 & -1 \end{bmatrix}$$
 and $B = \begin{bmatrix} -10 & -8 & -3 \\ -6 & 3 & -3 \\ 0 & -2 & -5 \end{bmatrix}$

6.
$$A = \begin{bmatrix} 0 & -8 & 9 \\ -8 & -3 & -8 \\ -4 & 9 & 2 \end{bmatrix}$$
 and
$$B = \begin{bmatrix} 2 & -8 & -9 \\ 7 & -1 & 2 \\ -3 & 6 & 5 \end{bmatrix}$$

7.
$$A = \begin{bmatrix} 9 & -1 & 1 \\ -8 & 8 & -2 \\ 5 & -8 & -1 \end{bmatrix}$$
 and $B = \begin{bmatrix} 6 & -3 & 1 \\ 4 & -8 & 1 \\ -8 & 5 & 1 \end{bmatrix}$

8.
$$A = \begin{bmatrix} 4 & 1 & 3 \\ 4 & 6 & 5 \\ 0 & -7 & -5 \end{bmatrix}$$
 and $B = \begin{bmatrix} 1 & -2 & -2 \\ 8 & 6 & -4 \\ -8 & 2 & -2 \end{bmatrix}$

9.
$$A = \begin{bmatrix} -5 & -5 & 9 \\ -2 & 6 & -6 \\ -7 & -10 & -7 \end{bmatrix} \text{ and } B = \begin{bmatrix} -4 & -6 & 6 \\ -2 & -8 & -9 \\ -1 & -3 & 8 \end{bmatrix}$$
10.
$$A = \begin{bmatrix} 1 & -9 & -9 \\ -3 & 7 & -2 \\ 3 & 5 & 0 \end{bmatrix} \text{ and } B = \begin{bmatrix} -1 & -3 & 4 \\ 1 & -9 & -5 \\ 2 & 7 & -3 \end{bmatrix}$$

1.2.3. Multiplication

Find the product of the following matrices A and B

1.
$$A = \begin{bmatrix} 9 & 4 & -4 \\ 3 & -8 & -8 \\ -3 & -4 & -2 \end{bmatrix}$$
 and $B = \begin{bmatrix} -1 & -10 & 2 \\ -2 & -8 & 2 \\ -5 & 5 & 9 \end{bmatrix}$

2. $A = \begin{bmatrix} -1 & -1 & -7 \\ 8 & -7 & 1 \\ 1 & 2 & -10 \end{bmatrix}$ and $B = \begin{bmatrix} -5 & 6 & 6 \\ -3 & -4 & 7 \\ -8 & 7 & 6 \end{bmatrix}$

3. $A = \begin{bmatrix} -8 & -2 & -1 \\ -1 & -6 & -1 \\ 9 & 8 & 2 \end{bmatrix}$ and $B = \begin{bmatrix} -2 & -4 & -5 \\ 4 & -6 & -4 \\ 2 & 0 & 6 \end{bmatrix}$

4. $A = \begin{bmatrix} -7 & 6 & 7 \\ -10 & -2 & -10 \\ -10 & 5 & 6 \end{bmatrix}$ and $B = \begin{bmatrix} -7 & -3 & -10 \\ 5 & 1 & 5 \\ -9 & -1 & -7 \end{bmatrix}$

5. $A = \begin{bmatrix} 5 & 5 & -9 \\ 9 & 8 & -9 \\ -10 & 6 & -7 \end{bmatrix}$ and $B = \begin{bmatrix} 0 & -7 & 8 \\ 8 & -10 & 9 \\ 3 & -3 & -5 \end{bmatrix}$

6. $A = \begin{bmatrix} 5 & 5 & -9 \\ 9 & 8 & -9 \\ -10 & 6 & -7 \end{bmatrix}$ and $A = \begin{bmatrix} 3 & 1 & -6 \\ -5 & 0 & -10 \\ -1 & -7 & -9 \end{bmatrix}$

7. $A = \begin{bmatrix} 4 & 1 & -5 \\ -2 & 4 & -6 \\ -2 & 5 & -9 \end{bmatrix}$ and $A = \begin{bmatrix} 3 & 1 & -6 \\ -5 & 0 & -10 \\ -1 & -7 & -9 \end{bmatrix}$

8. $A = \begin{bmatrix} 2 & 1 & -4 \\ -6 & 0 & -7 \\ -1 & -6 & 9 \end{bmatrix}$ and $A = \begin{bmatrix} 8 & 3 & 4 \\ 1 & -2 & 8 \\ 9 & -8 & -8 \end{bmatrix}$

9. $A = \begin{bmatrix} 8 & -9 & 9 \\ -6 & 3 & 9 \\ -7 & 1 & 9 \end{bmatrix}$ and $A = \begin{bmatrix} -6 & 5 & -10 \\ 7 & 6 & 6 \\ -2 & -6 & -4 \end{bmatrix}$

10. $A = \begin{bmatrix} 4 & -9 & -7 \\ -3 & -9 & -7 \\ 0 & 9 & -3 \end{bmatrix}$ and $A = \begin{bmatrix} 3 & 4 & 1 \\ -3 & -6 & -3 \\ 0 & -5 & -5 \end{bmatrix}$

1.3. Matrix Properties

1.3.1. Properties

For each matrix A, find:

- a) rank(A)
- b) nullity(A)
- c) det(*A*)
- d) A^{-1} (if exists)
- e) basis of ker(A)

1.
$$A = \begin{bmatrix} 1 & 2 & -1 \\ 2 & 5 & -1 \\ -2 & -5 & 1 \end{bmatrix}$$

2.
$$A = \begin{bmatrix} 1 & 0 & -1 \\ 0 & 1 & -1 \\ -2 & 1 & 1 \end{bmatrix}$$

3.
$$A = \begin{bmatrix} 1 & -1 & 2 \\ 2 & -1 & 5 \\ -1 & 1 & -2 \end{bmatrix}$$

3.
$$A = \begin{bmatrix} 1 & -1 & 2 \\ 2 & -1 & 5 \\ -1 & 1 & -2 \end{bmatrix}$$
4.
$$A = \begin{bmatrix} 1 & 1 & 2 \\ 0 & 1 & -2 \\ -1 & -1 & -2 \end{bmatrix}$$
5.
$$A = \begin{bmatrix} 1 & 0 & 0 \\ -1 & -1 & -1 \\ 2 & 2 & 1 \end{bmatrix}$$

5.
$$A = \begin{bmatrix} 1 & 0 & 0 \\ -1 & -1 & -1 \\ 2 & 2 & 1 \end{bmatrix}$$

6.
$$A = \begin{bmatrix} 1 & -4 & -6 \\ -1 & 5 & 8 \\ 0 & 1 & 2 \end{bmatrix}$$

7.
$$A = \begin{bmatrix} 1 & 1 & 0 \\ 2 & 3 & 1 \\ 1 & 1 & 1 \end{bmatrix}$$

8.
$$A = \begin{bmatrix} 1 & -2 & 1 \\ 0 & -7 & -9 \\ -1 & 6 & 4 \end{bmatrix}$$

8.
$$A = \begin{bmatrix} 1 & 1 & 1 \\ 1 & -2 & 1 \\ 0 & -7 & -9 \\ -1 & 6 & 4 \end{bmatrix}$$
9.
$$A = \begin{bmatrix} -3 & -2 & -7 \\ 2 & 1 & 4 \\ 1 & 1 & 3 \end{bmatrix}$$

10.
$$A = \begin{bmatrix} 1 & 0 & 0 \\ 1 & 1 & -1 \\ 2 & 2 & -1 \end{bmatrix}$$

1.3.2. RREF

Find the Reduced Row Echelon Form of the following matrix A

1.
$$A = \begin{bmatrix} 1 & -1 & 0 \\ 0 & 1 & 0 \\ -1 & 0 & 1 \end{bmatrix}$$
2.
$$A = \begin{bmatrix} 1 & -1 & 0 \\ -2 & 3 & 0 \\ 0 & -2 & 0 \end{bmatrix}$$
3.
$$A = \begin{bmatrix} 1 & -2 & -1 \\ 0 & 1 & 2 \\ 0 & 0 & 1 \end{bmatrix}$$

$$A = \begin{bmatrix} 1 & -1 & 0 \\ -2 & 3 & 0 \\ 0 & -2 & 0 \end{bmatrix}$$

3.
$$A = \begin{bmatrix} 1 & -2 & -1 \\ 0 & 1 & 2 \\ 0 & 0 & 1 \end{bmatrix}$$

4.
$$A = \begin{bmatrix} 1 & 0 & 0 \\ 2 & 0 & 0 \\ 2 & -1 & 0 \end{bmatrix}$$

5.
$$A = \begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & -2 \\ 2 & -6 & 4 \end{bmatrix}$$

6.
$$A = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & -2 & 0 \end{bmatrix}$$

$$A = \begin{bmatrix} 0 & 0 & 1 \\ 1 & 0 & 0 \\ 2 & 0 & 0 \\ 2 & -1 & 0 \end{bmatrix}$$

$$A = \begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & -2 \\ 2 & -6 & 4 \end{bmatrix}$$

$$A = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & -2 & 0 \end{bmatrix}$$

$$A = \begin{bmatrix} 1 & 0 & 1 \\ -1 & 1 & -1 \\ 1 & 0 & 2 \end{bmatrix}$$

8.
$$A = \begin{bmatrix} 3 & 2 & 0 \\ 1 & 1 & 0 \\ -1 & 0 & 1 \end{bmatrix}$$

9.
$$A = \begin{bmatrix} 5 & -1 & 2 \\ -4 & 1 & -2 \\ 2 & 0 & 1 \end{bmatrix}$$
10.
$$A = \begin{bmatrix} 1 & -2 & 0 \\ -1 & 3 & 1 \\ 1 & -2 & 1 \end{bmatrix}$$

7

2. Solutions

2.1. Vector Arithmetic

2.1.1. Addition

$$\begin{bmatrix} -1 \\ -1 \\ -3 \end{bmatrix} \begin{bmatrix} -4 \\ 5 \\ -8 \end{bmatrix} \begin{bmatrix} -3 \\ -3 \\ -9 \end{bmatrix} \begin{bmatrix} -10 \\ 17 \\ 0 \end{bmatrix} \begin{bmatrix} -7 \\ 12 \\ -7 \end{bmatrix}$$
$$\begin{bmatrix} 13 \\ -14 \\ 20 \end{bmatrix} \begin{bmatrix} -1 \\ -13 \\ -13 \end{bmatrix} \begin{bmatrix} 0 \\ -1 \\ 5 \end{bmatrix} \begin{bmatrix} 0 \\ -5 \\ 3 \end{bmatrix} \begin{bmatrix} 1 \\ 3 \\ -9 \end{bmatrix}$$

2.1.2. Subtraction

$$\begin{bmatrix} -17 \\ -6 \\ 5 \end{bmatrix} \begin{bmatrix} -2 \\ 8 \\ -13 \end{bmatrix} \begin{bmatrix} 11 \\ 10 \\ -16 \end{bmatrix} \begin{bmatrix} 4 \\ 12 \\ -9 \end{bmatrix} \begin{bmatrix} 0 \\ -12 \\ 7 \end{bmatrix}$$
$$\begin{bmatrix} -12 \\ 5 \\ 13 \end{bmatrix} \begin{bmatrix} -4 \\ 12 \\ 9 \end{bmatrix} \begin{bmatrix} -3 \\ 1 \\ -12 \end{bmatrix} \begin{bmatrix} 2 \\ 3 \\ -8 \end{bmatrix} \begin{bmatrix} 15 \\ 3 \\ 12 \end{bmatrix}$$

2.1.3. Scalar Multiplication

1:
$$\begin{bmatrix} 20 \\ 50 \\ 50 \end{bmatrix}$$
 2: $\begin{bmatrix} -42 \\ 0 \\ 56 \end{bmatrix}$ 3: $\begin{bmatrix} -20 \\ 8 \\ -14 \end{bmatrix}$ 4: $\begin{bmatrix} 20 \\ 28 \\ -20 \end{bmatrix}$ 5: $\begin{bmatrix} 49 \\ 70 \\ -42 \end{bmatrix}$ 6: $\begin{bmatrix} -21 \\ 0 \\ 7 \end{bmatrix}$ 7: $\begin{bmatrix} 8 \\ -8 \\ 56 \end{bmatrix}$ 8: $\begin{bmatrix} 42 \\ -21 \\ 0 \end{bmatrix}$ 9: $\begin{bmatrix} -2 \\ 14 \\ -2 \end{bmatrix}$ 10: $\begin{bmatrix} -36 \\ 90 \\ 9 \end{bmatrix}$

2.2. Matrix Arithmetic

2.2.1. Addition

$$1: \begin{bmatrix} -5 & -2 & -3 \\ -1 & -9 & 7 \\ -12 & -3 & 0 \end{bmatrix} 2: \begin{bmatrix} -9 & 16 & 2 \\ -16 & 9 & -10 \\ -3 & -9 & -5 \end{bmatrix} 3: \begin{bmatrix} -13 & 13 & -11 \\ -4 & -11 & -1 \\ 2 & 3 & 0 \end{bmatrix} 4: \begin{bmatrix} -11 & -10 & -4 \\ -2 & 3 & -1 \\ 9 & -10 & -12 \end{bmatrix} 5: \begin{bmatrix} 1 & -5 & 3 \\ 1 & 7 & 3 \\ -3 & -3 & -15 \end{bmatrix}$$

$$6: \begin{bmatrix} -3 & 12 & 7 \\ 8 & -8 & -10 \\ -10 & 5 & 13 \end{bmatrix} 7: \begin{bmatrix} -5 & 2 & -5 \\ -4 & -12 & -1 \\ -4 & 5 & -6 \end{bmatrix} 8: \begin{bmatrix} -13 & 10 & -5 \\ -10 & -20 & -9 \\ -5 & -8 & -2 \end{bmatrix} 9: \begin{bmatrix} 2 & -11 & -2 \\ -7 & -8 & -3 \\ 7 & -2 & -11 \end{bmatrix} 10: \begin{bmatrix} -5 & -10 & -10 \\ -13 & -17 & -13 \\ 11 & -1 & -5 \end{bmatrix}$$

2.2.2. Subtraction

$$1: \begin{bmatrix} -6 & -9 & 2 \\ -9 & -9 & -4 \\ -6 & -11 & 4 \end{bmatrix} 2: \begin{bmatrix} 6 & 0 & -10 \\ -11 & -6 & 6 \\ 0 & 15 & 11 \end{bmatrix} 3: \begin{bmatrix} -8 & 2 & 11 \\ 1 & 7 & 15 \\ 6 & 6 & -5 \end{bmatrix} 4: \begin{bmatrix} 0 & 3 & -10 \\ 7 & 1 & 3 \\ -6 & 12 & -2 \end{bmatrix} 5: \begin{bmatrix} 9 & 16 & -7 \\ -4 & -4 & 2 \\ 8 & 7 & 4 \end{bmatrix}$$

$$6: \begin{bmatrix} -2 & 0 & 18 \\ -15 & -2 & -10 \\ -1 & 3 & -3 \end{bmatrix} 7: \begin{bmatrix} 3 & 2 & 0 \\ -12 & 16 & -3 \\ 13 & -13 & -2 \end{bmatrix} 8: \begin{bmatrix} 3 & 3 & 5 \\ -4 & 0 & 9 \\ 8 & -9 & -3 \end{bmatrix} 9: \begin{bmatrix} -1 & 1 & 3 \\ 0 & 14 & 3 \\ -6 & -7 & -15 \end{bmatrix} 10: \begin{bmatrix} 2 & -6 & -13 \\ -4 & 16 & 3 \\ 1 & -2 & 3 \end{bmatrix}$$

2.2.3. Multiplication

$$\begin{array}{c} 1: \begin{bmatrix} 3 & -142 & -10 \\ 53 & -6 & -82 \\ 21 & 52 & -32 \end{bmatrix} 2: \begin{bmatrix} 64 & -51 & -55 \\ -27 & 83 & 5 \\ 69 & -72 & -40 \end{bmatrix} 3: \begin{bmatrix} 6 & 44 & 42 \\ -24 & 40 & 23 \\ 18 & -84 & -65 \end{bmatrix} 4: \begin{bmatrix} 16 & 20 & 51 \\ 150 & 38 & 160 \\ 41 & 29 & 83 \end{bmatrix} 5: \begin{bmatrix} 13 & -58 & 130 \\ 37 & -116 & 189 \\ 27 & 31 & 9 \end{bmatrix} \\ 6: \begin{bmatrix} -31 & -37 & -73 \\ 16 & 67 & 138 \\ -60 & -65 & -159 \end{bmatrix} 7: \begin{bmatrix} 6 & -56 & -24 \\ 54 & -26 & 34 \\ 70 & -48 & 40 \end{bmatrix} 8: \begin{bmatrix} -19 & 36 & 48 \\ -111 & 38 & 32 \\ 67 & -63 & -124 \end{bmatrix} 9: \begin{bmatrix} -129 & -68 & -170 \\ 39 & -66 & 42 \\ 31 & -83 & 40 \end{bmatrix} 10: \begin{bmatrix} 39 & 105 & 66 \\ 18 & 77 & 59 \\ -27 & -39 & -12 \end{bmatrix}$$

2.3. Matrix Properties

2.3.1. Properties

Solution

Row Operations:

$$\text{Step 1: } r_2 \coloneqq r_2 - (2) r_1 \begin{bmatrix} \begin{smallmatrix} 1 & 2 & -1 & \mid & 1 & 0 & 0 \\ 0 & 1 & 1 & \mid & -2 & 1 & 0 \\ -2 & -5 & 1 & \mid & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 2: } r_3 \coloneqq r_3 - (-2)r_1 \begin{bmatrix} 1 & 2 & -1 & | & 1 & 0 & 0 \\ 0 & 1 & 1 & | & -2 & 1 & 0 \\ 0 & -1 & -1 & | & 2 & 0 & 1 \end{bmatrix}$$

$$\text{Step 3: } r_1 \coloneqq r_1 - (2) r_2 \begin{bmatrix} 1 & 0 & -3 & | & 5 & -2 & 0 \\ 0 & 1 & 1 & | & -2 & 1 & 0 \\ 0 & -1 & -1 & | & 2 & 0 & 1 \end{bmatrix}$$

$$\text{Step 4: } r_3 \coloneqq r_3 - (-1) r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & -3 & | & 5 & -2 & 0 \\ 0 & 1 & 1 & | & -2 & 1 & 0 \\ 0 & 0 & 0 & | & 0 & 1 & 1 \end{bmatrix}$$

Results:

a)
$$rank(A) = 2$$

b)
$$\text{nullity}(A) = 1$$

c)
$$det(A) = 0$$

d)
$$A^{-1} = \text{does not exist}$$

e)
$$\ker(A) = \operatorname{span} \left\{ \begin{bmatrix} 1 \\ -1 \\ 1 \end{bmatrix} \right\}$$

Solution

Row Operations:

Step 1:
$$r_3 := r_3 - (-2)r_1 \begin{bmatrix} 1 & 0 & -1 & | & 1 & 0 & 0 \\ 0 & 1 & -1 & | & 0 & 1 & 0 \\ 0 & 1 & -1 & | & 2 & 0 & 1 \end{bmatrix}$$

$$\text{Step 2: } r_3 \coloneqq r_3 - r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & -1 & \mid & 1 & 0 & 0 \\ 0 & 1 & -1 & \mid & 0 & 1 & 0 \\ 0 & 0 & 0 & \mid & 2 & -1 & 1 \end{bmatrix}$$

Results:

a)
$$rank(A) = 2$$

b)
$$\text{nullity}(A) = 1$$

c)
$$det(A) = 0$$

d)
$$A^{-1} = \text{does not exist}$$

e)
$$\ker(A) = \operatorname{span} \left\{ \begin{bmatrix} 0 \\ 1 \\ 1 \end{bmatrix} \right\}$$

Solution

9

Row Operations:

$$\text{Step 1: } r_2 \coloneqq r_2 - (2) r_1 \begin{bmatrix} \begin{smallmatrix} 1 & -1 & 2 & | & 1 & 0 & 0 \\ 0 & 1 & 1 & | & -2 & 1 & 0 \\ -1 & 1 & -2 & | & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 2: } r_3 \coloneqq r_3 - (-1)r_1 \begin{bmatrix} 1 & -1 & 2 & | & 1 & 0 & 0 \\ 0 & 1 & 1 & | & -2 & 1 & 0 \\ 0 & 0 & 0 & | & 1 & 0 & 1 \end{bmatrix}$$

$$\text{Step 3: } r_1 \coloneqq r_1 - (-1)r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 3 & | & -1 & 1 & 0 \\ 0 & 1 & 1 & | & -2 & 1 & 0 \\ 0 & 0 & 0 & | & 1 & 0 & 1 \end{bmatrix}$$

Results:

- a) rank(A) = 2
- b) nullity(A) = 1
- c) det(A) = 0
- d) $A^{-1} = \text{does not exist}$

e)
$$\ker(A) = \operatorname{span} \left\{ \begin{bmatrix} -2 \\ -1 \\ 1 \end{bmatrix} \right\}$$

Solution

Row Operations:

$$\text{Step 1: } r_3 \coloneqq r_3 - (-1)r_1 \begin{bmatrix} \begin{smallmatrix} 1 & 1 & 2 & \mid & 1 & 0 & 0 \\ 0 & 1 & -2 & \mid & 0 & 1 & 0 \\ 0 & 0 & 0 & \mid & 1 & 0 & 1 \end{bmatrix}$$

$$\text{Step 2: } r_1 \coloneqq r_1 - r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 4 & \mid & 1 & -1 & 0 \\ 0 & 1 & -2 & \mid & 0 & 1 & 0 \\ 0 & 0 & 0 & \mid & 1 & 0 & 1 \end{bmatrix}$$

Results:

- a) rank(A) = 2
- b) nullity(A) = 1
- c) det(A) = 0
- d) $A^{-1} = \text{does not exist}$
- e) $\ker(A) = \operatorname{span} \left\{ \begin{bmatrix} -2\\2\\1 \end{bmatrix} \right\}$

Solution

Row Operations:

$$\text{Step 1: } r_2 \coloneqq r_2 - (-1)r_1 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & \mid & 1 & 0 & 0 \\ 0 & -1 & -1 & \mid & 1 & 1 & 0 \\ 2 & 2 & 1 & \mid & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 2: } r_3 \coloneqq r_3 - (2) r_1 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & | & 1 & 0 & 0 \\ 0 & -1 & -1 & | & 1 & 1 & 0 \\ 0 & 2 & 1 & | & -2 & 0 & 1 \end{bmatrix}$$

$$\text{Step 3: } r_2 := -1 \\ r_2 \begin{bmatrix} 1 & 0 & 0 & | & 1 & 0 & 0 \\ 0 & 1 & 1 & | & -1 & -1 & 0 \\ 0 & 2 & 1 & | & -2 & 0 & 1 \end{bmatrix}$$

$$\text{Step 4: } r_3 \coloneqq r_3 - (2) r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & | & 1 & 0 & 0 \\ 0 & 1 & 1 & | & -1 & -1 & 0 \\ 0 & 0 & -1 & | & 0 & 2 & 1 \end{bmatrix}$$

$$\text{Step 5: } r_3 := -1 \\ r_3 \begin{bmatrix} 1 & 0 & 0 & | & 1 & 0 & 0 \\ 0 & 1 & 1 & | & -1 & -1 & 0 \\ 0 & 0 & 1 & | & 0 & -2 & -1 \end{bmatrix}$$

$$\text{Step 6: } r_2 \coloneqq r_2 - r_3 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & | & 1 & 0 & 0 \\ 0 & 1 & 0 & | & -1 & 1 & 1 \\ 0 & 0 & 1 & | & 0 & -2 & -1 \end{bmatrix}$$

Results:

a)
$$rank(A) = 3$$

b)
$$\text{nullity}(A) = 0$$

c)
$$det(A) = 0$$

d)
$$A^{-1} = \begin{bmatrix} 1 & 4 & 2 \\ -1 & -3 & -1 \\ 0 & -2 & -1 \end{bmatrix}$$

e)
$$ker(A) = \{0\}$$

Solution

Row Operations:

$$\begin{aligned} &\text{Step 1: } r_2 \coloneqq r_2 - (-1)r_1 \begin{bmatrix} 1 & -4 & -6 & \mid & 1 & 0 & 0 \\ 0 & 1 & 2 & \mid & 1 & 1 & 0 \\ 0 & 1 & 2 & \mid & 0 & 0 & 1 \end{bmatrix} \\ &\text{Step 2: } r_1 \coloneqq r_1 - (-4)r_2 \begin{bmatrix} 1 & 0 & 2 & \mid & 5 & 4 & 0 \\ 0 & 1 & 2 & \mid & 1 & 1 & 0 \\ 0 & 1 & 2 & \mid & 0 & 0 & 1 \end{bmatrix} \\ &&&& \begin{bmatrix} 1 & 0 & 2 & \mid & 5 & 4 & 0 \\ 0 & 1 & 2 & \mid & 5 & 4 & 0 \end{bmatrix} \end{aligned}$$

$$\text{Step 2: } r_1 \coloneqq r_1 - (-4) r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 2 & \mid & 5 & 4 & 0 \\ 0 & 1 & 2 & \mid & 1 & 1 & 0 \\ 0 & 1 & 2 & \mid & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 3: } r_3 \coloneqq r_3 - r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 2 & | & 5 & 4 & 0 \\ 0 & 1 & 2 & | & 1 & 1 & 0 \\ 0 & 0 & 0 & | & -1 & -1 & 1 \end{bmatrix}$$

Results:

a)
$$rank(A) = 2$$

b)
$$nullity(A) = 1$$

c)
$$det(A) = 0$$

d)
$$A^{-1} = \text{does not exist}$$

e)
$$\ker(A) = \operatorname{span} \left\{ \begin{bmatrix} 2 \\ -2 \\ 1 \end{bmatrix} \right\}$$

Solution

Row Operations:

$$\text{Step 1: } r_2 \coloneqq r_2 - (2) r_1 \begin{bmatrix} 1 & 1 & 0 & | & 1 & 0 & 0 \\ 0 & 1 & 1 & | & -2 & 1 & 0 \\ 1 & 1 & 1 & | & 0 & 0 & 1 \end{bmatrix} \\ \begin{bmatrix} 1 & 1 & 0 & | & 1 & 0 & 0 \end{bmatrix}$$

$$\text{Step 2: } r_3 \coloneqq r_3 - r_1 \begin{bmatrix} 1 & 1 & 0 & | & 1 & 0 & 0 \\ 0 & 1 & 1 & | & -2 & 1 & 0 \\ 0 & 0 & 1 & | & -1 & 0 & 1 \end{bmatrix}$$

$$\text{Step 3: } r_1 \coloneqq r_1 - r_2 \begin{bmatrix} 1 & 0 & -1 & | & 3 & -1 & 0 \\ 0 & 1 & 1 & | & -2 & 1 & 0 \\ 0 & 0 & 1 & | & -1 & 0 & 1 \end{bmatrix}$$

$$\text{Step 4: } r_1 \coloneqq r_1 - (-1)r_3 \begin{bmatrix} 1 & 0 & 0 & | & 2 & -1 & 1 \\ 0 & 1 & 1 & | & -2 & 1 & 0 \\ 0 & 0 & 1 & | & -1 & 0 & 1 \end{bmatrix}$$

$$\text{Step 5: } r_2 \coloneqq r_2 - r_3 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & \mid & 2 & -1 & 1 \\ 0 & 1 & 0 & \mid & -1 & 1 & -1 \\ 0 & 0 & 1 & \mid & -1 & 0 & 1 \end{bmatrix}$$

Results:

a)
$$rank(A) = 3$$

b)
$$nullity(A) = 0$$

c)
$$det(A) = 0$$

d)
$$A^{-1} = \begin{bmatrix} 1 & 0 & 0 \\ -2 & 1 & 0 \\ -1 & 0 & 1 \end{bmatrix}$$

e)
$$ker(A) = \{0\}$$

Solution

Row Operations:

$$\begin{aligned} \text{Step 1: } r_3 &:= r_3 - (-1)r_1 \begin{bmatrix} 1 & -2 & 1 & | & 1 & 0 & 0 \\ 0 & -7 & -9 & | & 0 & 1 & 0 \\ 0 & 4 & 5 & | & 1 & 0 & 1 \end{bmatrix} \\ \text{Step 2: } r_2 &:= -1/7r_2 \begin{bmatrix} 1 & -2 & 1 & | & 1 & 0 & 0 \\ 0 & 1 & 9/7 & | & 0 & -1/7 & 0 \\ 0 & 4 & 5 & | & 1 & 0 & 1 \end{bmatrix} \\ & & & & & & & & & & & & & & & & \\ \hline \begin{bmatrix} 1 & 0 & 25/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 & | & 1 & -2/7 &$$

$$\text{Step 2: } r_2 := -1/7 r_2 \begin{bmatrix} 1 & -2 & 1 & | & 1 & 0 & 0 \\ 0 & 1 & 9/7 & | & 0 & -1/7 & 0 \\ 0 & 4 & 5 & | & 1 & 0 & 1 \end{bmatrix}$$

Step 3:
$$r_1 := r_1 - (-2)r_2 \begin{bmatrix} 1 & 0 & 25/7 & | & 1 & -2/7 & 0 \\ 0 & 1 & 9/7 & | & 0 & -1/7 & 0 \\ 0 & 4 & 5 & | & 1 & 0 & 1 \end{bmatrix}$$

$$\text{Step 4: } r_3 := r_3 - (4) r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 25/7 & \mid & 1 & -2/7 & 0 \\ 0 & 1 & 9/7 & \mid & 0 & -1/7 & 0 \\ 0 & 0 & -1/7 & \mid & 1 & 4/7 & 1 \end{bmatrix}$$

$$\text{Step 5: } r_3 := -7 r_3 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 25/7 & | & 1 & -2/7 & 0 \\ 0 & 1 & 9/7 & | & 0 & -1/7 & 0 \\ 0 & 0 & 1 & | & -7 & -4 & -7 \end{bmatrix}$$

$$\text{Step 6: } r_1 \coloneqq r_1 - (25/7) r_3 \begin{bmatrix} 1 & 0 & 0 & | & 26 & 14 & 25 \\ 0 & 1 & 9/7 & | & 0 & -1/7 & 0 \\ 0 & 0 & 1 & | & -7 & -4 & -7 \end{bmatrix}$$

$$\text{Step 7: } r_2 \coloneqq r_2 - (9/7) r_3 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & \mid & 26 & 14 & 25 \\ 0 & 1 & 0 & \mid & 9 & 5 & 9 \\ 0 & 0 & 1 & \mid & -7 & -4 & -7 \end{bmatrix}$$

Results:

a)
$$rank(A) = 3$$

b)
$$nullity(A) = 0$$

c)
$$det(A) = 0$$

d)
$$A^{-1} = \begin{bmatrix} 1 & 0 & 0 \\ 2 & 1 & 2 \\ -7 & -4 & -7 \end{bmatrix}$$

e)
$$ker(A) = \{0\}$$

Solution

Row Operations:

$$\text{Step 1: } r_1 := -1/3 r_1 \begin{bmatrix} 1 & 2/3 & 7/3 & | & -1/3 & 0 & 0 \\ 2 & 1 & 4 & | & 0 & & 1 & 0 \\ 1 & 1 & 3 & | & 0 & & 0 & 1 \end{bmatrix}$$

$$\text{Step 2: } r_2 \coloneqq r_2 - (2) r_1 \begin{bmatrix} 1 & 2/3 & 7/3 & | & -1/3 & 0 & 0 \\ 0 & -1/3 & -2/3 & | & 2/3 & 1 & 0 \\ 1 & 1 & 3 & | & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 3: } r_3 \coloneqq r_3 - r_1 \begin{bmatrix} 1 & 2/3 & 7/3 & | & -1/3 & 0 & 0 \\ 0 & -1/3 & -2/3 & | & 2/3 & 1 & 0 \\ 0 & 1/3 & 2/3 & | & 1/3 & 0 & 1 \end{bmatrix}$$

$$\text{Step 4: } r_2 := -3r_2 \begin{bmatrix} 1 & 2/3 & 7/3 & | & -1/3 & 0 & 0 \\ 0 & 1 & 2 & | & -2 & -3 & 0 \\ 0 & 1/3 & 2/3 & | & 1/3 & 0 & 1 \end{bmatrix}$$

$$\begin{split} &\text{Step 2: } r_2 := r_2 - (2)r_1 \begin{bmatrix} 1 & 2/3 & 7/3 & | & -1/3 & 0 & 0 \\ 0 & -1/3 & -2/3 & | & 2/3 & 1 & 0 \\ 1 & 1 & 3 & | & 0 & 0 & 1 \end{bmatrix} \\ &\text{Step 3: } r_3 := r_3 - r_1 \begin{bmatrix} 1 & 2/3 & 7/3 & | & -1/3 & 0 & 0 \\ 0 & -1/3 & -2/3 & | & 2/3 & 1 & 0 \\ 0 & -1/3 & -2/3 & | & 2/3 & 1 & 0 \\ 0 & 1/3 & 2/3 & | & 1/3 & 0 & 1 \end{bmatrix} \\ &\text{Step 4: } r_2 := -3r_2 \begin{bmatrix} 1 & 2/3 & 7/3 & | & -1/3 & 0 & 0 \\ 0 & 1/3 & 2/3 & | & 1/3 & 0 & 1 \end{bmatrix} \\ &\text{Step 5: } r_1 := r_1 - (2/3)r_2 \begin{bmatrix} 1 & 0 & 1 & | & 1 & 2 & 0 \\ 0 & 1/3 & 2/3 & | & 1/3 & 0 & 1 \end{bmatrix} \\ &\text{Step 6: } r_3 := r_3 - (1/3)r_2 \begin{bmatrix} 1 & 0 & 1 & | & 1 & 2 & 0 \\ 0 & 1/3 & 2/3 & | & 1/3 & 0 & 1 \end{bmatrix} \end{split}$$

$$\text{Step 6: } r_3 \coloneqq r_3 - (1/3) r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 1 & | & 1 & 2 & 0 \\ 0 & 1 & 2 & | & -2 & -3 & 0 \\ 0 & 0 & 0 & | & 1 & 1 & 1 \end{bmatrix}$$

Results:

a)
$$rank(A) = 2$$

b)
$$nullity(A) = 1$$

c)
$$det(A) = 0$$

d)
$$A^{-1} = \text{does not exist}$$

e)
$$\ker(A) = \operatorname{span} \left\{ \begin{bmatrix} -1 \\ -2 \\ 1 \end{bmatrix} \right\}$$

Solution

Row Operations:

$$\text{Step 1: } r_2 \coloneqq r_2 - r_1 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & | & 1 & 0 & 0 \\ 0 & 1 & -1 & | & -1 & 1 & 0 \\ 2 & 2 & -1 & | & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 2: } r_3 \coloneqq r_3 - (2) r_1 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & | & 1 & 0 & 0 \\ 0 & 1 & -1 & | & -1 & 1 & 0 \\ 0 & 2 & -1 & | & -2 & 0 & 1 \end{bmatrix}$$

$$\begin{aligned} &\text{Step 2: } r_3 \coloneqq r_3 - (2) r_1 \begin{bmatrix} 1 & 0 & 0 & | & 1 & 0 & 0 \\ 0 & 1 & -1 & | & -1 & 1 & 0 \\ 0 & 2 & -1 & | & -2 & 0 & 1 \end{bmatrix} \\ &\text{Step 3: } r_3 \coloneqq r_3 - (2) r_2 \begin{bmatrix} 1 & 0 & 0 & | & 1 & 0 & 0 \\ 0 & 1 & -1 & | & -1 & 1 & 0 \\ 0 & 0 & 1 & | & 0 & -2 & 1 \end{bmatrix} \end{aligned}$$

$$\text{Step 4: } r_2 \coloneqq r_2 - (-1)r_3 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & | & 1 & 0 & 0 \\ 0 & 1 & 0 & | & -1 & -1 & 1 \\ 0 & 0 & 1 & | & 0 & -2 & 1 \end{bmatrix}$$

Results:

- a) rank(A) = 3
- b) $\operatorname{nullity}(A) = 0$
- c) det(A) = 0

d)
$$A^{-1} = \begin{bmatrix} 0 & 1 & 0 \\ -1 & 1 & 0 \\ 0 & -2 & 1 \end{bmatrix}$$

e)
$$ker(A) = \{0\}$$

2.3.2. RREF

Solution

Elementary Row Operations:

(1)
$$r_3 := r_3 - r_2$$

$$\begin{bmatrix} 1 & -1 & 0 \\ 0 & 1 & 0 \\ -1 & 1 & 1 \end{bmatrix}$$

(2)
$$r_3 := r_3 - r_1$$

$$\begin{bmatrix} 1 & -1 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

(3)
$$r_1 := r_1 - r_2$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Result:

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Solution

Elementary Row Operations:

(1)
$$r_2 := r_2 - (2)r_1$$

$$\begin{bmatrix} 1 & -1 & 0 \\ 0 & 1 & 0 \\ 0 & -2 & 0 \end{bmatrix}$$

$$(2) \ \, r_3 \coloneqq r_3 - (2) r_2$$

$$\begin{bmatrix} 1 & -1 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

(3)
$$r_2 := r_2 - r_3$$

$$\begin{bmatrix} 1 & -1 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

Result:

$$\begin{bmatrix} 1 & -1 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

Solution

Elementary Row Operations:

(1)
$$r_1 := r_1 - r_3$$

$$\begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & 2 \\ 0 & 0 & 1 \end{bmatrix}$$

$$(2) \ \, r_2 \coloneqq r_2 + (-2) r_3$$

$$\begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Result:

$$\begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Solution

Elementary Row Operations:

$$\text{(1)}\ \, r_2\coloneqq r_2+(-1)r_3$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 2 & -1 & 0 \end{bmatrix}$$

(2)
$$r_3 := r_3 - r_2$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 2 & 0 & 0 \end{bmatrix}$$

(3)
$$r_3 := r_3 + (-2)r_1$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

Result:

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

Solution

Elementary Row Operations:

(1)
$$r_3 := r_3 - (2)r_2$$

$$\begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & -2 \\ 2 & -4 & 0 \end{bmatrix}$$

$$(2) \ r_3 \coloneqq r_3 + (-2)r_1$$

$$\begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & -2 \\ 0 & 0 & 0 \end{bmatrix}$$

Result:

$$\begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & -2 \\ 0 & 0 & 0 \end{bmatrix}$$

Solution

Elementary Row Operations:

$$(1) \ \, r_3 \coloneqq r_3 - (2) r_2$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

$$(2) \ \, r_2 \coloneqq r_2 + (-1) r_3$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

Result:

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

Solution

Elementary Row Operations:

$$\text{(1)}\ \ r_2 \coloneqq r_2 - (2) r_1$$

$$\begin{bmatrix} 1 & 0 & 1 \\ 1 & 1 & 1 \\ 1 & 0 & 2 \end{bmatrix}$$

$$(2) \ \, r_2 \coloneqq r_2 + (-1)r_1$$

$$\begin{bmatrix} 1 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & 2 \end{bmatrix}$$

(3)
$$r_3 := r_3 + (-1)r_1$$

$$\begin{bmatrix} 1 & 0 & 1 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Result:

$$\begin{bmatrix} 1 & 0 & 1 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Solution

Elementary Row Operations:

 $\text{(1)} \ \ r_1 \coloneqq r_1 + (-2)r_2$

$$\begin{bmatrix} 1 & 0 & 0 \\ 1 & 1 & 0 \\ -1 & 0 & 1 \end{bmatrix}$$

 $(2) \ \, r_2 \coloneqq r_2 + (-1)r_1$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ -1 & 0 & 1 \end{bmatrix}$$

(3) $r_3 := r_3 - r_1$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Result:

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Solution

Elementary Row Operations:

(1) $r_1 := r_1 - r_2$

$$\begin{bmatrix} 1 & 0 & 0 \\ -4 & 1 & -2 \\ 2 & 0 & 1 \end{bmatrix}$$

 $(2) \ \, r_2 \coloneqq r_2 - (2) r_3$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 2 & 0 & 1 \end{bmatrix}$$

 $(3) \ r_3 \coloneqq r_3 + (-2)r_1$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Result:

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Solution

Elementary Row Operations:

$$(1) \ \, r_2 \coloneqq r_2 - r_3$$

$$\begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & 2 \\ 1 & -2 & 1 \end{bmatrix}$$

$$(2) \ r_3 \coloneqq r_3 + (-1)r_1$$

$$\begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & 2 \\ 0 & 0 & 1 \end{bmatrix}$$

$$\text{(3)}\ \, r_2\coloneqq r_2+(-2)r_3$$

$$\begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Result:

$$\begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$