

# Exercise 29:

## Foundations of Mathematical, WS24

Zichao Wei

This is **exercise** 29 for Foundations of Mathematical, WS24. Generated on 2025-06-09 with 10 problems per section.

2025-06-16

# 1. Problems

## 1.1. Vector Arithmetic

### 1.1.1. Addition

Find the sum of the following vectors  $\mathbf{u}$  and  $\mathbf{v}$

1.  $\mathbf{u} = \begin{bmatrix} 8 \\ 5 \\ 1 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} -7 \\ 5 \\ -4 \end{bmatrix}$   $\mathbf{u} + \mathbf{v}$ .
2.  $\mathbf{u} = \begin{bmatrix} -5 \\ 4 \\ -6 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} -5 \\ 4 \\ -3 \end{bmatrix}$   $\mathbf{u} + \mathbf{v}$ .
3.  $\mathbf{u} = \begin{bmatrix} -9 \\ -2 \\ 10 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} 0 \\ 7 \\ -6 \end{bmatrix}$   $\mathbf{u} + \mathbf{v}$ .
4.  $\mathbf{u} = \begin{bmatrix} 4 \\ 6 \\ -7 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} 6 \\ -4 \\ 8 \end{bmatrix}$   $\mathbf{u} + \mathbf{v}$ .
5.  $\mathbf{u} = \begin{bmatrix} -7 \\ 1 \\ 3 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} -3 \\ -5 \\ 2 \end{bmatrix}$   $\mathbf{u} + \mathbf{v}$ .
6.  $\mathbf{u} = \begin{bmatrix} 10 \\ -8 \\ 9 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} 1 \\ 0 \\ 5 \end{bmatrix}$   $\mathbf{u} + \mathbf{v}$ .
7.  $\mathbf{u} = \begin{bmatrix} 5 \\ -8 \\ -7 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} -3 \\ -3 \\ 6 \end{bmatrix}$   $\mathbf{u} + \mathbf{v}$ .
8.  $\mathbf{u} = \begin{bmatrix} 6 \\ -3 \\ 9 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} 3 \\ 8 \\ -4 \end{bmatrix}$   $\mathbf{u} + \mathbf{v}$ .
9.  $\mathbf{u} = \begin{bmatrix} 0 \\ -2 \\ -1 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} -1 \\ -6 \\ -3 \end{bmatrix}$   $\mathbf{u} + \mathbf{v}$ .
10.  $\mathbf{u} = \begin{bmatrix} -6 \\ -3 \\ -8 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} 10 \\ 6 \\ -6 \end{bmatrix}$   $\mathbf{u} + \mathbf{v}$ .

### 1.1.2. Subtraction

Find the difference of the following vectors  $\mathbf{u}$  and  $\mathbf{v}$

1.  $\mathbf{u} = \begin{bmatrix} 1 \\ 5 \\ -4 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} 0 \\ -4 \\ 6 \end{bmatrix}$   $\mathbf{u} - \mathbf{v}$ .
2.  $\mathbf{u} = \begin{bmatrix} 0 \\ -2 \\ -7 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} -4 \\ -5 \\ -6 \end{bmatrix}$   $\mathbf{u} - \mathbf{v}$ .
3.  $\mathbf{u} = \begin{bmatrix} 1 \\ 5 \\ -2 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} 9 \\ -3 \\ -4 \end{bmatrix}$   $\mathbf{u} - \mathbf{v}$ .
4.  $\mathbf{u} = \begin{bmatrix} 0 \\ -10 \\ 0 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} -9 \\ -5 \\ 3 \end{bmatrix}$   $\mathbf{u} - \mathbf{v}$ .
5.  $\mathbf{u} = \begin{bmatrix} 0 \\ 8 \\ 10 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} 5 \\ -6 \\ 5 \end{bmatrix}$   $\mathbf{u} - \mathbf{v}$ .

6.  $\mathbf{u} = \begin{bmatrix} 6 \\ 1 \\ -5 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} 0 \\ 4 \\ 6 \end{bmatrix}$   $\mathbf{u} - \mathbf{v}$ .
7.  $\mathbf{u} = \begin{bmatrix} 1 \\ -3 \\ -8 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} -8 \\ -2 \\ -6 \end{bmatrix}$   $\mathbf{u} - \mathbf{v}$ .
8.  $\mathbf{u} = \begin{bmatrix} -3 \\ -9 \\ 7 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} 8 \\ 7 \\ 5 \end{bmatrix}$   $\mathbf{u} - \mathbf{v}$ .
9.  $\mathbf{u} = \begin{bmatrix} -9 \\ 1 \\ -8 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} -9 \\ 1 \\ 8 \end{bmatrix}$   $\mathbf{u} - \mathbf{v}$ .
10.  $\mathbf{u} = \begin{bmatrix} 3 \\ 5 \\ -4 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} 10 \\ 1 \\ 6 \end{bmatrix}$   $\mathbf{u} - \mathbf{v}$ .

### 1.1.3. Scalar Multiplication

Find the scalar product of the following vector  $\mathbf{u}$  and scalar  $k$

1.  $\mathbf{u} = \begin{bmatrix} -9 \\ -8 \\ -4 \end{bmatrix}$   $-2\mathbf{v}$ .
2.  $\mathbf{u} = \begin{bmatrix} -9 \\ 6 \\ 6 \end{bmatrix}$   $7\mathbf{v}$ .
3.  $\mathbf{u} = \begin{bmatrix} 9 \\ 5 \\ 3 \end{bmatrix}$   $7\mathbf{v}$ .
4.  $\mathbf{u} = \begin{bmatrix} -5 \\ 5 \\ -2 \end{bmatrix}$   $-5\mathbf{v}$ .
5.  $\mathbf{u} = \begin{bmatrix} -9 \\ -2 \\ -10 \end{bmatrix}$   $-8\mathbf{v}$ .
6.  $\mathbf{u} = \begin{bmatrix} 4 \\ 8 \\ -1 \end{bmatrix}$   $7\mathbf{v}$ .
7.  $\mathbf{u} = \begin{bmatrix} -10 \\ 6 \\ -7 \end{bmatrix}$   $-9\mathbf{v}$ .
8.  $\mathbf{u} = \begin{bmatrix} 5 \\ 0 \\ -1 \end{bmatrix}$   $9\mathbf{v}$ .
9.  $\mathbf{u} = \begin{bmatrix} -9 \\ -10 \\ -1 \end{bmatrix}$   $-4\mathbf{v}$ .
10.  $\mathbf{u} = \begin{bmatrix} 1 \\ 9 \\ 8 \end{bmatrix}$   $-5\mathbf{v}$ .

## 1.2. Matrix Arithmetic

### 1.2.1. Addition

Find the sum of the following matrices  $A$  and  $B$

$$1. \quad A = \begin{bmatrix} -4 & 0 & -4 \\ -10 & 9 & -3 \\ -7 & -8 & -3 \end{bmatrix} \quad (1)$$

and

$$B = \begin{bmatrix} -9 & -9 & 3 \\ 4 & 1 & -4 \\ -9 & 8 & -5 \end{bmatrix} \quad (2)$$

$$2. \quad A = \begin{bmatrix} -3 & -6 & 1 \\ -8 & -10 & -9 \\ 6 & 2 & 5 \end{bmatrix} \quad (3)$$

and

$$B = \begin{bmatrix} -3 & 3 & 5 \\ 5 & -4 & 9 \\ -9 & -6 & 5 \end{bmatrix} \quad (4)$$

$$3. \quad A = \begin{bmatrix} -2 & 7 & -2 \\ -10 & 8 & 3 \\ -1 & -7 & 3 \end{bmatrix} \quad (5)$$

and

$$B = \begin{bmatrix} -3 & 2 & -4 \\ 6 & 4 & -8 \\ -2 & 5 & 4 \end{bmatrix} \quad (6)$$

$$4. \quad A = \begin{bmatrix} -4 & 6 & -1 \\ 2 & -8 & 5 \\ 6 & -6 & -1 \end{bmatrix} \quad (7)$$

and

$$B = \begin{bmatrix} -1 & 0 & 6 \\ 6 & 3 & 5 \\ -8 & -9 & 8 \end{bmatrix} \quad (8)$$

$$5. \quad A = \begin{bmatrix} 3 & 4 & 6 \\ 7 & 7 & -4 \\ 7 & -5 & 7 \end{bmatrix} \quad (9)$$

and

$$B = \begin{bmatrix} 4 & -10 & 4 \\ 3 & -10 & 4 \\ 0 & 4 & -4 \end{bmatrix} \quad (10)$$

$$6. \quad A = \begin{bmatrix} -10 & 0 & -10 \\ -1 & -10 & -6 \\ -4 & -2 & 7 \end{bmatrix} \quad (11)$$

and

$$B = \begin{bmatrix} -3 & 4 & -1 \\ -4 & -8 & 6 \\ 0 & -1 & -10 \end{bmatrix} \quad (12)$$

7.

$$A = \begin{bmatrix} -9 & 8 & 6 \\ -7 & -2 & 1 \\ 9 & 8 & 1 \end{bmatrix} \quad (13)$$

and

$$B = \begin{bmatrix} 1 & 6 & -7 \\ -5 & 6 & -3 \\ -7 & -8 & -8 \end{bmatrix} \quad (14)$$

8.

$$A = \begin{bmatrix} 6 & -5 & -5 \\ -10 & 6 & -8 \\ 5 & -2 & -10 \end{bmatrix} \quad (15)$$

and

$$B = \begin{bmatrix} 7 & -6 & 5 \\ -10 & 0 & 2 \\ 4 & 6 & 7 \end{bmatrix} \quad (16)$$

9.

$$A = \begin{bmatrix} 1 & -10 & 8 \\ 1 & 4 & -3 \\ 3 & 6 & -2 \end{bmatrix} \quad (17)$$

and

$$B = \begin{bmatrix} -8 & -2 & 6 \\ -2 & -7 & 0 \\ 9 & -10 & -1 \end{bmatrix} \quad (18)$$

10.

$$A = \begin{bmatrix} 5 & -6 & -8 \\ 0 & -9 & -5 \\ -10 & -3 & 5 \end{bmatrix} \quad (19)$$

and

$$B = \begin{bmatrix} -2 & -4 & 6 \\ 8 & -6 & 0 \\ 5 & -3 & -4 \end{bmatrix} \quad (20)$$

### 1.2.2. Subtraction

Find the difference of the following matrices  $A$  and  $B$

$$1. \quad A = \begin{bmatrix} -10 & 7 & 0 \\ 1 & -2 & -4 \\ -8 & 6 & 0 \end{bmatrix} \quad (21)$$

and

$$B = \begin{bmatrix} 6 & -9 & -10 \\ -8 & -10 & 3 \\ 0 & -2 & 3 \end{bmatrix} \quad (22)$$

$$2. \quad A = \begin{bmatrix} -6 & 3 & -10 \\ 6 & -4 & -9 \\ -7 & 5 & -10 \end{bmatrix} \quad (23)$$

and

$$B = \begin{bmatrix} -10 & 5 & -4 \\ 0 & -5 & 3 \\ 4 & -3 & -2 \end{bmatrix} \quad (24)$$

$$3. \quad A = \begin{bmatrix} 2 & -1 & 9 \\ -10 & -5 & -2 \\ -5 & 4 & 1 \end{bmatrix} \quad (25)$$

and

$$B = \begin{bmatrix} -5 & -7 & -1 \\ -4 & -4 & -7 \\ 7 & 2 & 8 \end{bmatrix} \quad (26)$$

$$4. \quad A = \begin{bmatrix} -6 & -9 & 9 \\ -6 & 9 & 0 \\ -8 & -10 & -8 \end{bmatrix} \quad (27)$$

and

$$B = \begin{bmatrix} 1 & 3 & 7 \\ 3 & -3 & 6 \\ 3 & -1 & 9 \end{bmatrix} \quad (28)$$

$$5. \quad A = \begin{bmatrix} -4 & -7 & 0 \\ -9 & -10 & -2 \\ -1 & 3 & 9 \end{bmatrix} \quad (29)$$

and

$$B = \begin{bmatrix} -4 & 9 & -10 \\ -9 & 5 & -2 \\ -5 & -3 & -4 \end{bmatrix} \quad (30)$$

$$6. \quad A = \begin{bmatrix} -3 & -1 & -9 \\ 8 & 4 & 1 \\ 3 & -4 & 7 \end{bmatrix} \quad (31)$$

and

$$B = \begin{bmatrix} 1 & 5 & -2 \\ -6 & -1 & -6 \\ -6 & 2 & 3 \end{bmatrix} \quad (32)$$

7.

$$A = \begin{bmatrix} -7 & -3 & 0 \\ -6 & -1 & -4 \\ 0 & 3 & 4 \end{bmatrix} \quad (33)$$

and

$$B = \begin{bmatrix} 4 & -2 & 7 \\ 9 & 7 & -3 \\ 6 & -10 & -4 \end{bmatrix} \quad (34)$$

8.

$$A = \begin{bmatrix} 1 & 2 & -1 \\ -9 & -10 & 1 \\ -10 & 4 & 8 \end{bmatrix} \quad (35)$$

and

$$B = \begin{bmatrix} -8 & 9 & 2 \\ 1 & 5 & 3 \\ -9 & 4 & -2 \end{bmatrix} \quad (36)$$

9.

$$A = \begin{bmatrix} 7 & -3 & -8 \\ 4 & -3 & 6 \\ -4 & -8 & -3 \end{bmatrix} \quad (37)$$

and

$$B = \begin{bmatrix} 0 & -5 & 8 \\ 2 & -3 & -7 \\ 6 & -9 & -1 \end{bmatrix} \quad (38)$$

10.

$$A = \begin{bmatrix} -8 & -6 & 1 \\ -3 & 6 & -4 \\ 9 & 8 & 3 \end{bmatrix} \quad (39)$$

and

$$B = \begin{bmatrix} 1 & 2 & -1 \\ -7 & 8 & 7 \\ -7 & 2 & -7 \end{bmatrix} \quad (40)$$

### 1.2.3. Multiplication

Find the product of the following matrices  $A$  and  $B$

$$1. \quad A = \begin{bmatrix} -7 & -8 & -10 \\ 7 & -5 & 4 \\ 9 & -2 & 4 \end{bmatrix} \quad (41)$$

and

$$B = \begin{bmatrix} -7 & -5 & -5 \\ -3 & -7 & 8 \\ -6 & -6 & 9 \end{bmatrix} \quad (42)$$

$$2. \quad A = \begin{bmatrix} 4 & 3 & -7 \\ 9 & -8 & 6 \\ 6 & -6 & 2 \end{bmatrix} \quad (43)$$

and

$$B = \begin{bmatrix} -3 & 5 & 2 \\ -2 & -4 & -5 \\ 7 & -6 & 7 \end{bmatrix} \quad (44)$$

$$3. \quad A = \begin{bmatrix} 6 & 8 & 3 \\ 2 & 6 & 4 \\ 1 & -1 & -8 \end{bmatrix} \quad (45)$$

and

$$B = \begin{bmatrix} 5 & -7 & -1 \\ -8 & 0 & 5 \\ 8 & -10 & 0 \end{bmatrix} \quad (46)$$

$$4. \quad A = \begin{bmatrix} -1 & 9 & 8 \\ 9 & -8 & -1 \\ -6 & -7 & 0 \end{bmatrix} \quad (47)$$

and

$$B = \begin{bmatrix} -1 & -2 & -7 \\ 8 & -6 & 1 \\ 1 & 9 & -9 \end{bmatrix} \quad (48)$$

$$5. \quad A = \begin{bmatrix} -9 & -1 & 0 \\ -2 & 8 & 6 \\ 1 & 9 & 7 \end{bmatrix} \quad (49)$$

and

$$B = \begin{bmatrix} 3 & 6 & -7 \\ 6 & -2 & -2 \\ -7 & -1 & -6 \end{bmatrix} \quad (50)$$

$$6. \quad A = \begin{bmatrix} -4 & -8 & 2 \\ -9 & 6 & -2 \\ 7 & 5 & -1 \end{bmatrix} \quad (51)$$



and

$$B = \begin{bmatrix} -1 & -6 & 8 \\ -3 & -9 & -10 \\ 9 & 3 & -5 \end{bmatrix} \quad (52)$$

7.

$$A = \begin{bmatrix} 5 & 4 & -9 \\ 6 & -9 & 7 \\ 6 & -3 & -4 \end{bmatrix} \quad (53)$$

and

$$B = \begin{bmatrix} -3 & 0 & 4 \\ 1 & -4 & -3 \\ 4 & -3 & -9 \end{bmatrix} \quad (54)$$

8.

$$A = \begin{bmatrix} 8 & 1 & -1 \\ -4 & -9 & -3 \\ -9 & -1 & 5 \end{bmatrix} \quad (55)$$

and

$$B = \begin{bmatrix} 8 & -9 & -10 \\ 1 & -9 & -2 \\ -5 & 3 & 7 \end{bmatrix} \quad (56)$$

9.

$$A = \begin{bmatrix} -9 & -6 & -8 \\ -4 & -9 & 6 \\ 7 & -2 & 7 \end{bmatrix} \quad (57)$$

and

$$B = \begin{bmatrix} 7 & -8 & -6 \\ 5 & -2 & -7 \\ 3 & -6 & -6 \end{bmatrix} \quad (58)$$

10.

$$A = \begin{bmatrix} -5 & 9 & 6 \\ -2 & -7 & -6 \\ -4 & -4 & 9 \end{bmatrix} \quad (59)$$

and

$$B = \begin{bmatrix} -9 & 3 & 7 \\ 0 & 1 & -3 \\ 7 & 5 & -7 \end{bmatrix} \quad (60)$$

## 1.3. Matrix Properties

### 1.3.1. Properties

For each matrix  $A$ , find:

a)  $\text{rank}(A)$

- b) nullity( $A$ )
- c)  $\det(A)$
- d)  $A^{-1}$  (if exists)
- e) basis of  $\ker(A)$

1. 
$$A = \begin{bmatrix} 2 & 0 & 4 \\ 6 & 1 & 11 \\ -1 & 0 & -2 \end{bmatrix} \quad (61)$$

2. 
$$A = \begin{bmatrix} 2 & -1 & -1 \\ -1 & 1 & 0 \\ -1 & 1 & 1 \end{bmatrix} \quad (62)$$

3. 
$$A = \begin{bmatrix} 1 & 0 & 2 \\ 0 & 1 & -2 \\ -1 & -2 & 2 \end{bmatrix} \quad (63)$$

4. 
$$A = \begin{bmatrix} 5 & 0 & 0 \\ 4 & 1 & -1 \\ 2 & 0 & 0 \end{bmatrix} \quad (64)$$

5. 
$$A = \begin{bmatrix} 1 & 1 & -2 \\ 2 & 3 & -5 \\ 1 & -1 & 1 \end{bmatrix} \quad (65)$$

6. 
$$A = \begin{bmatrix} 1 & 1 & 2 \\ 0 & 1 & 1 \\ 0 & 0 & 0 \end{bmatrix} \quad (66)$$

7. 
$$A = \begin{bmatrix} 1 & 3 & 4 \\ 0 & 1 & 1 \\ 0 & 0 & 1 \end{bmatrix} \quad (67)$$

8. 
$$A = \begin{bmatrix} 1 & 0 & -8 \\ -1 & -1 & 4 \\ 0 & 1 & 3 \end{bmatrix} \quad (68)$$

9. 
$$A = \begin{bmatrix} 1 & 1 & 2 \\ 0 & 1 & 1 \\ 0 & -1 & 0 \end{bmatrix} \quad (69)$$

10. 
$$A = \begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & 1 \\ 0 & -1 & 0 \end{bmatrix} \quad (70)$$

### 1.3.2. RREF

Find the Reduced Row Echelon Form of the following matrix  $A$

1. 
$$A = \begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & -1 \\ 0 & 0 & 0 \end{bmatrix} \quad (71)$$

$$2. \quad A = \begin{bmatrix} 1 & 0 & -2 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix} \quad (72)$$

$$3. \quad A = \begin{bmatrix} 2 & 4 & -1 \\ 0 & 1 & 2 \\ -1 & -2 & 1 \end{bmatrix} \quad (73)$$

$$4. \quad A = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix} \quad (74)$$

$$5. \quad A = \begin{bmatrix} 1 & -1 & 2 \\ 0 & 1 & 0 \\ -1 & -1 & -2 \end{bmatrix} \quad (75)$$

$$6. \quad A = \begin{bmatrix} 1 & 0 & 1 \\ -1 & 1 & -2 \\ 0 & 0 & 1 \end{bmatrix} \quad (76)$$

$$7. \quad A = \begin{bmatrix} 1 & 0 & 0 \\ 1 & 1 & 0 \\ -1 & 0 & 0 \end{bmatrix} \quad (77)$$

$$8. \quad A = \begin{bmatrix} 1 & 2 & -1 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \quad (78)$$

$$9. \quad A = \begin{bmatrix} 1 & 1 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix} \quad (79)$$

$$10. \quad A = \begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & 0 \\ 2 & 0 & 0 \end{bmatrix} \quad (80)$$

## 1.4. Calculus

### 1.4.1. Limit

Calculate the following limits

1. Calculate the limit of the following expression:

$$\lim_{x \rightarrow 0} \frac{\log(x+1)}{x} \quad (81)$$

2. Calculate the limit of the following expression:

$$\lim_{x \rightarrow 0} \frac{\log(x+1)}{x} \quad (82)$$

3. Calculate the limit of the following expression:

$$\lim_{x \rightarrow 2} 3x^3 + 5x^2 + 2x - 3 \quad (83)$$

4. Calculate the limit of the following expression:

$$\lim_{x \rightarrow 1} \frac{x^2 - 1}{x - 1} \quad (84)$$

5. Calculate the limit of the following expression:

$$\lim_{x \rightarrow \infty} \left(1 + \frac{1}{x}\right)^x \quad (85)$$

6. Calculate the limit of the following expression:

$$\lim_{x \rightarrow -3} -2x^3 - 5x^2 - 3x - 4 \quad (86)$$

7. Calculate the limit of the following expression:

$$\lim_{x \rightarrow 0} \frac{\log(x + 1)}{x} \quad (87)$$

8. Calculate the limit of the following expression:

$$\lim_{x \rightarrow 0} \frac{\log(x + 1)}{x} \quad (88)$$

9. Calculate the limit of the following expression:

$$\lim_{x \rightarrow -3} 3 \quad (89)$$

10. Calculate the limit of the following expression:

$$\lim_{x \rightarrow 0} \frac{\log(x + 1)}{x} \quad (90)$$

### 1.4.2. Derivative

Calculate the derivatives of the following expressions

1. Calculate the derivative of the following expression:

$$e^{x^2-1} \quad (91)$$

2. Calculate the derivative of the following expression:

$$x^3 e^x \quad (92)$$

3. Calculate the derivative of the following expression:

$$\frac{x}{x^2 + 1} \quad (93)$$

4. Calculate the derivative of the following expression:

$$x^4 \quad (94)$$

5. Calculate the derivative of the following expression:

$$\frac{x}{x^2 + 1} \quad (95)$$

6. Calculate the derivative of the following expression:

$$x^2 \quad (96)$$

7. Calculate the derivative of the following expression:

$$x^3 \log(x) \quad (97)$$

8. Calculate the derivative of the following expression:

$$\frac{x^2}{x^2 + 1} \quad (98)$$

9. Calculate the derivative of the following expression:

$$\log(x) \quad (99)$$

10. Calculate the derivative of the following expression:

$$e^{2x} + e^{x^2} \quad (100)$$

### 1.4.3. Integral

Calculate the indefinite and definite integrals of the following expressions

1. the indefinite integral and evaluate from 4 to 5:

$$\int x^2 e^x dx \quad (101)$$

2. Evaluate the improper integral:

$$\int_1^{\infty} \frac{1}{x^2} dx \quad (102)$$

3. the indefinite integral and evaluate from 3 to 4:

$$\int e^x \sin(x) dx \quad (103)$$

4. Evaluate the improper integral:

$$\int_1^{\infty} e^{-x} dx \quad (104)$$

5. Evaluate the improper integral:

$$\int_1^{\infty} \frac{1}{x^2} dx \quad (105)$$

6. Evaluate the improper integral:

$$\int_1^{\infty} e^{-x} dx \quad (106)$$

7. the indefinite integral and evaluate from 1 to 1:

$$\int \frac{x}{x^2 - 5x + 6} dx \quad (107)$$

8. the indefinite integral and evaluate from 2 to 3:

$$\int \frac{\sin(x)}{x} dx \quad (108)$$

9. the indefinite integral and evaluate from 2 to 5:

$$\int \frac{1}{x \log(x)} dx \quad (109)$$

10. the indefinite integral and evaluate from 3 to 5:

$$\int \frac{1}{(x-2)(x+1)} dx \quad (110)$$

#### 1.4.4. Partial Derivative

Calculate the partial derivatives of the following expressions

1. the mixed partial derivative of:

$$f(x, y) = x^3 y^2 + x y^4 \quad (111)$$

$$\frac{\partial^2 f}{\partial x \partial y}$$

2. the mixed partial derivative of:

$$f(x, y) = x^3 y^2 + x y^4 \quad (112)$$

$$\frac{\partial^2 f}{\partial x \partial y}$$

3. the mixed partial derivative of:

$$f(x, y) = x^3 y^2 + x y^4 \quad (113)$$

$$\frac{\partial^2 f}{\partial x \partial y}$$

4. Given  $u = u(x, y)$  and  $v = v(x, y)$ , use the chain rule to find:

$$\frac{\partial f}{\partial x} \quad (114)$$

where  $f = f(u, v)$

5. the third order partial derivative of:

$$f(x, y) = x^4 y^3 + 3x^2 y^4 \quad (115)$$

$$\frac{\partial^3 f}{\partial y^3}$$

6. the mixed partial derivative of:

$$f(x, y) = x^3 y^2 + x y^4 \quad (116)$$

$$\frac{\partial^2 f}{\partial x \partial y}$$

7. the third order partial derivative of:

$$f(x, y) = x^4 y^3 + 3x^2 y^4 \quad (117)$$

$$\frac{\partial^3 f}{\partial y^3}$$

8. the partial derivatives of the function:

$$f(x, y) = (x + y)e^{x^2 + y^2} \quad (118)$$

$$\frac{\partial f}{\partial x} \text{ and } \frac{\partial f}{\partial y}$$

9. the partial derivatives of the function:

$$f(x, y) = (x + y)e^{x^2 + y^2} \quad (119)$$

$$\frac{\partial f}{\partial x} \text{ and } \frac{\partial f}{\partial y}$$

10. the mixed partial derivative of:

$$f(x, y) = x^3 y^2 + x y^4 \quad (120)$$

$$\frac{\partial^2 f}{\partial x \partial y}$$

## 2. Solutions

### 2.1. Vector Arithmetic

#### 2.1.1. Addition

$$\begin{bmatrix} 1 \\ 10 \\ -3 \end{bmatrix} + \begin{bmatrix} -10 \\ 8 \\ -9 \end{bmatrix} + \begin{bmatrix} -9 \\ 5 \\ 4 \end{bmatrix} + \begin{bmatrix} 10 \\ 2 \\ 1 \end{bmatrix} + \begin{bmatrix} -10 \\ -4 \\ 5 \end{bmatrix}$$

$$\begin{bmatrix} 11 \\ -8 \\ 14 \end{bmatrix} + \begin{bmatrix} 2 \\ -11 \\ -1 \end{bmatrix} + \begin{bmatrix} 9 \\ 5 \\ 5 \end{bmatrix} + \begin{bmatrix} -1 \\ -8 \\ -4 \end{bmatrix} + \begin{bmatrix} 4 \\ 3 \\ -14 \end{bmatrix}$$

#### 2.1.2. Subtraction

$$\begin{bmatrix} 1 \\ 9 \\ -10 \end{bmatrix} - \begin{bmatrix} 4 \\ 3 \\ -1 \end{bmatrix} - \begin{bmatrix} -8 \\ 8 \\ 2 \end{bmatrix} - \begin{bmatrix} 9 \\ -5 \\ -3 \end{bmatrix} - \begin{bmatrix} -5 \\ 14 \\ 5 \end{bmatrix}$$

$$\begin{bmatrix} 6 \\ -3 \\ -11 \end{bmatrix} - \begin{bmatrix} 9 \\ -1 \\ -2 \end{bmatrix} - \begin{bmatrix} -11 \\ -16 \\ 2 \end{bmatrix} - \begin{bmatrix} 0 \\ 0 \\ -16 \end{bmatrix} - \begin{bmatrix} -7 \\ 4 \\ -10 \end{bmatrix}$$

#### 2.1.3. Scalar Multiplication

$$1: \begin{bmatrix} 18 \\ 16 \\ 8 \end{bmatrix} \quad 2: \begin{bmatrix} -63 \\ 42 \\ 42 \end{bmatrix} \quad 3: \begin{bmatrix} 63 \\ 35 \\ 21 \end{bmatrix} \quad 4: \begin{bmatrix} 25 \\ -25 \\ 10 \end{bmatrix} \quad 5: \begin{bmatrix} 72 \\ 16 \\ 80 \end{bmatrix}$$

$$6: \begin{bmatrix} 28 \\ 56 \\ -7 \end{bmatrix} \quad 7: \begin{bmatrix} 90 \\ -54 \\ 63 \end{bmatrix} \quad 8: \begin{bmatrix} 45 \\ 0 \\ -9 \end{bmatrix} \quad 9: \begin{bmatrix} 36 \\ 40 \\ 4 \end{bmatrix} \quad 10: \begin{bmatrix} -5 \\ -45 \\ -40 \end{bmatrix}$$

## 2.2. Matrix Arithmetic

### 2.2.1. Addition

1:

$$\begin{bmatrix} -13 & -9 & -1 \\ -6 & 10 & -7 \\ -16 & 0 & -8 \end{bmatrix} \quad (121)$$

1:

$$\begin{bmatrix} -6 & -3 & 6 \\ -3 & -14 & 0 \\ -3 & -4 & 10 \end{bmatrix} \quad (122)$$

1:

$$\begin{bmatrix} -5 & 9 & -6 \\ -4 & 12 & -5 \\ -3 & -2 & 7 \end{bmatrix} \quad (123)$$

1:

$$\begin{bmatrix} -5 & 6 & 5 \\ 8 & -5 & 10 \\ -2 & -15 & 7 \end{bmatrix} \quad (124)$$



1:

$$\begin{bmatrix} 7 & -6 & 10 \\ 10 & -3 & 0 \\ 7 & -1 & 3 \end{bmatrix} \quad (125)$$

1:

$$\begin{bmatrix} -13 & 4 & -11 \\ -5 & -18 & 0 \\ -4 & -3 & -3 \end{bmatrix} \quad (126)$$

1:

$$\begin{bmatrix} -8 & 14 & -1 \\ -12 & 4 & -2 \\ 2 & 0 & -7 \end{bmatrix} \quad (127)$$

1:

$$\begin{bmatrix} 13 & -11 & 0 \\ -20 & 6 & -6 \\ 9 & 4 & -3 \end{bmatrix} \quad (128)$$

1:

$$\begin{bmatrix} -7 & -12 & 14 \\ -1 & -3 & -3 \\ 12 & -4 & -3 \end{bmatrix} \quad (129)$$

1:

$$\begin{bmatrix} 3 & -10 & -2 \\ 8 & -15 & -5 \\ -5 & -6 & 1 \end{bmatrix} \quad (130)$$

### 2.2.2. Subtraction

1:

$$\begin{bmatrix} -16 & 16 & 10 \\ 9 & 8 & -7 \\ -8 & 8 & -3 \end{bmatrix} \quad (131)$$

1:

$$\begin{bmatrix} 4 & -2 & -6 \\ 6 & 1 & -12 \\ -11 & 8 & -8 \end{bmatrix} \quad (132)$$

1:

$$\begin{bmatrix} 7 & 6 & 10 \\ -6 & -1 & 5 \\ -12 & 2 & -7 \end{bmatrix} \quad (133)$$

1:

$$\begin{bmatrix} -7 & -12 & 2 \\ -9 & 12 & -6 \\ -11 & -9 & -17 \end{bmatrix} \quad (134)$$

1:

$$\begin{bmatrix} 0 & -16 & 10 \\ 0 & -15 & 0 \\ 4 & 6 & 13 \end{bmatrix} \quad (135)$$

1:

$$\begin{bmatrix} -4 & -6 & -7 \\ 14 & 5 & 7 \\ 9 & -6 & 4 \end{bmatrix} \quad (136)$$

1:

$$\begin{bmatrix} -11 & -1 & -7 \\ -15 & -8 & -1 \\ -6 & 13 & 8 \end{bmatrix} \quad (137)$$

1:

$$\begin{bmatrix} 9 & -7 & -3 \\ -10 & -15 & -2 \\ -1 & 0 & 10 \end{bmatrix} \quad (138)$$

1:

$$\begin{bmatrix} 7 & 2 & -16 \\ 2 & 0 & 13 \\ -10 & 1 & -2 \end{bmatrix} \quad (139)$$

1:

$$\begin{bmatrix} -9 & -8 & 2 \\ 4 & -2 & -11 \\ 16 & 6 & 10 \end{bmatrix} \quad (140)$$

### 2.2.3. Multiplication

1:

$$\begin{bmatrix} 133 & 151 & -119 \\ -58 & -24 & -39 \\ -81 & -55 & -25 \end{bmatrix} \quad (141)$$

1:

$$\begin{bmatrix} -67 & 50 & -56 \\ 31 & 41 & 100 \\ 8 & 42 & 56 \end{bmatrix} \quad (142)$$

1:

$$\begin{bmatrix} -10 & -72 & 34 \\ -6 & -54 & 28 \\ -51 & 73 & -6 \end{bmatrix} \quad (143)$$

1:

$$\begin{bmatrix} 81 & 20 & -56 \\ -74 & 21 & -62 \\ -50 & 54 & 35 \end{bmatrix} \quad (144)$$

1:

$$\begin{bmatrix} -33 & -52 & 65 \\ 0 & -34 & -38 \\ 8 & -19 & -67 \end{bmatrix} \quad (145)$$

1:

$$\begin{bmatrix} 46 & 102 & 38 \\ -27 & -6 & -122 \\ -31 & -90 & 11 \end{bmatrix} \quad (146)$$

1:

$$\begin{bmatrix} -47 & 11 & 89 \\ 1 & 15 & -12 \\ -37 & 24 & 69 \end{bmatrix} \quad (147)$$

1:

$$\begin{bmatrix} 70 & -84 & -89 \\ -26 & 108 & 37 \\ -98 & 105 & 127 \end{bmatrix} \quad (148)$$

1:

$$\begin{bmatrix} -117 & 132 & 144 \\ -55 & 14 & 51 \\ 60 & -94 & -70 \end{bmatrix} \quad (149)$$

1:

$$\begin{bmatrix} 87 & 24 & -104 \\ -24 & -43 & 49 \\ 99 & 29 & -79 \end{bmatrix} \quad (150)$$

## 2.3. Matrix Properties

### 2.3.1. Properties

#### Solution

#### Row Operations:

$$\text{Step 1: } r_1 := 1/2r_1 \begin{bmatrix} 1 & 0 & 2 & | & 1/2 & 0 & 0 \\ 6 & 1 & 11 & | & 0 & 1 & 0 \\ -1 & 0 & -2 & | & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 2: } r_2 := r_2 - (6)r_1 \begin{bmatrix} 1 & 0 & 2 & | & 1/2 & 0 & 0 \\ 0 & 1 & -1 & | & -3 & 1 & 0 \\ -1 & 0 & -2 & | & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 3: } r_3 := r_3 - (-1)r_1 \begin{bmatrix} 1 & 0 & 2 & | & 1/2 & 0 & 0 \\ 0 & 1 & -1 & | & -3 & 1 & 0 \\ 0 & 0 & 0 & | & 1/2 & 0 & 1 \end{bmatrix}$$

#### Results:

a)  $\text{rank}(A) = 2$

b)  $\text{nullity}(A) = 1$

c)  $\det(A) = 0$

d)  $A^{-1}$  = does not exist

e)  $\ker(A) = \text{span} \left\{ \begin{bmatrix} -2 \\ 1 \\ 1 \end{bmatrix} \right\}$

#### Solution

#### Row Operations:

$$\text{Step 1: } r_1 := 1/2r_1 \begin{bmatrix} 1 & -1/2 & -1/2 & | & 1/2 & 0 & 0 \\ -1 & 1 & 0 & | & 0 & 1 & 0 \\ -1 & 1 & 1 & | & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 2: } r_2 := r_2 - (-1)r_1 \begin{bmatrix} 1 & -1/2 & -1/2 & | & 1/2 & 0 & 0 \\ 0 & 1/2 & -1/2 & | & 1/2 & 1 & 0 \\ -1 & 1 & 1 & | & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 3: } r_3 := r_3 - (-1)r_1 \begin{bmatrix} 1 & -1/2 & -1/2 & | & 1/2 & 0 & 0 \\ 0 & 1/2 & -1/2 & | & 1/2 & 1 & 0 \\ 0 & 1/2 & 1/2 & | & 1/2 & 0 & 1 \end{bmatrix}$$

$$\text{Step 4: } r_2 := 2r_2 \begin{bmatrix} 1 & -1/2 & -1/2 & | & 1/2 & 0 & 0 \\ 0 & 1 & -1 & | & 1 & 2 & 0 \\ 0 & 1/2 & 1/2 & | & 1/2 & 0 & 1 \end{bmatrix}$$

$$\text{Step 5: } r_1 := r_1 - (-1/2)r_2 \begin{bmatrix} 1 & 0 & -1 & | & 1 & 1 & 0 \\ 0 & 1 & -1 & | & 1 & 2 & 0 \\ 0 & 1/2 & 1/2 & | & 1/2 & 0 & 1 \end{bmatrix}$$

$$\text{Step 6: } r_3 := r_3 - (1/2)r_2 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & -1 & 1 & 1 & 0 \\ 0 & 1 & -1 & 1 & 2 & 0 \\ 0 & 0 & 1 & 0 & -1 & 1 \end{array} \right]$$

$$\text{Step 7: } r_1 := r_1 - (-1)r_3 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & 0 & 1 & 0 & 1 \\ 0 & 1 & -1 & 1 & 2 & 0 \\ 0 & 0 & 1 & 0 & -1 & 1 \end{array} \right]$$

$$\text{Step 8: } r_2 := r_2 - (-1)r_3 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & 0 & 1 & 0 & 1 \\ 0 & 1 & 0 & 1 & 1 & 1 \\ 0 & 0 & 1 & 0 & -1 & 1 \end{array} \right]$$

### Results:

a)  $\text{rank}(A) = 3$

b)  $\text{nullity}(A) = 0$

c)  $\det(A) = 0$

d)  $A^{-1} = \begin{bmatrix} 1 & 1 & 0 \\ 1 & 2 & 0 \\ 0 & -1 & 1 \end{bmatrix}$

e)  $\ker(A) = \{\mathbf{0}\}$

### Solution

#### Row Operations:

$$\text{Step 1: } r_3 := r_3 - (-1)r_1 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & 2 & 1 & 0 & 0 \\ 0 & 1 & -2 & 0 & 1 & 0 \\ 0 & -2 & 4 & 1 & 0 & 1 \end{array} \right]$$

$$\text{Step 2: } r_3 := r_3 - (-2)r_2 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & 2 & 1 & 0 & 0 \\ 0 & 1 & -2 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 & 2 & 1 \end{array} \right]$$

### Results:

a)  $\text{rank}(A) = 2$

b)  $\text{nullity}(A) = 1$

c)  $\det(A) = 0$

d)  $A^{-1} = \text{does not exist}$

e)  $\ker(A) = \text{span} \left\{ \begin{bmatrix} 2 \\ 2 \\ 1 \end{bmatrix} \right\}$

### Solution

#### Row Operations:

$$\text{Step 1: } r_1 := 1/5r_1 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & 0 & 1/5 & 0 & 0 \\ 4 & 1 & -1 & 0 & 1 & 0 \\ 2 & 0 & 0 & 0 & 0 & 1 \end{array} \right]$$

$$\text{Step 2: } r_2 := r_2 - (4)r_1 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & 0 & 1/5 & 0 & 0 \\ 0 & 1 & -1 & -4/5 & 1 & 0 \\ 2 & 0 & 0 & 0 & 0 & 1 \end{array} \right]$$

$$\text{Step 3: } r_3 := r_3 - (2)r_1 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & 0 & 1/5 & 0 & 0 \\ 0 & 1 & -1 & -4/5 & 1 & 0 \\ 0 & 0 & 0 & -2/5 & 0 & 1 \end{array} \right]$$

**Results:**

a)  $\text{rank}(A) = 2$

b)  $\text{nullity}(A) = 1$

c)  $\det(A) = -44800$

d)  $A^{-1}$  = does not exist

e)  $\ker(A) = \text{span} \left\{ \begin{bmatrix} 2 \\ 1 \\ 1 \end{bmatrix} \right\}$

**Solution**

**Row Operations:**

$$\text{Step 1: } r_2 := r_2 - (2)r_1 \quad \left[ \begin{array}{ccc|ccc} 1 & 1 & -2 & 1 & 0 & 0 \\ 0 & 1 & -1 & -2 & 1 & 0 \\ 1 & -1 & 1 & 0 & 0 & 1 \end{array} \right]$$

$$\text{Step 2: } r_3 := r_3 - r_1 \quad \left[ \begin{array}{ccc|ccc} 1 & 1 & -2 & 1 & 0 & 0 \\ 0 & 1 & -1 & -2 & 1 & 0 \\ 0 & -2 & 3 & -1 & 0 & 1 \end{array} \right]$$

$$\text{Step 3: } r_1 := r_1 - r_2 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & -1 & 3 & -1 & 0 \\ 0 & 1 & -1 & -2 & 1 & 0 \\ 0 & -2 & 3 & -1 & 0 & 1 \end{array} \right]$$

$$\text{Step 4: } r_3 := r_3 - (-2)r_2 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & -1 & 3 & -1 & 0 \\ 0 & 1 & -1 & -2 & 1 & 0 \\ 0 & 0 & 1 & -5 & 2 & 1 \end{array} \right]$$

$$\text{Step 5: } r_1 := r_1 - (-1)r_3 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & 0 & -2 & 1 & 1 \\ 0 & 1 & -1 & -2 & 1 & 0 \\ 0 & 0 & 1 & -5 & 2 & 1 \end{array} \right]$$

$$\text{Step 6: } r_2 := r_2 - (-1)r_3 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & 0 & -2 & 1 & 1 \\ 0 & 1 & 0 & -7 & 3 & 1 \\ 0 & 0 & 1 & -5 & 2 & 1 \end{array} \right]$$

**Results:**

a)  $\text{rank}(A) = 3$

b)  $\text{nullity}(A) = 0$

c)  $\det(A) = 0$

d)  $A^{-1} = \begin{bmatrix} 3 & -1 & 0 \\ -2 & 1 & 0 \\ -5 & 2 & 1 \end{bmatrix}$

e)  $\ker(A) = \{\mathbf{0}\}$

**Solution**

**Row Operations:**

$$\text{Step 1: } r_1 := r_1 - r_2 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & 1 & 1 & -1 & 0 \\ 0 & 1 & 1 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \end{array} \right]$$

**Results:**

a)  $\text{rank}(A) = 2$

b)  $\text{nullity}(A) = 1$

c)  $\det(A) = 0$

d)  $A^{-1}$  = does not exist

e)  $\ker(A) = \text{span} \left\{ \begin{bmatrix} -2 \\ -1 \\ 1 \end{bmatrix} \right\}$

**Solution**

**Row Operations:**

$$\text{Step 1: } r_1 := r_1 - (3)r_2 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & 1 & 1 & -3 & 0 \\ 0 & 1 & 1 & 0 & 1 & 0 \\ 0 & 0 & 1 & 0 & 0 & 1 \end{array} \right]$$

$$\text{Step 2: } r_1 := r_1 - r_3 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & 0 & 1 & -3 & -1 \\ 0 & 1 & 1 & 0 & 1 & 0 \\ 0 & 0 & 1 & 0 & 0 & 1 \end{array} \right]$$

$$\text{Step 3: } r_2 := r_2 - r_3 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & 0 & 1 & -3 & -1 \\ 0 & 1 & 0 & 0 & 1 & -1 \\ 0 & 0 & 1 & 0 & 0 & 1 \end{array} \right]$$

**Results:**

a)  $\text{rank}(A) = 3$

b)  $\text{nullity}(A) = 0$

c)  $\det(A) = 0$

d)  $A^{-1} = \begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & 1 \\ 0 & 0 & 1 \end{bmatrix}$

e)  $\ker(A) = \{\mathbf{0}\}$

**Solution**

**Row Operations:**

$$\text{Step 1: } r_2 := r_2 - (-1)r_1 \quad \left[ \begin{array}{ccc|cccc} 1 & 0 & -8 & 1 & 0 & 0 \\ 0 & -1 & -4 & 1 & 1 & 0 \\ 0 & 1 & 3 & 0 & 0 & 1 \end{array} \right]$$

$$\text{Step 2: } r_2 := -1r_2 \quad \left[ \begin{array}{ccc|cccc} 1 & 0 & -8 & 1 & 0 & 0 \\ 0 & 1 & 4 & -1 & -1 & 0 \\ 0 & 1 & 3 & 0 & 0 & 1 \end{array} \right]$$

$$\text{Step 3: } r_3 := r_3 - r_2 \quad \left[ \begin{array}{ccc|cccc} 1 & 0 & -8 & 1 & 0 & 0 \\ 0 & 1 & 4 & -1 & -1 & 0 \\ 0 & 0 & -1 & 1 & 1 & 1 \end{array} \right]$$

$$\text{Step 4: } r_3 := -1r_3 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & -8 & 1 & 0 & 0 \\ 0 & 1 & 4 & -1 & -1 & 0 \\ 0 & 0 & 1 & -1 & -1 & -1 \end{array} \right]$$

$$\text{Step 5: } r_1 := r_1 - (-8)r_3 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & 0 & -7 & -8 & -8 \\ 0 & 1 & 4 & -1 & -1 & 0 \\ 0 & 0 & 1 & -1 & -1 & -1 \end{array} \right]$$

$$\text{Step 6: } r_2 := r_2 - (4)r_3 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & 0 & -7 & -8 & -8 \\ 0 & 1 & 0 & 3 & 3 & 4 \\ 0 & 0 & 1 & -1 & -1 & -1 \end{array} \right]$$

### Results:

a)  $\text{rank}(A) = 3$

b)  $\text{nullity}(A) = 0$

c)  $\det(A) = 0$

d)  $A^{-1} = \begin{bmatrix} 1 & 0 & 2 \\ 1 & 1 & 2 \\ -1 & -1 & -1 \end{bmatrix}$

e)  $\ker(A) = \{\mathbf{0}\}$

### Solution

#### Row Operations:

$$\text{Step 1: } r_1 := r_1 - r_2 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & 1 & 1 & -1 & 0 \\ 0 & 1 & 1 & 0 & 1 & 0 \\ 0 & -1 & 0 & 0 & 0 & 1 \end{array} \right]$$

$$\text{Step 2: } r_3 := r_3 - (-1)r_2 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & 1 & 1 & -1 & 0 \\ 0 & 1 & 1 & 0 & 1 & 0 \\ 0 & 0 & 1 & 0 & 1 & 1 \end{array} \right]$$

$$\text{Step 3: } r_1 := r_1 - r_3 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & 0 & 1 & -2 & -1 \\ 0 & 1 & 1 & 0 & 1 & 0 \\ 0 & 0 & 1 & 0 & 1 & 1 \end{array} \right]$$

$$\text{Step 4: } r_2 := r_2 - r_3 \quad \left[ \begin{array}{ccc|ccc} 1 & 0 & 0 & 1 & -2 & -1 \\ 0 & 1 & 0 & 0 & 0 & -1 \\ 0 & 0 & 1 & 0 & 1 & 1 \end{array} \right]$$

### Results:

a)  $\text{rank}(A) = 3$

b)  $\text{nullity}(A) = 0$

c)  $\det(A) = 0$

d)  $A^{-1} = \begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & 0 \\ 0 & 1 & 1 \end{bmatrix}$

e)  $\ker(A) = \{\mathbf{0}\}$

### Solution

#### Row Operations:



$$\text{Step 1: } r_1 := r_1 - (-2)r_2 \quad \begin{bmatrix} 1 & 0 & 2 & | & 1 & 2 & 0 \\ 0 & 1 & 1 & | & 0 & 1 & 0 \\ 0 & -1 & 0 & | & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 2: } r_3 := r_3 - (-1)r_2 \quad \begin{bmatrix} 1 & 0 & 2 & | & 1 & 2 & 0 \\ 0 & 1 & 1 & | & 0 & 1 & 0 \\ 0 & 0 & 1 & | & 0 & 1 & 1 \end{bmatrix}$$

$$\text{Step 3: } r_1 := r_1 - (2)r_3 \quad \begin{bmatrix} 1 & 0 & 0 & | & 1 & 0 & -2 \\ 0 & 1 & 1 & | & 0 & 1 & 0 \\ 0 & 0 & 1 & | & 0 & 1 & 1 \end{bmatrix}$$

$$\text{Step 4: } r_2 := r_2 - r_3 \quad \begin{bmatrix} 1 & 0 & 0 & | & 1 & 0 & -2 \\ 0 & 1 & 0 & | & 0 & 0 & -1 \\ 0 & 0 & 1 & | & 0 & 1 & 1 \end{bmatrix}$$

**Results:**

a)  $\text{rank}(A) = 3$

b)  $\text{nullity}(A) = 0$

c)  $\det(A) = 0$

d)  $A^{-1} = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 1 & 1 \end{bmatrix}$

e)  $\ker(A) = \{\mathbf{0}\}$

### 2.3.2. RREF

**Solution**

**Elementary Row Operations:**

(1)  $r_2 := r_2 + (-2)r_3$

$$\begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & -1 \\ 0 & 0 & 0 \end{bmatrix}$$

(2)  $r_2 := r_2 + (-2)r_3$

$$\begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & -1 \\ 0 & 0 & 0 \end{bmatrix}$$

**Result:**

$$\begin{bmatrix} 1 & -2 & 0 \\ 0 & 1 & -1 \\ 0 & 0 & 0 \end{bmatrix}$$

**Solution**

**Elementary Row Operations:**

(1)  $r_1 := r_1 - r_3$

$$\begin{bmatrix} 1 & 0 & -2 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

(2)  $r_2 := r_2 + (-2)r_3$

$$\begin{bmatrix} 1 & 0 & -2 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

**Result:**

$$\begin{bmatrix} 1 & 0 & -2 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

**Solution**

**Elementary Row Operations:**

$$(1) \ r_1 := r_1 - r_3$$

$$\begin{bmatrix} 1 & 2 & 0 \\ 0 & 1 & 2 \\ -1 & -2 & 1 \end{bmatrix}$$

$$(2) \ r_3 := r_3 - r_1$$

$$\begin{bmatrix} 1 & 2 & 0 \\ 0 & 1 & 2 \\ 0 & 0 & 1 \end{bmatrix}$$

$$(3) \ r_2 := r_2 + (-2)r_3$$

$$\begin{bmatrix} 1 & 2 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

**Result:**

$$\begin{bmatrix} 1 & 2 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

**Solution**

**Elementary Row Operations:**

$$(1) \ r_2 := r_2 + (-2)r_3$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

$$(2) \ r_2 := r_2 + (-1)r_3$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

**Result:**

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

**Solution**

**Elementary Row Operations:**

$$(1) \ r_1 := r_1 - (2)r_2$$

$$\begin{bmatrix} 1 & 1 & 2 \\ 0 & 1 & 0 \\ -1 & -1 & -2 \end{bmatrix}$$

$$(2) \ r_3 := r_3 - r_1$$

$$\begin{bmatrix} 1 & 1 & 2 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

$$(3) \ r_2 := r_2 + (-2)r_3$$

$$\begin{bmatrix} 1 & 1 & 2 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

**Result:**

$$\begin{bmatrix} 1 & 1 & 2 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

**Solution**

**Elementary Row Operations:**

$$(1) \ r_2 := r_2 - (2)r_3$$

$$\begin{bmatrix} 1 & 0 & 1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

$$(2) \ r_1 := r_1 + (-1)r_3$$

$$\begin{bmatrix} 1 & 0 & 0 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

$$(3) \ r_2 := r_2 - r_1$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

**Result:**

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

**Solution**

**Elementary Row Operations:**

$$(1) \ r_2 := r_2 - r_3$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ -1 & 0 & 0 \end{bmatrix}$$

$$(2) \ r_3 := r_3 - r_1$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

**Result:**

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

**Solution**

**Elementary Row Operations:**

$$(1) \ r_1 := r_1 + (-2)r_2$$

$$\begin{bmatrix} 1 & 0 & -1 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

$$(2) \ r_1 := r_1 - r_3$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

**Result:**

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

**Solution**

**Elementary Row Operations:**

$$(1) \ r_1 := r_1 + (-2)r_2$$

$$\begin{bmatrix} 1 & -1 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

$$(2) \ r_1 := r_1 - (-2)r_3$$

$$\begin{bmatrix} 1 & -1 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

**Result:**

$$\begin{bmatrix} 1 & -1 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

**Solution**

**Elementary Row Operations:**

$$(1) \ r_1 := r_1 - (-2)r_2$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 2 & 0 & 0 \end{bmatrix}$$

$$(2) \ r_3 := r_3 + (-2)r_1$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

**Result:**

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

## 2.4. Calculus

### 2.4.1. Limit

The limit is:

$$1 \quad (151)$$

The limit is:

$$1 \quad (152)$$

The limit is:

$$45 \quad (153)$$

The limit is:

$$2 \quad (154)$$

The limit is:

$$e \quad (155)$$

The limit is:

$$14 \quad (156)$$

The limit is:

$$1 \quad (157)$$

The limit is:

$$1 \quad (158)$$

The limit is:

$$3 \quad (159)$$

The limit is:

$$1 \quad (160)$$

### 2.4.2. Derivative

The derivative is:

$$2xe^{x^2-1} \quad (161)$$

The derivative is:

$$x^3e^x + 3x^2e^x \quad (162)$$

The derivative is:

$$-\frac{2x^2}{(x^2+1)^2} + \frac{1}{x^2+1} \quad (163)$$

The derivative is:

$$4x^3 \quad (164)$$

The derivative is:

$$-\frac{2x^2}{(x^2+1)^2} + \frac{1}{x^2+1} \quad (165)$$

The derivative is:

$$2x \quad (166)$$

The derivative is:

$$3x^2 \log(x) + x^2 \quad (167)$$

The derivative is:

$$-\frac{2x^3}{(x^2+1)^2} + \frac{2x}{x^2+1} \quad (168)$$

The derivative is:

$$\frac{1}{x} \quad (169)$$

The derivative is:

$$2xe^{x^2} + 2e^{2x} \quad (170)$$

### 2.4.3. Integral

The indefinite integral is:

$$(x^2 - 2x + 2)e^x \quad (171)$$

Definite integral from 4 to 5:

$$-10e^4 + 17e^5 \quad (172)$$

The improper integral converges to:

$$1 \quad (173)$$

The indefinite integral is:

$$\frac{e^x \sin(x)}{2} - \frac{e^x \cos(x)}{2} \quad (174)$$

Definite integral from 3 to 4:

$$\frac{e^4 \sin(4)}{2} + \frac{e^3 \cos(3)}{2} - \frac{e^3 \sin(3)}{2} - \frac{e^4 \cos(4)}{2} \quad (175)$$

The improper integral converges to:

$$e^{-1} \quad (176)$$

The improper integral converges to:

$$1 \quad (177)$$

The improper integral converges to:

$$e^{-1} \quad (178)$$

The indefinite integral is:

$$3 \log(x - 3) - 2 \log(x - 2) \quad (179)$$

Definite integral from 1 to 1:

$$0 \quad (180)$$

The indefinite integral is:

$$\text{Si}(x) \quad (181)$$

Definite integral from 2 to 3:

$$- \text{Si}(2) + \text{Si}(3) \quad (182)$$

The indefinite integral is:

$$\log(\log(x)) \quad (183)$$

Definite integral from 2 to 5:

$$- \log(\log(2)) + \log(\log(5)) \quad (184)$$

The indefinite integral is:

$$\frac{\log(x - 2)}{3} - \frac{\log(x + 1)}{3} \quad (185)$$

Definite integral from 3 to 5:

$$- \frac{\log(6)}{3} + \frac{\log(3)}{3} + \frac{\log(4)}{3} \quad (186)$$

#### 2.4.4. Partial Derivative

$$\frac{\partial^2 f}{\partial x \partial y} = 2y(3x^2 + 2y^2) \quad (187)$$

$$\frac{\partial^2 f}{\partial x \partial y} = 2y(3x^2 + 2y^2) \quad (188)$$

$$\frac{\partial^2 f}{\partial x \partial y} = 2y(3x^2 + 2y^2) \quad (189)$$

$$\frac{\partial f}{\partial x} = \frac{\partial f}{\partial u} \frac{\partial u}{\partial x} + \frac{\partial f}{\partial v} \frac{\partial v}{\partial x} \quad (190)$$

$$\frac{\partial^3 f}{\partial y^3} = 6x^2(x^2 + 12y) \quad (191)$$

$$\frac{\partial^2 f}{\partial x \partial y} = 2y(3x^2 + 2y^2) \quad (192)$$

$$\frac{\partial^3 f}{\partial y^3} = 6x^2(x^2 + 12y) \quad (193)$$

$$\frac{\partial f}{\partial x} = 2x(x + y)e^{x^2+y^2} + e^{x^2+y^2} \quad (194)$$

$$\frac{\partial f}{\partial y} = 2y(x + y)e^{x^2+y^2} + e^{x^2+y^2} \quad (195)$$

$$\frac{\partial f}{\partial x} = 2x(x + y)e^{x^2+y^2} + e^{x^2+y^2} \quad (196)$$

$$\frac{\partial f}{\partial y} = 2y(x + y)e^{x^2+y^2} + e^{x^2+y^2} \quad (197)$$

$$\frac{\partial^2 f}{\partial x \partial y} = 2y(3x^2 + 2y^2) \quad (198)$$